

English

# 

### (43) International Publication Date 17 April 2003 (17,04,2003)

## (10) International Publication Number WO 03/031622 A1

- (51) International Patent Classification7: C12N 15/29. 15/52, 15/53, 15/55, 15/60, 15/61, A01H 5/00
- (21) International Application Number: PCT/AU02/01345
- (22) International Filing Date: 4 October 2002 (04.10.2002)
- (25) Filing Language:
- (26) Publication Language: English (30) Priority Data:
- PR 8113 5 October 2001 (05.10.2001) AU
- (71) Applicants (for all designated States except US): AGRICULTURE VICTORIA SERVICES PTY LTD [AU/AU]; 475 Mickleham Road, Attwood, Victoria 3049 (AU), AGRESEARCH LIMITED [NZ/NZ]: 5th Floor, Tower Block, Ruakura Reserach Centre, East Street, Hamilton (NZ).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): SPANGENBERG, German [IJY/AIJ]; 56 Arthur Street, Bundoora, Victoria 3083 (AU). SAWBRIDGE, Timothy, Ivor [GB/AU]; 174 Keele Street, Collingwood, Victoria 3066 (AU). ONG, Eng, Kok [MY/AU]; 19 Overland Drive, Vermont South, Victoria 3133 (AU), EMMERLING, Michael [DE/AU]; 249 Nepean Street, Greensborough, Victoria 3088 (AU).

- (74) Agent: FREEHILLS CARTER SMITH BEADLE: Level 43, 101 Collins Street, Melbourne, Victoria 3000
- (81) Designated States (national): AE, AG, AL, AM, AT. AU. AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FL GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SL SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: MANIPULATION OF FLAVONOID BIOSYNTHESIS IN PLANTS

(57) Abstract: The present invention relates to nucleic acids and nucleic acid fragments encoding amino acid sequences for flavonoid biosynthetic enzymes in plants, and the use thereof for the modification of flavonoid biosynthesis in plants. More particularly, the flavonoid biosynthetic enzyme is selected from the group consisting of chalcone isomerase (CHI), chalcone synthase (CHS), chalcone reductase (CHR), dihydroflavonol 4-reductase (DFR), leucoanthocyanidin reductase (LCR), flavonoid 3', 5' hydrofase (F3'5'H), flavanone 3-hydroxylase (F3H), flavonoid 3'-hydroxylase (F3'H), phenylalanine ammonia-olyase (PAL) and vestitone reductase (VR), and functionally active fragments and variants thereof.

1

## MANIPULATION OF FLAVONOID BIOSYNTHESIS IN PLANTS

The present invention relates to nucleic acids and nucleic acid fragments encoding amino acid sequences for flavonoid biosynthetic enzymes in plants, and the use thereof for the modification of flavonoid biosynthesis in plants.

Flavonoids constitute a relatively diverse family of aromatic molecules that are derived from phenylalanine and malonyl-coenzyme A (CoA, via the fatty acid pathway). These compounds include six major subgroups that are found in most higher plants: the chalcones, flavones, flavonols, flavandiols, anthocyanins and condensed tannins (or proanthocyanidins). A seventh group, the aurones, is widespread, but not ubiquitous.

Some plant species also synthesize specialised forms of flavonoids, such as the isoflavonoids that are found in legumes and a small number of non-legume plants. Similarly, sorghum, maize and gloxinia are among the few species known to synthesize 3-deoxyanthocyanins (or phlobaphenes in the polymerised form).

The stilbenes which are closely related to flavonoids, are synthesised by another group of unrelated species that includes grape, peanut and pine.

Besides providing pigmentation to flowers, fruits, seeds, and leaves, flavonoids also have key roles in signalling between plants and microbes, in male fertility of some species, in defense as antimicrobial agents and feeding 20 deterrents, and in UV protection.

Flavonoids also have significant activities when ingested by animals, and there is great interest in their potential health benefits, particularly for compounds such as isoflavonoids, which have been linked to anticancer benefits, and stillbenes that are believed to contribute to reduced heart disease.

The major branch pathways of flavonoid biosynthesis start with general phenylpropanoid metabolism and lead to the nine major subgroups: the colorless chalcones, aurones, isoflavonoids, flavones, flavonols, flavandiols, anthocyanins, condensed tannins, and phlobaphene pigments. The enzyme phenylalanine

25

2

ammonia-lyase (PAL) of the general phenylpropanoid pathway will lead to the production of cinnamic acid. Cinnamate-4-hydroxylase (C4H) will produce p-coumaric acid which will be converted through the action of 4-coumaroyl:CoA-ligase (4CL) to the production of 4-coumaroyl-CoA and malonyl-CoA. The first committed step in flavonoid biosynthesis is catalyzed by chalcone synthase (CHS), which uses malonyl CoA and 4-coumaryl CoA as substrates. Chalcone reductase (CHR) balances the production of 5-hydroxy- or 5-deoxyflavonoids. The next enzyme, chalcone isomerase (CHI) catalyses ring closure to form a flavanone, but the reaction can also occur spontaneously. Other enzymes in the pathway are: flavanone 3-hydroxylase (F3H), dihydroflavonol 4-reductase (DFR), flavonoid 3'-hydroxylase (F3'H) and flavonoid 3', 5' hydroxylase (F3'Fih).

The Arabidopsis BANYULS gene encodes a DFR-like protein that may be a leucoanthocyanidin reductase (LCR) that catalyzes an early step in condensed tannin biosynthesis. Condensed tannins are plant polyphenols with protein-precipitating and antioxidant properties, synthesized by the flavonoid pathway. Their chemical properties include protein binding, metal chelation, anti-oxidation, and UV-light absorption. As a result condensed tannins inhibit viruses, microorganisms, insects, fungal pathogens, and monogastric digestion. Moderate amounts of tannins improve forage quality by disrupting protein foam and conferring protection from rumen pasture bloat. Bloat is a digestive disorder that occurs on some highly nutritious forage legumes such as alfalfa (Medicago sativa) and white clover (Trifolium repens). Moderate amounts of tannin can also reduce digestion rates in the rumen and can reduce parasitic load sufficiently to increase the titre of amino acids and small peptides in the small intestine without compromising total digestion.

Vestitone reductase (VR) is the penultimate enzyme in medicarpin biosynthesis. Medicarpin, a phytoalexin, has been associated with plant resistance to fungal pathogens.

While nucleic acid sequences encoding some flavonoid biosynthetic 30 enzymes CHI, CHS, CHR, DFR, LCR, F3'5'H, F3H, F3'H, PAL and VR have been isolated for certain species of plants, there remains a need for materials us

3

modifying flavonoid biosynthesis; in modifying protein binding, metal chelation, anti-oxidation, and UV-light absorption; in modifying plant pigment production; in modifying plant defense to biotic stresses such as viruses, micro-organisms, insects or fungal pathogens; in modifying forage quality, for example by disrupting 5 protein foam and/or conferring protection from rumen pasture bloat, particularly in forage legumes and grasses, including alfalfa, medics, clovers, ryegrasses and fescues, and for methods for their use.

It is an object of the present invention to overcome, or at least alleviate, one or more of the difficulties or deficiencies associated with the prior art.

In one aspect, the present invention provides substantially purified or isolated nucleic acids or nucleic acid fragments encoding the flavonoid biosynthetic enzymes CHI, CHS, CHR, DFR, LCR, F3'5'H, F3H, F3'H, PAL and VR from a clover (Trifolium), medic (Medicago), ryegrass (Lolium) or fescue (Festuca) species and functionally active fragments and variants thereof.

10

15

The present invention also provides substantially purified or isolated nucleic acids or nucleic acid fragments encoding amino acid sequences for a class of proteins which are related to CHI, CHS, CHR, DFR, LCR, F3'5'H, F3H, F3'H, PAL and VR and functionally active fragments and variants thereof. Such proteins are referred to herein as CHI-like, CHS-like, CHR-like, DFR-like, LCR-like, F3'5'H-like, 20 F3H-like, F3'H-like, PAL-like and VR-like, respectively.

The individual or simultaneous enhancement or otherwise manipulation of CHI, CHS, CHR, DFR, LCR, F3'5'H, F3H, F3'H, PAL and/or VR or like gene activities in plants may enhance or otherwise alter flavonoid biosynthesis; may enhance or otherwise alter the plant capacity for protein binding, metal chelation, 25 anti-oxidation or UV-light absorption; may enhance or reduce or otherwise alter plant pigment production; may modify plant defense to biotic stresses such as viruses, micro-organisms, insects or fungal pathogens; and/or may modify forage quality, for example by disrupting protein foam and/or conferring protection from rumen pasture bloat.

The individual or simultaneous enhancement or otherwise manipulation of CHI, CHS, CHR, DFR, LCR, F3'5'H, F3H, F3'H, PAL and/or VR or like gene activities in plants has significant consequences for a range of applications in, for example, plant production and plant protection. For example, it has applications in 5 increasing plant tolerance and plant defense to biotic stresses such as viruses. micro-organisms, insects and fungal pathogens; in improving plant forage quality. for example by disrupting protein foam and in conferring protection from rumen pasture bloat; in reducing digestion rates in the rumen and reducing parasitic load: in the production of plant compounds leading to health benefits, such as 10 isoflavonoids, which have been linked to anticancer benefits, and stilbenes that are believed to contribute to reduced heart disease.

Methods for the manipulation of CHI, CHS, CHR, DFR, LCR, F3'5'H, F3H. F3'H, PAL and/or VR or like gene activities in plants, including legumes such as clovers (Trifolium species), lucerne (Medicago sativa) and grass species such as 15 ryegrasses (Lolium species) and fescues (Festuca species) may facilitate the production of, for example, forage legumes and forage grasses and other crops with enhanced tolerance to biotic stresses such as viruses, micro-organisms. insects and fungal pathogens; altered pigmentation in flowers; forage legumes with enhanced herbage quality and bloat-safety; crops with enhanced isoflavonoid 20 content leading to health benefits.

The clover (Trifolium), medic (Medicago), ryegrass (Lolium) or fescue (Festuca) species may be of any suitable type, including white clover (Trifolium repens), red clover (Trifolium pratense), subterranean clover (Trifolium subterraneum), alfalfa (Medicago sativa), Italian or annual ryegrass (Lolium multiflorum), perennial ryegrass (Lolium perenne), tall fescue (Festuca arundinacea), meadow fescue (Festuca pratensis) and red fescue (Festuca rubra). Preferably the species is a clover or a ryegrass, more preferably white clover (7. repens) or perennial ryegrass (L. perenne). White clover (Trifolium repens L.) and perennial ryegrass (Lolium perenne L.) are key pasture legumes and grasses, 30 respectively, in temperate climates throughout the world. Perennial ryegrass is also an important turf grass.

25

5

5

The nucleic acid or nucleic acid fragment may be of any suitable type and includes DNA (such as cDNA or genomic DNA) and RNA (such as mRNA) that is single- or double-stranded, optionally containing synthetic, non-natural or altered nucleotide bases, and combinations thereof.

The term "isolated" means that the material is removed from its original environment (eg. the natural environment if it is naturally occurring). For example, a naturally occurring nucleic acid present in a living plant is not isolated, but the same nucleic acid separated from some or all of the coexisting materials in the natural system, is isolated. Such nucleic acids could be part of a vector and/or 10 such nucleic acids could be part of a composition, and still be isolated in that such a vector or composition is not part of its natural environment.

Such nucleic acids or nucleic acid fragments could be assembled to form a consensus contig. As used herein, the term "consensus contig" refers to a nucleotide sequence that is assembled from two or more constituent nucleotide 15 sequences that share common or overlapping regions of sequence homology. For example, the nucleotide sequence of two or more nucleic acids or nucleic acid fragments can be compared and aligned in order to identify common or overlapping sequences. Where common or overlapping sequences exist between two or more nucleic acids or nucleic acid fragments, the sequences (and thus their 20 corresponding nucleic acids or nucleic acid fragments) can be assembled into a sinale contiguous nucleotide sequence.

In a preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding a CHI or CHIlike protein includes a nucleotide sequence selected from the group consisting of 25 (a) sequences shown in Figures 1, 3, 4, 6, 7, 9, 10, 12, 122 and 127 hereto (Sequence ID Nos: 1, 3 to 7, 8, 10 to 12, 13, 15 and 16, 17, 19 to 22, 307, and 309, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c),

6

In a further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding a CHS or CHS-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 13, 15, 16, 18, 19, 21, 22, 24, 25, 27, 28, 30, 31, 33, 34, 137, 142, 147, 152, 157 and 162 hereto (Sequence ID Nos: 23, 25 to 63, 64, 66 to 68, 69, 71 to 77, 78, 80 to 90, 91, 93 and 94, 95, 97 to 100, 101, 103 to 105, 106, 313, 315, 317, 319, 321, and 323, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

In a further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding a CHR or CHR-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 36, 38, 40, 41, 43 and 132 hereto (Sequence ID Nos: 108, 110, 112 to 116, 117, 119 to 134, and 311, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

In a further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding a DFR or DFR-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 44, 46, 47, 49, 50, 52, 54, 55, 57, 59, 61, 62, 64, 101, 103, 104, 106, 117 and 167 hereto (Sequence ID Nos: 135, 137 to 146, 147, 149 to 152, 153, 155, 157 and 158, 159, 161, 163, 165 to 167, 168, 170 to 184, 286, 288 to 292, 293, 295 to 297, 305, and 325, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a). (b) and (c).

In a further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding an LCR or LCR-like protein includes a nucleotide sequence selected from the group

consisting of (a) sequences shown in Figures 65 and 67 hereto (Sequence ID Nos. 185 and 187 to 193, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and 5 (c).

7

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding an F3'5'H or F3'5'H-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 68, 70 and 72 hereto 10 (Sequence ID Nos: 194, 196, and 198 to 201, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

In a further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding an F3H or F3H-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 73, 75, 76, 78, 107, 109, 111 and 172 hereto (Sequence ID Nos: 202, 204 to 244, 245, 247, 298, 300 to 302, 303, and 327, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding an F3'H or F3'H-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 80 and 82 hereto (Sequence ID Nos: 249, and 251 and 252, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

8

In a further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding an PAL or PAL-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 83, 85, 86, 88, 89, 91, 93, 95, 97, 5 177. 182 and 187 hereto (Sequence ID Nos: 253, 255 to 257, 258, 260 to 267, 268, 270, 272, 274, 276 and 277, 329, 331, and 333, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated nucleic acid or nucleic acid fragment encoding an VR or VR-like protein includes a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 98, 100 and 192 hereto (Sequence ID Nos: 278, 280 to 285, and 335, respectively); (b) complements of the 15 sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

10

By "functionally active" in relation to nucleic acids it is meant that the fragment or variant (such as an analogue, derivative or mutant) encodes a polypeptide which is capable of modifying flavonoid biosynthesis in a plant. Such variants include naturally occurring allelic variants and non-naturally occurring variants. Additions, deletions, substitutions and derivatizations of one or more of the nucleotides are contemplated so long as the modifications do not result in loss of functional activity of the fragment or variant. Preferably the functionally active fragment or variant has at least approximately 80% identity to the relevant part of the above mentioned nucleotide sequence, more preferably at least approximately 90% identity, even more preferably at least approximately 95% identity, most preferably at least approximately 98% homology. Such functionally active variants and fragments include, for example, those having nucleic acid changes which 30 result in conservative amino acid substitutions of one or more residues in the corresponding amino acid sequence. Preferably the fragment has a size of at least

9 10 nucleotides, more preferably at least 15 nucleotides, most preferably at least 20 nucleotides

Nucleic acids or nucleic acid fragments encoding at least a portion of several CHI, CHS, CHR, DFR, LCR, F3'5'H, F3H, F3'H, PAL and VR have been 5 isolated and identified. The nucleic acids or nucleic acid fragments of the present invention may be used to isolate cDNAs and genes encoding homologous proteins from the same or other plant species. Isolation of homologous genes using sequence-dependent protocols, such as methods of nucleic acid hybridisation, and methods of DNA and RNA amplification as exemplified by various uses of nucleic 10 acid amplification technologies (e.g. polymerase chain reaction, ligase chain reaction), is well known in the art.

For example, genes encoding other CHI or CHI-like, CHS or CHS-like, CHR or CHR-like, DFR or DFR-like, LCR or LCR-like, F3'5'H or F3'5'H-like, F3H or F3H-like, F3'H or F3'H-like, PAL or PAL-like and VR or VR-like proteins, either as 15 cDNAs or genomic DNAs, may be isolated directly by using all or a portion of the nucleic acids or nucleic acid fragments of the present invention as hybridisation probes to screen libraries from the desired plant employing the methodology well known to those skilled in the art. Specific oligonucleotide probes based upon the nucleic acid sequences of the present invention may be designed and synthesized 20 by methods known in the art. Moreover, the entire sequences may be used directly to synthesize DNA probes by methods known to the skilled artisan such as random primer DNA labelling, nick translation, or end-labelling techniques, or RNA probes using available in vitro transcription systems. In addition, specific primers may be designed and used to amplify a part or all of the sequences of the present invention. The resulting amplification products may be labelled directly during amplification reactions or labelled after amplification reactions, and used as probes to isolate full-length cDNA or genomic fragments under conditions of appropriate stringency.

In addition, short segments of the nucleic acids or nucleic acid fragments of 30 the present invention may be used in amplification protocols to amplify longer nucleic acids or nucleic acid fragments encoding homologous genes from DNA or

25

10

RNA. For example, polymerase chain reaction may be performed on a library of cloned nucleic acid fragments wherein the sequence of one primer is derived from the nucleic acid sequences of the present invention, and the sequence of the other primer takes advantage of the presence of the polyadenylic acid tracts to the 3' end of the mRNA precursor encoding plant genes. Alternatively, the second primer sequence may be based upon sequences derived from the cloning vector. For example, those skilled in the art can follow the RACE protocol [Frohman et al. (1988) Proc. Natl. Acad Sci. USA 85:8998, the entire disclosure of which is incorporated herein by reference] to generate cDNAs by using PCR to amplify 10 copies of the region between a single point in the transcript and the 3' or 5' end. Using commercially available 3' RACE and 5' RACE systems (BRL), specific 3' or 5' cDNA fragments may be isolated [Ohara et al. (1989) Proc. Natl. Acad Sci USA 86:5573; Loh et al. (1989) Science 243:217, the entire disclosures of which are incorporated herein by reference]. Products generated by the 3' and 5' RACE procedures may be combined to generate full-length cDNAs.

In a second aspect of the present invention there is provided a substantially purified or isolated polypeptide from a clover (*Trifolium*), medic (*Medicago*), ryegrass (*Lolium*) or fescue (*Festuca*) species, selected from the group consisting of CHI and CHI-like, CHS and CHS-like, CHR and CHR-like, DFR and DFR-like, 20 LCR and LCR-like, F3'5'H and F3'5'H-like, F3H and F3H-like, F3'H and F3'H-like, PAL and PAL-like, VR and VR-like; and functionally active fragments and variants thereof.

The clover (*Trifolium*), medic (*Medicago*), ryegrass (*Lolium*) or fescue (*Festuca*) species may be of any suitable type, including white clover (*Trifolium* 25 repens), red clover (*Trifolium pratense*), subterranean clover (*Trifolium subterraneum*), alfalfa (*Medicago sativa*), Italian or annual ryegrass (*Lolium multiflorum*), perennial ryegrass (*Lolium perenne*), tall fescue (*Festuca arundinacea*), meadow fescue (*Festuca pratensis*) and red fescue (*Festuca rubra*). Preferably the species is a clover or a ryegrass, more preferably white clover (*T.* 30 repens) or perennial ryegrass (*L. perenne*).

In a preferred embodiment of this aspect of the invention, the substantially purified or isolated CHI or CHI-like polypeptide includes an amino acid sequence selected from the group consisting of the sequences shown in Figures 2, 5, 8, 11, 123 and 128 hereto (Sequence ID Nos: 2, 9, 14, 18, 308, and 310, respectively), and functionally active fragments and variants thereof.

11

In a further preferred embodiment of this aspect of the invention, the substantially purified or isolated CHS or CHS-like polypeptide includes an amino acid sequence selected from the group consisting of the sequences shown in Figures 14, 17, 20, 23, 26, 29, 32, 35, 138, 143, 148, 153, 158 and 163 hereto 10 (Sequence ID Nos: 24, 65, 70, 79, 92, 96, 102, 107, 314, 316, 318, 320, 322, and 324, respectively), and functionally active fragments and variants thereof.

In a further preferred embodiment of this aspect of the invention, the substantially purified or isolated CHR or CHR-like polypeptide includes an amino acid sequence selected from the group consisting of the sequences shown in Figures 37, 39, 42 and 133 hereto (Sequence ID Nos: 109, 111, 118, and 312, respectively), and functionally active fragments and variants thereof.

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated DFR or DFR-like polypeptide includes an amino acid sequence selected from the group consisting of the sequences shown in 20 Figures 45, 48, 51, 53, 56, 58, 60, 63, 102, 105, 118 and 168 hereto (Sequence ID Nos: 136, 148, 54, 156, 160, 162, 164, 169, 287, 294, 306, and 326, respectively), and functionally active fragments and variants thereof.

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated LCR or LCR-like polypeptide includes an amino 25 acid sequence shown in Figure 66 hereto (Sequence ID No: 186), and functionally active fragments and variants thereof.

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated F3'5'H or F3'5'H-like polypeptide includes an amino acid sequence selected from the group consisting of the sequences shown

12

in Figures 69 and 71 hereto (Sequence ID Nos: 195 and 197, respectively), and functionally active fragments and variants thereof.

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated F3H or F3H-like polypeptide includes an amino acid sequence selected from the group consisting of the sequences shown in Figures 74, 77, 79, 108, 112 and 173 hereto (Sequence ID Nos: 203, 246, 248, 299, 304, and 328, respectively), and functionally active fragments and variants thereof.

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated F3'H or F3'H-like polypeptide includes an amino acid sequence shown in Figure 81 hereto (Sequence ID No: 250), and functionally active fragments and variants thereof.

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated PAL or PAL-like polypeptide includes an amino acid sequence selected from the group consisting of the sequences shown in Figures 84, 87, 90, 92, 94, 96, 178, 183 and 188 hereto (Sequence ID Nos: 254, 259, 269, 271, 273, 275, 330, 332, and 334, respectively), and functionally active fragments and variants thereof.

In a still further preferred embodiment of this aspect of the invention, the substantially purified or isolated VR or VR-like polypeptide includes an amino acid sequence shown in Figures 99 and 193 hereto (Sequence ID Nos: 279 and 336, respectively), and functionally active fragments and variants thereof.

By "functionally active" in relation to polypeptides it is meant that the fragment or variant has one or more of the biological properties of the proteins 25 CHI, CHI-like, CHS, CHS-like, CHR, CHR-like, DFR, DFR-like, LCR, LCR-like, F3'5'H, F3'5'H-like, F3H, F3H-like, F3'H, F3'H-like, PAL, PAL-like, VR and VR-like, respectively. Additions, deletions, substitutions and derivatizations of one or more of the amino acids are contemplated so long as the modifications do not result in loss of functional activity of the fragment or variant. Preferably the functionally

active fragment or variant has at least approximately 60% identity to the relevant part of the above mentioned amino acid sequence, more preferably at least approximately 80% identity, even more preferably at least approximately 90% identity most preferably at least approximately 95% homology. Such functionally active variants and fragments include, for example, those having conservative amino acid substitutions of one or more residues in the corresponding amino acid sequence. Preferably the fragment has a size of at least 10 amino acids, more preferably at least 15 amino acids, most preferably at least 20 amino acids.

13

In a further embodiment of this aspect of the invention, there is provided a polypeptide recombinantly produced from a nucleic acid or nucleic acid fragment according to the present invention. Techniques for recombinantly producing polypeptides are well known to those skilled in the art.

Availability of the nucleotide sequences of the present invention and deduced amino acid sequences facilitates immunological screening of cDNA expression libraries. Synthetic peptides representing portions of the instant amino acid sequences may be synthesized. These peptides may be used to immunise animals to produce polyclonal or monoclonal antibodies with specificity for peptides and/or proteins including the amino acid sequences. These antibodies may be then used to screen cDNA expression libraries to isolate full-length cDNA clones of interest.

A genotype is the genetic constitution of an individual or group. Variations in genotype are important in commercial breeding programs, in determining parentage, in diagnostics and fingerprinting, and the like. Genotypes can be readily described in terms of genetic markers. A genetic marker identifies a specific region or locus in the genome. The more genetic markers, the finer defined is the genotype. A genetic marker becomes particularly useful when it is allelic between organisms because it then may serve to unambiguously identify an individual. Furthermore, a genetic marker becomes particularly useful when it is based on nucleic acid sequence information that can unambiguously establish a genotype of an individual and when the function encoded by such nucleic acid is known and is associated with a specific trait. Such nucleic acids and/or nucleotide

14

20

sequence information including single nucleotide polymorphisms (SNPs), variations in single nucleotides between allelic forms of such nucleotide sequence, may be used as perfect markers or candidate genes for the given trait.

Applicants have identified a number of SNPs of the nucleic acids or nucleic acid fragments of the present invention. These are indicated (marked with grey on the black background) in the figures that show multiple alignments of nucleotide sequences of nucleic acid fragments contributing to consensus contig sequences. See for example, Figures 3, 6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 40, 43, 46, 49, 54, 61, 64, 67, 72, 75, 82, 85, 88, 97, 100, 103, 106 and 109 hereto (Sequence ID 10 Nos: 3 to 7, 10 to 12, 15 and 16, 19 to 22, 25 to 63, 66 to 68, 71 to 77, 80 to 90, 93 and 94, 97 to 100, 103 to 105, 112 to 116, 119 to 134, 137 to 146, 149 to 152, 157 and 158, 165 to 167, 170 to 184, 187 to 193, 198 to 201, 204 to 244, 251 and 252, 255 to 257, 260 to 267, 276 and 277, 280 to 285, 288 to 292, 295 to 297, and 300 to 302, respectively).

Accordingly, in a further aspect of the present invention, there is provided a substantially purified or isolated nucleic acid or nucleic acid fragment including a single nucleotide polymorphism (SNP) from a nucleic acid or nucleic acid fragment according to the present invention or complements or sequences antisense thereto, and functionally active fragments and variants thereof.

In a still further aspect of the present invention there is provided a method of isolating a nucleic acid or nucleic acid fragment of the present invention including a SNP, said method including sequencing nucleic acid fragments from a nucleic acid library.

The nucleic acid library may be of any suitable type and is preferably a 25 cDNA library.

The nucleic acid or nucleic acid fragments may be isolated from a recombinant plasmid or may be amplified, for example using polymerase chain reaction.

15

The sequencing may be performed by techniques known to those skilled in the art.

In a still further aspect of the present invention, there is provided use of the nucleic acids or nucleic acid fragments of the present invention including SNPs, and/or nucleotide sequence information thereof, as molecular genetic markers.

In a still further aspect of the present invention there is provided use of a nucleic acid or nucleic acid fragment of the present invention, and/or nucleotide sequence information thereof, as a molecular genetic marker.

More particularly, nucleic acids or nucleic acid fragments according to the present invention and/or nucleotide sequence information thereof may be used as a molecular genetic marker for quantitative trait loci (QTL) tagging, QTL mapping, DNA fingerprinting and in marker assisted selection, particularly in clovers, alfalfa, ryegrasses and fescues. Even more particularly, nucleic acids or nucleic acid fragments according to the present invention and/or nucleotide sequence information thereof may be used as molecular genetic markers in plant improvement in relation to plant tolerance to biotic stresses such as viruses, microorganisms, insects, fungal pathogens; in relation to forage quality; in relation to bloat safety; in relation to condensed tannin content; in relation to plant pigmentation. Even more particularly, sequence information revealing SNPs in allelic variants of the nucleic acids or nucleic acid fragments of the present invention and/or nucleotide sequence information thereof may be used as molecular genetic markers for QTL tagging and mapping and in marker assisted selection, particularly in clovers, alfalfa, ryegrasses and fescues.

In a still further aspect of the present invention there is provided a construct

including a nucleic acid or nucleic acid fragment according to the present invention

The term "construct" as used herein refers to an artificially assembled or isolated nucleic acid molecule which includes the gene of interest. In general a construct may include the gene or genes of interest, a marker gene which in some

16
cases can also be the gene of interest and appropriate regulatory sequences. It

cases can also be the gene of interest and appropriate regulatory sequences. It should be appreciated that the inclusion of regulatory sequences in a construct is optional, for example, such sequences may not be required in situations where the regulatory sequences of a host cell are to be used. The term construct includes vectors but should not be seen as being limited thereto.

In a still further aspect of the present invention there is provided a vector including a nucleic acid or nucleic acid fragment according to the present invention.

The term "vector" as used herein encompasses both cloning and 10 expression vectors. Vectors are often recombinant molecules containing nucleic acid molecules from several sources.

In a preferred embodiment of this aspect of the invention, the vector may include a regulatory element such as a promoter, a nucleic acid or nucleic acid fragment according to the present invention and a terminator, said regulatory element, nucleic acid or nucleic acid fragment and terminator being operatively linked.

By "operatively linked" is meant that said regulatory element is capable of causing expression of said nucleic acid or nucleic acid fragment in a plant cell and said terminator is capable of terminating expression of said nucleic acid or nucleic acid fragment in a plant cell. Preferably, said regulatory element is upstream of said nucleic acid or nucleic acid fragment and said terminator is downstream of said nucleic acid or nucleic acid fragment.

The vector may be of any suitable type and may be viral or non-viral. The vector may be an expression vector. Such vectors include chromosomal, non25 chromosomal and synthetic nucleic acid sequences, eg. derivatives of plant viruses; bacterial plasmids; derivatives of the Ti plasmid from Agrobacterium tumefaciens, derivatives of the Ri plasmid from Agrobacterium rhizogenes; phage DNA; yeast artificial chromosomes; bacterial artificial chromosomes; becterial artificial chromosomes; of plasmids

20

17 and phage DNA. However, any other vector may be used as long as it is replicable, integrative or viable in the plant cell.

The regulatory element and terminator may be of any suitable type and may be endogenous to the target plant cell or may be exogenous, provided that they 5 are functional in the target plant cell.

Preferably the regulatory element is a promoter. A variety of promoters which may be employed in the vectors of the present invention are well known to those skilled in the art. Factors influencing the choice of promoter include the desired tissue specificity of the vector, and whether constitutive or inducible 10 expression is desired and the nature of the plant cell to be transformed (eq. monocotyledon or dicotyledon). Particularly suitable constitutive promoters include the Cauliflower Mosaic Virus 35S (CaMV 35S) promoter and derivatives thereof. the maize Ubiquitin promoter, and the rice Actin promoter.

A variety of terminators which may be employed in the vectors of the present invention are also well known to those skilled in the art. The terminator may be from the same gene as the promoter sequence or a different gene. Particularly suitable terminators are polyadenylation signals, such as the CaMV 35S polvA and other terminators from the nopaline synthase (nos), the octopine synthase (ocs) and the rbcS genes.

The vector, in addition to the regulatory element, the nucleic acid or nucleic acid fragment of the present invention and the terminator, may include further elements necessary for expression of the nucleic acid or nucleic acid fragment, in different combinations, for example vector backbone, origin of replication (ori), multiple cloning sites, spacer sequences, enhancers, introns (such as the maize 25 Ubiquitin Ubi intron), antibiotic resistance genes and other selectable marker genes [such as the neomycin phosphotransferase (npt2) gene, the hygromycin phosphotransferase (hph) gene, the phosphinothricin acetyltransferase (bar or pat) gene and the gentamycin acetyl transferase (aacC1) gene], and reporter genes [such as beta-glucuronidase (GUS) gene (gusA) and green fluorescent protein

18

(gfp)]. The vector may also contain a ribosome binding site for translation initiation. The vector may also include appropriate sequences for amplifying expression.

As an alternative to use of a selectable marker gene to provide a phenotypic trait for selection of transformed host cells, the presence of the vector in transformed cells may be determined by other techniques well known in the art, such as PCR (polymerase chain reaction), Southern blot hybridisation analysis, histochemical GUS assays, northern and Western blot hybridisation analyses.

Those skilled in the art will appreciate that the various components of the vector are operatively linked, so as to result in expression of said nucleic acid or nucleic acid fragment. Techniques for operatively linking the components of the vector of the present invention are well known to those skilled in the art. Such techniques include the use of linkers, such as synthetic linkers, for example including one or more restriction enzyme sites.

The constructs and vectors of the present invention may be incorporated into a variety of plants, including monocotyledons (such as grasses from the genera Lolium, Festuca, Paspalum, Pennisetum, Panicum and other forage and turfgrasses, corn, oat, sugarcane, wheat and barley), dicotyledons (such as Arabidopsis, tobacco, clovers, medics, eucalyptus, potato, sugarbeet, canola, soybean, chickpea) and gymnosperms. In a preferred embodiment, the constructs and vectors may be used to transform monocotyledons, preferably grass species such as ryegrasses (Lolium species) and fescues (Festuca species), more preferably perennial ryegrass, including forage- and turf-type cultivars. In an alternate preferred embodiment, the constructs and vectors may be used to transform dicotyledons, preferably forage legume species such as clovers (Trifolium species) and medics (Medicago species), more preferably white clover (Trifolium repens), red clover (Trifolium pratense), subterranean clover (Trifolium subterraneum) and alfalfa (Medicago sativa). Clovers, alfalfa and medics are key pasture legumes in temperate climates throughout the world.

Techniques for incorporating the constructs and vectors of the present 30 invention into plant cells (for example by transduction, transfection or

transformation) are well known to those skilled in the art. Such techniques include Agrobacterium mediated introduction, electroporation to tissues, cells and protoplasts, protoplast fusion, injection into reproductive organs, injection into immature embryos and high velocity projectile introduction to cells, tissues, calli, immature and mature embryos. The choice of technique will depend largely on the type of plant to be transformed.

Cells incorporating the constructs and vectors of the present invention may be selected, as described above, and then cultured in an appropriate medium to regenerate transformed plants, using techniques well known in the art. The culture conditions, such as temperature, pH and the like, will be apparent to the person skilled in the art. The resulting plants may be reproduced, either sexually or asexually, using methods well known in the art, to produce successive generations of transformed plants.

In a further aspect of the present invention there is provided a plant cell,

plant, plant seed or other plant part, including, e.g. transformed with, a construct,
vector, nucleic acid or nucleic acid fragment of the present invention.

The plant cell, plant, plant seed or other plant part may be from any suitable species, including monocotyledons, dicotyledons and gymnosperms. In a preferred embodiment the plant cell, plant, plant seed or other plant part may be 20 from a monocotyledon, preferably a grass species, more preferably a ryegrass (Lolium species) or fescue (Festuca species), even more preferably perennial ryegrass, including both forage- and turf-type cultivars. In an alternate preferred embodiment the plant cell, plant, plant seed or other plant part may be from a dicotyledon, preferably forage legume species such as clovers (Trifolium species) and medics (Medicago species), more preferably white clover (Trifolium repens), red clover (Trifolium pratense), subterranean clover (Trifolium subterraneum) and alfalta (Medicago sativa).

The present invention also provides a plant, plant seed or other plant part, or a plant extract derived from a plant cell of the present invention.

20

The present invention also provides a plant, plant seed or other plant part, or a plant extract derived from a plant of the present invention.

In a further aspect of the present invention there is provided a method of modifying flavonoid biosynthesis in a plant; said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment, construct and/or a vector according to the present invention.

In a further aspect of the present invention there is provided a method of modifying protein binding, metal chelation, anti-oxidation, and/or UV-light absorption in a plant, said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment, construct and/or a vector according to the present invention.

In a further aspect of the present invention there is provided a method of modifying pigment production in a plant, said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment, construct and/or a vector according to the present invention.

In a further aspect of the present invention there is provided a method of modifying plant defense to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens, said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment, construct and/or a vector according to the present invention.

In a further aspect of the present invention there is provided a method of modifying forage quality of a plant by disrupting protein foam and/or conferring protection from rumen pasture bloat, said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment, construct and/or a vector according to the present invention.

By "an effective amount" it is meant an amount sufficient to result in an identifiable phenotypic trait in said plant, or a plant, plant seed or other plant part derived therefrom. Such amounts can be readily determined by an appropriately

skilled person, taking into account the type of plant, the route of administration and other relevant factors. Such a person will readily be able to determine a suitable amount and method of administration. See, for example, Maniatis et al, Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory, Cold Spring Harbor, the entire disclosure of which is incorporated herein by reference.

Using the methods and materials of the present invention, flavonoid biosynthesis, protein binding, metal chelation, anti-oxidation, UV-light absorption, tolerance to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens; pigmentation in for example flowers and leaves; herbage quality and bloat-safety; and/or isoflavonoid content leading to health benefits, may be increased or otherwise modified, for example by incorporating additional copies of a sense nucleic acid or nucleic acid fragment of the present invention. They may be decreased or otherwise modified, for example by incorporating an antisense nucleic acid or nucleic acid fragment of the present invention.

15 The present invention will now be more fully described with reference to the accompanying Examples and drawings. It should be understood, however, that the description following is illustrative only and should not be taken in any way as a restriction on the generality of the invention described above.

In the Figures

20 Figure 1 shows the consensus contig nucleotide sequence of TrCHIa (Sequence ID No: 1).

Figure 2 shows the deduced amino acid sequence of TrCHIa (Sequence ID No: 2).

Figure 3 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contributing to the consen

25 Figure 4 shows the consensus contig nucleotide sequence of TrCHIb (Sequence ID No: 8).

Figure 5 shows the deduced amino acid sequence of TrCHIb (Sequence ID No: 9).

Figure 6 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHIb (Sequence ID Nos: 10 to 12).

22

Figure 7 shows the consensus contig nucleotide sequence of TrCHIc (Sequence 5 ID No: 13).

Figure 8 shows the deduced amino acid sequence of TrCHIc (Sequence ID No: 14).

Figure 9 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHIc (Sequence ID Nos: 15 and 10 16).

Figure 10 shows the consensus contig nucleotide sequence of TrCHId (Sequence ID No: 17).

Figure 11 shows the deduced amino acid sequence of TrCHId (Sequence ID No: 18).

15 Figure 12 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHId (Sequence ID Nos: 19 to 22).

Figure 13 shows the consensus contig nucleotide sequence of TrCHSa (Sequence ID No: 23).

20 Figure 14 shows the deduced amino acid sequence of TrCHSa (Sequence ID No: 24).

Figure 15 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHSa (Sequence ID Nos: 25 to 63).

23 Figure 16 shows the consensus contig nucleotide sequence of TrCHSb (Sequence ID No: 64).

Figure 17 shows the deduced amino acid sequence of TrCHSb (Sequence ID No: 65).

5 Figure 18 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHSb (Sequence ID Nos: 66 to 68).

Figure 19 shows the consensus contig nucleotide sequence of TrCHSc (Sequence ID No: 69).

10 Figure 20 shows the deduced amino acid sequence of TrCHSc (Sequence ID No: 70).

Figure 21 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHSc (Sequence ID Nos: 71 to 77).

15 Figure 22 shows the consensus contig nucleotide sequence of TrCHSd (Sequence ID No: 78).

Figure 23 shows the deduced amino acid sequence of TrCHSd (Sequence ID No: 79).

Figure 24 shows the nucleotide sequences of the nucleic acid fragments 20 contributing to the consensus contig sequence TrCHSd (Sequence ID Nos: 80 to 90).

Figure 25 shows the consensus contig nucleotide sequence of TrCHSe (Sequence ID No: 91).

Figure 26 shows the deduced amino acid sequence of TrCHSe (Sequence ID No: 25 92).

Figure 27 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHSe (Sequence ID Nos: 93 and 94).

Figure 28 shows the consensus contig nucleotide sequence of TrCHSf (Sequence ID No: 95).

Figure 29 shows the deduced amino acid sequence of TrCHSf (Sequence ID No: 96).

Figure 30 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHSf (Sequence ID Nos: 97 to 10 100).

Figure 31 shows the consensus contig nucleotide sequence of TrCHSg (Sequence ID No: 101).

Figure 32 shows the deduced amino acid sequence of TrCHSg (Sequence ID No: 102).

15 Figure 33 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHSg (Sequence ID Nos: 103 to 105).

Figure 34 shows the consensus contig nucleotide sequence of TrCHSh (Sequence ID No: 106).

20 Figure 35 shows the deduced amino acid sequence of TrCHSh (Sequence ID No: 107).

Figure 36 shows the nucleotide sequence of TrCHRa (Sequence ID No: 108).

Figure 37 shows the deduced amino acid sequence of TrCHRa (Sequence ID No: 109).

25 Figure 38 shows the consensus conting nucleotide sequence of TrCHRb (Sequence ID No: 110).

Figure 39 shows the deduced amino acid sequence of TrCHRb (Sequence ID No: 111).

5 Figure 40 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHRb (Sequence ID Nos: 112 to 116).

Figure 41 shows the consensus contia nucleotide sequence of TrCHRc (Sequence ID No: 117).

10 Figure 42 shows the deduced amino acid sequence of TrCHRc (Sequence ID No: 118).

Figure 43 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrCHRc (Sequence ID Nos: 119 to 134).

15 Figure 44 shows the consensus contia nucleotide sequence of TrDFRa (Sequence) ID No: 135).

Figure 45 shows the deduced amino acid sequence of TrDFRa (Sequence ID No: 136).

Figure 46 shows the nucleotide sequences of the nucleic acid fragments 20 contributing to the consensus contig sequence TrDFRa (Sequence ID Nos: 137 to 146).

Figure 47 shows the consensus conting nucleotide sequence of TrDFRb (Sequence ID No: 147).

Figure 48 shows the deduced amino acid sequence of TrDFRb (Sequence ID No: 25 148).

26

Figure 49 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrDFRb (Sequence ID Nos: 149 to 152).

Figure 50 shows the nucleotide sequence of TrDFRc (Sequence ID No: 153).

5 Figure 51 shows the deduced amino acid sequence of TrDFRc (Sequence ID No: 154).

Figure 52 shows the consensus contig nucleotide sequence of TrDFRd (Sequence ID No: 155).

Figure 53 shows the deduced amino acid sequence of TrDFRd (Sequence ID No: 10 156).

Figure 54 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrDFRd (Sequence ID Nos: 157 and 158).

Figure 55 shows the nucleotide sequence of TrDFRe (Sequence ID No: 159).

15 Figure 56 shows the deduced amino acid sequence of TrDFRe (Sequence ID No: 160).

Figure 57 shows the nucleotide sequence of TrDFRf (Sequence ID No: 161).

Figure 58 shows the deduced amino acid sequence of TrDFRf (Sequence ID No: 162).

20 Figure 59 shows the consensus contig nucleotide sequence of TrDFRg (Sequence ID No: 163).

Figure 60 shows the deduced amino acid sequence of TrDFRg (Sequence ID No: 164).

Figure 61 shows the nucleotide sequences of the nucleic acid fragments

Figure 61 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrDFRg (Sequence ID Nos: 165 to 167).

Figure 62 shows the consensus contig nucleotide sequence of TrDFRh (Sequence 5 ID No: 168).

Figure 63 shows the deduced amino acid sequence of TrDFRh (Sequence ID No: 169).

Figure 64 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrDFRh (Sequence ID Nos: 170 to 10 184).

Figure 65 shows the consensus contig nucleotide sequence of TrLCRa (Sequence ID No: 185).

Figure 66 shows the deduced amino acid sequence of TrLCRa (Sequence ID No: 186).

15 Figure 67 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrLCRa (Sequence ID Nos: 187 to 193).

Figure 68 shows the nucleotide sequence of TrF3'5'Ha (Sequence ID No: 194).

Figure 69 shows the deduced amino acid sequence of TrF3'5'Ha (Sequence ID 20 No: 195).

Figure 70 shows the consensus contig nucleotide sequence of TrF3'5'Hb (Sequence ID No: 196).

Figure 71 shows the deduced amino acid sequence of TrF3'5'Hb (Sequence ID No: 197).

28

Figure 72 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrF3'5'Hb (Sequence ID Nos: 198 to 201).

Figure 73 shows the consensus contig nucleotide sequence of TrF3Ha (Sequence ID No: 202).

Figure 74 shows the deduced amino acid sequence of TrF3Ha (Sequence ID No: 203).

Figure 75 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrF3Ha (Sequence ID Nos: 204 to 10 244).

Figure 76 shows the nucleotide sequence of TrF3Hb (Sequence ID No: 245).

Figure 77 shows the deduced amino acid sequence of TrF3Hb (Sequence ID No: 246).

Figure 78 shows the nucleotide sequence of TrF3Hc (Sequence ID No: 247).

15 Figure 79 shows the deduced amino acid sequence of TrF3Hc (Sequence ID No: 248).

Figure 80 shows the consensus contig nucleotide sequence of TrF3'Ha (Sequence ID No: 249).

Figure 81 shows the deduced amino acid sequence of TrF3'Ha (Sequence ID No: 20 250).

Figure 82 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrF3'Ha (Sequence ID Nos: 251 and 252).

29 Figure 83 shows the consensus conting nucleotide sequence of TrPALa (Sequence ID No: 253).

Figure 84 shows the deduced amino acid sequence of TrPALa (Sequence ID No: 254).

5 Figure 85 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrPALa (Sequence ID Nos: 255 to 257).

Figure 86 shows the consensus contig nucleotide sequence of TrPALb (Sequence ID No: 258).

10 Figure 87 shows the deduced amino acid sequence of TrPALb (Sequence ID No: 259).

Figure 88 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrPALb (Sequence ID Nos: 260 to 267).

15 Figure 89 shows the nucleotide sequence of TrPALc (Sequence ID No: 268).

Figure 90 shows the deduced amino acid sequence of TrPALc (Sequence ID No: 269).

Figure 91 shows the nucleotide sequence of TrPALd (Sequence ID No: 270).

Figure 92 shows the deduced amino acid sequence of TrPALd (Sequence ID No: 20 271).

Figure 93 shows the nucleotide sequence of TrPALe (Sequence ID No: 272).

Figure 94 shows the deduced amino acid sequence of TrPALe (Sequence ID No: 273).

30 Figure 95 shows the consensus contia nucleotide sequence of TrPALf (Sequence ID No: 274).

Figure 96 shows the deduced amino acid sequence of TrPALf (Sequence ID No: 275).

5 Figure 97 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrPALf (Sequence ID Nos: 276 and 277).

Figure 98 shows the consensus contig nucleotide sequence of TrVRa (Sequence ID No: 278).

10 Figure 99 shows the deduced amino acid sequence of TrVRa (Sequence ID No: 279).

Figure 100 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence TrVRa (Sequence ID Nos: 280 to 285).

15 Figure 101 shows the consensus contig nucleotide sequence of LpDFRa (Sequence ID No: 286).

Figure 102 shows the deduced amino acid sequence of LpDFRa (Sequence ID No: 287).

Figure 103 shows the nucleotide sequences of the nucleic acid fragments 20 contributing to the consensus contig sequence LpDFRa (Sequence ID Nos: 288 to 292).

Figure 104 shows the consensus contig nucleotide sequence of LpDFRb (Sequence ID No: 293).

Figure 105 shows the deduced amino acid sequence of LpDFRb (Sequence ID 25 No: 294).

Figure 106 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence LpDFRb (Sequence ID Nos: 295 to 297).

31

Figure 107 shows the consensus contig nucleotide sequence of LpF3Ha 5 (Sequence ID No: 298).

Figure 108 shows the deduced amino acid sequence of LpF3Ha (Sequence ID No: 299).

Figure 109 shows the nucleotide sequences of the nucleic acid fragments contributing to the consensus contig sequence LpF3Ha (Sequence ID Nos: 300 to 10 302).

Figure 110 shows a plasmid map of the cDNA encoding perennial ryegrass F3OH.

Figure 111 shows the full nucleotide sequence of perennial ryegrass F3OH cDNA (Sequence ID No: 303).

Figure 112 shows the deduced amino acid sequence of perennial ryegrass F3OH 15 cDNA (Sequence ID No: 304).

Figure 113 shows plasmid maps of sense and antisense constructs of LpF3OH in pDH51 transformation vector.

Figure 114 shows plasmid maps of sense and antisense constructs of LpF3OH in pPZP221:35S<sup>2</sup> binary transformation vector.

20 Figure 115 shows screening by Southern hybridisation for RFLPs using LpF3OH as a probe.

Figure 116 shows a plasmid map of the cDNA encoding white clover BANa.

Figure 117 shows the full nucleotide sequence of white clover BANa cDNA (Sequence ID No: 305).

32 Figure 118 shows the deduced amino acid sequence of white clover BANa cDNA (Sequence ID No: 306).

Figure 119 shows plasmid maps of sense and antisense constructs of TrBANa in pDH51 transformation vector.

5 Figure 120 shows plasmid maps of sense and antisense constructs of TrBANa in pPZP221:35S<sup>2</sup> binary transformation vector.

Figure 121 shows a plasmid map of the cDNA encoding white clover CHIa.

Figure 122 shows the full nucleotide sequence of white clover CHIa cDNA (Sequence ID No: 307).

10 Figure 123 shows the deduced amino acid sequence of white clover CHIa cDNA (Sequence ID No: 308).

Figure 124 shows plasmid maps of sense and antisense constructs of TrCHla in pDH51 transformation vector.

Figure 125 shows plasmid maps of sense and antisense constructs of TrCHla in 15 pPZP221:35S2 binary transformation vector.

Figure 126 shows a plasmid map of the cDNA encoding white clover CHId.

Figure 127 shows the full nucleotide sequence of white clover CHId cDNA (Sequence ID No: 309).

Figure 128 shows the deduced amino acid sequence of white clover CHId cDNA 20 (Sequence ID No: 310).

Figure 129 shows plasmid maps of sense and antisense constructs of TrCHld in pDH51 transformation vector.

Figure 130 shows plasmid maps of sense and antisense constructs of TrCHId in pPZP221:35S<sup>2</sup> binary transformation vector.

Figure 131 shows a plasmid map of the cDNA encoding white clover CHRc.

Figure 132 shows the full nucleotide sequence of white clover CHRc cDNA 5 (Sequence ID No: 311).

Figure 133 shows the deduced amino acid sequence of white clover CHRc cDNA (Sequence ID No: 312).

Figure 134 shows plasmid maps of sense and antisense constructs of TrCHRc in pDH51 transformation vector.

10 Figure 135 shows plasmid maps of sense and antisense constructs of TrCHRc in pPZP221:35S<sup>2</sup> binary transformation vector.

Figure 136 shows a plasmid map of the cDNA encoding white clover CHSa1.

Figure 137 shows the full nucleotide sequence of white clover CHSa1 cDNA (Sequence ID No: 313).

15 Figure 138 shows the deduced amino acid sequence of white clover CHSa1 cDNA (Sequence ID No: 314).

Figure 139 shows plasmid maps of sense and antisense constructs of TrCHSa1 in pDH51 transformation vector.

Figure 140 shows plasmid maps of sense and antisense constructs of TrCHSa1 in pPZP221:35S<sup>2</sup> binary transformation vector.

Figure 141 shows a plasmid map of the cDNA encoding white clover CHSa3.

Figure 142 shows the full nucleotide sequence of white clover CHSa3 cDNA (Sequence ID No: 315).

PCT/AU02/01345

34

Figure 143 shows the deduced amino acid sequence of white clover CHSa3 cDNA (Sequence ID No: 316).

Figure 144 shows plasmid maps of sense and antisense constructs of TrCHSa3 in pDH51 transformation vector.

5 Figure 145 shows plasmid maps of sense and antisense constructs of TrCHSa3 in pPZP221:35S² binary transformation vector.

Figure 146 shows a plasmid map of the cDNA encoding white clover CHSc.

Figure 147 shows the full nucleotide sequence of white clover CHSc cDNA (Sequence ID No: 317).

Figure 148 shows the deduced amino acid sequence of white clover CHSc cDNA (Sequence ID No: 318).

Figure 149 shows plasmid maps of sense and antisense constructs of TrCHSc in pDH51 transformation vector.

Figure 150 shows plasmid maps of sense and antisense constructs of TrCHSc in pPZP221:35S<sup>2</sup> binary transformation vector.

Figure 151 shows a plasmid map of the cDNA encoding white clover CHSd2.

Figure 152 shows the full nucleotide sequence of white clover CHSd2 cDNA (Sequence ID No: 319).

Figure 153 shows the deduced amino acid sequence of white clover CHSd2 cDNA 20 (Sequence ID No: 320).

Figure 154 shows plasmid maps of sense and antisense constructs of TrCHSd2 in pDH51 transformation vector.

PCT/AU02/01345

35

Figure 155 shows plasmid maps of sense and antisense constructs of TrCHSd2 in pPZP221:35S<sup>2</sup> binary transformation vector.

Figure 156 shows a plasmid map of the cDNA encoding white clover CHSf.

Figure 157 shows the full nucleotide sequence of white clover CHSf cDNA (Sequence ID No; 321).

Figure 158 shows the deduced amino acid sequence of white clover CHSf cDNA (Sequence ID No: 322).

Figure 159 shows plasmid maps of sense and antisense constructs of TrCHSf in pDH51 transformation vector.

Figure 160 shows plasmid maps of sense and antisense constructs of TrCHSf in pPZP221:35S<sup>2</sup> binary transformation vector.

Figure 161 shows a plasmid map of the cDNA encoding white clover CHSh.

Figure 162 shows the full nucleotide sequence of white clover CHSh cDNA (Sequence ID No: 323).

15 Figure 163 shows the deduced amino acid sequence of white clover CHSh cDNA (Sequence ID No: 324).

Figure 164 shows plasmid maps of sense and antisense constructs of TrCHSh in pDH51 transformation vector.

Figure 165 shows plasmid maps of sense and antisense constructs of TrCHSh in pPZP221:35S<sup>2</sup> binary transformation vector.

Figure 166 shows a plasmid map of the cDNA encoding white clover DFRd.

Figure 167 shows the full nucleotide sequence of white clover DFRd cDNA (Sequence ID No: 325).

36 Figure 168 shows the deduced amino acid sequence of white clover DFRd cDNA (Sequence ID No: 326).

Figure 169 shows plasmid maps of sense and antisense constructs of TrDFRd in pDH51 transformation vector.

5 Figure 170 shows plasmid maps of sense and antisense constructs of TrDFRd in pPZP221:35S2 binary transformation vector.

Figure 171 shows a plasmid map of the cDNA encoding white clover F3Ha.

Figure 172 shows the full nucleotide sequence of white clover F3Ha cDNA (Sequence ID No: 327).

10 Figure 173 shows the deduced amino acid sequence of white clover F3Ha cDNA (Sequence ID No: 328).

Figure 174 shows plasmid maps of sense and antisense constructs of TrF3Ha in pDH51 transformation vector.

Figure 175 shows plasmid maps of sense and antisense constructs of TrF3Ha in 15 pPZP221:35S<sup>2</sup> binary transformation vector.

Figure 176 shows a plasmid map of the cDNA encoding white clover PALa.

Figure 177 shows the full nucleotide sequence of white clover PALa cDNA (Sequence ID No: 329).

Figure 178 shows the deduced amino acid sequence of white clover PALa cDNA 20 (Sequence ID No: 330).

Figure 179 shows plasmid maps of sense and antisense constructs of TrPALa in pDH51 transformation vector.

Figure 180 shows plasmid maps of sense and antisense constructs of TrPALa in pPZP221:35S<sup>2</sup> binary transformation vector.

Figure 181 shows a plasmid map of the cDNA encoding white clover PALb.

Figure 182 shows the full nucleotide sequence of white clover PALb cDNA (Sequence ID No: 331).

Figure 183 shows the deduced amino acid sequence of white clover PALb cDNA (Sequence ID No; 332).

Figure 184 shows plasmid maps of sense and antisense constructs of TrPALb in pDH51 transformation vector.

10 Figure 185 shows plasmid maps of sense and antisense constructs of TrPALb in pPZP221:35S<sup>2</sup> binary transformation vector.

Figure 186 shows a plasmid map of the cDNA encoding white clover PALf.

Figure 187 shows the full nucleotide sequence of white clover PALf cDNA (Sequence ID No: 333).

15 Figure 188 shows the deduced amino acid sequence of white clover PALf cDNA (Sequence ID No: 334).

Figure 189 shows plasmid maps of sense and antisense constructs of TrPALf in pDH51 transformation vector.

Figure 190 shows plasmid maps of sense and antisense constructs of TrPALf in pPZP221:35S² binary transformation vector.

Figure 191 shows a plasmid map of the cDNA encoding white clover VRa.

Figure 192 shows the full nucleotide sequence of white clover VRa cDNA (Sequence ID No: 335).

38

Figure 193 shows the deduced amino acid sequence of white clover VRa cDNA (Sequence ID No: 336).

Figure 194 shows plasmid maps of sense and antisense constructs of TrVRa in pDH51 transformation vector.

5 Figure 195 shows plasmid maps of sense and antisense constructs of TrVRa in pPZP221:35S² binary transformation vector.

Figure 196 shows A, infiltration of Arabidopsis plants; B, selection of transgenic Arabidopsis plants on medium containing 75 μg/ml gentamycin; C, young transgenic Arabidopsis plants; D, E, two representative results of real-time PCR
 analysis of Arabidopsis transformed with chimeric genes involved in flavonoid biosynthesis.

Figure 197 shows the genetic map detailing the relation of perennial ryegrass genes involved in flavonoid biosynthesis.

#### EXAMPLE 1

Preparation of cDNA libraries, isolation and sequencing of cDNAs coding for CHI, CHI-like, CHS, CHS-like, CHR, CHR-like, DFR, DFR-like, LCR, LCR-like, F3'5'H, F3'5'H-like, F3H, F3H-like, F3'H, F3'H-like, PAL, PAL-like, VR and VRlike proteins from white clover (*Trifolium repens*) and perennial ryegrass (*Lolium perenne*)

20

cDNA libraries representing mRNAs from various organs and tissues of white clover (*Trifolium repens*) and perennial ryegrass (*Lolium perenne*) were prepared. The characteristics of the white clover and perennial ryegrass libraries, respectively, are described below (Tables 1 and 2).

39 **TABLE 1** 

### cDNA libraries from white clover (Trifolium repens)

Library	Organ/Tissue
01wc	Whole seedling, light grown
02wc	Nodulated root 3, 5, 10, 14, 21 &28 day old seedling
03wc	Nodules pinched off roots of 42 day old rhizobium inoculated plants
04wc	Cut leaf and stem collected after 0, 1, 4, 6 &14 h after cutting
05wc	Inflorescences: <50% open, not fully open and fully open
06wc	Dark grown etiolated
07wc	Inflorescence - very early stages, stem elongation, < 15 petals, 15-20
	petals
08wc	seed frozen at -80°C, imbibed in dark overnight at 10°C
09wc	Drought stressed plants
10wc	AMV infected leaf
11wc	WCMV infected leaf
12wc	Phosphorus starved plants
13wc	Vegetative stolon tip
14wc	stolon root initials
15wc	Senescing stolon
16wc	Senescing leaf

TABLE 2

### 5 cDNA libraries from perennial ryegrass (Lollum perenne)

Library	Organ/Tissue
01rg	Roots from 3-4 day old light-grown seedlings
02rg	Leaves from 3-4 day old light-grown seedlings
03rg	Etiolated 3-4 day old dark-grown seedlings
04rg	Whole etiolated seedlings (1-5 day old and 17 days old)
05rg	Senescing leaves from mature plants

Library	Organ/Tissue
06rg	Whole etiolated seedlings (1-5 day old and 17 days old)
07rg	Roots from mature plants grown in hydroponic culture
08rg	Senescent leaf tissue
09rg	Whole tillers and sliced leaves (0, 1, 3, 6, 12 and 24 h after
	harvesting)
10rg	Embryogenic suspension-cultured cells
11rg	Non-embryogenic suspension-cultured cells
12rg	Whole tillers and sliced leaves (0, 1, 3, 6, 12 and 24 h after
	harvesting)
13rg	Shoot apices including vegetative apical meristems
14rg	Immature inflorescences including different stages of inflorescence
	meristem and inflorescence development
15rg	Defatted pollen
16rg	Leaf blades and leaf sheaths (rbcL, rbcS, cab, wir2A subtracted)
17rg	Senescing leaves and tillers
18rg	Drought-stressed tillers (pseudostems from plants subjected to PEG-
1	simulated drought stress)
19rg	Non-embryogenic suspension-cultured cells subjected to osmotic
1	stress (grown in media with half-strength salts)
	(1, 2, 3, 4, 5, 6, 24 and 48 h after transfer)
20rg	Non-embryogenic suspension-cultured cells subjected to osmotic
	stress (grown in media with double-strength salts)
	(1, 2, 3, 4, 5, 6, 24 and 48 h after transfer)
21rg	Drought-stressed tillers (pseudostems from plants subjected to PEG-
	simulated drought stress)
22rg	Spikelets with open and maturing florets
23rg	Mature roots (specific subtraction with leaf tissue)

The cDNA libraries may be prepared by any of many methods available.

For example, total RNA may be isolated using the Trizol method (Gibco-BRL, USA) or the RNeasy Plant Mini kit (Qiagen, Germany), following the manufacturers' instructions. cDNAs may be generated using the SMART PCR

cDNA synthesis kit (Clontech, USA), cDNAs may be amplified by long distance polymerase chain reaction using the Advantage 2 PCR Enzyme system (Clontech. USA), cDNAs may be cleaned using the GeneClean spin column (Bio 101, USA), tailed and size fractionated, according to the protocol provided by Clontech. The 5 cDNAs may be introduced into the pGEM-T Easy Vector system 1 (Promega, USA) according to the protocol provided by Promega. The cDNAs in the pGEM-T Easy plasmid vector are transfected into Escherichia coli Epicurian coli XL10-Gold ultra competent cells (Stratagene, USA) according to the protocol provided by Stratagene.

Alternatively, the cDNAs may be introduced into plasmid vectors for first preparing the cDNA libraries in Uni-ZAP XR vectors according to the manufacturer's protocol (Stratagene Cloning Systems, La Jolla, CA, USA). The Uni-ZAP XR libraries are converted into plasmid libraries according to the protocol provided by Stratagene. Upon conversion, cDNA inserts will be contained in the 15 plasmid vector pBluescript. In addition, the cDNAs may be introduced directly into precut pBluescript II SK(+) vectors (Stratagene) using T4 DNA ligase (New England Biolabs), followed by transfection into E. coli DH10B cells according to the manufacturer's protocol (GIBCO BRL Products).

10

Once the cDNA inserts are in plasmid vectors, plasmid DNAs are prepared 20 from randomly picked bacterial colonies containing recombinant plasmids, or the insert cDNA sequences are amplified via polymerase chain reaction using primers specific for vector sequences flanking the inserted cDNA sequences. Plasmid DNA preparation may be performed robotically using the Qiagen QiaPrep Turbo kit (Qiagen, Germany) according to the protocol provided by Qiagen. Amplified insert 25 DNAs are sequenced in dve-terminator sequencing reactions to generate partial cDNA sequences (expressed sequence tags or "ESTs"). The resulting ESTs are analyzed using an Applied Biosystems ABI 3700 sequence analyser.

### EXAMPLE 2

### DNA seguence analyses

The cDNA clones encoding CHI, CHI-like, CHS, CHS-like, CHR, CHR-like, DFR, DFR-like, LCR, LCR-like, F3'5'H, F3'5'H-like, F3H, F3H-like, F3'H, F3'H-like, 5 PAL. PAL-like, VR and VR-like proteins were identified by conducting BLAST (Basic Local Alignment Search Tool: Altschul et al. (1993) J. Mol. Biol. 215:403-410) searches. The cDNA sequences obtained were analysed for similarity to all publicly available DNA sequences contained in the eBioinformatics nucleotide database using the BLASTN algorithm provided by the National Center for 10 Biotechnology Information (NCBI). The DNA sequences were translated in all reading frames and compared for similarity to all publicly available protein sequences contained in the SWISS-PROT protein sequence database using BLASTx algorithm (v 2.0.1) (Gish and States (1993) Nature Genetics 3:266-272) provided by the NCBI.

The cDNA sequences obtained and identified were then used to identify additional identical and/or overlapping cDNA sequences generated using the BLASTN algorithm. The identical and/or overlapping sequences were subjected to a multiple alignment using the CLUSTALw algorithm, and to generate a consensus contig sequence derived from this multiple sequence alignment. The consensus 20 conting sequence was then used as a query for a search against the SWISS-PROT. protein sequence database using the BLASTx algorithm to confirm the initial identification.

15

#### **EXAMPLE 3**

Identification and full-length sequencing of cDNAs encoding perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc. CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa proteins

To fully characterise for the purposes of the generation of probes for hybridisation experiments and the generation of transformation vectors, a set of cDNAs encoding perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa proteins was identified and fully sequenced.

Full-length cDNAs were identified from our EST sequence database using relevant published sequences (NCBI databank) as queries for BLAST searches. Full-length cDNAs were identified by alignment of the query and hit sequences using Sequencher (Gene Codes Corp., Ann Arbor, MI 48108, USA). The original plasmid was then used to transform chemically competent XL-1 cells (prepared inhouse, CaCl<sub>2</sub> protocol). After colony PCR (using HotStarTaq, Qiagen) a minimum of three PCR-positive colonies per transformation were picked for initial sequencing with M13F and M13R primers. The resulting sequences were aligned with the original EST sequence using Sequencher to confirm identity and one of the three clones was picked for full-length sequencing, usually the one with the best initial sequencing result.

Sequencing was completed by primer walking, i.e. oligonucleotide primers were designed to the initial sequence and used for further sequencing. In most cases the sequencing could be done from both 5' and 3' end. The sequences of the oligonucleotide primers are shown in Table 2. In some instances, however, an extended poly-A tail necessitated the sequencing of the cDNA to be completed from the 5' end.

Contigs were then assembled in Sequencher. The contigs include the sequences of the SMART primers used to generate the initial cDNA library as well as pGEM-T Easy vector sequence up to the EcoRI cut site both at the 5' and 3' end.

Plasmid maps and the full cDNA sequences of perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa proteins were obtained (Figures 110, 116, 121, 126, 131, 136, 141, 146, 151, 156, 161, 166, 171, 176, 181, 186 and 191).

25

TABLE 2
List of primers used for sequencing of the full-length cDNAs

gene name	clone ID sequencing primer		primer sequence (5'>3')
LpF3OH	08rg1YsF07	08rg1YsF07.f1	TTGAGAGCTTCGTCGACC
<del></del>		08rg1YsF07.r1	AACTCCTCGTAGTACTCC
TrCHRc	11wc1lsD03	11wc1lsD03.f1	TTCAATTGGAGTACTTGG
		11wc1lsD03.r1	ACTCCTTGTTCATATAACC
TrCHSa1	02wc2FsD07	02wc2FsD07.f1	ACATGGTGGTGGTTGAGG
		02wc2FsD07.f2	TGCTGCACTCATTGTTGG
		02wc2FsD07.f3	ACATTGATAAGGCATTGG
TrCHSa3	05wc1RsB06	05wc1RsB06.f1	AGGAGGCTGCAGTCAAGG
	ļ	05wc1RsB06.f2	TGCCTGAAATTGAGAAACC
		05wc1RsB06.f3	AAAGCTAGCCTTGAAGCC
TrCHSc	07wc1TsE12	07wc1TsE12.f1	TCGGACATAACTCATGTGG
		07wc1TsE12.f2	TTGGGTTGGAGAATAAGG
		07wc1TsE12.r1	TGGACATTTATTGGTTGC
	<u> </u>	07wc1TsE12.r2	TATCATGTCTGGAAATGC
TrCHSd2	07wc1XsD03	07wc1XsD03.f1	TTTATGTGAGTACATGGC
		07wc1XsD03.f2	AGCAGCTGTGATTGTAGG
		07wc1XsD03.f3	TGAGAAAGCTCTTGTTGAGG
TrCHSf	07wc1UsD07	07wc1UsD07.f1	AGATTGCATCAAAGAATGG
		07wc1UsD07.r1	GGTCCAAAAGCCAATCC
TrCHSh	13wc2lsG04	13wc2lsG04.f1	TAAGACGAGACATAGTGG
		13wc2lsG04.r1	TATTCACTAAGCACATGC
TrDFRd	12wc1CsE09	12wc1CsE09.f1	TTACCTCGTCTGTCTCG
	1	12wc1CsE09.r1	AACACACACATGTCTACC
TrF3Ha	07wc1LsG03	07wc1LsG03.f1	TGAAGGATTGGAGAGAGC
		07wc1LsG03.r1	TACACAGTTGCATCTGG
TrPALa	04wc1UsB03	04wc1UsB03.f1	ATCGGAATCTGCTAGAGC
		04wc1UsB03.f2	TGTTGGTTCTGGTTTAGC
	<b> </b>	04wc1UsB03.r1	TTCATATGCAATCCTTGC
		04wc1UsB03.r2	TCTTGGTTGTTGTTCC

45

TrPALb	05wc1PsH02	05wc1PsH02.f1	TGGGACTGATAGTTATGG
		05wc1PsH02.f2	TCTTGCTCTTGTTAATGG
		05wc1PsH02.r1	AGCACCATTCCACTCTCC
		05wc1PsH02.r2	TTCTCTTCGCTACTTGGC
TrPALf	13wc2AsD12	13wc2AsD12.f1	ATAGTGGTGTGAGGGTGG
		13wc2AsD12.f2	TCTTGTTAATGGTACTGC
		13wc2AsD12.r1	ATTTATCGCACTCTTCGC
		13wc2AsD12.r2	AAAGTGGAAGACATGAGC
TrVRa	11wc1NsA07	11wc1NsA07.f1	AAGAACAGTGGATGGAGC
		11wc1NsA07.r1	TCAACTCATCTACTGATAG

EXAMPLE 4

Development of transformation vectors containing chimeric genes with cDNA sequences from perennial ryegrass F3OH and white clover BANa,

CHia, CHid, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa. PALb. PALf

To alter the expression of the proteins involved in flavonoid biosynthesis, protein binding, metal chelation, anti-oxidation, UV-light absorption, tolerance to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens; 10 pigmentation in for example flowers and leaves; herbage quality and bloat-safety and isoflavonoid content leading to health benefits, perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa, through antisense and/or sense suppression technology and for over-expression of these key enzymes in transgenic plants, a set of sense and antisense transformation vectors was produced.

cDNA fragments were generated by high fidelity PCR using the original pGEM-T Easy plasmid cDNA as a template. The primers used (Table 3) contained recognition sites for appropriate restriction enzymes, for example EcoRI and XbaI, for directional and non-directional cloning into the target vector. After PCR amplification and restriction digest with the appropriate restriction enzyme (usually

20

46

Xbal), the cDNA fragments were cloned into the corresponding site in pDH51, a pUC18-based transformation vector containing a CaMV 35S expression cassette. The orientation of the constructs (sense or antisense) was checked by DNA sequencing through the multi-cloning site of the vector. Transformation vectors containing chimeric genes using full-length open reading frame cDNAs encoding perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa proteins in sense and antisense orientations under the control of the CaMV 35S promoter were generated (Figures 113, 119, 124, 129, 134, 139, 144, 149, 154, 10 159, 164, 169, 174, 179, 184, 189 and 194).

TABLE 3

List of primers used to PCR-amplify the open reading frames

gene name	clone ID	primer	primer sequence (5'->3')
LpF3OH	08rg1YsF07	08rg1YsF07f	GAATTCTAGAAGCAGAAAGTACGGACATCAGC
		08rg1YsF07r	GAATTCTAGAACCATATGGCGACACATCG
TrBANa	05wc2XsG02	05wc2XsG02f	GGATCCTCTAGAGCACTAGTGTGTATAAGTTTCTT
			GG
		05wc2XsG02r	GGATCCTCTAGACCCCCTTAGTCTTAAAATACTCG
TrCHIa	06wc2AsF12	06wc2AsF12f	GAATTCTAGAGATCTGAAACAACATAGTCACC
		06wc2AsF12r	GAATTCTAGATCAATCTTGTGCTGCAATGC
TrCHId	12wc1FsG04	12wc1FsG04f	GAATTCTAGAAAGTTCAACGAGATCAATGG
		12wc1FsG04r	GAATTCTAGATTCCGCTTGGTCTTTATTGC
TrCHRc	11wc1lsD03	11wc1lsD03f	GAATTCTAGAACATGGGTAGTGTTGAAATTCC
		11wc1lsD03r	GAATTCTAGAAGATATTGAGTGAGCTTAAGG
TrCHSa1	02wc2FsD07	02wc2FsD07f	GACGTCGACATTACATACATAGCAGGAAC
		02wc2FsD07r	GACGTCGACAGTCTCTCATTCTCATATAGC
TrCHSa3	05wc1RsB06	05wc1RsB06f	GAATTCTAGAAGATATGGTGAGTGTAGCTG
		05wc1RsB06r	GAATTCTAGAATCACACATCTTATATAGCC
TrCHSc	07wc1TsE12	07wc1TsE12f	GAATTCTAGAAGAAGAATATGGGAGACGAAGG
		07wc1TsE12r	GAATTCTAGAAAGACTTCATGCACACAAGTTCC
TrCHSd2	07wc1XsD03	07wc1XsD03f	GAATTCTAGAATAACCTATCAGTACTCACC
		07wc1XsD03r	GAATTCTAGAATCTAGGCAATTTAAGTGGC

47

TrCHSf	07wc1UsD07	07wc1UsD07f	GAATTCTAGATGATTCATTGTTTGTTTCCATAAC
		07wc1UsD07r	GAATTCTAGAACATATTCATCTTCCTATCAC
TrCHSh	13wc2lsG04	13wc2lsG04f	GAATTCTAGATCCAAATTCTCGTACCTCACC
		13wc2lsG04r	GAATTCTAGATAGTTCACATCTCTCGGCAGG
TrDFRd	12wc1CsE09	12wc1CsE09f	GACGTCGACACACAGTCTTCCACTTGAGC
		12wc1CsE09r	GACGTCGACTCTATACTCTGGTAACTATAGG
TrF3Ha	07wc1LsG03	07wc1LsG03f	GAATTCTAGAACCACACACACACACACACCC
		07wc1LsG03r	GAATTCTAGAACCAAGCAGCTTAATACACG
TrPALa	04wc1UsB03	04wc1UsB03f	AGTACTGCAGAGATATGGAAGTAGTAGCAGCAGC
		04wc1UsB03r	AGTACTGCAGTAGCAAACCAGTTCCCAACTCC
TrPALb	05wc1PsH02	05wc1PsH02f	AGTACTGCAGATAATGGAGGGAATTACCAATGG
		05wc1PsH02r	AGTACTGCAGTGCTAATTAACATATTGGTAGAGG
TrPALf	13wc2AsD12	13wc2AsD12f	AGTACTGCAGATAATGGAGGGAATTACCAATGG
		13wc2AsD12r	AGTACTGCAGTGCTAATTAACATATTGGTAGAGG
TrVRa	11wc1NsA07	11wc1NsA07f	AGTACTGCAGATAAAGAGAGTCAAAAATGGC
		11wc1NsA07r	AGTACTGCAGAACACATACTTAGAGATAGCC

#### EXAMPLE 5

Development of binary transformation vectors containing chimeric genes with cDNA sequences from perennial ryegrass F3OH and white clover BANa, 5 CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa

To alter the expression of the proteins involved in flavonoid biosynthesis, protein binding, metal chelation, anti-oxidation, UV-light absorption, tolerance to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens; 10 pigmentation in for example flowers and leaves; herbage quality and bloat-safety and isoflavonoid content leading to health benefits, perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa, through antisense and/or sense suppression technology and for over-expression of these key proteins in transgenic plants, a set of sense and antisense binary transformation vectors was produced.

48

cDNA fragments were generated by high fidelity PCR using the original pGEM-T Easy plasmid cDNA as a template. The primers used (Table 3) contained recognition sites for appropriate restriction enzymes, for example EcoRI and Xbal, for directional and non-directional cloning into the target vector. After PCR 5 amplification and restriction digest with the appropriate restriction enzyme (usually Xbal), the cDNA fragments were cloned into the corresponding site in a modified pPZP binary vector (Hajdukiewicz et al., 1994). The pPZP221 vector was modified to contain the 35S2 cassette from pKYLX71:35S2 as follows, pKYLX71:35S2 was cut with Clal. The 5' overhang was filled in using Klenow and the blunt end was A-10 tailed with Tag polymerase. After cutting with EcoRI, the 2kb fragment with an EcoRI-compatible and a 3'-A tail was gel-purified, pPZP221 was cut with HindIII and the resulting 5' overhang filled in and T-tailed with Tag polymerase. The remainder of the original pPZP221 multi-cloning site was removed by digestion with EcoRI, and the expression cassette cloned into the EcoRI site and the 3' T overhang restoring the HindIII site. This binary vector contains between the left and right border the plant selectable marker gene aaaC1 under the control of the 35S promoter and 35S terminator and the pKYLX71:35S2-derived expression cassette with a CaMV 35S promoter with a duplicated enhancer region and an rbcS terminator.

The orientation of the constructs (sense or antisense) was checked by restriction enzyme digest. Transformation vectors containing chimeric genes using full-length open reading frame cDNAs encoding perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa proteins in sense and antisense 25 orientations under the control of the CaMV 35S2 promoter were generated (Figures 114, 120, 125, 130, 135, 140, 145, 150, 155, 160, 165, 170, 175, 180, 185, 190 and 195).

20

49

#### **EXAMPLE 6**

Production and analysis of transgenic Arabidopsis plants carrying chimeric perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa genes involved in flavonoid biosynthesis

A set of transgenic Arabidopsis plants carrying chimeric perennial ryegrass and white clover genes involved in flavonoid biosynthesis, protein binding, metal chelation, anti-oxidation, UV-light absorption, tolerance to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens; pigmentation in for example flowers and leaves; herbage quality and bloat-safety and isoflavonoid content leading to health benefits, were produced.

pPZP221-based transformation vectors with *Lp*F3OH and *TrB*ANa, *TrCHla*, *TrCHla*, *TrCHRc*, *TrCHSa1*, *TrCHSa3*, *TrCHSc*, *TrCHSd2*, *TrCHSf*, *TrCHSh*, *TrDFRd*, *TrF3Ha*, *TrPALb*, *TrPALb*, *TrPALf* and *TrNRa* cDNAs comprising the full open reading frame sequences in sense and antisense orientations under the control of the CaMV 35S promoter with duplicated enhancer region (35S<sup>2</sup>) were generated as detailed in Example 6.

Agrobacterium-mediated gene transfer experiments were performed using these transformation vectors.

The production of transgenic Arabidopsis plants carrying the perennial ryegrass F3OH and white clover BANa, CHIa, CHId, CHRc, CHSa1, CHSa3, CHSc, CHSd2, CHSf, CHSh, DFRd, F3Ha, PALa, PALb, PALf and VRa cDNAs under the control of the CaMV 35S promoter with duplicated enhancer region (35S<sup>2</sup>) is described here in detail.

### 25 Preparation of Arabidopsis plants

Seedling punnets were filled with Debco seed raising mixture (Debco Pty. Ltd.) to form a mound. The mound was covered with two layers of anti-bird netting secured with rubber bands on each side. The soil was saturated with water and

50

enough seeds (*Arabidopsis thaliana* ecotype Columbia, Lehle Seeds #WT-02) sown to obtain approximately 15 plants per punnet. The seeds were then vernalised by placing the punnets at 4 °C. After 48 hours the punnets were transferred to a growth room at 22 °C under fluorescent light (constant illumination, 5 55 µmolm²s¹¹) and fed with Miracle-Gro (Scotts Australia Pty. Ltd.) once a week. Primary bolts were removed as soon as they appeared. After 4 – 6 days the secondary bolts were approximately 6 cm tall, and the plants were ready for vacuum infiltration.

#### Preparation of Agrobacterium

10 Agrobacterium tumefaciens strain AGL-1 were streaked on LB medium containing 50 μg/ml rifampicin and 50 μg/ml kanamycin and grown at 27 °C for 48 hours. A single colony was used to inoculate 5 ml of LB medium containing 50 μg/ml rifampicin and 50 μg/ml kanamycin and grown over night at 27 °C and 250 rpm on an orbital shaker. The overnight culture was used as an inoculum for 500 ml of LB medium containing 50 μg/ml kanamycin only. Incubation was over night at 27 °C and 250 rpm on an orbital shaker in a 21 Erlenmeyer flask.

The overnight cultures were centrifuged for 15 min at 5500 xg and the supernatant discarded. The cells were resuspended in 1 I of infiltration medium [5% (w/v) sucrose, 0.03% (v/v) Silwet-L77 (Vac-In-Stuff, Lehle Seeds #VIS-01)] 20 and immediately used for infiltration.

#### Vacuum infiltration

The Agrobacterium suspension was poured into a container (Décor Tellfresh storer, #024) and the container placed inside the vacuum desiccator (Bel Art, #42020-0000). A punnet with Arabidopsis plants was inverted and dipped into the Agrobacterium suspension and a gentle vacuum (250 mm Hg) was applied for 2 min. After infiltration, the plants were returned to the growth room where they were kept away from direct light overnight. The next day the plants were returned to full direct light and allowed to grow until the siliques were fully developed. The plants were then allowed to dry out, the seed collected from the siliques and either

51 stored at room temperature in a dry container or used for selection of transformants

#### Selection of transformants

Prior to plating the seeds were sterilised as follows. Sufficient seeds for one 5 150 mm petri dish (approximately 40 mg or 2000 seeds) were placed in a 1.5 ml microfuge tube, 500  $\mu$ l 70% ethanol were added for 2 min and replaced by 500  $\mu$ l sterilisation solution (H2O:4% chlorine:5% SDS, 15:8:1). After vigorous shaking, the tube was left for 10 min after which time the sterilisation solution was replaced with 500  $\mu$ I sterile water. The tube was shaken and spun for 5 sec to sediment the 10 seeds. The washing step was repeated 3 times and the seeds were left covered with approximately 200 µl sterile water.

The seeds were then evenly spread on 150 mm petri dishes containing germination medium (4.61 g Murashige & Skoog salts, 10 g sucrose, 1 ml 1 M KOH, 2 g Phytagel, 0.5 g MES and 1 ml 1000x Gamborg's B-5 vitamins per litre) 15 supplemented with 250 μg/ml timetin and 75 μg/ml gentamycin. After vernalisation for 48 hours at 4 °C the plants were grown under continuous fluorescent light (55 µmol m-2s-1) at 22 °C to the 6 − 8 leaf stage and transferred to soil.

#### Preparation of genomic DNA

3 – 4 leaves of Arabidopsis plants regenerated on selective medium were 20 harvested and freeze-dried. The tissue was homogenised on a Retsch MM300 mixer mill, then centrifuged for 10 min at 1700xg to collect cell debris. Genomic DNA was isolated from the supernatant using Wizard Magnetic 96 DNA Plant System kits (Promega) on a Biomek FX (Beckman Coulter), 5 µl of the sample (50 ul) were then analysed on an agarose gel to check the yield and the quality of the 25 genomic DNA.

#### Analysis of DNA using real-time PCR

Genomic DNA was analysed for the presence of the transgene by real-time PCR using SYBR Green chemistry. PCR primer pairs (Table 4) were designed

52

using MacVector (Accelrys). The forward primer was located within the 35S<sup>2</sup> promoter region and the reverse primer within the transgene to amplify products of approximately 150 - 250 bp as recommended. The positioning of the forward primer within the 35S<sup>2</sup> promoter region guaranteed that homologous genes in Arabidopsis were not detected.

5  $\mu$ I of each genomic DNA sample was run in a 50  $\mu$ I PCR reaction including SYBR Green on an ABI (Applied Biosystems) together with samples containing DNA isolated from wild type Arabidopsis plants (negative control), samples containing buffer instead of DNA (buffer control) and samples containing the plasmid used for transformation (positive plasmid control).

Plants were obtained after transformation with all chimeric constructs and selection on medium containing gentamycin. The selection process and two representative real-time PCR analyses are shown in Figure xx.

TABLE 4

### 15 List of primers used for Real-time PCR analysis of Arabidopsis plants transformed with chimeric perennial ryegrass genes involved in flavonoid biosynthesis

construct	primer 1 (forward)	primer 2 (reverse)
pPZP221LpF3OHsense	TTGGAGAGGACACGCTGAAATC	AGGAGAGGGTTGGACATCGC
pPZP221LpF3OHanti	CATTTCATTTGGAGAGGACACGC	ACGAGGAGTTCTGGAAGATGGG
pPZP221TrBANasense	TTGGAGAGGACACGCTGAAATC	GCAACAAAACCAGTGCCACC
pPZP221TrBANaanti	TCATTTGGAGAGGACACGCTG	GATGATTGCCCCAGCAAGG
pPZP221TrCHlasense	CATTTCATTTGGAGAGGACACGC	CAAGGTTCTCGACTTGGATTGC
pPZP221TrCHlaanti	TCATTTGGAGAGGACACGCTG	AGATTACCTGCCTTGTTGAACGAG
pPZP221TrCHIdsense	TCATTTGGAGAGGACACGCTG	GACGGTAGGAGGGAATAGATTGTTC
pPZP221TrCHIdanti	TCATTTGGAGAGGACACGCTG	CCAGGTTATCCGAGTTATTCAACG
pPZP221TrCHRcsense	CCACTATCCTTCGCAAGACCC	TCCCATTCCAACCACAGGC
pPZP221TrCHRcanti	TCATTTGGAGAGGACACGCTG	CAAGCCAGGACTCAGTGACCTATG
pPZP221TrCHSa1sense	TCATTTGGAGAGGACACGCTG	CTGGTCAACACGATTTGCTGG
pPZP221TrCHSa1anti	TCATTTGGAGAGGACACGCTG	AACCACAGGAGAAGGACTTGACTG

pPZP221TrCHSa3sense	CATTTCATTTGGAGAGGACACGC	AACACGGTTTGGTGGATTTGC
pPZP221TrCHSa3anti	TCATTTGGAGAGGACACGCTG	ACAACTGGAGAAGGACTTGATTGG
pPZP221TrCHScsense	TTGGAGAGGACACGCTGAAATC	ACAAGTTGGTGAGGGAATGCC
pPZP221TrCHScanti	TCATTTGGAGAGGACACGCTG	GGGATTGATACTTGCTTTTGGACC
pPZP221TrCHSd2sense	CCCACTATCCTTCGCAAGACC	AGTTGCAGTGCCGATTGCC
pPZP221TrCHSd2anti	CATTTCATTTGGAGAGGACACGC	AAGATGGACTTGCCACAACAGG
pPZP221TrCHSfsense	CATTTCATTTGGAGAGGACACGC	TCGTTGCCTTTCCCTGAGTAGG
pPZP221TrCHSfanti	TCATTTGGAGAGGACACGCTG	GATTGGCTTTTGGACCAGGG
pPZP221TrCHShsense	TCATTTGGAGAGGACACGCTG	CGGTCACCATTTTTTTGTTGGAGG
pPZP221TrCHShanti	TCATTTGGAGAGGACACGCTG	TGTTGTTTGGGTTTGGACCG
pPZP221TrDFRdsense	CATTTCATTTGGAGAGGACACGC	ATTGAGATTTTGGACGGTGGC
pPZP221TrDFRdanti	CATTTCATTTGGAGAGGACACGC	CGCAACCTGGATTGTTGAGAGC
pPZP221TrF3Hasense	TCATTTGGAGAGGACACGCTG	TCTTCCCTAACGAAACTTGACTCG
pPZP221TrF3Haanti	TCATTTGGAGAGGACACGCTG	GAACAACAACTTAGGGACTTGGAGG
pPZP221TrPALasense	ATGACGCACAATCCCACTATCC	TTGCCTCAGCAGCCACACC
pPZP221TrPALaanti	GGAGAGGACACGCTGAAATCAC	TGCCAAAAGAGGTTGAAAGTGC
pPZP221TrPALbsense	ATCCCACTATCCTTCGCAAGACCC	AATGACTCCCCATCAACGACTCCG
pPZP221TrPALbanti	TTGGAGAGGACACGCTGAAATC	GACAAATTGTTCACAGCTATGTGCC
pPZP221TrPALfsense	ATCCCACTATCCTTCGCAAGACCC	CACCATACGCTTCACCTCATCC
pPZP221TrPALfanti	TCATTTGGAGAGGACACGCTG	TTGTTAGAGAGGAGTTAGGAACCGC
pPZP221TrVRasense	CCACTATCCTTCGCAAGACCC	GCTTACATCCCTCTTACGTTCTGG
pPZP221TrVRaanti	CCACTATCCTTCGCAAGACCC	AAAAGCTCGTGGACGCTGG

#### **EXAMPLE 7**

Genetic mapping of perennial ryegrass genes involved in flavonoid blosynthesis, protein binding, metal chelation, anti-oxidation, UV-light

absorption, tolerance to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens; pigmentation in for example flowers and leaves; herbage quality and bloat-safety and isoflavonoid content leading to health benefits

The cDNAs representing genes involved in flavonoid biosynthesis, protein

10 binding, metal chelation, anti-oxidation, UV-light absorption, tolerance to biotic

stresses such as viruses, micro-organisms, insects and fungal pathogens;

pigmentation in for example flowers and leaves; herbage quality and bloat-safety and isoflavonoid content leading to health benefits, were amplified by PCR from their respective plasmids, gel-purified and radio-labelled for use as probes to detect restriction fragment length polymorphisms (RFLPs). RFLPs were mapped in the F<sub>1</sub> (first generation) population, NA<sub>0</sub> x AU<sub>0</sub>. This population was made by crossing an individual (NA<sub>0</sub>) from a North African ecotype with an individual (AU<sub>0</sub>) from the cultivar Aurora, which is derived from a Swiss ecotype. Genomic DNA of the 2 parents and 114 progeny was extracted using the 1 x CTAB method of Fulton et al. (1995).

Probes were screened for their ability to detect polymorphism using the DNA (10 μg) of both parents and 5 F<sub>1</sub> progeny restricted with the enzymes Dral, EcoRl, EcoRV or HindIII. Hybridisations were carried out using the method of Sharp et al. (1988). Polymorphic probes were screened on a progeny set of 114 individuals restricted with the appropriate enzyme (Figure 115).

15 RFLP bands segregating within the population were scored and the data was entered into an Excel spreadsheet. Alleles showing the expected 1:1 ratio were mapped using MAPMAKER 3.0 (Lander et al. 1987). Alleles segregating from, and unique to, each parent, were mapped separately to give two different linkage maps. Markers were grouped into linkage groups at a LOD of 5.0 and 20 ordered within each linkage group using a LOD threshold of 2.0.

Loci representing genes involved in flavonoid biosynthesis mapped to the linkage groups as indicated in Table 5 and in Figure 197. These gene locations can now be used as candidate genes for quantitative trait loci associated with flavonoid biosynthesis, protein binding, metal chelation, anti-oxidation, UV-light absorption, tolerance to biotic stresses such as viruses, micro-organisms, insects and fungal pathogens; pigmentation in for example flowers and leaves; herbage quality and bloat-safety and isoflavonoid content leading to health benefits.

55 **TABLE 5** 

Map locations of ryegrass genes involved in flavonoid biosynthesis across two genetic linkage maps of perennial ryegrass

Probe	Polymorphic	Mapped with	Locus	Linkage group		
				NA <sub>6</sub>	AU <sub>6</sub>	
<i>Lp</i> DFRb	Υ	Hind III	<i>Lp</i> DFRb	6	6	

5 REFERENCES

- An, G., Watson, B.D., Stachel, S., Gordon, M.P., Nester, E.W. (1985) New cloning vehicles for transformation of higher plants. The EMBO Journal 4, 227-284
- Feinberg, A.P., Vogelstein, B. (1984). A technique for radiolabelling DNA restriction endonuclease fragments to high specific activity. Anal. Biochem.
  10 132: 6-13.
  - Frohman et al. (1988) Rapid production of full-length cDNAs from rare transcripts: amplification using a single gene-specific oligonucleotide primer. Proc. Natl. Acad Sci. USA 85:8998
- Gish and States (1993) Identification of protein coding regions by database similarity search. *Nature Genetics* **3**:266-272
  - Lander, E.S., Green P., Abrahamson, J., Barlow, A., Daly, M.J., Lincoln, S.E., Newburg, L. (1987). MAPMAKER: an interactive computer package for constructing primary linkage maps of experimental and natural populations. Genomics 1: 174-181.
- 20 Loh, E.Y., Elliott, J.F., Cwirla, S., Lanier, L.L., Davis, M.M. (1989). Polymerase chain reaction with single-sided specificity: Analysis of T-cell receptor delta

PCT/AU02/01345 56

chain. Science 243:217-220

Ohara, O., Dorit, R.L., Gilbert, W. (1989). One-sided polymerase chain reaction: The amplification of cDNA. Proc. Natl. Acad Sci USA 86:5673-5677

Sambrook, J., Fritsch, E.F., Maniatis, T. (1989). Molecular Cloning. A Laboratory Manual. Cold Spring Harbour Laboratory Press 5

Schardl, C.L., Byrd, A.D., Benzion, G., Altschuler, M.A., Hildebrand, D.F., Hunt. A.G. (1987) Design and construction of a versatile system for the expression of foreign genes in plants. Gene 61, 1-11

Sharp, P.J., Kreis, M., Shewry, P.R., Gale, M.D. (1988). Location of  $\alpha$ -10 amylase sequences in wheat and its relatives. Theor. Appl. Genet. 75:286-290.

Finally, it is to be understood that various alterations, modifications and/or additions may be made without departing from the spirit of the present invention as outlined herein.

It will also be understood that the term "comprises" (or its grammatical 15 variants) as used in this specification is equivalent to the term "includes" and should not be taken as excluding the presence of other elements or features.

Documents cited in this specification are for reference purposes only and their inclusion is not acknowledgment that they form part of the common general knowledge in the relevant art.

### CLAIMS

- A substantially purified or isolated nucleic acid or nucleic acid fragment encoding a flavonoid biosynthetic enzyme selected from the group consisting of chalcone isomerase (CHI), chalcone synthase (CHS), chalcone reductase (CHR), dihydroflavonol 4-reductase (DFR), leucoanthocyanidin reductase (LCR), flavonoid 3', 5' hydrolase (F3'5'H), flavanone 3-hydroxylase (F3H), flavonoid 3'-hydroxylase (F3'H), phenylalanine ammonia-olyase (PAL) and vestitone reductase (VR) from a clover (Trifolium), medic (Medicago), ryegrass (Lolium) or fescue (Festuca) species, or a functionally active fragment or variant 10 thereof.
  - A nucleic acid or nucleic acid fragment according to Claim 1, wherein said clover species is white clover (*Trifolium repens*) and said ryegrass species is perennial ryegrass (*Lolium perenne*).
- A nucleic acid or nucleic acid fragment according to Claim 1, encoding a CHI or CHI-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 1, 3, 4, 6, 7, 9, 10, 12, 122 and 127 hereto (Sequence ID Nos: 1, 3 to 7, 8, 10 to 12, 13, 15 and 16, 17, 19 to 22, 307, and 309, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and
   (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).
- A nucleic acid or nucleic acid fragment according to Claim 1, encoding a CHS or CHS-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 13, 15, 16, 18, 19, 21, 22, 24, 25, 27, 28, 30, 31, 33, 34, 137, 142, 147, 152, 157 and 162 hereto (Sequence ID Nos: 23, 25 to 63, 64, 66 to 68, 69, 71 to 77, 78, 80 to 90, 91, 93 and 94, 95, 97 to 100, 101, 103 to 105, 106, 313, 315, 317, 319, 321, and 323, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

58

5. A nucleic acid or nucleic acid fragment according to Claim 1, encoding a CHR or CHR-like protein and including nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 36, 38, 40, 41, 43 and 132 hereto (Sequence ID Nos: 108, 110, 112 to 116, 117, 119 to 134, and 311, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

- A nucleic acid or nucleic acid fragment according to Claim 1, encoding a DFR or DFR-like protein and including a nucleotide sequence selected
   from the group consisting of (a) sequences shown in Figures 44, 46, 47, 49, 50, 52, 54, 55, 57, 59, 61, 62, 64, 101, 103, 104, 106, 117 and 167 hereto (Sequence ID Nos: 135, 137 to 146, 147, 149 to 152, 153, 155, 157 and 158, 159, 161, 163, 165 to 167, 168, 170 to 184, 286, 288 to 292, 293, 295 to 297, 305, and 325, respectively); (b) complements of the sequences recited in (a); (c) sequences
   antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).
  - 7. A nucleic acid or nucleic acid fragment according to Claim 1, encoding an LCR or LCR-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 65 and 67 hereto (Sequence ID Nos: 185 and 187 to 193, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).
- 8. A nucleic acid or nucleic acid fragment according to Claim 1, encoding a F3'5'H or F3'5'H-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 68, 70 and 72 hereto (Sequence ID Nos: 194, 196, and 198 to 201, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a). (b) and (c).

59

- A nucleic acid or nucleic acid fragment according to Claim 1, encoding a F3H or F3H-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 73, 75, 76, 78, 107, 109, 111 and 172 hereto (Sequence ID Nos: 202, 204 to 244, 245, 247, 298, 300 to 302, 303, and 327, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (c) functionally active fragments and variants of the sequences recited in (a), (b) and (c).
- 10. A nucleic acid or nucleic acid fragment according to Claim 1, encoding a F3'H or F3'H-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 80 and 82 hereto (Sequence ID Nos: 249, and 251 and 252, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences 15 recited in (a), (b) and (c).
- A nucleic acid or nucleic acid fragment according to Claim 1, encoding a PAL or PAL-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 83, 85, 86, 88, 89, 91, 93, 95, 97, 177, 182 and 187 hereto (Sequence ID Nos: 253, 255 to 257, 258, 260 to 267, 268, 270, 272, 274, 276 and 277, 329, 331, and 333, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).
- 12. A nucleic acid or nucleic acid fragment according to Claim 1, encoding a VR or VR-like protein and including a nucleotide sequence selected from the group consisting of (a) sequences shown in Figures 98, 100 and 192 hereto (Sequence ID Nos: 278, 280 to 285, and 335, respectively); (b) complements of the sequences recited in (a); (c) sequences antisense to the sequences recited in (a) and (b); and (d) functionally active fragments and variants of the sequences recited in (a), (b) and (c).

60

13. A construct including a nucleic acid or nucleic acid fragment according to Claim 1.

- 14. A vector including a nucleic acid or nucleic acid fragment according to Claim 1.
- 5 15. A vector according to Claim 14, further including a promoter and a terminator, said promoter, nucleic acid or nucleic acid fragment and terminator being operatively linked.
  - 16. A plant cell, plant, plant seed or other plant part, including a construct according to claim 13 or a vector according to Claim 14.
- A plant, plant seed or other plant part derived from a plant cell or plant according to Claim 16.
- 18. A method of modifying flavonoid biosynthesis in a plant, said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment according to Claim 1, a construct according to claim 13 and/or a vector according to Claim 14.
- 19. A method of modifying protein binding, metal chelation, anti-oxidation, and/or UV-light absorption in a plant, said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment according to Claim 1, a construct according to claim 13 and/or a vector according to Claim 14.
  - 20. A method of modifying pigment production in a plant, said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment according to Claim 1, a construct according to claim 13 and/or a vector according to Claim 14.
- 25 21. A method of modifying plant defense to a biotic stress, said method including introducing into said plant an effective amount of a nucleic acid or nucleic

61 acid fragment according to Claim 1, a construct according to claim 13 and/or a vector according to Claim 14.

- A method according to claim 21 wherein said biotic stress is selected from the group consisting of viruses, microorganisms, insects and fungal 5 pathogens.
- A method of modifying forage quality of a plant by disrupting protein 23. foam and/or conferring protection from rumen pasture bloat, said method including introducing into said plant an effective amount of a nucleic acid or nucleic acid fragment according to Claim 1, a construct according to claim 13 and/or a vector 10 according to Claim 14.
  - Use of a nucleic acid or nucleic acid fragment according to Claim 1, and/or nucleotide sequence information thereof, and/or single nucleotide polymorphisms thereof as a molecular genetic marker.
- A substantially purified or isolated polypeptide from a clover 25 15 (Trifolium), medic (Medicago), ryegrass (Lolium) or fescue (Festuca) species. selected from the group consisting of ASR and ASR-like, A22 and A22-like, CYS and CYS-like, LEA and LEA-like, DHN and DHN-like and PKABA and PKABA-like; and functionally active fragments and variants thereof.
- A polypeptide according to Claim 25, wherein said clover species is 20 white clover (Trifolium repens) and said ryegrass species is perennial ryegrass (Lolium perenne).
- A polypeptide according to Claim 25, wherein said polypeptide is CHI 27. or CHI-like and includes an amino acid sequence selected from the group consisting of sequences shown in Figures 2, 5, 8, 11, 123 and 128 hereto 25 (Sequence ID Nos: 2, 9, 14, 18, 308, and 310, respectively); and functionally active fragments and variants thereof.
  - A polypeptide according to Claim 25, wherein said polypeptide is CHS or CHS-like and includes an amino acid sequence selected from the group

62

consisting of sequences shown in Figures 14, 17, 20, 23, 26, 29, 32, 35, 138, 143, 148, 153, 158 and 163 hereto (Sequence ID Nos: 24, 65, 70, 79, 92, 96, 102, 107, 314, 316, 318, 320, 322, and 324, respectively); and functionally active fragments and variants thereof.

- 5 29. A polypeptide according to Claim 25, wherein said polypeptide is CHR or CHR-like and includes an amino acid sequence selected from the group consisting of sequences shown in Figures 37, 39, 42 and 133 hereto (Sequence ID Nos: 109, 111, 118, and 312, respectively); and functionally active fragments and variants thereof.
- 30. A polypeptide according to Claim 25, wherein said polypeptide is DFR or DFR-like and includes an amino acid sequence selected from the group consisting of sequences shown in Figures 45, 48, 51, 53, 56, 58, 60, 63, 102, 105, 118 and 168 hereto (Sequence ID Nos: 136, 148, 54, 156, 160, 162, 164, 169, 287, 294, 306, and 326, respectively); and functionally active fragments and variants thereof.
  - 31. A polypeptide according to Claim 25, wherein said polypeptide is LCR or LCR-like and includes an amino acid sequence shown in Figure 66 hereto (Sequence ID No: 186); and functionally active fragments and variants thereof.
- 32. A polypeptide according to Claim 25, wherein said polypeptide is 20 F3'5'H or F3'5'H-like and includes an amino acid sequence selected from the group consisting of sequences shown in Figures 69 and 71 hereto (Sequence ID Nos: 195 and 197, respectively); and functionally active fragments and variants thereof.
- 33. A polypeptide according to Claim 25, wherein said polypeptide is F3H or F3H-like and includes an amino acid sequence selected from the group consisting of sequences shown in Figures 74, 77, 79, 108, 112 and 173 hereto (Sequence ID Nos: 203, 246, 248, 299, 304, and 328, respectively); and functionally active fragments and variants thereof.

63

- 34. A polypeptide according to Claim 25, wherein said polypeptide is F3'H or F3'H-like and includes an amino acid sequence selected from the group consisting of sequences shown in Figure 81 hereto (Sequence ID No: 250); and functionally active fragments and variants thereof.
- 35. A polypeptide according to Claim 25, wherein said polypeptide is PAL or PAL-like and includes an amino acid sequence selected from the group consisting of sequences shown in Figures 84, 87, 90, 92, 94, 96, 178, 183 and 188 hereto (Sequence ID Nos: 254, 259, 269, 271, 273, 275, 330, 332, and 334, respectively); and functionally active fragments and variants thereof.
- 36. A polypeptide according to Claim 25, wherein said polypeptide is VR or VR-like and includes an amino acid sequence selected from the group consisting of sequences shown in Figures 99 and 193 hereto (Sequence ID Nos: 279 and 336, respectively); and functionally active fragments and variants thereof.

## 1/271

		*	20	*	40	*	60		
rrCHIa	:	GCATTAAACANT	GAAANTTGACCAG	TCCCAACAA	AGATCTGAAA	CACATAGCTCC	CCATT	:	60
PrCHIa	:	* TTTTAACATTAA	80 ACTAAAAATATGT	* CGGCCATCA	100 CCGCAATCCA	* AGTCGAGAACO	120 TTGAA	:	120
PrCHIa	:	* TTTCCGGCTGTG	140 ATTACTTCTCCGG	* CCACCGGTA	160 AGTCATATTT	* TCTTGGTGGTG	180 CAGGG	:	180
FrCHIa	:	* GAGAGAGGTTT	200 ACTATTGAAGGAA	* ACTTCATCA	220 AGTTCACTGC	* CATAGGAGTAI	240 ATTTG	:	240
TrCHIa		* GAAGATGTAGC	260 GTGGCTTCACTTG	* CCACTAAAT	280 GGAAGGGCAA	* ATCCTCTGAAC	300 SAGTTG	:	300
TrCHIa	:	* CTTGAGACCCTT	320 GACTTCTACAGAG	* ATATCATTT	340 CAGGACCATT	* TGAGAAGTTGA	360 ATTCGA	:	360
TrCHIa	:	GGATCGAAGAT	380 PAGGGAATTGAGTG	* GTCCTGAGT	400 ACTCAAGGAA	* GGTTAATGAAJ	420 AACTGT	:	420
TrCHIa	:	* GTGGCACACTT	440 AAATCTGTTGGGA	* CTTATGGAG	460 ATGCAGAAGT	* TGAAGCTATGO	480 CAAAAA	:	480
TrCHIa	:	* TTTGTTGAAGCO	500 CTTCAAGCCTATTA	* ATTTTCCAC	520 CTGGTGCCTC	* TGTTTTTAC	540 AGGCAA	:	540
TrCHIa	:	* TCACCTGATGG	560 AATATTAGGGCTT#	* AGTTTCTCTC	580 AAGATGCAAG	* TATACCAGAA	600 AAGGAA	:	600
ттСнта		* GCTGCAGTAAT	620 AGAGAACAAGGGAG	* CTTCATCGG	CG : 636				

# 2/271

TrCHIa	:	* 20 * 40 * MSAITAIQVENLEFPAVITSPATGKSYFLGGAGERGLTIEGNFIKFTAIGVYLEDVA	60 /AS	:	60
TrCHIa	:	* 80 * 100 * 1 LATKWKGKSSEELLETLDFYRDIISGPFEKLIRGSKIRELSGPEYSRKVNENCVAHLE	120 KSV		120
TrCHIa	:	* 140 * 160 * 1 GTYGDAEVEAMQKFVEAFKPINFPPGASVFYRQSPDGILGLSFSQDASIPEKEAAVIE	180 ENK	:	180
TrCHIa		GASSA : 185			

### 3/271





FIGURE 3

### 4/271



# FIGURE 3 (cont)

## 5/271

		* 20 * 40 * 60		
TrCHIb	:	${\tt TTAAAATTGACACAGTCCCAACCTTAAANTTGACCNGGTCCCAAACAAAGATCTGAAACAACAACAAACAAACAAA$	:	60
		* 80 * 100 * 120		
TrCHIb	:	ACATAGCCCCCCATTTTTTAACATTAAACTAAAAATATGTCTGCCATCACCGCAATCCAA	:	120
		* 140 * 160 * 180		
TrCHTb		GTCGAGAACCTTGAATTCCCGGCGGTGATTACTTCTCCGGTCAACGGTAAGTCATATTTT	:	180
-				
		* 200 * 220 * 240		
TrCHTb			:	240
1201122	•	0.1.00100100100010101010101010101010101		
		* 260 * 280 * 300		
TrCUTh		ATAGGAGTATATTTGGAAGATGTAGCAGGGGCTTCACTTGCCACTAAATGGAAGGGCAGA		300
1101110	•	ATROCASCATA T. 1001.2101.101.101.101.101.101.101.101.10	•	
		* 320 *		
TrCHIb	:	TCCTCTGAAGAGNGCTTGAGACCCTNGACTNC : 332		


## 6/271

\* 20 \* 40 \* 60
TYCHID: MSAITAIQVENLEFPAVITSPVNGKSYFLGGAGERGXTIEGNFIKFTAIGVYLEDVAGAS: 60

\*

Trchib : Latkwkgrsseexlrpxt : 78

### 7/271



## 8/271

TrCHIc	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	60
TrCHIc	:	$^{\star}_{\text{ATTGAGTGGTCCTGAGTACTCAAGGAAGGTTAATGAAAACTGCGTGGCACACTTAAAATC}$	:	120
TrCHIc	:	* 140 * 160 * 180 TGTTGGGACTTATGGAGATGCAGAAGCTGAAGCTATGCAAAAATTTGTTGAAGCCTTCAA	:	180
TrCHIc	:	* 200 * 220 * 240 GCCTATTAATTTTCCACCTGGTGCCTCTGTTTTTTACAGGCAATCACCTGATGGAATATT	:	240
TrCHIc		* 260 * AGGGGTTAGTATTGCCAATTCATTTTTTTAACT : 274		

### 9/271

TrCHIC	:	* APFEKLIRGSKIRELSGE	20 PEYSRKVNENCY	* VAHLKSVGTY	40 GDAEAEAMQKF	* VEAFKPINE	60 PPP :	6
TrCHIc	:	* GASVFYRQSPDGILGVS	80 LANSFFLTILIF	* NVRFDC : 9	4			

### 10/271

	*		20	*	40	*	60	
TrCHIc1: TrCHIc2:	GTTAGNAGNA				GATTCGAGGATC GATTCGAGGATC			: 60 : 50
			80	*	100	*	120	400
TrCHIc1: TrCHIc2:	TTGAGTGGT	CCTGAGT	ACTCAAGGAAG( ACTCAAGGAAG(	ettaatga ettaatga	AAACTGCGTGGC AAACTGCGTGGC	ACACTTAA ACACTTAA	AATC	120
			140	*	160	*	180	: 180
TrCHIc1: TrCHIc2:					GCAAAAATTTGT GCAAAAATTTGT			170
			200	*	220 CAGGCAATCACC	*	240	: 240
TrCHIc1: TrCHIc2:					CAGGCAATCACC			: 230
	Lagrania di		260 2010 A 1212121212121212121212121212121212121	TOTAL A COM	274			
TrCHIc1: TrCHIc2:			ATTCATTTTTT		264			

### 11/271

		*	20	*	40	*	60		
TrCHId	:	MITTHMMITHANTT	CGGGCAATTA	CAACTACACA	ACACCTTCTC	CATTACCATC:	PATCTT	٠	60
1		* CTACTAAGTTCAAC	80	* *	100	* የመመርያ አመአመር(	120		120
Trenta	:	CTACTAAGTTCAAC	GAGATCAATG	3CAC11CC11	CIGICACCGC	IIIGANIAIC	INGANC	•	120
							180		
m~Cura		AATCTATTCCCTCC	140	TCACCGGGAT	160	TTTCTTCCTC			180
TICHIG	•	MATCIATICCCICC	.IACCGICACA	CACCOGGAI	CCICCILICIA				
			200		220	*	240		
TTCHTA		GCAGGAGAGCGGG		CAAGACAAAT		CACCGCTATT		:	240
		*	260	*	280	*	300		
TrCHId	:	TATCTACAGGACA	TGCTGTTCCT	TACCTCGCCA	CTAAATGGAA	GGGTAAGACT	GCTCAA	:	300
		*	320	*	340	*	360		
TrCHId	:	GAGCTAACGGAAAG	TGTTCCTTTC	TTCAGGGACA	TCGTTACAGG	TCCATTTGAG	TTTAAA	;	360
		*	380	*	400	*	420		
TrCHId	:	ATGCAGGTGACAA	rgatettgeea	TTGACTGGGC	CAACAATACTC	AGAGAAAGTG	rcagaa	:	420
		*	440	*	460	*	480		480
TrCHId	:	AATTGTGTAGCTA	PTTGGAAGTCT	CTTGGGATTI	ATACCGACGA	AGAAGCCAAA	3CAATT	:	480
m0117.4		GAGAAGNNTGTTT	500	* ~~~~~~~~~	520	~ ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	540		540
TICHIG	٠	GAGAAGIMIGIII	JIGICIICAAA	OHIOHHACAI	recencerac			•	
			560	_	580		600		
ттснта	,	ACAGNATTACCCA		TCACTAACGA		TAAAGATGGA		:	600
		*	620	*	640	*	660		
TrCHId	:	CCAGAGACCGAGT		GAGAATAAGO	TACTCTCACA	AGCTGTGCTN	GAGTCG	:	660
		*	680	*	700	*	720		
TrCHId	:	ATGATAGGGGCAC	ACGGTGTCTCC	CCTGCAGCA	AAACAGAGTTI	TGGCCACCAG	GNTANC	:	720
		*	740	*	760	*	780		700
TrCHId	:	CGAGNTATTCAAC	GAGGNTGGCTG	ATGCCTAGC	ACTIGATNAT	ATCAACAAAA	CGAAAA	:	780
m		* TGAAAGNCCTTTT	800	*	820 820	vr . 825			
TrCHId	:	TGAMMGNCCTTTT	LIGUMNIAMAG	なわらしかいらしらじん	JULI TILLI	1 . 023			

### 12/271

TrCHId	:	* 20 * 40 * 60 MALPSVTALNIENNLFPPTVTPPGSTNNFFLGGAGERGLQIQDKFVKFTAIGVYLQDIAV	:	60
TrCHId	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	120
TrCHIđ	:	$^{\star}$ 140 $^{\star}$ 160 $^{\star}$ 180 SLGIYTDEEAKAIEKVSVPKETPPPGSSILFTLPKGLGSLTIXFSKDGSIPETESAVIEN	:	180
TrCHId		* 200 * 220 * KLLSQAVXESMIGAHGVSPAAKQSFGHQXXRXIQRXWLMPSNLXISTKRK : 230		

#### 13/271




FIGURE 12

### 14/271

		*	500	*	520	*	540		
TrCHId1:	GAGAAGNNT	GTTTCTG	TCTTCAAAGAN	IGAAACATT	CCACCAGGCT	CCTCTATCC	$\Gamma T T T C$	: 5	39
TrCHId2:			mamma a a car	703 3 3 0 3 mm	CCACCAGGCT	oomomamoo	electronical de	:	- 17
TrCHId3:	CANAANNIT			(6)14141(6)14161	SCCACCAGGC1	COLCIAICO			68
120112011									
		*	560	*	580	*	600		
TrCHId1: TrCHId2:	ACAGNATTA	CCCAAAG	GATTANGATCA	CTAACGATA	AGNTTCTCTA	AAGATGGAIX	COPATION .	: 59	19
TrCHId2:	ACAGEATTA	CCAAAG	GATTAGGATCA	CTAACGATA	AGTITCTCTA	AAGATGGATC	CATT	57	17
TrCHId4:								:	-
			620	*	640	*	660		
TrCHId1:	CCAGAGACC	GAGTCTG	CAGTTATAGNG	AATAAGCT	ACTOTOACAAG	CTGTGCTNG	AGTCG	65	9
TrCHId2:	2000000000		OR OWNER TO OR O	12 2 M 2 2 G G M	ACTCTCACAAG	omeme emitter	omoo	: 63	-
TrCHId3: TrCHId4:	COAGAGAGA	e/:/(cytonic	O'A(G) I I VA I VA (G) A (G	7AVAIIVAVAIGICAV	ACTOTO ACARAG	orerectine?	ACTIOC.	. 0.	-
		_	680		700		720		
TrCHId1:	ATGATAGGG	COANNOC	CHETCHNINGNA	GCANCAAA	CAMAGTTTTG	NINCACCAGGI		: 71	19
TrCHId2:								:	-
TrCHId3:	ATGATAGGG	GCBCACG	CTCTCTCCCCT	GCAGCAAA	ACAGAG-TTTG	GCCACCAGG	TATIC	: 69	€
TrCHId4:								•	_
TrCHId1:	oli s osvina min	*	740 CNICCORCANO	*	760	* NAACAAAAC	780	. 77	70
TrCHId1:	C A ACCUMANT	CAACGAG	GNII GGG I GATT					. ′	_
TrCHId3:	CGAGTATT	CAACGAG	GTGG-TGATC	-CTAGCAA	TGAT ATAT	CAACAAAAC	$\Lambda\Lambda\Lambda\Lambda$	: 75	53
TrCHId4:								:	-
		*	800	*	820				
TrCHId1: TrCHId2:	TGNANGNCC	TTTTCTG	CATTAAAGAAC	<b>M</b>		: 807			
TrCHId2:	TGAAAGTCC	-плисте	CAATAAAGAEC	AAGCGGAA	ATTTATTT	: 797			
TrCHId4:						: -			

#### 15/271

20 Trchsa: Tattntnngaaaccacttgtgttgaagncgtgaacttngctaccctccatatnatactat : 60 100 Trchsa: NACCTCTTCTGAGACCCTTCATCATAGAAANACAACACACTTCAGCNCTTTGCTNTTTCT : 120 140 160 200 220 Trchsa: gctaaagatanttattaagatatggtgagtgtagctgaaattcgcaaggctcagaggct : 240 Trchsa: GAAGGCCCTGCAACCATTTTGGCCATTGGCACTGCAAATCCAGCAAACCGTGTTGAGCAG: 300 340 320 Trchsa: AGCACATATCCTGATTCTACTTCAAAATCACAAACAGTGAGCACAAGACTGAGCTCAAA: 360 380 Trchsa: GAGAAATTCCAGCGCATGTGTGACAAATCTATGATCAAGAGCAGATACATGTATCTAACA: 420 460 Trchsa: GaagagattttgaaagaaatcctagtctttgtgaataCatggCaccttcattggAtgct : 480 500 520 Trchsa: AGGCAAGACATGGTGGTGGTTGAGGTACCTAGACTTGGGAAGGAGGCTGCAGTGAAGGCT : 540 560 Trchsa: Attaaagaatggggtcaaccaaagtcaaagattactcacttaatcttttgcaccacaagt: 600 640 Trchsa: GGTGTAGACATGCCTGGTGCTGATTACCAACTCACAAAACTCTTAGGTCTTCGCCCATAT : 660 700 680 Trchsa: gtgaagaggtacatgatgtaccaacaagggtgctttgcaggtggacggtgcttcgtttg : 720 740 Trchsa: Accecagtcacattccecegecccagtgacactcacttggacagtcttgttggacaagca : 840 860 880 Trchsa: CTATTTGGAGATGGAGCTGCTGCACTCATTGTTGGCTCAGACCCAGTACCAGAAATTGAG: 900 Trchsa: AAACCAATATTTGAGATGTATGGACCGCACAGACAATTGCTCCAGACAGTGAAGGTGCC: 960 1000 Trchsa: ATTGATGGTCACCTTCGTGAAGCTGGACTAACATTTCATCTTCTTAAAGATGTTCCTGGG: 1020 1040 1060 1080 Trchsa: ATTGTATCAAAGAACATTAATAAAGCATTGGTCGAGGCTTTCCAACCATTAGGAATTTCT: 1080 1100 1120 Trchsa: GATTACAACTCAATCTTTTGGATTGCACACCCGGGTGGACCTGCAATTCT : 1130


### 16/271

			*	20	*	40	*	60		
TrCHSa	:	MVSVAEIR	KAQRAEGPA	ATILAIGTANPA	NRVEQSTY	PDFYFKITNSEH	KTELKEKFÇ	RMC	:	60
TrCHSa	:	DKSMIKSR	* YMYLTEEII	80 LKENPSLCEYMAI	* PSLDARQDI	100 WVVEVPRLGKE	* AAVKAIKEV	120 IGQP	:	120
TrCHSa	:	KSKITHLI	* FCTTSGVDI	140 MPGADYQLTKLLO	* GLRPYVKR	160 MMYQQGCFAGG	* FVLRLAKDI	180 AEN	:	180
TrCHSa	:	NKGARVLV	* VCSEVTAV	200 TFRGPSDTHLDS	* LVGQALFGI	220 OGAAALIVGSDP	* VPEIEKPI	240 EMV	:	240
TrCHSa	:	WTAQTIAP	* DSEGAIDG	260 HLREAGLTFHLL	* KDVPGIVS	280 KNINKALVEAFQ	* PLGISDYNS	300 SIFW	:	300
TrCHSa	:	IAHPGGPA	.I : 309							


# 17/271

	* 20 * 4	10 * 60	3	
TrCHSal :	TATTNTNNGAAACCACTTGTGTTGAAGNCGTGAACTTNG	CTACCCTCCATATNATACTA		60
TrCHSa2 :				-
TrCHSa3 :			. :	_
TrCHSa4 :			. :	
TrCHSa5 :			. :	
TrCHSa6 :			:	
TrCHSa7 :			: :	_
TrCHSa8 :			: :	
TrCHSa9 :			: :	
TrCHSa10:			:	_
TrCHSa11:				_
TrCHSa12:			:	
TrCHSa13:			. :	
TrCHSa14:			. :	_
TrCHSa15:			:	
TrCHSa16:			. :	
TrCHSa17:			. :	_
TrCHSa18:			. :	
TrCHSa19:			. :	_
TrCHSa20:				
TrCHSa21:			. :	
TrCHSa22:			. :	_
TrCHSa23:			. :	Ξ
TrCHSa24:			. ;	_
TrCHSa25:			. :	_
TrCHSa26:			. :	_
TrCHSa27:			. :	_
TrCHSa28:			. :	-
TrCHSa29:			. :	_
TrCHSa30:			. :	
TrCHSa31:			:	_
TrCHSa32:			:	_
TrCHSa33:			- :	_
TrCHSa34:			:	
TrCHSa35:			•	_
TrCHSa36:			:	~
TrCHSa37:			•	_
TrCHSa38:			:	_
TrCHSa39.			•	


#### 18/271



#### 19/271



#### 20/271



### 21/271



FIGURE 15 (cont)

#### 22/271






FIGURE 15 (cont)

#### 23/271



#### 24/271




#### 25/271




FIGURE 15 (cont)


### 26/271



#### 27/271




#### 28/271




### 29/271

		740	*	760	*	780
TrCHSal :						: .
TrCHSa2 :						: .
TrCHSa3 :						: .
TrCHSa4 :						
TrCHSa5 :						: _
TrCHSa6 :	GCAAAAGATTTGGCC	GAGAACAACAAA	SCTCCTCCT	GTGCTAGTTGTT	TGTTCTCAL	GTC : 656
TrCHSa7 :						
TrCHSa8 :						: -
TrCHSa9 :						
TrCHSa10:	GCAAAAGATTTGG					; -
TrCHSa11:	GCAAAAGATTTGG					:604
TrCHSa12:						
TrCHSal3:						; -
TrCHSa14:	GCAAAAGATTTG					:609
TrCHSa15:	GCAAAAGATTTG					: -
TrCHSa16:						: -
TrCHSa17:	GCAAAAGATTTG					: -
TrCHSa18: TrCHSa19:						: -
TrCHSa19:	GCAMAAGATTTTG					:607
TrCHSa21:						: -
TrCHSa21:	2011111					: -
TrCHSa23:	GCAAAAGATTTGGCC	647(6)444(6)445(6				:613
TrCHSa24:						: -
TrCHSa25:						: -
TrCHSa25:	GCGAAGG GCGAANGATTTGGCCG					: -
TrCHSa27:	2000000					:
TrCHSa28:	CC AA CAURINGEORI	AMAACAACAAA	a vacance v	Nonmore Emercine	200000000	:582
TrCHSa29:		************	O'GOLOG!	SMG111 GGW11 GETT	156 HOLLEN	:642
TrCHSa30:						: -
TrCHSa31:						: -
TrCHSa32:	GCAAAAGATTTGGCCG	AGAACAACAAA	стестест	- - - -	POTTOTO NA	:598
TrCHSa33:	GCTAAAGATTTGGCCC	AGAACAACAAA	CTCCTCCTC	31G11GG11G11 3TGTTCCTTCTT	PERFORMAN	CA : 597
TrCHSa34:	GCTAAAGATTTGGCCC	AGAACAACAAA	GTGCTCGT	TGTTGGTTGTT	CTTCTGAA	:551
TrCHSa35:	GC AAGCATTTGGCCC	GAGAACAACAAA	GTGCTCGT	TGTTCCTTCTT	COTTOTO	CIDS +530
TrCHSa36:	GCAAGGATTTGGCCC	GAGAACAACAAA	GTGCTCGT	TGTTGGTTGTT	COTCTCAA	ema -537
TrCHSa37:	GCGAAGGATTTGGCCC	BAGAACAACAAA	GTGCTCGT	TGTTGGTTGTT	GGTCTGAA	GTA - 437
TrCHSa38:	GCTANGGATTTGGCCC	AGAACAACAAAG	GTGCTCGT	TGTTGCTTCTTT	СТТСТСАА	CTD 387
TrCHSa39:	GCTAMAGATTTGGCCG	AGAACAACAAA	GTGCTCGT	TCCTAGTTGTT	GTTCTGAA	:241


#### 30/271




#### 31/271



### 32/271



#### 33/271



### 34/271

	* 1040	*	1060	*	1080		
TrCHSa1 :							_
TrCHSa2 :							_
TrCHSa3 :						÷	_
TrCHSa4 :						:	_
TrCHSa5 :						;	_
TrCHSa6 :						:	_
TrCHSa7 :						:	_
TrCHSa8 :						;	_
TrCHSa9 :						:	_
TrCHSa10:							_
TrCHSa11:							_
TrCHSa12:							_
TrCHSa13:							_
TrCHSa14:						:	_
TrCHSa15:						:	_
TrCHSa16:						:	_
TrCHSa17:						:	_
TrCHSa18:						:	_
TrCHSa19:						:	_
TrCHSa20:						:	-
TrCHSa21:						:	_
TrCHSa22:						:	_
TrCHSa23:						:	-
TrCHSa24:						:	-
TrCHSa25:						:	_
TrCHSa26:						:	-
TrCHSa27:						:	-
TrCHSa28:						:	-
TrCHSa29:						:	-
TrCHSa30:						:	-
TrCHSa31:						:	-
TrCHSa32:						:	-
TrCHSa33:						:	-
TrCHSa34:						:	_
TrCHSa35:						:	-
TrCHSa36:						:	-
TrCHSa37:						:	-
TrCHSa38:						:	-
TrCHSa39.	ATTREPATED A A CAACATTA AT	PARACCAMPROC	A COMMUNICATION	ACC ADDA OCIA AL	mmmzzai		11

### 35/271

		* 1	100	*	1120	*		
TrCHSa1	:			<b>-</b>			:	_
TrCHSa2	:							_
TrCHSa3	:						:	_
TrCHSa4	:						:	-
TrCHSa5	:						i	-
TrCHSa6	:						:	_
TrCHSa7	:						:	_
TrCHSa8	:						:	_
TrCHSa9	:						:	-
TrCHSa10	:						:	_
TrCHSa11	:						:	_
TrCHSa12	:						:	_
TrCHSa13	:						:	-
TrCHSa14	:						:	-
TrCHSa15	:						:	-
TrCHSa16	:						:	-
TrCHSa17	:						:	-
TrCHSa18	:						:	-
TrCHSa19	:						:	-
TrCHSa20	:						:	-
TrCHSa21	:						:	-
TrCHSa22	÷						:	-
TrCHSa23	:						:	-
TrCHSa24	:						:	-
TrCHSa25	:						:	-
TrCHSa26	:						:	-
TrCHSa27	:						:	-
TrCHSa28	:						:	-
TrCHSa29	:						:	-
TrCHSa30	:						:	-
TrCHSa31	:						:	-
TrCHSa32	:						:	-
TrCHSa33	:						:	-
TrCHSa34	:						:	-
TrCHSa35	:						:	-
TrCHSa36	:						:	-
TrCHSa37	:						:	_
TrCHSa38	:						:	-
TrCHSa39		CATTACAACTCAATCTT	PROCAMBOOACAC	200000000	CACCIDOCAACION	O mil		0.1

### 36/271

TrCHSb	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	60
TrCHSb		* 80 * 100 * 120 GAACATTGATAAGGCATTGGTTGAGGCATTCCAACCATTAAACATCTCTGATTACAATTC	:	120
TrCHSb	:	$^{\star}_{\rm AATCTTTTGGATTGCTCAGGTGGTCCTGCAATTCTAGACCAAGTTGAGATAAAGTT}$	:	180
TrCHSb	:	$^{\star}$ 200 $^{\star}$ 220 $^{\star}$ 240 gggcttaaracctgaararatggraggccaccagagatgtacttagtgaatatggtaacat	:	240
TrCHSb		* 250 * 280 * 300 $\rm gtcaagtgcatgtgtattgttcatcttagatgagatgcaaaaagaaatcgctgaaaatgg$	:	300
TrCHSb	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	360
TrCHSb	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	420
TrCHSb	:	* 440 * 460 * 480 TTGTATTGTATTGTATTGTATTGTATTGTATTGTATTG	:	480
TrCHSb	:	* 500 * 520 * 540 TAAATATGGGTTCAATAAGTACCATCAGTGTTAAAATAATATATCGTTAATAGCTATTA	:	540
TrCHSb	:	* $560$ * $580$ * $600$ TTTTAGTGTCTGTTTCTTTTACTAAACTATATTTTATTT	:	600
TrCHSb	:	* 620 * ARATAAATATTGTCCTCTTAACTGAAAAAAAAA : 634		

### 37/271

TrCHSb	:	LRXAGXTFXLLKDVPBI	20 VSKNIDKALVE	* AFQPLNISD	40 YNSIFWIAHPG	* GPAILDQVI	60 EIKL	:	60
TrCHSb	:	* GLKPEKMKATRDVLSEY	80 GNMSSACVLFI		100 ENGLKTTGEGI	* .DWGVLFGF0	120 SPGL	:	120

TrCHSb : TIETVVLHSVAI : 132

#### 38/271




FIGURE 18

### 39/271

		* 20 * 40	* 6			
TrCHSc	;	: GNTTCAATCTGTTGTGCATAAAATTNCTTTGCNATAGAAAACCAT	PACACATTTGATCTT	G	:	60
		* 80 * 100	* 12	0		
TrCHSc	;	: CAAAGAAGAAATATGGGAGACGAAGGTATAGTGAGAGGTGTCACA	AAAGCAGACAACCCC	T	:	120
		* 140 * 160	* 18	0		
Trunse	:	: GGGAAGGCTACTATATTGGCTCTTGGCAAGGCATTCCCTCACCAA	lcttgtgatgcaaga	G	:	180
		* 200 * 220				
magric -		* 200 * 220 : TATTTAGTTGATGGTTATTTTAGGGACACTAATTGTGACAATCCT	* 24	0		
TICHSC	٠	: TATTIAGTIGATGGITATTITAGGGACACTAATIGIGACAATCCI	GAACTTAAGCAGAA	A.	:	240
		* 260 * 280	* 30	_		
TrCHSc		: CTTGCTAGACTTTGTAAGACAACCACGGTAAAAACAAGGTATGTT				300
	•	. CIIOCINONCIIIGIAMGACAACCACGGIAAAAACAAGGIAIGI	.GIINIGAAIGAGGAG	3	:	300
		* 320 * 340	* 360	n		
TrCHSc	:	: ATACTAAAGAAATATCCAGAACTTGTTGTCGAAGGCGCCTCAACT	ישייייייייייייייייייייייייייייייייייייי	Δ		360
			.ormunicancol111		•	500
		* 380 * 400	* 420	n		
TrCHSc	:	: GAGATATGTAATGAGGCAGTAACACAAATGGCAATTGAAGCTTCC	CAAGTTTGCCTAAA	3		420
				_		
		* 440 * 460	* 480	0		
TrCHSc	:	: AATTGGGGTAGATCCTTATCGGACATAACTCATGTGGTTTATGTT	TCATCTAGTGAAGC'	r		480
		* 500 * 520	* 540	0		
TrCHSc	:	: AGATTACCCGGTGGTGACCTATACTTGTCAAAAGGACTAGGACTA	AACCCTAAAATTCA	Α:	:	540
m		* 560 * 580	* 600	)		
Trunse	:	: AGAACCATGCTCTATTTCTCTGGATGCTCGGGAGGCGTAGCCGGC	CTTCGCGTTGCGAA	Ą :	:	600
		* 620 * 640				
TrCHSc		GACATAGCTGAGAACAACCCTGGAAGTAGAGTTTTGCTTGC	* 660	J		660
TECHNO	•	. GACATAGCIGAGAACAACCCIGGAAGIAGAGIITIGCIIGCIACI	TCTGAAACTACAAT	Ľ:		660
		* 680 * 700	* 720	,		
TrCHSc		ATTGGATTCAAGCCACCAAGTGTTGATAGACCTTATGATCTTGTT				720
			GG1G1GGCHC1C11			120
		* 740 * 760	* 780	١		
TrCHSc	:	GGAGATGGTGCTGGTGCTATGATAATTGGCTCAGACCCAATACTT	GAAACTGAGACTCCA			780
				- '		0
		* 800 * 820	* 940	)		
TrCHSc	:	TTGTTTGAGCTTCATACTTCAGCTCAGGAGTTTATACCAGACACA	GAGAAGAAAATAGAT	r :		840
		* 860 * 880	*			
TrCHSc	:	GGGCGGCTGACGGAGGAGGGCATAAGTTTCACGCTAGCGAGGGAA	CTGCCGCAGATA :	89	7	

### 40/271

			20 *	٠		*	60		
TrCHSc	:	MGDEGIVRGVTKQTTPGK.	ATILALGKAFPI	IOTAMOEA:	LVDGYFRDTNCD	NPELKQKL	ARL	:	60
TrCHSc	:	* CKTTTVKTRYVVMNBEIL	B0 * KKYPELVVEGAS		100 ICNEAVTQMAIE	* ASQVCLKN	120 WGR		120
		* 1.	40 *	, .	160		180		
TrCHSc	:	SLSDITHVVYVSSSEARL				AGLRVAKD	IAE	:	180
D-0110-			00 *		220	*	240		
irchse	•	NNPGSRVLLATSETTIIG	FKPPSVDRPYDL	JVGVALFGI	DGAGAMIIGSDP	ILETETPL:	FEL	:	240
		* 20	50 *	,					
TrCHSc		HTSAOFFT DOTFKKTOGDI	TERCTORTE AD	PT DOT .	275				

#### 41/271




FIGURE 21

### 42/271




FIGURE 21 (cont)

### 43/271

TrCHSc1: TrCHSc2:		* 	740	*	760	*	780
TrCHSc3:							
TrCHSc4:							
TrCHSc5:							: -
TrCHSc6: TrCHSc7:	OO NO A MOV				CCAATACTTGAA		
iiChac/:	GGAGATG	GIGCIGGIC	CTATGATAATTC	GCTCAGA	CCAATACTTGAA	ACTGAGACT	: 467
m . arra 1		*	800	*	820	*	840
TrCHSc1: TrCHSc2:							
TrCHSc3:							
TrCHSc4:							
TrCHSc5:							
TrCHSc6:							;
TrCHSc7:	TTGTTTG	AGCTTCATA	CTTCAGCTCAGG	AGTTTATA	ACCAGACACAGAG	AAGAAAAT <i>A</i>	<b>GAT</b> : 527
		*	860	*	880	*	
TrCHSc1:							
TrCHSc2:							
TrCHSc3:							
TrCHSc4: TrCHSc5:							· : -
TrCHSc5:							
TrCHSc7:	gggcggc/	TGACGGAGG			GCGAGGGAACTG	COCOACADE	: 584
	3000		HCCCCCHI PAGE	T CHICGG IA	GCGEGGGAAC16	CCGCAGA18	1: 504

### 44/271

TrCHSd	:	GTAGCAACACACAC	20 TTGATTTCT	* TTTTGAGTCC	40 TTGCTACGTG	* CNTTACCAAA	60 AAACG	:	60
TrCHSd	:	* TTGCTAAGTCATCAA	80 ACCATTCCAA	* TTCCTTAATA	100 TAACCTATCAG	* TACTCACCAT	120 CTTTT	:	120
TrCHSd	:	CTTCCTCCCTGCTA	140 ACTTTATACT	* TAGAGAAGAT	160 GGTGAAAGTTA	ATGAGATCCG	180 CCAGG	:	180
TrCHSd	:	* CACAGAGAGCTGAAG	200 GCCCTGCC	* \CTGTGTTGG	220 CAATCGGCACTO	* CAACTCCTCC	240 AAACT	:	240
TrCHSd	:	* GTGTTGATCAGAGT	260 ACATACCCC	* SACTACTACT	280 CCGCATCACA	* \ACAGTGAGCA	300 CAAGA	:	300
TrCHSd		* CAGAGCTCAAAGAA	320 AAATTCCAGO	* CGCATGTGTG	340 ACAAATCTATG	* ATTAAGAAGAG	360 ATACA	:	360
TrCHSd	:	* TGCATTTGACAGAA	380 GAGATTTTGA	AAGGAGAATCO	400 CAAGTTTATGT	* GAGTACATGGC	420 ACCTT	:	420
TrCHSd	:	* CATTGGATGCAAGA	440 CAAGACATGO	* STGGTTGTGG/	460 AAGTACCAAGG	* CTAGGAAAAGA	480 GGCAG	:	480
TrCHSd	:	CAACAAAGGCAATC.	500 AAGGAATGG	* GTCAACCTA	520 AGTCCAAGATT	* ACCCACCTCAT	540 CTTTT	:	540
TrCHSd	:	* GCACCACAAGTGGT	560 GTGGACATG	* CCCGGTGCCG	580 ACTATCAGCTT	* ACAAAGCTTT1	600 AGGCC	:	600
TrCHSd	:	* TTCGTCCGCATGTG	620 AAGCGTTAC	* ATGATGTACC	640 AACAAGGTTGT	* rttgctggtgg	650 CACGG	:	660
TrCHSd	;	* TGCTTCGTTTGGCT	680 AAAGACTTG	* GCTGAAAACA	700 ACAAAGGTGCC	* CGTGTATTGG1	720 GGTTT	:	720
TrCHSd		* GTTCAGAGATAACT	G : 735						

## 45/271

TrCHSd	:	$^{\star}$ 20 $^{\star}$ 40 $^{\star}$ 60 mukuneirqaqrabgpatulaigtatppncudqstypdyyfritnsehktelkekfqrmc :	60
TrCHSd	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	120
TrCHSd	:	$^{\star}_{\rm KSKITHLIFCTTSGVDMPGADYQLTKLLGLRPHVKRYMMYQQGCFAGGTVLRLAKDLAEN} ~^{\star}~^{180}$	180
TrCHSd		* NKGARVLVVCSBIT : 194	




FIGURE 24



FIGURE 24 (cont)




FIGURE 24 (cont)

#### 49/271

TrCHSd1	:		:	
TrCHSd2	ŧ		:	
TrCHSd3	:		:	
TrCHSd4	:		÷	
TrCHSd5	:		i	
TrCHSd6	:	GTTCAGAG	÷	618
TrCHSd7		euri	÷	609
TrCHSd8	:		:	
TrCHSd9	:	GTTCANAGATAACTG		603
TrCHSd10		early	:	588
TrCHSd11			:	-

FIGURE 24 (cont)

## 50/271

TrCHSe	:	: GNAGCAACACACTTTGATTTCTTTTTGAATCCCTGCTACGT	GGCNCACCAAAAA	ACGT	:	6(
TrCHSe	:	* 80 * 100 : TGCTAAGTCATCAACCATTCCAATTCCTTAATATAACCTATCA	* GTACTCACCATCT:	120 FTTC	:	120
TrCHSe	:	* 140 * 160 : TTCCTCCCTGCTAACTTTAGACTCAGTAGAAGATGGTGAATGT	* TAATGAGATCCGC(	180 CAGG	:	180
TrCHSe	:	* 200 * 220 : CACAGAGAGCTGAAGGCCCTGCCACCGTGTTGGCAATCGGCAC	* TGCAACTCCTCCAA	240 AACT	:	240
TrCHSe	:	* 260 * 280 : GTGTTGATCAGAGTACATACCCGGACTACTACTTCCGCATCAC	* AAACAGTGAGCACA	300 AAGA	:	300
TrCHSe	:	* 320 * 340 : CAGAGCTCAAAGAAAAATTCCAGCGCACGTGTAAGATATTTATC	* CTTATACTCCATGO	360 ATG	:	360
TrCHSe	:	* 380 * 400 : TCTTTTCTGCTGACTGCCGTGTTTATATATTGTTTTGTT	* ITCCTTAAATTTG1	420 TAT	:	420
TrCHSe	:	* 440 * 460 GTCACTCTCACATGTACAAACACTTAAGACTAAACTGCATATC	* CATTTTTTCAGGG	480 SACA	:	480
TrCHSe	:	* 520 : AATCTATGATTAAGAAGAGATACATGCATTTGACAGAAGAGAT	* ITTGAAGGAGAATO	540 CAA	:	540
TrCHSe	:	* 560 * 580 : GTTTATGTGAGNACATGGCACCTTCTTGGGATGCAAGACAAGT	: 583			

#### 51/271

		*	20	*	40	*	60		
TrCHSe	;	MVNVNEIRQAQRAEG	PATVLAIGT	TATPPNCVDQS	TYPDYYFRIT	NSEHKTELKEK:	FORTR	:	6

\* 80 \* TrCHSe : DKSMIKKRYMHLTEEILKENPSLCEXMAPSWDARQ : 95

#### 52/271

	* 40 * 60	
TrCHSe1: TrCHSe2:	CNAGCAACACACTTTGATTTCTTTTGAATCCCTGCTACGTGGCTTACCAAAAAAGGT GICCCTGCTGCGTGCGTGCCNCACC	: 60 : 29
TrCHSe1: TrCHSe2:		: 120 : 86
TrCHSe1: TrCHSe2:	* 140 * 150 * 180 TTCCTCCCTCCTAACTTTAGACTCAG GAAGATGTGAATGTTAATGAGATCGCCAGG TTCCTCCCTGCTAACTTTAGACTCAGTAGAAGATGTGAATGTTAATGAGATCGCCAGG	: 179 : 146
TrCHSe1: TrCHSe2:	" 200 " 220 " 240 CACAGAGAGCTGAAGGCCCTGCCACCGTGTTGGCAATCGGCACTGCAACTCCTCCAAACT CACAGAGAGCTGAAGGCCCTG	: 239 : 167
TrCHSe1: TrCHSe2:	* 260 * 280 * 300 GTGTTGATCAGAGTACATACCGGACTACTACTACCACAACAGTGAGCACAAGA	: 299
TrCHSe1: TrCHSe2:	* 320 * 340 * 360 CAGAGCTCAAAGAAAAAVITCCAGCGCAGGTGTAAGATATTTTATCTTATACTCCATCCA	: 359
TrCHSe1: TrCHSe2;	* 380 * 400 * 420 RETITITIONS TRANSPORTED AND THE TIME TO THE TRANSPORTED TO THE TRANSPOR	: 419
TrCHSe1: TrCHSe2:	* 440 * 460 * 480 GTCACTOTCACATGTACAAAACACTTAAACACTAAACTGCATATGATGTTTTTTCAGGGACH	: 479
TrCHSe1: TrCHSe2:	* 500 * 520 * 540 ANTETATEATTAAGAAGAGATACATECATTTGACAGAAGAGATTTTGAAGGAGAATCOA	: 539
TrCHSe1 :	* 560 * 580 GTTTATGTGAGNACATGCCACCTTCTTGGGATGCAAGACAAGT: 582	

#### 53/271

		*	20	*	40	*	60		
TrCHSf	:	GCNTAAGCCTTGATT	TTGTTTGTTTC	CTAACACAA	GAACTAGTGT	TTGCTTGAAT	CTTA	:	60
TrCHSf	:	* AGAAAAAATGCCTCAA	80 AGGTGATTTGAA	* rggaagttc	100 CTCGGTGAAT	* GGAGCACGTG	120 CTAG	:	120
TrCHSf	:	* ACGTGCTCCTACTCAC	140 GGAAAGGCAAC	* GATACTTGC	160 ATTAGGAAAG	* GCTTTCCCCG	180 CCCA	:	180
TrCHSf	:	* AGTCCTCCTCAAGAG	200 FIGCTIGGTGGA	* AGGATTCAT	220 TCGCGACACT	* AAGTGTGACG	240 ATAC	:	240
TrCHSf	:	* TTATATTAAGGAGAA	260 ATTGGAGCGTCT	* TTGCAAAAA	280 ACACAACTGTA	* AAAACAAGAT	300 ACAC	:	300
TrCHSf	:	* AGTAATGTCAAAGGA	320 GATCTTAGACAA	* CTATCCAGA	340 AGCTAGCCATA	* GATGGAACAC	360 CAAC	:	360
TrCHSf	:	* AATAAGGCAAAAGCT	380 PGAAATAGCAAA	* TCCAGCAGT	400 PAGTTGAAATG	* GCAACAAGAG	420 CAAG	:	420
TrCHSf	:	· * CAAAGATTGCATCAA	440 AGAATGGGGAAG	* GTCACCTC	460 AAGATATCACA	* CACATAGTC1	480 ATGT	:	480
TrCHSf	:	* TTCCTCGAGCGAAAT	500 PCGTCTACCCGG	* TGGTGACCI		* AATGAACTCG	540 GCTT	:	540
TrCHSf	:	* AAACAGCGATGTTAA	560 rcgcgtaatgct	* CTATTTCC1	580 PCGGTTGCTAC	* GGCGGTGTC#	600 CTGG	:	600
TrCHSf	:	* CTTACGTGTCGCC :	613						

#### 54/271

		*	20	*	40	*	60		
TrCHSf	:	MPQGDLNGSSSV	NGARARRAPTQGK	ATILALGKA	FPAQVLPQEC:	LVEGFIRDTKO	DDTYI	:	6(
TrCHSf	:	* KEKLERLCKNTT	80 VKTRYTVMSKEILI	* ONYPELAID	100 GTPTIRQKLE	* IANPAVVEMAT	120 RASKD	:	120
TrCHSf	:	cikewgrspodi	140 THIVYVSSSEIRL	* PGGDLYLAN	160 ELGLNSDVNR		180 SVTGLR	:	180
TrCHSf	:	VA : 182							



FIGURE 30

#### 56/271

		*	500	*	520	*	540	
TrCHSf1:					TTATCTTGCAA			540
TrCHSf2:	TTCCTCGA	GCGAAATT	CGTCTACCCGG	TGGTGACCI	TTATCTTGCAA	ATGAACTCG	GCTT :	537
TrCHSf3:	TTCCTCGA	GCGAAATT	CGTCTACCCGG	TEGTGACCT	TTATCTTGCAA	ATGAACTCG	GCTT :	531
TrCHSf4:	TTCCTCGA	GCGAAAT'I	CGTCTACCCGG	TGGTGACCT	TTATCTTGCAA	ATGAACTCG	GCTT :	522
		*	560	*	580	*	600	
TrCHSf1:	AAACAGCG	ATGTTAAT	CGCGTAATGCT	CTATTTCCT	CGGTTGCTACG	CCCCTCTCA		600
TrCHSf2:			CGCGTAATGCT					570
TrCHSf3:	AAACAGCG	ATGTTAAT	CGCGTAATGCT	CTATTTCCT	ссетисст		:	575
TrCHSf4:	MACAGCG	ATGTTAAT	CGCGTAATGCT	CTATTTCCT	CGGTTGCTACGC	eeee	:	573
								.,,
		*						
TrCHSf1	CTTACGT	GTCGCC :	613					
TrCHSf2		:	-					
TrCHSf3		:	-					
TrCHSf4		:	-					

# FIGURE 30 (cont)

## 57/271

TrCHSg	:	* GTATACCAAGGTTGTT	20 TTGCTGGTGGCA	* CGGTACTT	40 CGTTTGGCTAAA	.GACTTGGC	60 TGAA	:	60
TrCHSg	:	* AACAACAAAGGTGCCC	80 GTGTGTTGGTGG	* TTTGTTCA	100 GAGATAACTGCA	* GTTACTTT	120 CCGT	:	120
TrCHSg	:	* GGACCCAGTGACACTC	140 ACCTTGATAGCC	* TTGTGGGG	160 CAAGCATTGTTT	* GGAGATGG	180 IGCA		1.80
TrCHSg	:	* GCAGCTGTGATTGTTG	200 GTTCAGACCCTT	* TGCCAGAA	220 GTTGAGAAGCCT	* TTGTTTGA	240 ATTG	:	240
TrCHSg	:	* GTATGGACCGCACAAA	260 CAATCGCTCCAG	* ATAGTGAA	280 GGAGCCATTGAT	GGTCACCT	300 PCGC		300
TrCHSg	:	* GAAGCAGGGCTGACAT	320 TCCATCTCCTCA		340 CCTAGCCTTGTC	* TCAAATAA(	360 CATT	:	360
TrCHSg	:	* GAGAAAGCGCTTGTTG	380 ATGCCTTTCAACO	* CTTTGAAT	400 ATTTCTGACTAC	* AATTCCATO	420 TTT	:	420
TrCHSg	:	* TGGATTGCACACCCAG	440 GCGGACCAGCAA	* PTCTTGAC	460 CAAGTTGAAGCT	* AAGTTAGG(	480 CTTA	:	480
TrCHSg	:	* AAGCCAGAGAAAATGC	500 AAGCCACTCGAC	* ATGTACTT	520 AGCGAATATGGT	* AACATGTC	540 AGT	:	540
TrCHSg	:	* GCGTGTGTGTTATTTA	560 FCTTGGATGAGAT	* PGAGGAGG	580 AAGTCAAAAGAA	* GACGGACTI	600 GCC	:	600
TrCESa		NCNNCNC . 607							

## 58/271

TrCHSa		* VYQGCFAGGTVLRLAR	20	*	40	mur ner veox	60 T PCDG3		61
rrenbg	•	VIQGOINGGIVII(IMI	DEPENMING	MVDV VCDEI	INVIENGESD	INLUSEVGOA	DF GDGM	•	01
		*	80	*	100	*	120		
TrCHSg	:	AAVIVGSDPLPEVEKE	LFELVWTA	QTIAPDSEGA:	IDGHLREAGL	TFHLLKDVPS:	LVSNNI	:	120
		*	140		160	*	180		
TrCHSg	:	EKALVDAFQPLNISDY	NSIFWIAH	PGGPAILDQV	BAKLGLKPEK	MQATRHVLSE	YGNMSS	:	180
		*							
m0110		1017 571 571 571	200	202					




FIGURE 33

#### 60/271

			*		560	*		80		*	600		
TrCHSg1:		CGTGTGTG										:	600 591
TrCHSg3:		CGTGTGTC	Ü	ATTTAT	CTTGGAT	GAGATGA	GAGGAA	GTCAA	AGAAG	ACGGAC	TTGC-	:	590
TrCHSg1	:	ACAACAG	:	607									
TrCHSg2	:		:	-									
TrCHSg3	:		:	-									

# FIGURE 33 (cont)

		* 20 * 40 * 60		
FrCHSh	:	AATNACACCNTNANACCTTCCAATTCTCGTACCTCACCAATCTCATTTTTATTATATATC	:	60
PrCHSh	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	120
PrCHSh	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	180
PrCHSh	:	$ \begin{array}{cccccc} \star & 200 & \star & 220 & \star & 240 \\ \mathtt{GTGTCACTCAAGCTGATTATCCTGATTACCTTTCGTATCACCAACAGCGAACATATGA} \end{array} $	:	240
FrCHSh	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	300
FrCHSh	:	* 320 * 340 * 360 TGCACCTAACAGAAGACTTTCTGAAGGAGATCCAAATATGTGTGAATACATGGCACCAT	:	360
rrCHSh	:	* 380 * 400 * 420 CACTAGATGTAAGACATAGTGTTGTTGAAGNACCAAAGCTAGGTAAAGAANCAC	:	420
rrCHSh	:	$^{*}_{\text{CAAAAAAGCCATATGNGAATGGGGACAACCAAAATCNAAAATCACACATGCTTGSTTTC}} \cdot ^{*}_{\text{CAAAAAAAGCCATATGNGAATGGGGACAACCAAAATCNAAAATCACACATGCTTGSTTTC}} \cdot ^{*}_{CAAAAAAAAGCCATATGTTGGTTTGGTTTGGTTTGGTTT$		480
PrCHSh		* 500 * TGACCACTTCCCCCCCCCCCC . 510		

#### 62/271

TrCHSh	:	* 20 * 40 * * MVTVEEIRNAQRSNGPATILAFGTATPSNCVTQADYPDYYFRITNSEHMTDLKE	60 KFKRMC	:	6
TrCHSh	:	* 80 * 100 *  DRSMIKKRYMHLTEDFLKENPMMCEYMAPSLDVRRDIVVVEXPKLGKEPKKAIXE	120 WGQPK	:	12
TrCHSh	;	* XXITHAWFLTTSGDMPG : 137			

TrCHRa	:	* 20 * 40 * 60 GACAAATGCNTGTGGTTGGAATGGGATCGCACCTGATTTTACATGTAAGAAAGA	:	60
TrCHRa	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	120
TrCHRa	:	$^{\star}$ 140 $^{\star}$ 160 $^{\star}$ 180 atgratranarrangetettigggaargetttgaargaarcanttgaacttggeeta	:	180
TrCHRa		* 200 * 220 * 240 CTANAGAAGAGCTNTTTGTTACTTCTAAACTTTGGGNNACTGAAAATCATNCTAACCTTG		240

## 64/271

m Gun		* 20 * 40 * 60		
Trenka	:	${\tt QMXVVGMGSAPDFTCKKDTKDAIVEAIKQGYRHFDTAAAYGSXQALGEGLKEAXELGLVT}$	:	60

TrCHRa : XEEXFVTSKLWXTENHXNL : 79

#### 65/271

	Decups.		CCCCD3 CC3	*	20	*	40	*	60		
	IICERD	:	GIGTAGCA	GAGTNAGA	AAAAGAGAGAAA	AAAAAACA	TGGCAGGAAA	GAAAATCCC?	AGAAG	:	60
	TrCHRb		TGTTATTG	* BARTTCAGG	80 ACACAAAATGCC	* AGTCATAG	100 GAATGGGAAC	* ATCAGTAGAC	120 CAATC	:	120
	TrCHRb	:	GTCCATCA	* .AATGATGT	140 TCTTGCTTCAAT	CTTTGTTG	160 ATGCAATTGA	* AGTTGGTTAT	180 PCGCC	:	180
				*	200		220	*	240		
-	FrCHRb	:	ATTTCGAT	TCTGCTTC	TGTGTATGGAAC	AGAGGAAG			AAAG	:	240
				*	260	*	280	*	300		
	rrCHRb	:	CTTTAGAA	AAAGGGCT	TATTAAGAGTAG	AGATGAAG	TTTTCATCAC	TTCAAAGCCA	ATGGA	:	300
,	rchsh		атастсат	* ************************************	320 TGAACTTATTGT	*	340	*	360		200
		•		GCAGATTA	IGAACIIAIIGI	ICCAGCIC	ICAMGACCAC	ATTGAMMANG	00100	٠	300
	rrCHRb	:	GGACGGAG	* TATGTGGA	380 ICTTTATCTGAT	* CCATTGGC	400 CAGTGAGACT	* TAGACATGAT	420 CTTG		420
				_	***						
5	rrchrb	:	AAAACCCT	GTTGTTTT	440 CACCAAAGAAGA	* TTTACTTC	460 CCTTTGATAT	* AGAAGGGACA	480 TGGA	:	480
				*	500	*	520	*	540		
-	rchrb	:	AAGCTATG	GAAGAATG	PTATAAGTTAGG	CTTAGCAA	AGTCTATTGG	TATATGCAAT	TATG	:	540
,	Parciinh		Cm2 CC2 2 2	*	560	*	580		600		
	TOHRO	٠	GINCCAMA	mmc IUMCI	CAAACTCTTGGA	MMUMGUUA	CCATTACCCC	TGCAGTCAAT	CAGG	:	600
-	rchrb		TGGA : 6	04							

#### 66/271

TrCHRb	:	* 20 MAGKKIPEVLLNSGHKMPVI	* GMGTSVDNRPSNL	40 VLASIFVDAIEV	* GYRHFDSAS\	60 YGTEE	:	60
TrCHRb	:	* 80 AIGIALAKALEKGLIKSRDE	* /FITSKPWNTDAL	100 YELIVPALKTTL	* KKLGTEYVDI	120 YLIHW	:	120
TrCHRb	:	* 140 PVRLRHDLENPVVPTKEDLL	* PFDIEGTWKAMEE	160 CYKLGLAKSIGI	* CNYGTKKLTI	180 KLLETA	:	180

TrCHRb : TITPAVNQV : 189




FIGURE 40

## 68/271

TrCHRb1:		*	440	*	460	*	480
TrCHRb2: TrCHRb3: TrCHRb4: TrCHRb5:	ANAACCC	TGTTGTTT:	TCACCAAAGAAGA TCACCAAAGAAGA TCACCAAAGAAGA	ATTTACTT	CCTTTGATATA	GAAGGGACA	Trees 471
TrCHRb1:	AAGCTAT	* GGAAGAAT(	500 STPATAAGTTAG	*	520	*	540 : -
TrCHRb3: TrCHRb4: TrCHRb5:	GCTAT	GGAAGAATO	STTATAAGTTAGG STTATAAGTTAGG	GCTTAGCA!	AGTCTATTGGT	ATATGCAAT	TVATVe : 531
TrCHRb1: TrCHRb2:		*	560	*	580	*	600 : -
TrCHRb3: TrCHRb4: TrCHRb5:	GTACCAA	AAAACTCAC AAAACTCAC AAAACTCAC	CAAACTCTTGGA CAAACTCTTGGA	AACAGCC/ AAACAGCC/	CATTACCCTY CCATTACCCTY	CAGTICAAT	CAGC : 598 : 584 : 547
							•
TrCHRb1 TrCHRb2 TrCHRb3 TrCHRb4 TrCHRb5	TGGA	602					

# FIGURE 40 (cont)

#### 69/271

		* 20	*	40	*	60		
TrCHRc	:	TAAGAATGAANCAATTTTATCTNA	NAAAAGGNNCA	NGCAAGTNAG	TTNNATTCAA.	ACATA	:	60
				100	_	120		
		* 80 GNCTTAAAGTGTGTAACATATTCT	* ************************************		**********			120
TYCHRO	:	GNCTTAAAGTGTGTAACATATICT	TAACTTAMANN	MITITACCC	MACAAHAHAA	MACAA	•	120
		* 140	*	160	*	180		
TrCHRC		AGACAATAACATGGGTAGTGTTGA	AATTCCAACAA	AGGTTCTTAC	TAACACTTCT.	AGTCA	:	180
	•							
		* 200	*	220	*	240		
TrCHRc	:	AGTGAAAATGCCTGTGGTTGGAAT	GGGATCAGCTC	CTGATTTCAC	ATGTAAGAAA	GATAC	:	240
		* 260		280	*	300		
m-citte-		AAAAGATGCAATCATTGAAGCCAT	CAAACAACCTT		тсатастсст			300
TICHKC	٠	AAAAGA IGCAAICAIIGAAGCCAI	Createrada	AINGHOIGI	10/11/10/1002	00100		
		* 320	*	340	*	360		
TrCHRc	:	TTATGGCTCAGAACAAGCTCTTGG	TGAAGGTTTGA	AAGAAGCAAT	TGAACTTGGC	CTTGT	:	360
				100	_	420		
		* 380	,mmam> > amma	400	2 2 2 00 2 00 00 00		:	420
Trunke	:	CACTAGAGAAGAGCTTTTTGTTAC	TICTAAACTT	IGGGT CMC TGN	MAMICAICCI	CACCI	٠	,420
		* 440	*	460	*	480		
TrCHRc	:		TCTCAAGACTC	TTCAATTGGA	GTACTTGGAC	TTGTA	:	480
		* 500	*	520	*	540		
TrCHRc	:	TTTGATCCATTGGCCACTTAGTTC	TCAGCCTGGA	AGTTTTCATI	TCCAATTGAT	GIGGC	:	540
		* 560	*	580	*	600		
TYCHRO		AGATCTCTTGCCATTTGATGTGAA	CCCTCTTTCCC		AGAAGGCTTG		:	600
1101110	•		10001011100					
		* 620	*	640	*	660		
TrCHRc	:	: TGGACTCACTAAAGCTATTGGTGT	TAGTAACTTC:	rctgtcaaga <i>i</i>	ACTTCAAAAT	CTTGT	:	660
		* 680	*					
meating		- CMCXCUMCCCACCCCCCCCCCCCCCCCCCCCCCCCCCCCC	CCTCN NTCNC	. 694				

TrCHRc	:	* 20 MGSVEIPTKVLTNTSSQVKI	40 CKKDTKDAIIEAIK	* QGYRHFDT.	60 AAAYGS	:	60
TrCHRc	:	* 80 EQALGEGLKEATELGLVTRI	100 NHPHLVVPALQKSL	* KTLQLEYL	120 DLYLIH	:	120
TrCHRc		* 140 WPLSSQPGKFSFPIDVADLI	160 EGLKLGLTKAIGVS	* NFSVKKLQ	180 NLVSVA	:	180
TrCHRc	:	TVLPAVNQ : 188					




FIGURE 43




FIGURE 43 (cont)




FIGURE 43 (cont)




FIGURE 43 (cont)

TrDFRa	:	GCACACNTTCTTGAC	20 TTACCAATTO	* STAATNCATAJ	40 ATAATTNTAA	* ACATGTCAAAG	60 ACAGT	:	60
TrDFRa	:	* TTGTGTNACCGGAGO	80 CAGCGGAGC(	* CATCGGTTCAT	100 rgggtggttc	* GCCTCCTCCTC	120 GAACG	:	120
TrDFRa	:	* CGGCTACATTGTCCA	140 CGCCACCATO	* CAAGATCTCC	160 SAGGATGAGA	* ACGAGACAAAA	180 CATTT	:	180
TrDFRa	:	* GGAAGCAATGGAAGG	200 AGCAAAGGGT	* CATCTCAAA1	220 PTTTTCGAAA	* TGGATCTTCTT	240 AACAG	:	240
TrDFRa	:	* CGACTCTATTGCGGC	260 CGCCGTGAA#	* LGGTTGTGCC	280 GAGTTATAC	* ATCTTGCATGT	300 CCTAA	:	300
TrDFRa	:	* CATCATTGGTGAAGT	320 CAAAGACCCC	* GAGAAGCAA	340 ATTTTGGAAC	* CGGCAATTCAA	360 GGAAC		360
TrDFRa	:	* GGTTAATGTGTTGAA	380 GGTGGCAAAG	* GAAGCAGGG	400 FTGGAGCGTG	* TGGTGGCGACA:	420 ICGTC	:	420
TrDFRa	:	GATCTCCGCCATCAT	440 ACCGAGTCCT	* AATTGGCCAG	460 CTGATAAGA	* TTAAGGGAGAA	480 GATTG	:	480
TrDFRa	:	* TTGGACAGACCTTGA	500 ITATTGCAAG	* Gaaaagaagi	520 TATACTACC	* CCATTGCAAAG	540 ACACT	:	540
TrDFRa	:	* AGCAGAAAAAGCTGG'	560 PTGGGAATTI	* 'GCTAAAGAGA	580 CCGGTTTTG.	* ATGTTGTTATG	600 ATTAA	:	600
TrDFRa		т ссетестьст • 61	1						

#### 76/271

Progra		* 2 MSKTVCXTGASGAIGSWVV		40		60 MODES THE		60
LLDING	•	HDXIVCRIGADGAIGSWVV	KEEDENGIIVI	ATTODIEDEN	BIRIIBANDGANG	HUKF F EN	•	00
		* 8		100		120		
PrDFRa	:	DLLNSDSIAAAVKGCAGVI	HLACPNIIGEV	KDPEKQILEF	AIQGTVNVLKVAK	(EAGVERV	:	120
		* 14	0 *	160	*	180		
PrDFRa	:	VATSSISATIPSPNWPADK	IKGEDCWTDLD	YCKEKKLYYF	IAKTLAEKAGWEF	AKETGFD	:	180

TrDFRa : VVMINPGT : 188




FIGURE 46





FIGURE 46 (cont)

#### 79/271



# FIGURE 46 (cont)

		*	20	*	40	*	60		
TrDFRb	:	ATAAAACCAANCTI		GGAACTCA		GAAAAGAGATO	CCTGA	:	60
TrDFRb	:	* GTTTTGTGTTACAG	80 GGGGCACTGGC	* TTCATAGC	100 AGCCTACCTAG	* TGAAAGCCTT#	120 TTAGA	:	120
TrDFRb	:	* AAAGGGTCACACAG	140 FTAAGGACTACT	* GTAAGAAA	160 CCAGATGATT	* TGGAGAAGGT1	180 GGTTA	:	180
TrDFRb	;	* TCTAACTGAACTAA	200 AGTGAAGACAAA	, GAGAGATTO	220 GAAGATTTTAA	* AAGCAGATCTA	240 TTGGT	:	240
TrDFRb	:	GGAAGGGAGTTTTC	260 ATGAGGCAGTG	* AGTGGTGT	280 GATGGTGTGT	* ITCATACAGCI	300 TCCCC	:	300
TrDFRb	:	* TGTTCTTGTTCCAC	320 ATGATGACAAC	* ATTCAGGT1	340 ACTTTGATTG	* ATCCATGTATA	360 AAAGG	:	360
TrDFRb	:	* AACACAAAATGTGC	380 TTAACTCATGO	* ATCAAAGCA	400 AAGGTGAAAC	* FTGTGGTGTTA	420 ACATC	:	420
TrDFRb	:	* TTCATGCTCTTCCA	440 TAAGATACCGT	* GACGATGTO	460 CAACAAATTT	* CTCCTCTTAAT	480 GAATC	:	480
TrDFRb	:	* TCATTGGAGTGATT	500 CTGAATACTGC	* AAACGCTAT	520 PAACCTGTGGT	* ATGCATATGCA	540 AAGAC	:	540
TrDFRb	:	* TTTAGGAGAAAAAG	560 AAGCATGGAGG	* ATTGCAAAG	580 Gaaagtggaa	* PTGATCTAGTT	600 GTAGT	:	600
TrDFRb		* TAACCCCTCTTTTG	620	623					

#### 81/271

TrDFRb	:	* 2 MPEFCVTGGTGFIAAYLVK	40 VRNPDDLEKVGYLTE	* LSEDKERLK	60 ILKAD	:	60
TrDFRb	:	* 8	100 IQVTLIDPCIKGTQN	* VLNSCIKAK	120 VKRVV	:	120
TrDFRb	:	* 14 LTSSCSSIRYRDDVQQISP	160 KRYNLWYAYAKTLGE	* KEAWRIAKE	180 SGIDL	:	180
TrDFRb		* VVVNPSFVGG : 190					





FIGURE 49

#### 83/271



# FIGURE 49 (cont)

## 84/271

		*	20	*	40	* 20002 0002	50		60
FrDFRc	:	GNGAAGANCTAGTTTGG	CGTAACCCGGANC	AACGGTTI	CATCGGAACAT	3GCTAGTTA	LAAA	٠	60
rrDFRc		* CCCTACTCCAAAAACA	80	*	100 CTTCCCCAATT	* ************************************	120 CTC		120
IIDFRC	٠	CCCTACTCCAAAAACA	.Incanani i cac	GCCACH		30111000111		•	
TrDFRc		* ATCTCTTCACACTCCAC	140 CCGGAAGCTCAA	* ATCCCGGAT	160 CACAATTTCC	* CTGTCGATA	180 TCC		180
1101110	•								
TrDFRc		* TCGACTCCACCGCCGT	200 CTTCTCCGCTATO	* CAATAACTO	220 SCTCAGGTGTCT	* TTCATGCCC	240 CTT	:	240
							200		
TrDFRc	:	* CTCCATGTACCCTCGA	260 AGATCCAACTGAT	* CCGCAAA	280 AAGAGCTTCTAG	AACCTGCT(	300 TAC	:	300
			320	*	340	*	360		
TrDFRc	:	AAGGAACCCTAAATGT		CAGCGCGC		CTAATTGG		:	360
		*	380	*	400	*	420		
TrDFRc	:	AGAAAAAGGCGATCGA	TGAGGCGTCGTG(	SACGGATG'	ITGAGTACTGTA	AATTGAGA(	GGGA	:	420
		*	440	*	460	*	480		
TrDFRc	:	AGTGGTATCTGGTGTC	GAAAACGGAGGC	GAGAAGG(	CGGCTTGGGATT	TTCGAGAGA	AAAA	:	480
mDED =		* ATGGTGGTGTTGATGT	500	*	520	* AGTTGATA	540		540
TIDIKG	•	AIGGIGGIGIIGAIGI	GGGGGGGGGITCA.	CCGGGGI	0110111000110		3110.7	·	
TrDFRc		* AGGAGTTGAATGCGAG	560 TTCAGCGGNTTT	* ACAGAGGT	580 TGATGATGGGGA	* .GTGAGGAT	600 ACTC	:	600
	Ť								
U×DEB4		* AAGAGTGNTATTGGNN	620	* ኢጥርእምል እ እ	640 GATGN : 641				

PrDFRc	:	* 20 EXLVCVTRXNGFIGTWLVKTLL	QKHYKIHATIF:	40 PNSNASHLFTLH	* PEAQSRITI	60 PPVDIL	:	60
FrDFRc	:	* 80 DSTAVFSAINNCSGVFHAASPC	* TLEDPTDPQKE	100 LLEPAVQGTLNV	* LEASSAQVPI	120 NPNWPE	:	120
FrDFRc	:	* 140 KKAIDEASWTDVEYCKLRGKWY	LVSKTEAEKAAI	160 VDFREKNGGVDV	* GAXHPGTCLO	180 GELIQK	:	180
rrDFRc	,	* 200 ELNASSALORIAMGSEDTORYY	WYCG · 206					

#### 86/271

TrDFRd	:	* GCNTTGATCAGCGTAT	20 TNAACACACANG	* PCTTCCCTI	40 GAGCTCTGTTTC	* CTCCACATG	60 TCGA	:	60
TrDFRd	:	* AGCTAGTTTGCGTCAC	80 CCGGCGGCAGCGC	* GATGCATCG	100 GTTCATGGCTAC	* FTCCATCTC	120 CTTC	:	120
TrDFRd	:	* TCCTCCGCGGCTACAC	140 TGTTCACGCCA	* CCGTCCAAA	160 ATCTCAATGATO	* SAGAACGAA	180 ACGA	:	180
TrDFRd	:	* AGCATCTAGAAGCTCT	200 CGAAGGAGCAC	* AAACTAATO	220 TCCGTCTCTTC	* CAGATCGAT	240 CTCC	:	240
TrDFRd	:	* TTAACTACGACACAAT	260 CCTCGCTGCTG	* rccgcggt1	280 GCGTCGGAATT1	* PTCCACCTC	300 GCTT		300
TrDFRd	:	* CACCTTGCACTGTAGE	320 CAAAGTTCATG	* ATCCTCAGA	340 AGGAGCTTTTGO	* BATCCTGCA	360 ATTA	:	360
TrDFRd	:	* AAGGGACTTTGAATG1	380 GCTTACTGCAGO	* CTAAGGAAG	400 TAGGGGTGAAG	* CGTGTGGTT	420 GTTA	:	420
TrDFRd	:	* CCTCGTCTGTCTCGGG	440 CGATTACTCCTAC	, GTCCTGATT	460 GGCCTTCTGAT	* FTTGTTAAA	480 AGAG	:	480
TrDFRd	:	* AGGATTGTTGGACTGA	500 ATGTTGAATATT	* GCAAGAAAA	520 AAGAGTTGGGGT	* PATCCGTTG	540 TCCA	:	540
TrDFRd	:	* AAACATTGGCTGAAAA	560 AGCTGCGTGGGA	* ATTTTTNCA	580 AAGAAAATGGTT	* TGGATGTT	600 GTTG	:	600
TrDFRd	:	* NGGTGAATCCCGGNAC	620 CTGNGATGGGTC	* CTGTTTTTC	640 CACCACGGCATA	* AATGCAAGC	660 ATGC	:	660
TrDFRd	:	* TCATGCCTTGGGAAAC	680 CTTTTTTGAAGG	* CTGGNNCTG	700 AAACATTTGAAG	* JACTATTT	720 ATGG	:	720
TrDFRd	:	* GATTGGCCNNCTTTAK	740 AGATGTNGCAT	* rggcncatn	760 NTTTGGGGTATO	* BAGAACAAA	780 NANN	:	780
TrDFRd		* CTTTGGGANACATNG	800 INGGGTTGAAAC	* PATCNNTCC	820 TTACGG : 822	:			


## 87/271

TrDFRd	:	* MSKLVCVTGGSGCIGSW	20 LVHLLLLRGYTV	* HATVQNLI	40 NDENETKHLEALE	* GAQTNLRI	60 FQI	:	60
TrDFRd	:	* DLLNYDTILAAVRGCVG	80 IFHLASPCTVDE	* CVHDPQKE	100 LLDPAIKGTLNVI	* /TAAKEVG\	120 /KRV	;	120
TrDFRd	:	* VVTSSVSAITPSPDWPS	140 DVVKREDCWTD\	* /EYCKKKE	160 LGYPLSKTLAEK	* AWDFXKE	180 WGLD	:	180
TrDFRd	:	* VVXVNPXTXMGPVFPPR	200 HNASMLMPWETI	* FLKAXXET	220 FEDYFMGLAXFKI	* OXALXHXIA	240 SYEN	:	240
TrDFRd	:	* KXXLGXXXGLKLXXLT	: 256						

## 88/271

	*	20	*	40	*	60		
TrDFRd1: TrDFRd2:	GCNTTGATCAGC	GTATNAACACA NA	CANGTETTE CANNTETTE	CTTGAGCTCT CTTGAGCTCT	GTTTCTCCNC <i>I</i> GTTTCTCCAC <i>I</i>	TGTCGA TGTCGA		60 39
TrDFRd1:								20
TrDFRd2:	AGCTAGTTTGCC	140	*	160	*	180	:	99
TrDFRd1: TrDFRd2:		ACACTGTTCAC		CAAAATCTCAA		AAACGA		80 59
TrDFRd1: TrDFRd2:	.GCATCTAGAAG .AGCATCTAGAAG							40 19
TrDFRd1: TrDFRd2:	TTAACTACGACA							00 79
TrDFRd1: TrDFRd2:	CACCTTGCACTG							60 39
TrDFRd1: TrDFRd2:	AAGGGACTTTGA							20 99
TrDFRd1: TrDFRd2:	CTCGTCTGTCT CCTCGTCTGTCT							80
TrDFRd1: TrDFRd2:	GGATTGTTGGA							35 19
TrDFRd1: TrDFRd2:	AAAGATTGGGTG	560	*	580	*	600	: 6	79
	*	620	+	640	*	660	. 3	, ,
TrDFRd1: TrDFRd2:	NGGTGAATCCCC	GNACTGNGATG	GGTCCTGTT	PTTCCACCACG	GCATAATGCA	GCATGC	: 6	39

#### 89/271



# FIGURE 54 (cont)

		* 20 * 40 * 60		
TrDFRe	:	GTCACTTATGAAATGGAACACAAAGGTGGAGACAAAGTATGTGTGACAGGGGCATCAGGC	:	60
TrDFRe	:	$^{\star}$ 80 $^{\star}$ 100 $^{\star}$ 120 TTTTTAGCATCTTGGCTATTAAGAAACTTCTTTTGTCTGGCTATCAAGTCATTGGAACA	:	120
TrDFRe	:	$^{\star}_{\text{GTTAGAGATTTAGGGAAGAAGAAGAAGAAGATTGAACATTTATGGAAATTGGAAGGAGGAACA}$	:	180
TrDFRe	:	* 200 * 220 * 240 GAAGACTAATCCAAGCTGATTAATGGAAGAAAAATAGTTTCGACAAAGCGATC	:	240
TrDFRe	:	$^{\star} }$	:	300
TrDFRe	:	$^{\star}_{\text{CCTAAGGCGGAAATCTTGGAACCGGCAGTCCAAGGTAGGCTAAATGTGTTGCGTTCTTGT}}^{}$	:	360
TrDFRe	:	$^{\star}$ 380 $^{\star}$ 400 $^{\star}$ 420 AAGAGGAACCCCGATCTTGTTCGAGTGTGTTAGCCTCATCATCTTCGGCTGTTAGAGTA	:	420
TrDFRe	:	$^{\star}_{\rm AGAGCTGATTTTGATCCAAGCATACCAATTGATGAACTCTTTGGAGCTCCTTTGGAATTG}^{\rm 480}$	;	480
TrDFRe	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	540
TrDFRe	:	* 560 * 580 GAATATAGCAAAGAGAATGGAATAGACTTAGTGACTATTTTC : 582		

#### 91/271

TrDFRe	:	* MEHKGGDKVCV	rgasgf	20 LASWLIKKLLL	* SGYQVIGT	40 VRDLGKKKKVEI	* HLWKLEGAT	60 ERLE	:	60
TrDFRe		* LIOADLMEENSI	FDKATM	80 GCKGVFHTASP	* VLNHISDN	100 PKARILEPAVO	* TLNVLRSC	120 KRNP	:	120
		*		140	*	160	*	180		
TrDFRe	:	DLVRVVLASSS	SAVRVR	ADFDPSIPIDE	SSWSSLEL	CEKLKAWYPMS	KTMAEKAAW	EYSK	:	180
TrDFRe	:	ENGIDLVTIF	: 190							

		* 20 * 40 * 60		
TrDFRf	:	TNCNNGCTNCNTNCGGGCAGAGANTTTCCCTGACCTATNTGTTACTNAAGAATATTTCTA	:	60
TrDFRf	:	* 80 * 100 * 120 TATATATATTTGTGTTTCAAGAACCCAAAAATAGAATAG	:	120
TrDFRf	:	* 140 * 160 * 180 GTTTGTGTCACCGGTGGTGCTGGTTATATTGGTTCTTTTTAGTCAAAAAGCTTTTGGAA	:	180
TrDERf		* 200 * 220 AAGGGTTACACCGTTCATGCTACTCTTAGAAACTTGAAGGAGGAATCCAAAGTAGATTTT		240
		* 260 * 280 * 300		
TrDFRE	:	TTGAGAGGCTTTCCACATGCAGATACTAGACTTATGTTATTTGAAGCTGATATATACAAA  * 320 * 340 * 360	:	300
TrDFRf	:	${\tt TCAGATGAATTTTGGCCCGCAATTCAAGGTTGTGAGTTTGTTT$	:	360
TrDFRf	:	* 380 * 400 * 420 TITCAACATCAACTGATTCTCAGTTTAAGAGCATAGGAAGCTGCAATAGCAGGGGTA	:	420
TrDFRf	:	$^{\star} ^{440} ^{\star} ^{460} ^{\star} ^{480}$ arangcatagctgaaaattgatatacactgga	:	480
TrDFRf	:	$\overset{\star}{\sim} 500 & \overset{\star}{\sim} 520 & \overset{\star}{\sim} 540 \\ \text{ACTGTAATTGCTTCTCTCTGAAAGATGATGGAAGGCTTCATAGAT}$	:	540
TrDFRf	:	* 560 * 572		

## 93/271

TrDFRf	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	6
TrDFRf	:	* 80 * 100 * 120 EADIYKSDEFWFAIQGCEFVFHLATPFQHQTDSQFKSIEBAAIAGVKSIAENCIKSGTVR : 20 * 100 * 120	12
TrDFRf	:	* 140 * KLIYTGTVIASSSLKDDGSGYKDFIDETCWTPLHLP : 156	

## 94/271

		*	20	*	40	*	60		
TrDFRg	:	GCCNTTGCCTAC	PACTAAACTATATA	TTATTATT	ATATTATATG	ATGATACATA	GTGACA	:	60
TrDFRg	:	* TTAATAATTGGA	80 AGGGAGAATAAATI	* AGTTGAAAA	100 ACACACAGTT	* GGAGTGTTTT	120 PGTTGT	;	120
TrDFRg	:	* TAAAGAAGCTNG	140 AAAATGGAGGAAGG	* CNACAAAGA	160 TGGTGAAAAA	* GAGTGGACAA	180 ATTGTT	:	180
TrDFRg	:	* CCTACTGCCAAA	200 FACTGTGTTACAGO	* BAGCAACAG	220 GCTATATTGG	* TTCATGGCTT	240 STTGAA	:	240
TrDFRg	:	GCTCTTCTTCAA2	260 AGAGGTTGCACTGT	* PTCATGCTA	280 CTGTTAGAGA	TCCTGAAAAA	300 CGTTA	:	300
TrDFRg	:	* CACCTCCTGTCG	320 PTGTGGAAAGGTAG	* TGACCAAT	340 TGAGAATTT	* CCGTGCGGAT1	360 TTGCAA	:	360
TrDFRg	:	* GAAGAAGGAAGTT	380 PTCGATGATGCCGT	* 'AAAAGGAT	400 GTATTGGTGT	* GTTCCATGTT(	420 CAGCT	:	420
TrDFRg	:	* TCAATGCAATTCA	440 ATATTAGTGACAA	* AGAAAACA	460 CTGAGGACTT	* IGTTGAAGCAA	480 ATATA		480
TrDFRg	:	* ATTGACCCTGCA	500 ATCAAAGGAACCAT	* . AAATCTTC	520 TCAAATCATG	* CTTGAAATCAA	540 ATTCA	:	540
PrDFRg	:	* GTGAAAAGGGTTG	560 FTTTCACATCTTC	* CATAAGTA	580 CTATTACTGC	* FAAAGACAACG	600 ACGGA	:	600
PrDFRg	:	* AAATGGAAACCTA	620 ATTGTTGATGAATC	* TTGCCAAA	640 CAAAAACTGA	SATTCTGTGGA	660 ATACA	:	660
FrDFRg	:	* CAACCAAGTGGAT	680 GGGTTTATGCACT	* TTCAAAGC	700 PTCATGCAGAI	* AGAAGCGGCT	. 714		

#### 95/271

TrDFRg	:	MVKKSGQIVPTAKYCV	20 TGATGYIGSWLV	* /EALLQRGC	40 TVHATVRDPEK	* SLHLLSLWKG	60 SSDQ	:	60
TrDFRg	:	* LRIFRADLQEEGSFDE	80 AVKGCIGVFHVA	* AASMQFNIS	100 DKENTEDFVEA	* NIIDPAIKGI	120 FINL	:	120
TrDFRg	:	* LKSCLKSNSVKRVVFT	140 SSISTITAKDNI	* DGKWKPIVD	160 ESCQTKTEILW	* NTQPSGWVY?	180 ALSK	:	180
TrDFRg		LHAEEAA : 187							





FIGURE 61

#### 97/271



# FIGURE 61 (cont)

## 98/271

rrDFRh	:	GNNGNGTCTTCCGTTNAATTTNAGNCTATATTGAAAAGGAAAAAAAGAGTAGAGAAGTGA	:	60
rrDFRh	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	120
rDFRh	:	$^{\star}_{GGTTTCATCGGATCGTGGCTTGTTATGAGACTTATAGAGCGTGGCTACACGGTTCGAGCC^{}$		180
FrDFRh	:	$ \begin{array}{ccc} \star & 200 & \star & 220 & \star & 240 \\ \texttt{ACCGTTCGCGACCCAGATAACATGAAGAAGGTGAAGCATTTGGTGGAACTGCCGGGTGCA} \end{array} $		240
rDFRh	:	$^{\star}$ 260 $^{\star}$ 280 $^{\star}$ 300 AAAAGCAAATTGTCTCTTTGGAAGGCTGATCTTGATAAGAGGGGAGTTTTGATGAAGCA		300
FrDFRh	:	$^{\star}$ 320 $^{\star}$ 340 $^{\star}$ 360 attaragggtgcacaggagttttcatgttgctacaccaatggattttgaatccaaggac		360
TrDFRh	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	420
[rDFRh	:	$\overset{\star}{\text{Garargccarranaccgttagrarattggtttcacatcatcggctggacctgtgacgtt}} \overset{\star}{\text{Garargccarranaccatcatcggctggacctgtagcacctt}}$	:	480
FrDFRh	:	$^{\star}$ 500 $^{\star}$ 520 $^{\star}$ 540 actgaacatccaaagtctattattgatgaacatgctgagtgacgttgacttttgccgt	:	540
FrDFRh	:	* 560 * 580 * 600 AGAGTCAAGATGACCGGTTGGATGTATTTTGTTTCAAAGACCCTAGCAGAGCAAGAAGCT	:	600
FrDFRh	:	$^{\star}$ $^{620}$ $^{\star}$ $^{640}$ $^{\star}$ $^{660}$ TGGAAGTATTCGAAGAGCACAACAFAGACTTTGTCCACCATCATTCCACCTCTTGTTTTT	:	660
FrDFRh	:	$^{\star}$ 680 $^{\star}$ 700 $^{\star}$ 720 GGCCCTTTCTTATGGCCTCAATGCCACTAGTCTAATCACTGCTCTTTCTCTTATCACA	:	720
IrDFRh	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	780
FrDFRh	:	* 800 * 820 * 840 TGTCTTGCTCATATATTTCTGTATGAGAATCCAAAAGCTCAAGGGAGATACATTTGCTGT	:	840

#### 99/271

TrDFRh	:	* TCACATGAAGCAACCAT	860 PTCATCAAGTTGO	* CAAAACTTA	880 ATTAAAGAAAAA	* TACCCAGAG	900 STTC	:	90
TrDFRh	;	* AATGTCCCAACAAAAT	920 CAATGATATCCC		940 PTGGAAATTATT	* AAATTTTC:	960 FAAA	:	96
TrDFRh		* AAGAAGATCACAGACT	: 976						

FIGURE 62 (cont)

TrDFRh	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	60
TrDFRh	:	$^{\star}_{\rm WKADLDKEGSFDEAIKGCTGVFHVATPMDFESKDPENEVIKPTINGLIDILKACEKANTV}$	:	120
TrDFRh	:	* 140 * 160 * 180 RKLVFTSSAGTVDVTEHPKSIIDETCWSDVDFCRRVKMTGMMYFVSKTLAEQEAMKYSKE	:	180
TrDFRh	:	* 200 * 220 * 240	:	240
TrDFRh	:	* 260 * 280 * LYEMPKAQGRYICCSHEATIHQVAKLIKEKYPEFNVPTKFNDIPDELEIIKFSKKKITD	:	299





FIGURE 64







FIGURE 64 (cont)

## 104/271

	*	560	*	580	*	600	
TrDFRh1 :	AGAGTCAAGATG	ACCCCTTCCATC	TATE TO THE PARTY OF THE PARTY	CAAAGACCCT	X6		:586
TrDFRh2 :	AGAGTCAAAATG	ACCCCTTCCATC	ma mmmm				:569
TrDFRh3 :							. 505
TrDFRh4 :	h Ma omos sers mo	1.000000maa.ma	ma mmmm ommm				
	ANAGTCAA	ACCOGCIGGAIG	TATTTTGTTT	CAAANACCC			:580
TrDFRh5 :	AGAGTCAAGATG	ACCGGTTGGATG	TATTTTCTT	CAAAGACCCI			:581
TrDFRh6 :	AGAGTCAAGATG						:592
TrDFRh7 :	AGAGTCAAGATG	ACCGGTTGGATG	TATTTTGTTT	CAAAGACCCT.	AGCAGAGCAP	GAAGCT	:597
TrDFRh8 :	AGAGTCAAAATG	ACCGGTTGGATG	TATTTTGTTT	CAAAGA			:576
TrDFRh9 :	GAGTCAAGATG						:587
TrDFRh10:	AGAGTCAAGATG					CAACOM	:596
TrDFRh11:	AGAGTCAAAATG						:579
TrDFRh12:	AGAGTCAAGATG						
	AGAGTCAAGATG	ACCGGTTGGATG	TATTTTGTTI	CAAAGACCCT	AGCAGAGCAA	GAAGCT	:595
TrDFRh13:	AGAGTCAAAATG	ACCGGTTGGATG	TATITTETTI	CAAAGACCCT	AGCAGAGCAG		:586
TrDFRh14:	AGAGTCAAAATG	ACCGGTTGGATG	TATTTTGTTT	CAAAGACCCT	AGCAGAGCA?	GAAGCT	:552
TrDFRh15:	AGAGTCAAMATG	ACCGGTTGGATG	TATTTTGTTT	CAAAGACCCT	AGCAGAGCAA	GAAGCT	:194
	*	620	*	640	*	660	
TrDFRh1 :				040		000	
TrDFRh2 :							: -
TrDFRh3 :							; -
							: -
TrDFRh4 :							: -
TrDFRh5 :							: -
TrDFRh6 :							: -
TrDFRh7 :	A						:598
TrDFRh8 :							
TrDFRh9 :							: -
TrDFRh10:	TOCA A COLA DOCK	*******	a ma o thirmmo	1			.630
TrDFRh11:	TGGAAGTATTC	MAMGAGCACAAC	ATAGESTIC				:030
	TGGAAGTAT						: -
TrDFRh12:	TICE CHAVACED AND						:604
TrDFRh13:	TGGAAGTATTCG						: -
TrDFRh14:	TGGAAGTATTCG	AAAGAGCACAAC.	ATAGACTTTG				:586
TrDFRh15:	TGGAAGTATTCG	AAAGAGCACAAC.	ATAGACTTTG	TCTCCATCAT	PCCACCTCTT	GTTGTT	:254
		C00		700			
TrDFRh1 :	*	000	•	700	~	720	
							: -
TrDFRh2 :							: -
TrDFRh3 :							: -
TrDFRh4 :							: -
TrDFRh5 :							; _
TrDFRh6 :							: -
TrDFRh7 :							: -
TrDFRh8 :			<b></b>				: -
TrDFRh9 :							: -
							: -
TrDFRh10:							: -
TrDFRh11:							: -
TrDFRh12:							: -
TrDFRh13:							
TrDFRh14:							: :
TrDFRh15:	GCCCCTTTCTT					ATCACE	:314


# FIGURE 64 (cont)

#### 105/271



# FIGURE 64 (cont)

#### 106/271



# FIGURE 64 (cont)

#### 107/271

		*	20	*	40	*	60		
TrLCRa	:	GGNCATAAAAACTG	CACTAGTGTG	PATAAGTTTN	TTAGTGAAAA	AAGAGTGTGTA	AATTA	:	60
		*	80	*	100	*	120		
TrLCRa	:	ACATCATGGCTAGT	'ATCAAACAAA'	PTGGAAACAA	GAAAGCATGT	GTGATTGGTGG	CACTG	:	120
		*	140	*	160	*	180		
TrLCRa	:	GTTTTGTTGCATCT	ATGTTGATCA	AACAGTTACT	TGAAAAGGGT	TATGCTGTTAA	TACTA	:	180
		*	200	*	220	*	240		
TrLCRa	:	CTGTTAGAGACCCA	GATAGTCCTA	AGAAAATATC	TCACCTAGTG	GCACTGCAAAG	TTTGG	:	240
		*	260	*	280	*	300		
TrLCRa	:	GGGAACTGAATCTA	TTTAGAGCAG	ACTTAACAGT	TGAAGAAGAT	TTTGATGCTCC	TATAG	:	300
muz on -		*	320	*	340	*	360		260
TrLCRa	٠	CAGGATGTGAGCTT	GITTITCAAC	PTGCTACACC	TGTGAACTTT	GCTTCTCAAGA	TCCTG	٠	360
met.CDs		* AGAATGACATGATA	380	* TC N N NCCTCCT	400	*	420		420
TILLCRA	•	AGAATGACATGATA	ANGCCAGCAA	ICAMAGGIGI	GIIGAAIGIG	1 I GAAAGCAAG	11 GCAA	•	420
TrLCRa		GAGCAAAAGAAGTC	440	* የሚሞልል ር ልጥር	460	* GCGGTGACTAT	480		480
4220114	·	011001111101101101				000010110111		·	100
TrLCRa		* AACTCAAAGGGACA	500 GGTCATGTTA	* IGGATGAAAC	520 CAACTGGTCA	* GATGTTGAATT	540 TCTGA		540
TrLCRa	:	* ACACTGCAAAGCCA	560 CCCACTTGGG	* GTTATCCTGC	580 TTCAAAAATG	* CTAGCTGAAAA	600 GGCTG	:	600
TrLCRa	:	* CATGGAAATTTGCT	620 GAAGAAAATG	* ACATTGATCT	640 AATCACTGTG	* ATACCTAGTTI	660 AACAA		660
			680		700		720		
TrLCRa	:	CTGGTCCTTCTCTC		rcccatctag		GCAATGTCTCT		:	720
		*	740		760	*	780		
TrLCRa	:	CAGGCAATGATTTC		CTCTGAAAGG		CTGTCGGGTTC		:	780
		*	800	*	820	*			
TOT CD a		CCATCACTCACCTT		acces comes		ccacacaaca.	022		

TrLCRa	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	60
TrLCRa	:	* 80 * 100 * 120 LNLFRADLTVEEDFDAPIAGCELVFQLATPVNFASQDPENDMIKPAIKGVLNVLKASARA	:	120
TrLCRa	:	$^{\star}$ 140 $^{\star}$ 160 $^{\star}$ 180 Keykrviltssaaaytinelkgtghumdetnwsdveplntakpptwgypasmlaekaaw	:	180
TrLCRa	:	* 200 * 220 * 240 KFAEENDIDLITVIPSLITGPSLITPDIPSSVGLAMSLITGNDFLINALKGMQFLSGSLSI	:	240
TrLCRa	:	* THVEDICRAHIFLAEK : 256		




FIGURE 67




FIGURE 67 (cont)

#### 111/271

		*	740	*	760	*	780
TrLCRa1:							,
TrLCRa2:							: .
TrLCRa3:							
TrLCRa4:							
TrLCRa5:							
TrLCRa6:	CACCCAMI		CATAAATGCTCT			0000000	COTPAN : 54
TrLCRa7:	CACCCAA	CATTICCI	CMINANIGCICI	AMADDAMAE	IGCAATTICIGI	CGGGTTC	<b>CALLACTE</b> : 54.
TILCRA/:	CAGGCAAT	GATTTCCT	CATAAATGCTCT	JAAAGGAA'	IGCAATTITCTGT	CEECTIC	<b>EVENTEN</b> : 514
		*	800	*	820	*	
TrLCRa1:							_
TrLCRa2:						:	
TrLCRa3:							-
TrLCRa4:							-
TrLCRa5:						:	-
	DOI HOLDE					:	-
TrLCRa6:			GGATATTTGCCG			:	586
TrLCRa7:	CCATCACT	CATGTTGA	GGATATTTGCCG	AGCTCATA	PATTTCTGGCAG	ACAAO .	567

# FIGURE 67 (cont)

## 112/271

	*	20	*	40	*	60	
TrF3'5'Ha:	GGAACCAATTTG	TCGGACTTTTTTC	CCGGGTTGG	CCCGATTCG	ATTTGCAGGG	FGTGGTG	: 60
TrF3'5'Ha:	* AAAGAGATGGAT	80 GTCTTGGTTCCAC	* GTTTTGATA	100 GCATATTTG	* AAAAAATGAT:	120 FGGTGAA	:120
TrF3'5'Ha:	CGTAAGAAGAAG	140 GAAGTGGAGGGGA	* AAGAAAATG	160 AAAGTAAGG	* ATTTTCTGCAC	180 STTTTTG	:18(
TrF3'5'Ha:	* TTGAATTTGAAG	200 GATGAGGGTGATT	* CTAAGACTC	220 CATTCACAA	* PTACCCATGT1	240 TAAGGCT	:240
TrF3'5'Ha:	* CTACTCATGGAC	260 ATGGTTGTGGGTG	* GATCAGACA	280 CATCCTCCAI	* ACACAATTGAG	300 STTTGCA	:300
TrF3'5'Ha:	* TTGGCAGAAATG	320 ATGAACAACCCAG	* Aagtaatga	340 GGAAGGTTC	* AAGAGGAATTA	360 AGAAGAT	:360
TrF3'5'Ha:	* GTAGTTGGGAAA	380 GATAACTTAGTAG	* AAGAGTCTC	400 ACATTCATA	* AGCTACCCTAC	420 TTGCAT	:420
TrF3'5'Ha:	* GCAGTGATGAAA	440 SAAACACTTCGTT	* TACACCCAG	460 CACTTCCACT	* TTTAGTCCCT	480 CACTGT	:480
TrF3'5'Ha:	* CCAAGTGAAACCA	500 ACCAATGTTGGAG	* GCTACACAA	520 TTCCAAAGGG	* ATCTCGTGTG	540 STTTGTG	:540
TrF3'5'Ha:	* AACGTTTGGGCTA	560 ATTCATAGAGACC	* CTTCCATTT	580 GGGAGAAACC	* ACTAGAATTT	GAT :59	7

# 113/271

Tr	F3'5'Ha:	* GTNLSDFFPGLARFDLQ	20 GVVKEMDVLV	* PRFDSIFE	40 EKMIGERKKK	* EVEGKENESK	60 DELOEL	. 60	
							DI DQI D	. 00	
Tr	F3'5'Ha:	LNLKDEGDSKTPFTITH	80 VKALLMDMVV	* GGSDTSSN	100 TIEFALAEM	* MINNPEVMRKV	120 QEELED	:120	
			140	*	160	*	180		
Tr	F3'5'Ha:	VVGKDNLVEESHIHKLP	YLHAVMKETLI	RLHPALPI	LVPHCPSET	INVGGYTIPK	SSRVFV	:180	
Tr	F3'5'Ha:	* NVWAIHRDPSIWEKPLE	₽D -100						

#### 114/271

	*	20	*	40	*	60	
TrF3'5'Hb:	GNAATCCACNAAT	CTCTTGAANTA	ATACCATTTC	TTTACAAGA	CTTAACCATO	GTGATG	: 60
	*	80		100	_	100	
TrF3 '5'Hh.	ATCACTCAATACC		 	TOO	, , ,	120	:120
	00 . 0	mincellecti	Inchangano	TITCIAIMIC	CITITICAL	1111116	:120
	*	140	*	160	*	180	
TrF3'5'Hb:	ATAACCCATTTCA	TCATAAGTTTT	CTCTTCAAAA	AAAATCTCAA	AAAACTTCCA	CCAGGC	:180
		200					
Two sie iuh.	CCAAAAGGTTTTC	200	~ ~~~~~~~~	220	*	240	
iirs 5 ms.	CCMMMMGGIIIIC	CWG11G11GG1	GCACTCCCAC	TAATGGGAT	CATGCCTCAT	GTTACC	:240
	*	260	*	280	*	300	
TrF3'5'Hb:	CTATTCAAAATGT	CACAAAAATAT	GGTCCCATAA	TGTACCTAAA	AATGGGATCA	DATTABC	:300
n	*	320	*	340	*	360	
ILL9.2.HD:	ATGGTTGTAGCAT	CAACTCCTTCT	rcagccaaag	CATTTCTCAA	AACACTTGAC	CTAAAT	:360
	*	380	*	400	*	420	
TrF3'5'Hb:	TTCTCCAATAGAO		GCCCAACTC	ACCTAGCTTA	TGATTCACAA	മാനസവ	.420
							. 420
	*	440	*	460	*	480	
rrF3'5'Hb:	GTTTTCGCCGACT	atggatetagg	IGGAAATTAC	TTAGGAAACT	AAGTAACTTG	CACATG	:480
		500		520		540	
PrF3:5:Hh.	CTCGGCGGAAAAG		POCTOCA A A C	TTCCTCACAT	mass smaaaa	540	. = 40
	CICOGCOGIATATIO	occiconini.	1 GG 1 CGAAAG	11CG1GMGM1	IGNAMI GGG I	CACATG	:540
	*	560	*	580	*	600	
rrF3'5'Hb:	ATTCGTACAATGT	ACGATTGTAGC:	AAGAAAGACG	AATCCGTTGT	TGTGGCCGAA	ATGTTG	:600
		50.0					
repaisium.	ACATATGCTATGG	620	*	640	*	660	
TED 2.UD:	ACMINIGCTATGG	CHAIATGATA	SGICAAGTTA	TATTGAGTCG	TUGUGTGTTC	GAGACA	:660
	*	680	*	700			
Depairing.	3.3.3.CCM3.CMC3.CM		3.003.03.000	mmonimo no	^		

#### 115/271

rrF3'5'Hb:	MVMITQYQTFLYKEL	20 SISFFIFLI	* THFIISFLFKK	40 ILKKLPPG	* PKGFPVVGALPL	60 MGSMP	: 6	0
rrF3'5'Hb:	* HVTLFKMSQKYGPIM	80 YLKMGSNNM	* IVVASTPSSAKAI	100 FLKTLDLN	* IFSNRPPNAGATH	120 LAYDS	:12	0
TrF3'5'Hb:	QDLVFADYGSRWKLL	140 RKLSNLHML	.ggkalenwskvi	160 REIEMGHM	* HIRTMYDCSKKDE	180 SVVVA	:18	0
n	PMI MYS VS STAT COULT	200	*	r .216				





FIGURE 72

#### 117/271



#### 118/271

60	ACAAAC	AANACCCACAAAACA	ACAAAAAATAAI	CTTAAACCTNA	TTTATTTCTA	GCACACNTCTA	:	TrF3Ha
120	120 ACTCTA	* IGGCACCAAGCCAAF	100 NNTCNAACATGO	* TCCGTTTCCTN	80 CAAAACCGAG	* ACCACAAACAC	:	TrF3Ha
180	180 GAGCGT	* PTAGGGAAGAAGAT(	160 CAAGTTTCGTT	* ACTCTTGAGTO	140 CACAACAAAAC	AGTTATCTCTC	:	TrF3Ha
240	240 GGAATT	* PCATTTCTCTTGCTC	220 AGATTCCAATC	* TTCAGCAACGA	200 CTACAATAAC	* CCAAAAGTTGC	:	TrF3Ha
300	300 GAGAAT	* TTGTTGAAGCTTGT(	280 GTAACAAGATT	* ACAGAGATATO	260 ATGGTCGTAGA	* GATGAGGTTGA		TrF3Ha
360	360 ATGACC	* AACTTGTTTCTGAGA	340 TTGATACAAAA	* TGATCATGGTGT	320 PTCAGGTTGTT	* TGGGGTATTT		TrF3Ha
420	420 ATGTCC	* AGCTCCGGTTTGAC	400 CGGAAGAGAAG	* PGCTTTGCCACC	380 GAGAGTTTTT	CGTTTTGCTAG	:	TrF3Ha
480	480 AAGGAT	* AAGGAGAAGCAGTGI	460 GTCATCTCCAA	CATTGTCTCTAG	440 AGGGTGGTTTC	* GGTGGTAAAA	:	TrF3Ha
540	540 AGGTGG	* AAAGAGATTATTCA	520 CAATTAAACAA	* PTTTTCATACCO	500 FAGTGACATAT	* TGGAGAGAGCT	:	TrF3Ha
600	600 ATGAAT	* ACAGTGAAAACCTAI	580 CAGAAAAATAC	* GAAAGAGGTAAC	560 CAGAAGGATGG	*CCAGACAAGCC		TrF3Ha
660	660 GCTCTA	* GTTTAGAAAAAGAA	640 AAGCAATGGGT	* AGTTTTATCAGA	620 AACTATTGGAA	TTAGCTTGCA	:	TrF3Ha
720	720 TGCCCT	* ATTATTACCCAAAA'	700 TTGTTATAAAT	* GGATCAAAAAGT	680 GTGTTGATATG	* ACAAAAGCATO	:	TrF3Ha
780	780 CTTTTG	* CTGGCACAATTACT	760 ACACTGACCCT	* CTTAAACGTC/	740 TCACACTTGGC	* GAACCTGACC		TrF3Ha


#### 119/271

		*	800	*	820	*	840		
TrF3Ha	:	CTTCAAGATCAAGTTG	GTGGCCTTCAAG	TACCAAA	GATAATGGTAA	ACGTGGAT	TACA	:	840
		*	860	*	880	*	900		
TrF3Ha	:	GTTCAACCAGTTGAAG	GTGCTTTTGTTG:	TAATCTT	GGAGACCATGG'	CACTATCT	AAGT	:	900
			920		940		960		
TrESUs		AATGGACGGTTCAAAA		A GC A GTG		TACAGCCG			960
ILLINA	٠	AMIGGACGGI ICAAAA	MIGGIGACCACC!	INGUNGIG	GIGHNII CGHA	INCHOCCO	111111	•	200
		*	980	*	1000	*	1020		
TrF3Ha	:	TCAATAGCAACATTTC	AAAATCCAGCTC	CGATGCA	ACTGTATACCC	TTGAAGAT	TAGA	:	1020
		*	1040		1060		1080		
TrF3Ha	:	GAGGGTGAAAAATCTG	TGTTGGAAGAAC	CAATCACT	TTTGCTGAAAT	STATAGAAG	GAAG	:	1080
		*	1100	*	1120	*	1140		
TrESHa		ATGACCAAAGACCTTG							1140
1110110	•	0 0		. 011101110					
		*	1160		1180		1200		
TrF3Ha	:	GACTTGGAGGAGAACA	AGACTAAATATG:	AGGCCAAA	CCTTTGAATGA	SATCTTTGC	TTAA	:	1200
		*	1000	_	10.10	_	10.00		
		TTAATTAGTCTTAATI	1220		1240		1260		1000
ттгэна	:	TTAATTAGTCTTAATT	TAAATAATTAAT	AATTTTA	GACTTAATTTA	LATATAATA	ATTT	:	17.00
		m . 1961							


### 120/271

		*	20 *	40		6		
TrF3Ha	:	MAPSQTLSYLSQQNTLES	SFVREEDERPKV	AYNNFSNEII	IISLAGIDEVDGR	RTEICNK	:	59
TrF3Ha	:	* IVEACENWGIFQVVDHGV	80 * DTKLVSEMTRFA	100 REFFALPPEE		120 FIVSSHL	:	120
TrF3Ha	:	* 1 QGEAVKDWRELVTYFSYE	.40 PIKQRDYSRWPDH	160 TPEGWKEVTER		180 EVLSEAM	:	180
TrF3Ha	:	# GLEKEALTKACVDMDQKV	000 VINYYPKCPEPI	220 OLTLGLKRHTI		240 GLQATKD	:	240
TrF3Ha	:	* 2 NGKTWITVQPVEGAFVVI	060 NLGDHGHYLSNGI	280 RFKNADHQAV		300 TADPAPING	:	300
TrF3Ha	:	* VYPLKIREGEKSVLEEP	320 TFAEMYRRKMT	* 340 KDLEIARMKKI		360 CTKYEAKP	:	360
TrF3Ha	:	LNEIFA : 366						


#### 121/271




#### 122/271




#### 123/271




#### 124/271




#### 125/271




#### 126/271




#### 127/271




#### 128/271



#### 129/271



#### 130/271



#### 131/271

		1	* (	520	*	640	*	660
TrF3Ha1	:							: -
TrF3Ha2	:	TTAGCTTGC	(C					:597
TrF3Ha3		TTAGCT						:605
TrF3Ha4	:							: -
TrF3Ha5		TTAGCTTGC	AAACTATTO	GAAGTTTTATO	AGAAGCAA	TGGGTTTAGAA	AAAGAAGCT	CHA : 618
TrF3Ha6	:	TTAGCTTGC	AAGCTATT	GAAC				:573
TrF3Ha7	:	TTAGCTTGC	AAACTATTO	GAAGNTTTATO	AGAAGCAA	TGGGTTTAGAA	AAAGAAGCT	CUR : 613
TrF3Ha8	:			GAAGTTTTATO				
TrF3Ha9	:							: -
TrF3Ha10								: -
TrF3Ha11	:	TTAGCTTGC	AAGCTATTO	GAAGTTTTATO	AGAAG			:580
TrF3Ha12	:	TTAGCTTGC	AAGCTATTO	GAAGTTTTATO	AGAAGCAA	TGGGATTAGAA	AN	:586
TrF3Ha13	:							: -
TrF3Ha14	:	TTAGCTTGC	AAACTATTO	GAAGTTTTATO	AGAAGCAA	TGGGTTTAGAA	AAAGAAGCT	CTA :609
TrF3Ha15	:			GAAGTTTTATO				:582
TrF3Ha16	:	TTAGCTTGC	AAGCTATIC	GAAGTTTTATO	CAGAAGCAA	TGGGTTTAGAA	AAAGAAGCT	CT2 :607
TrF3Ha17	:	TTAGCTTGC	AAGCTATTO	GAAGTTTTATO	AGAAGCAA	TGGGTTW		:593
TrF3Ha18	:							: -
TrF3Ha19	:							: -
TrF3Ha20	:	TTAGCTTGC	AGCTATTO	GAACTTTT				:572
TrF3Ha21	:	TTAGCTTGC	AAACTATT(	GAAGTTTTATO				:575
TrF3Ha22	:	TTAGCTTGC	AAACTATT(	GAAGTTTTATO	AGAAGCAA	TGGGTTTAGAA	AAAGAG	:596
TrF3Ha23	:	TTAGCTTGC	AAACTATTO	GAAGTTTTATO	AGAAGCAA	TGGGTTTAGAA	AAAGAAGCT	CTT :599
TrF3Ha24	:							:
TrF3Ha25	:	TTAGCTTGC	AAACTATT	GAN				:559
TrF3Ha26	:	TTAGCTTGC						:565
TrF3Ha27	:	TTAGCTTGC	AAACTATTO	GAAGTTTTATO	AGAAGCAA	TGGGTTTAG	V	:591
TrF3Ha28	:	TTAGCTTGC	AAGCTATTO	GAAGTTTTATO	AGAAGCAA	TGGGTTTAGAA	AAAGAAGCT	CTM: 602
TrF3Ha29	:	TTAGCTTGC	AAGCTATTO	GAAGTTTTATO	CAGAAGCAA	TGGGTTTAGAA	AAAGAAGCT	CTZ :590
TrF3Ha30	:							: -
TrF3Ha31	:			GAAGTTTTATO				:570
TrF3Ha32	:			GAAGTTTTATO				
TrF3Ha33	:	TTANCTTGC	AACCTATIO	GAAGTTTTATC	ACAAGCAN	TGGGATTACAA	AAAGAAGCT	:592
TrF3Ha34	:	TTANCT						:536
TrF3Ha35	:			GAAGTTTTATO				:572
TrF3Ha36	:			GAAGTTTTATO				:573
TrF3Ha37	:			GAAGTTTTATO				:573
TrF3Ha38	:	TTAGCTTGC	AAGCTATTO	GAAGTTTTATC	CAGAAGCAA	TGGGATTAGAA	AAAG	:584
TrF3Ha39	:			GAAGTTTTAT				:529
TrF3Ha40	:	TTAGCTTGC.	AAACTATTO	GAAGTTTTATC	CAGAAGCAA	TGGGTTTAGAA	AAAGAAGCT	CTT :388
TrF3Ha41	:							: -

#### 132/271

		*	68	0	*	700	*	720
TrF3Ha1	:							: -
TrF3Ha2	:							: -
TrF3Ha3	:							: -
TrF3Ha4	;							: -
TrF3Ha5	:	ACAAAAGCAT	GTGTTGATA	TGGATCAAAA	AGTTGTTA	TAAATTATTACO	CAAAATGC	<b>100</b> :678
TrF3Ha6	:							
TrF3Ha7	:	ACAAANGCAT	GTGTTGATA	TGGATCAAAA	AGTTGTTA	TAAATTATTACC	CAAAATGC	:673
TrF3Ha8	;	ACAAAAGCAT	GTGTTGATA	TGGATCAAAA	AGTTGTTA	TAAATTATTACC	CAAAATGC	CT : 672
TrF3Ha9	:							- : -
TrF3Ha10	:							:
TrF3Ha11	:							: -
TrF3Ha12	;							: -
TrF3Ha13	:					TAAATTATTACO		: -
TrF3Ha14	:	ACAAAAGCAT	STGTTGATA	TGGATCAAAA	AGTTGNTA	TAAATTATTACC	CAAAATGC	:669
TrF3Ha15	:							: -
TrF3Ha16	;	ACA						:610
TrF3Ha17	:							
TrF3Ha18	;							: -
TrF3Ha19	:							: -
TrF3Ha20	:							: -
TrF3Ha21	:							: -
TrF3Ha22	:							: -
TrF3Ha23	:	ACAAAAGCAT	<u>ene</u>					:612
TrF3Ha24	:							: -
TrF3Ha25	:							: -
TrF3Ha26	:							: -
TrF3Ha27	:							: -
TrF3Ha28	:	ACAAAAG						:609
TrF3Ha29	:	ACAAAAG						:597
TrF3Ha30	:							; -
TrF3Ha31	:							: -
TrF3Ha32	:	ACAAAAGCAT	<u> </u>					:608
TrF3Ha33	:	ACAAMANCNT						:602
TrF3Ha34	:							: -
TrF3Ha35	:							: -
TrF3Ha36	:							: -
TrF3Ha37	:							: -
TrF3Ha38	:							: -
TrF3Ha39	:							: -
TrF3Ha40	:	ACAAAAGCAT	STGTTGATA	TGGATCAAAA	AGTTGTTA	TAAATTATTACC	CAAAATGCC	CH :448
TrF3Ha41	:			<ul> <li>————————————————————————————————————</li></ul>	меттетел	ООДТРАТИКАКТ	CHARACCC	7 NIL . 32


#### 133/271

		*	740	*	76	i0 *	780	
TrF3Ha1	:							: -
TrF3Ha2	:							: -
TrF3Ha3	:							: -
TrF3Ha4	:							: -
TrF3Ha5	:	GAACCTGACCT	T					:690
TrF3Ha6	:							: -
TrF3Ha7	:	GAACCTGACCT	CCCACTUT - CC	CGTAAACGN	CACACTGAC	CCNCA		;716
TrF3Ha8	:	GAACCTGACCT	CACACTTGGC	CTTAAACGT	CACACTGAC	CCTGGCACAN-		:721
TrF3Ha9	:							; -
TrF3Ha10	:							: -
TrF3Ha11	:							: -
TrF3Ha12	:							: -
TrF3Ha13	:							: -
TrF3Ha14	:	GAACCTGACCT	<b>6</b>					:681
TrF3Ha15	:							: -
TrF3Ha16	:							: -
TrF3Ha17	:							: -
TrF3Ha18	:							: -
TrF3Ha19	:							: -
TrF3Ha20	:							: -
TrF3Ha21	:							: -
TrF3Ha22	:							: -
TrF3Ha23	:							; -
TrF3Ha24	:							: -
TrF3Ha25	:							: -
TrF3Ha26	:							: -
TrF3Ha27	:							: -
TrF3Ha28	:							: -
TrF3Ha29	:							: -
TrF3Ha30	:							: -
TrF3Ha31	;							: -
TrF3Ha32	:							: -
TrF3Ha33	;							: -
TrF3Ha34	:							: -
TrF3Ha35	:							: -
TrF3Ha36	:							: -
TrF3Ha37	:							: -
TrF3Ha38	:							: -
TrF3Ha39	:							: -
TrF3Ha40	:	GAACCTGACCT	CACACTTGG	CTTAAACGT	CACACTGAC	CCTGGCACAAT	TACTCTTTTG	:508
								. 00


#### 134/271

		*	800	*	820	*	840	
TrF3Ha1	:							
TrF3Ha2	:							
TrF3Ha3	:							
TrF3Ha4	:							
TrF3Ha5	:							
TrF3Ha6	:							
TrF3Ha7	:							
TrF3Ha8	:							
TrF3Ha9	:							
TrF3Ha10	:							
TrF3Ha11	:							-
TrF3Ha12	:							
TrF3Ha13	:							
TrF3Ha14	:							
TrF3Ha15	:							
TrF3Ha16	:							-
TrF3Ha17	:							
TrF3Ha18	:							-
TrF3Ha19	:							-
TrF3Ha20	:							-
TrF3Ha21	:							-
TrF3Ha22	:							-
TrF3Ha23	:							
TrF3Ha24	:							-
TrF3Ha25	:							_
TrF3Ha26	:							
TrF3Ha27	:							-
TrF3Ha28	:							
TrF3Ha29	:							-
TrF3Ha30	:							
TrF3Ha31	:							-
TrF3Ha32	:							-
TrF3Ha33	:							-
TrF3Ha34	:							-
TrF3Ha35	:							-
TrF3Ha36	:							-
TrF3Ha37	:							-
TrF3Ha38	:							-
TrF3Ha39	:							-
TrF3Ha40	:	CTTCAAGATCAAG	TTGGTGGTCTTC	AAGCTACCA	AAGATAATGG	PAAGACGTG	ATTACA	568
TrF3Ha41	:	CTTCAAGATCAAG	TTGGTGGCCTTC	AAGCTACCA	AAGATAATGG	PAAGACGTG	ATTACA	158

#### 135/271



#### 136/271



#### 137/271

		*	980	*	1000	*	1020	
TrF3Ha1	:							
TrF3Ha2	:							
TrF3Ha3	:							
TrF3Ha4	:							
TrF3Ha5	:							: -
TrF3Ha6	:							
TrF3Ha7	:							
TrF3Ha8	:							
TrF3Ha9	:							
TrF3Ha10	:							
TrF3Ha11	:							
TrF3Ha12	:							
TrF3Ha13	:							
TrF3Ha14	:							
TrF3Ha15	:							
TrF3Ha16	:							
TrF3Ha17	:							
TrF3Ha18	:							
TrF3Ha19	:							
TrF3Ha20	:							
TrF3Ha21	:							
TrF3Ha22	:							
TrF3Ha23	:							: -
TrF3Ha24	:							
TrF3Ha25	:							: -
TrF3Ha26	:							
TrF3Ha27	:							: -
TrF3Ha28	:							: -
TrF3Ha29	:							: -
TrF3Ha30	:							: -
TrF3Ha31	:							: -
TrF3Ha32	:							: -
TrF3Ha33	:							
TrF3Ha34	:							: -
TrF3Ha35	:							: -
TrF3Ha36	:							: -
TrF3Ha37	:							; -
TrF3Ha38	:							: -
TrF3Ha39	:							: -
TrF3Ha40	:	TCAATAGCAA						:698
TrF3Ha41		TOARTACCARCA	THE PART OF THE PA	COCCOAMC	2C A A COMO MA COM	OODDOO NO	I DOWN OF	220

### 138/271

		*	1040	*	1060	*	1080	
TrF3Ha1	:							: -
TrF3Ha2								: -
TrF3Ha3	i							: -
TrF3Ha4								
TrF3Ha5	÷							
TrF3Ha6	÷							
TrF3Ha7	÷							
TrF3Ha8	:							
TrF3Ha9								
TrF3Ha10	:							
TrF3Ha11	÷							
TrF3Ha12	i							
TrF3Ha13	÷							
TrF3Ha14	÷							
TrF3Ha15								
TrF3Ha16	÷							
TrF3Ha17								
TrF3Ha18								
TrF3Ha19	÷							
TrF3Ha20								
TrF3Ha21								
TrF3Ha22	i							
TrF3Ha23								
TrF3Ha24								
TrF3Ha25								
TrF3Ha26								
TrF3Ha27								
TrF3Ha28								
TrF3Ha29								
TrF3Ha30								
TrF3Ha31								
TrF3Ha32								
TrF3Ha33								
TrF3Ha34								
TrF3Ha35								
TrF3Ha36								
TrF3Ha37								
TrF3Ha38								
TrF3Ha39								
TrF3Ha40								: -
mmarr- 41		0.0000000000000000000000000000000000000	* * mamamamma	0220220022	max ammmaa	mar a mamar	ACABOOA AO	. 200

#### 139/271

		* 1100	*	1120	*	1140		
TrF3Ha1	:							_
TrF3Ha2	:						:	_
TrF3Ha3	:						:	
TrF3Ha4	:						:	_
TrF3Ha5	:						:	
TrF3Ha6							:	-
TrF3Ha7	:						:	_
TrF3Ha8	:						:	_
TrF3Ha9	:						:	_
TrF3Ha10	:						:	_
TrF3Ha11	:						:	_
TrF3Ha12	:						:	_
TrF3Ha13	:						:	_
TrF3Ha14	:						:	_
TrF3Ha15	:						:	_
TrF3Ha16	:						:	_
TrF3Ha17	:						:	_
TrF3Ha18	:						:	_
TrF3Ha19	:						:	_
TrF3Ha20	:							_
TrF3Ha21	:						:	_
TrF3Ha22	:							_
TrF3Ha23	:						:	_
TrF3Ha24	:						:	_
TrF3Ha25	:						;	_
TrF3Ha26	:						÷	_
TrF3Ha27	:						:	_
TrF3Ha28	:						÷	_
TrF3Ha29	:							_
TrF3Ha30	:							_
TrF3Ha31	:						•	_
TrF3Ha32	:							_
TrF3Ha33	:							_
TrF3Ha34	:							_
TrF3Ha35	:							_
TrF3Ha36	:							_
TrF3Ha37	:							_
TrF3Ha38	:							_
TrF3Ha39	:							_
TrF3Ha40	:							_
TrF3Ha41		THEACCADAGACCTTCAAATT	осстассател	ACA ACEMPOCOURA N	CARCARCAR	O/D/D NOOR	. 40	- 0

### 140/271

		*	1160	*	1180	*	1200		
TrF3Ha1	:								_
TrF3Ha2									_
TrF3Ha3								:	_
TrF3Ha4	i								_
TrF3Ha5									_
TrF3Ha6	:							:	_
TrF3Ha7								:	-
TrF3Ha8	:							:	-
TrF3Ha9	:							:	_
TrF3Ha10	:							:	-
TrF3Ha11	:							:	_
TrF3Ha12	:							:	_
TrF3Ha13	:							:	-
TrF3Ha14	:							:	-
TrF3Ha15	:							:	-
TrF3Ha16	:							:	_
TrF3Ha17	:							:	-
TrF3Ha18	:							;	-
TrF3Ha19	:							:	-
TrF3Ha20	:							:	-
TrF3Ha21	:							:	-
TrF3Ha22	:							:	-
TrF3Ha23	:							:	-
TrF3Ha24	:							:	-
TrF3Ha25	:							:	-
TrF3Ha26	:							:	-
TrF3Ha27	:							:	-
TrF3Ha28	:							:	-
TrF3Ha29	:							:	-
TrF3Ha30	:							:	-
TrF3Ha31	:							:	-
TrF3Ha32	;							:	-
TrF3Ha33	:							:	-
TrF3Ha34	:							:	-
TrF3Ha35	:							:	-
TrF3Ha36	:							:	-
TrF3Ha37	:							:	-
TrF3Ha38	:							:	-
TrF3Ha39	:							:	-
TrF3Ha40	:							:	-
TrE3Ha41		CACTTCCACC	TOADAADAADA	SASTATION	TO DA A COTT	TCAATCACATY	TOTAL	- 51	18

### 141/271

		*	1220	*	1240	*	1260		
TrF3Ha1	:								
TrF3Ha2	:								
TrF3Ha3	:								-
TrF3Ha4	:							:	
TrF3Ha5	:							•	
TrF3Ha6	:							:	-
TrF3Ha7	:							•	-
TrF3Ha8	:							:	
TrF3Ha9	:							•	-
TrF3Ha10	:							:	-
TrF3Ha11	:							•	
TrF3Ha12	:							:	-
TrF3Ha13	:							•	-
TrF3Ha14	:							•	-
TrF3Ha15	:							•	-
TrF3Ha16	:								-
TrF3Ha17	:							:	-
TrF3Ha18	:							•	-
TrF3Ha19	:							:	-
TrF3Ha20	:							•	-
TrF3Ha21	:							:	-
TrF3Ha22	:							•	-
TrF3Ha23	:							:	-
TrF3Ha24	:							:	-
TrF3Ha25	:							:	-
TrF3Ha26	:							:	-
TrF3Ha27	:							:	_
TrF3Ha28	:							:	-
TrF3Ha29	:							:	-
TrF3Ha30	:							:	_
TrF3Ha31	:							:	-
TrF3Ha32	:							:	-
TrF3Ha33	:							:	-
TrF3Ha34	:							:	-
TrF3Ha35	:							;	-
TrF3Ha36								:	-
TrF3Ha37	i							:	-
TrF3Ha38	:							:	-
TrF3Ha39	:							:	-
TrF3Ha40	:							:	-
TrF3We //1		TOTA A TITTA CITICATO	T A A COCIO A A A CO A A CO					:	-

#### 142/271

TrF3Ha1 : - : Trf3Ha2 : - : - Trf3Ha3 : - : - Trf3Ha3 : - : - Trf3Ha4 : - : - Trf3Ha5 : - : - Trf3Ha6 : - : -TrF3Ha7 : - : -TrF3Ha8 : - : TrF3Ha9 : - : TrF3Ha10 : - : TrF3Ha11 : - : TrF3Ha12 : - : TrF3Ha13 : - : TrF3Ha14 : - : TrF3Ha15 : - : TrF3Ha16 : - : TrF3Ha17 : - : TrF3Ha18 : - : TrF3Ha19 : - : TrF3Ha20 : - : TrF3Ha21 : - : TrF3Ha22 : - : TrF3Ha23 : - : TrF3Ha24 : - : TrF3Ha25 : - : TrF3Ha26 : - : TrF3Ha27 : - : TrF3Ha28 : - : TrF3Ha29 : - : TrF3Ha30 : - : TrF3Ha31 : - : TrF3Ha32 : - : TrF3Ha33 : - : TrF3Ha34 : - : -TrF3Ha35 : - : TrF3Ha36 : - : TrF3Ha37 : - : TrF3Ha38 : - : TrF3Ha39 : - : TrF3Ha40 : - : -TrF3Ha41 : **1** : 579

### 143/271

			*	20	*	40	*	60		
TrF3Hb	:	GNAGCATA.	ACATAAACG	ECTGTNCCCGAT!	PNATGTAA	CACAATCTCCC	CTTTTCTTA	FTAC	:	60
TrF3Hb	:	AAGTAAAA	* TACCATAA(	80 CACAATAATATG	* AATACCAT	100 AATCTTGAATC	* ATACAAACA	120 ACCT	:	120
TrF3Hb	:	TGGATCAA	* ACAAAACAA	140 ACAACCATGGTT	* GATCTAGA:	160 AACAGAACCAA	* GTTCACCAT	180 PTAT	:	180
TrF3Hb	:	TCAATCCC	* CAGAACAC	200 AGACCAAAATCC	* PCAATAAT	220 CATTGCTGAAG	* GTATCCCTC	240 PAAT	:	240
TrF3Hb	:	TGATCTCA	* CTCCTATAA	260 AACTACAAAGAT	* GAAATCATV	280 CACCAACCCAC	* PTTCCATTG	300 AAGA	:	300
TrF3Hb	:	CTTAGTCA	* AAGAAATAO	320 GCAAAGCATGT	* AAAGAATG	340 GGGTTTCTTTC	* AAGTGATTA	360 ATCA	;	360
TrF3Hb	:	CAAAGTTC	* CTTTGGATA	380 AAACGTGAAAGG	* ATTGAAGA:	400 ATCTTCAAAGA	* AGTTTTTTG	420 AACT	:	420
TrF3Hb	:	TAGTTTGG	* AGGAAAAAC	440 CTTAAGGTGAGA	* AGAGATGA	460 AGTTAATTTGC	* PTGGTTATT	480 PTGA	:	480
TrF3Hb	:	AGCTGAGC.	* ATACAAAA	500 AATGTTAGGGAC	* PGGAAGGA	520 AATTTATGATT	* PTAATGTGC:	540 AACA	;	540
TrF3Hb	:	ACCAACTT	* TTATACCAC	560 CCTTCGGATGAC	* CAAAGTTT	580 TCAGTTTCAAT	* GGAAAATC	600 GATG		600
TrF3Hb	:	G : 601								

#### 144/271

TrF3Hb	:	* MNTIILNHTNNLGSNKT	20 TTMVDLETEPS	* SPFIQSPEI	40 HRPKSSIIIAEG	* IPLIDLTPI	60 NYK	:	61
TrF3Hb	:	* DEIITNPLSIEDLVKEI	80 GKACKEWGFFQ	* VINHKVPLI	100 DKRERIEESSKK		120 LKV	:	120
m~m2Uh		*	140	* NV/OOPTFTI	160	* ENRM · 17	'2		

#### 145/271

		* 20 * 40 * 60		
TrF3Hc	:	TTACCCAACAATNATGTGTGACTGATGTTAGTGTACCAGGAAAGATGGGAGAGGTGGATC	: 6	0
TrF3Hc	:	* 80 * 100 * 120 CAGCTTTCTTCAAATCCAGAAAATAGGCCAAAACTTTCCATAATCCAAGCTGAAGGAATT	: 12	0
TrF3Hc		$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	: 18	0
TrF3Hc	:	$^{*}_{\text{AGCTTAGTCAAAGAAATAGGAAATGCTTGCAAGGAATGGGTTTCTTCCAAGTAACAAAC} \ ^{240}_{\text{AGCTTAGTCAAAGAAATAGGAAATGCTTGCAAGGAATGGGTTTCTTCCAAGTAACAAAC} \ ^{4}_{\text{AGCTTAGTCAAAGAAATAGGAAATGCTTGCAAGGAATGGGTTTCTTCCAAGTAACAAAC} \ ^{4}_{\text{AGCTTAGTCAAAGAAATAGGAAATGCTTGCAAGGAATGGGTTTCTTCCAAGTAACAAAC} \ ^{4}_{\text{AGCTTAGTCAAAGAAATAGGAAATGCTTGCAAGGAATGGGTTTCTTCCAAGTAACAAAC} \ ^{4}_{\text{AGCTTAGTCAAAGAAATAGGAAATGCTTGCAAGGAATGGGTTTCTTCCAAGTAACAAAC} \ ^{4}_{\text{AGCTTAGTCAAAGAAATGGGAATGCTTGCAAGGAATGGGTTTCTTCCAAGTAACAAAC} \ ^{4}_{\text{AGCTTAGTCAAAGAAATGGAAATGCTTGCAAGGAATGGGTTTCTTCCAAGTAACAAAC} \ ^{4}_{\text{AGCTTAGTCAAAGAAATGCTTGCAAGGAATGGGTTTCTTCCAAGTAACAAAC} \ ^{4}_{\text{AGCTTAGTCAAAGAAATGCTTGCAAGGAATGGGTTTCTTCCAAGTAACAAAC} \ ^{4}_{\text{AGCTTAGTCAAAGAAATGCTTGCAAGGAATGGGTTTCTTCCAAGTAACAAAC} \ ^{4}_{\text{AGCTTAGTCAAAGAAATGCTTGCAAGGAATGGGTTTCTTCCAAGTAACAAAC} \ ^{4}_{\text{AGCTTAGTCAAGTAACAAACAAAC}} \ ^{4}_{AGCTTAGTCAAAGAAATGCTTGCAAGGAATGGCTTTCTTCCAAGTAACAAACA$	: 24	0
TrF3Hc	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	: 30	0
TrF3Hc	:	$\overset{*}{\sim} 320 & \overset{*}{\sim} 340 & \overset{*}{\sim} 360 \\ \text{CAGAGTTTGGAGGAAGAGGAAGCTTACCGTAGATGATAACAGTTTGCCTGGTTATCAT}$	: 36	0
TrF3Hc	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	: 42	0
TrF3Hc	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	: 48	0
TrF3Hc	:	$ \begin{array}{ccccc} * & 500 & * & 520 & * & 540 \\ \mathtt{AATCCATCCCTCAATATCCTCCAAACTTCAAAGTTATTTTTGGAAGAGTATATTAAAGAG } \end{array} $	: 54	0
TrF3Hc	:	* 560 * 580 ATGGAAAAGCTAGGCTTTAAGTTGCTAGAGCTTATAGCTTTGAGC : 585		

#### 146/271

TrF3Hc	:	* MLVYQERWERWIQLSSNP	20	GIPVINL	40 SPLIHHTVQDSS	* AIESLVKE	60 IGN	:	60
PrF3Hc	:	* ACKEWGFFQVTNHGVPLN	80 LRLRLBEATKVI		100 KRKLTVDDNSLP		120 KNV	:	120
PrF3Hc	:	* 1. RDWKEVFDFLSKDPTLIP	40 LNSDEHDDRVT		160 YPPNFKVILEEY		180 FKL	:	180

TrF3Hc : LELIALS : 187

### 147/271

TrF3'Ha	;	. $^*$ 20 $^*$ 40 $^*$ : GGGAATGTGAGGCGAATGTGACCCTAGGGCTGATGAATTAGTAATGGTAGG	60 PTGAGCTT : 6	i C
TrF3'Ha	:	* 80 * 100 * ATGGCGTTAGCTGGAGTTTTCAATATTGGTGATTTTGTTCCTGCTTTGGAAT	120 GGTTAGAT :12	20
TrF3'Ha	:	* 140 * 160 * : ATTCAAGGTGTACAAGGAAAATGAAGAATTACATAAAGATTTGATGCAT	180 PTTTAACT :18	3 C
TrF3'Ha	:	* 200 * 220 * : AGCATTATTGAAGATCACATGATTTCCAAGAGTGAGAAGCATAATGACTTAT	240 rgagtacg :24	10
TrF3'Ha	:	* 260 * 280 * : TTGTTATCACTAAAGAAAAGTTGATGAGGATGGTGACAAACTTAATGATAC	300 CTGAGATC :30	0
TrF3'Ha	:	* 320 * 340 * : AAAGCATTACTCTTGAACATGTTCACAGCTGGAACAGACACATCATCAAGCAC	360 DAACAGAG :36	0
TrF3'Ha	:	* 380 * 400 * : TGGGCTATTGCTGAACTAATAAAAATCCAAAACTAATGATTCGTGTTCAAA	420 ATGAGTTG :42	0
TrF3'Ha	:	* 440 * 460 * : GACACTGTTGTGGGCCGAGACAAGCTTGTAACTGAACAAGACTTGGCCCATCT	480 PTCCTTAC :48	0
TrF3'Ha	:	* 500 * 520 * TTAGAGGCTGTAATAAAGGAGACATTTCGTCTCCATCCAT	540 TTCTCCCA :54	0
TrF3'Ha	:	* 560 * 580 * : CGTGTTGCAACAAATAGTTGTGAAATCCTCGACTATCACATTCCCAAAGGTGC	600 CAACTCTC :60	0
m 113		. mmca		

#### 148/271

TrF3'Ha	:	* 20 GNGGGECDPRADELVMVVELMAL	* AGVFNIGDFVPAL	40 LEWLDIQGVQ	* GKMKKLHKRI	60 FDAFLT	: 6	50
TrF3'Ha	:	* 80 SIIEDHMISKSEKHNDLLSTLLS	* LKEKVDEDGDKLN	100 IDTEIKALLL	* NMFTAGTDTS	120 SSSTTE	:12	20
TrF3'Ha	:	* 140 WAIAELIKNPKLMIRVQNELDTV	* VGRDKLVTEQDL	160 MHLPYLEAVI	* KETFRLHPS	180 PPLSLP	:18	30
TrF3'Ha	:	* 200 RVATNSCEILDYHIPKGATLL :	201					

#### 149/271




FIGURE 82


### 150/271

TrPALa	:	GNAGGAAA	* TTTCAACT	20 AAATATTGCCTT	* TAATTCTT	40 TNTNATANATN	* PTTGAATTI	60 CNTT	:	61
TrPALa	:	CTCCCTAA	* AAATTCTA	80 TAGCTACCACAT	* CANCACAA	100 CATAACANNAA	* PTAAGAAAT	120 ATTN	:	12
TrPALa	:	TATNTACT.	* ATTTTAAG.	140 ATATGGAAGTAG	* TAGCAGCA	160 GCAATCACAAA	* Aacaatgg	180 CAAG	:	180
TrPALa	:	ATTGATTC	* ATTTTGCT	200 PGAATCATGCTA	* ATGCTAAT	220 AACATGAAAGTO	* GAATGGTGC	240 TGAT	:	240
TrPALa	:	CCTTTGAA	* TTGGGGTG	260 PGGCTGCTGAGG	* CAATGAAG	280 GGAAGTCACTTO	* GGATGAGGT	300 GAAG	:	300
TrPALa	:	CGTATGGT	* GGAGGAAT	320 ACCGGAAACCGG	* PTGTCCGT	340 CTTGGTGGCGAG	* GACACTGAC	360 GATT	:	360
TrPALa		TCTCAGGT	* GGCTGCCA1	380 TTGCTGCACACG	* ATGGTGCA	400 ACGGTGGAGCTA	* TCGGAATC	420 FGCT	:	420
TrPALa	:	AGAGCCGGC	* CGTTAAGGO	440 GAGCAGTGACT	* GGGTTATGO	460 BAGAGTATGAAC	* AAAGGTAC	480 AGAC	:	480
TrPALa	:	AGTTATGGT	* PGTCACTAC	500 AGGGTTCGGCGC	* TACCTCG	520 PACCGCCGAACC	* AAACAAGGI	540 rggr	:	540
TrPALa	:	GCTTTGCAG	* Baaagagci	560 CATAAGGTNTT	* TGAATGCA	580 GGAATATTTGG	* AAATGGAAC	600 NTG		600
TrPALa	:	AGACAAAGC		620 ACCC : 621						

#### 151/271

TrPALa	:	MEVVAAAITE	NNGKIDSE	20 PCLNHANANNME	* CVNGADPLNV	40 WGVAAEAMKGSH	* HLDEVKRM	60 VEEY	:	60
TrPALa	:	RKPVVRLGGE	STLTISQV	80 AAIAAHDGATVE		L00 /KASSDWVMES1	* INKGTDSY	120 GVTT	:	120
m D3.1 -		GUGS MGUDS		L40	*	D . 150				

#### 152/271



### 153/271

TrPALb	:	* 20 * 40 * GNAGGAAANAATTNTATTGTTATTATTTCCCCCCACACAACGGAAANAATTNTATTGT	60 TN	:	60
TrPALb	:	* 80 * 100 * 1 CTTATTTCCCCCCACACACATAACNAATACATTNTCCTCTCCTCTCATCACAATTAT	20 TA	:	120
TrPALb	:	* 140 * 160 * 1 CTTTCTACACACCCCCCTCTCAACTATTATTAACTAACATAATGGAGGGAATTACCAA	80 TG	:	180
TrPALb	:	* 200 * 220 * 2 GCCATGCTGAAGCAACTTTTTGCGTGACCAAAAGTGTTGGTGATCCACTCAACTGGGG	40 TG	:	240
TrPALb	:	* 260 * 280 * 3 CAGCCGCGGAGTCGTTGATGGGGAGTCATTTGGATGAGGTGAAGCGTATGGTGGAGGA	00 AT	:	300
TrPALb	:	* 320 * 340 * 340 * ACCGTAATCCATTGCTTAAAATTGGCGGCGAGACGCTTACCATTGCTCAGGTGGCTGG	60 AA	:	360
TrPALb		* 380 * 400 * 4: TTGCTTCTCATGATAGTGGTGTGAGGGTGGAGCTGTCTGAGTCCGCCAGGGCCGGCGT	20 TA	:	420
TrPALb	:	* 440 * 460	80 TA	:	480
TrPALb	:	* 500 * 520 * 520 CCACCGGTTTCGGCGCCCCTCTCACCGGAGAACCAAGCAGGGTGGTGCTTGCAGAAA	40 3G	:	540
TrPALb	:	* 560 * 580 * 60	00 AC		600
TrPALb	:	* 620 * 640 * 66 TACCACACACAGCAACCAGAGCTGCAATGCTTGTGAGAATCAACACTCTTCTAAGAG	5 0 3G		660
ጥ DAT. ከ		* 680 *			

		*	20	*	40	*	60		
TrPALb	:	MEGITNGHAEAT	FCVTKSVGDPLNW	GAAAESLMGS	SHLDEVKRMV	EEYRNPLVKI(	GETLT	:	6
		*	80	*	100	*	120		
TrPALb	:	IAQVAGIASHDS	GVRVELSESARAG	VKASSDWVMI	SMNNGTDSY	GVTTGFGATSI	HRRTKO		12
		*	140		160				
TrPALb	:	GGALQKELIRFI	NAGIFGNGTESNC	TLPHTATRA	MLVRINTLL	QEEYFLNGLCI	KFL : :	177	,





FIGURE 88

#### 156/271



# FIGURE 88 (cont)

## 157/271

		* 20 * 40 * 60		
TrPALc	:	AACAAGATCGTTATGCCTTAGAACTTCACCTCAATGGCTTGGTCCTTTGATTGA	:	60
TrPALc	:	$^{\star}$ 80 $^{\star}$ 100 $^{\star}$ 120 AAGATTTTCAACCAAATCAATTGAAAGAGAAATTAACTCGGTCAACGACAACCCTTTGAT	:	120
TrPALc	:	$^{*}\begin{array}{ccccccccccccccccccccccccccccccccccc$	:	180
TrPALc	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	240
TrPALc	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	300
TrPALc	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	360
TrPALc	:	$\overset{*}{\text{cgagttachatactgctaatcctgtcaccacccatgtccahagtgccgagcaachcaa}} \overset{*}{\text{cgagttachatactgctaatcctgtcaccacccatgtccahagtgccgagcaachcaa}}$		420
TrPALc	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	480
TrPALc	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	540
rrPALc	:	* 560 * CTTGGAGGAAATCTCAGGAACACCGTCAAGAACACGGT : 579		

### 158/271

TrPALc		* TRSLCLRTSPOWL	20	* VCTDDDTMCU	40	*	60		60
IIIADO	•	TREECHRISTQWIN	3EDIRATUE 31	KOTEKETNOV.	MDMFDIDVSK	MATHGGM QC	31 F T G V	٠	00
		*	80	*	100	*	120		
TrPALc	•	SMDNTRLALASIG	KLMFAQFSELV	NDFYNNGLPS	NLTASRNPSLI	DYGFKGSEIAN	ASYCS	:	120
			140	*	160	*	180		
TrPALc	:	ELQYLANPVTTHV	QSAEQHNQDVN	SLGLISSRKT	NEAIEILKLM:	SSTFLIALCO	AIDLRH	:	180
		*							

TrPALc : LEENLRNTVKNT : 192

## 159/271

TrPALd	:	GGTCAATNCAGCTT	20 NGGAGATCT.	AGTCCCCCTTTC	40 TTACTNT	* GCTGGTTTACTAA	60 CTGGA	:	60
TrPALđ	:	*AGACCNAATTCTAA	80 AGCTCATGG	* GCCTACAGGAGA	100 AGTACTT	* ATGCAAAAGAAG	120 CT <b>TT</b> T	:	120
TrPALd	:	CAATTGGCTGGAAT	140 CAATACCGA	* GTTCTTTGAATT	160 ACAACCAA	* AAGAAGGTCTTG	180 CACTT	:	180
TrPALd	:	GTTAATGGAACTGC	200 FGTTGGTTC	* PGGTTTAGCTTC	220 PATTGTTC	* TTTTTGAGGCTA	240 ACATA	:	240
TrPALd	:	* TTGGCGGTGTTGTC	260 PGAAGTTCT	* ATCGGCAATTTC	280 CGCTGAAG	* TTATGCAAGGGAA	300 AGCCC	:	300
TrPALd	:	GAATTTACTGATCAT	320 PTTGACACAT	* PAAGTTGAAGCAC	340 CACCCTG	* GTCAAATTGAGGO	360 TGCT	:	360
TrPALd	:	* GCTATTATGGAACAC	380 CATTTTGGAT	* GGGAGTGCTTAT	400 GTTAAAG	* ACGCGAAGAAGTI	420 GCAT	:	420
TrPALd	:	* GAGATGGACCCTTTA	440 CAGAAGCCA	* AAGCAAGATAGA	460 TATGCAC	* TTAGAACTTCACO	480 ACAA	:	480
TrPALd	:	* TGGCTTGGTCCTTTG	500 ATTGAAGTG	* ATTAGATTTTCA	520 ACCAAGT	* CAATTGAGAGAGA	540 GATC	:	540
TrPALd	:	* AACTCTGTCAATGAC	560 AACCCTTTG	* ATTGATGTTTCG	580 AGAAACA	* \$GGCTTTTC - 50	1		

### 160/271

Prpald	:	* 20 * GQXSXGDLVPLSYXAGLLTGRXNSKAHGPTGEVI	40 LNAKEAFQLAG	* INTEFFELQPK	60 EGLAL	:	6
TrPALd	:	* 80 * VNGTAVGSGLASIVLFEANILAVLSEVLSAIFA	100 EVMQGKPEFTD	* HLTHKLKHHPG	120 QIEAA	:	120
TrPALd	:	* 140 * AIMEHILDGSAYVKDAKKLHEMDPLQKPKQDRY	160 ALRTSPQWLGP	* LIEVIRFSTKS	180 IEREI	:	180
nwnard		* 107					

### 161/271

TrPALe	:	* GNNGGAAATTNCAACTC	20 NATTNTTTCTTI	* NTATAATN	40 TTTGAATTTCCT	* TCTCTCTC	60 AAA	:	60
TrPALe	:	* TTCTATAGCTACTCTAC	80 CACATCACACAA	* CATAACA	100 ATTAAGAAATAT	* TCATTACI	120 ATA	:	120
TrPALe	:	* CTATTAAGATATGGAAG	140 TAGTAGCAGCAG	* CAATCACA	160 AAAAACAACGGC	* AAGATTGA	180 TTC	:	180
TrPALe	:	* ATTTTGCTTGAATCATG	200 CTAATGCTAATA	* ACATGAAI	220 AGTGAATGATGCT	* GATCCTTI	240 GAA	:	240
TrPALe	:	* TTGGGGTGTGGCTGCTG	260 AGGCAATGAAGG	* GAAGTCAC	280 TTGGATGAGGTG	* AAACGTAI	300 GGT	:	300
TrPALe	:	* GGAGGAGTACCGGAAGC	320 CGATTGTCCGTC	* TTGGTGGC	340 CGAGACGCTGACG		360 GGT	:	360
TrPALe	:	* GGCTGCCATTGCTGCAC	380 ACGATGGTGCGA	* .TGGTTGA	400 CTGTCGGAATCT	* GCTAGAGC	420 CGG	:	420
TrPALe	:	* CGTTAAGGCAAGCAGTG	440 ATTGGGTTATGG	* AGAGTATO	460 BAACAAAGGTACT	* GACAGTTA	480 TGG	:	480
TrPALe	:	* TGTCACCACAGGGTTCG	500 GCGCTACCTCNC	* ACCGCCGA	520 ACCAAACAAGGT	* GGTGCTTI	540 ACA	:	540
TrDAT.a		*	560 **************	* \$322 T 2 T 2 T T T T T T T T T T T T T T	580 CNAAATGNAACT	* GIN · 59	2		

### 162/271

TrPALe	:	MEVVAAAITKNNGKI	20 DSFCLNHAN	* ANNMKVNDADP	40 LNWGVAAE	* AMKGSHLDEVKF	60 RMVEEY	:	6
TrPALe	:	* RKPIVRLGGETLTIS	80 QVAAIAAHD	* GAMVELSESAR	100 AGVKASSDI	* WVMESMNKGTDS	120 SYGVTT	:	12
TrPAT.a	:	* GEGATXHERTKOGGA	140	* NAGTEXNXTX	: 154				

		* 20 * 40 * 60		
TrPALf	:	CNATTGTTAGTNGTTTCCNCCCACCCACATAACAAATACATAATTCTCTCCTCTGATCAC	:	60
TrPALf	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	120
TrPALf	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		180
TrPALE	:	$ \begin{array}{cccc} \star & 200 & \star & 220 & \star & 240 \\ {\tt TGGCGNGCAGCCGCGGAGTCGTCGACGGGGAGTCATTTGGATGAGGTGAAGCGTATGGNG} \end{array} $	:	240
TrPALE	:	$^{*}_{\text{GAGGAGTACCGTAATCCGNTGGTTAAAATTGGCGGCGAGACGCTTACCATTGCTNNGGTA}$	:	300
TrPALf	:	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	:	360
TrPALE	:	$^{*}_{GGCGTTAAGGCGAGTAGTGATTGNGTGATGGATAGCATGAACAATGGGACTGATAGTTAC$		420
TrPALf	:	$\stackrel{*}{\times} 440 \stackrel{*}{\times} 450 \stackrel{*}{\times} 450 \stackrel{*}{\times} 480$ GGTGTTACCACCGCNTTTGGTGCCACCTGTCACCGGAGAACCAAGCCANGGTGGTGCCTT	:	480
TrPALf	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	540
TrPALf	:	* 560 ATCTNAACTTGTNCACTTACCACACC : 566		

### 164/271

TrPALf	:	* MEGITNGHAETTFS	20 VTKSXXDPLN	* WXAAAESSTGSI	40 HLDEVKRMD	* EEYRNPXVKI	60 GGETLT	:	60
TrPALf	:	* IAXVXGIASHDSGV	80 RVELSEFARA	* GVKASSDXVMD:	100 SMNNGTDS\	GVTTXFGATC	120 HRRTKP	:	120
manar f		*	140	*	150				

### 165/271

				20	*	40	*	60		
TrPALf1	:	CNATTGTTAG	TNGTTTCC			TACNTANTTCTC			:	60
TrPALf2	:				ATAACAAA'	TACATTATTCTC	<b>FCCTCTGA</b>	TCAC	:	35
		*		80	*	100	*	120		
TrPALf1	:					TTAACTAGCATA			::	120
TrPALf2	:	AVEAUGU AVIGURAÇÃO	TTACTACA	ACCETECTER	AACTATTA	ITAACTAGCATA	ATGGAGGG.	AATT	:	95
				40	_	160				
TrPALf1		A CON A MCCCCC			200003.00	AAAAGTGHNGGN	a miles a semi	180		
TrPALf2	:	ACCAMIGGCC	AIGCIGAN	MCMACTITIE	accareace:	aaaagtgwiiggwi aaaagtgwiiiggw	SATMMANT	SIMIN.		180
ILFAULZ	•	MCCMATGGCC	AIGCIGAL	MCMACTITIA	MCG.I.GWCC	ANAMO LONMOCE	SATCCACT	CAAC	٠.	155
		*		0.0	*	320	*	240		
TrPALf1		Tel cenell				350		240		188
TrPALf3	÷		CCGCGGAG	TCGTCGACGG	CACTCATT	TEGATGAGGTG	АВСССТАТ	CONC		215
			1000000		Junior Ciri	11001110110010	I loco IIII	SCANC		213
		*	. 2	60	*	280	*	300		
TrPALf1	:									_
TrPALf2	:	GAGGAGTACC	GTAATCC	NTGGTTAAAA	TTGGCGGC	GAGACGCTTACC.	ATTGCTNN	GTL	: 3	275
		*	3	20	*	340	*	360		
TrPALf1	:								:	-
TrPALf2	;	NCTGGAATTG	CTTCTCAT	'GATAGTGGAG	rgagggtg(	SAGCTGTCCGAG	PTCGCAAG	GCC	:3	335
TrPALf1				80	~	400	*	420		
TrPALf2	:	OCCOMPA NO	0020020	O I MMONIOMON	00020202	TGAACAATGGG			٠.	
IIPALIZ	٠	GGCGTTAAGG	CGAGTAGT	GATTGNGTGA	I GGATIAGO	ATGAACAATGGG	ACTGATAG	MINA (C	: :	395
		*		40	*	460	*	480		
TrPALf1						400		400		
TrPALE2	÷	GGTGTTACCA	CCCCNTTT	GGTGCCACCT(	EDDDDDAGTE	GAACCAAGCCAI	тестесте	COMP.	:,	155
				COMOCOMOCIN	JI CHECOU	io i i i como com	.00100100	·CZZ		.55
		*	- 5	00	*	520	*	540		
TrPALf1	:								:	_
TrPALf2	:	GCAGAAGGAG	CTAAATTN	INGGTGTTTTG	AANGCTGG	NAATANTTTGGCI	INTEGTTC	AG/A	: 5	515
								-		
		*	5	60						
TrPALf1	:			:	-					
TrPALf2	:	ATCTNAACTT	GTNCACTI	ACCACACC :	541					

### 166/271

		*	20	*	40	*	60		
rvka	:	GTAAGAGTTGAGAAAAA	ANACCAATAAA	TAAACNC'	TATNTAGAAAGA	GAGTCAAA	AATG	:	60
		*	80		100	*	120		
FrVRa		GCTGAAGGAAAAGGAAG		TGGAGGA		GGTTCATG		:	120
		*	140	*	160	*	180		100
IrVRa	:	ATCAAGAGTCTTCTTGA	AAATGGATACT	JIGITAAT.	ACCACTATTAGA	GCTGATCC.	AGAA	:	180
		*	200	×	220	*	240		
rrvRa	:	CGTAAGAGGGATGTAAG	CTTCCTAACAA	ATCTACCC	GGCGCATCCGAA	AGGCTACA	TTTC	:	240
			0.50	_	280		300		
FrVRa		TTCAACGCCGATCTAGA	260 CGACCCAGAGA	ሚጥጥር እ.አ.ር.		CCTTCTCT			300
LLVICA	•	TICANOGCOGNICIAGA	Concommin	3.110.110					
			320	*	340	*	360		
FrVRa	:	ATATTCCACACCGCTTC	ACCAATCGATT	rcgccgrg	AGTGAGCCAGA	GAAATAGT	GACA	:	360
		*	380	*	400	*	420		
TrVRa	:	AAAAGAACAGTGGATGG		PTTTAAAA		TCAAAGAC	AGTG	:	420
					4.00		400		
TrVRa		AAGAGATTTATTTACAC	440	TOTO COLOUR	460	ממסממממ	480 AGAT		480
IIVKa	٠	AMGAGATITATITACAC	11CAMBINGG11		ICMITCHMIGGE	rrr rr rc rr r	noni	•	400
		*	500	*	520	*	540		
TrVRa	:	GNNTNGGATGAGAGTGA	TTGGAGTGATG	TTGATTTG	CTTAGAAGTGTT	'AAACCATT	TGGT	:	540
			560	+	580	*	600		
TrVRa		TGGAGTTATGGNGTGTT		CTGAGAAA		TTTGGTCN		:	600
		*	620	*	640	*	660		660
TrVRa	:	AATGGGATTGATGTTGT	TACTITGATIC	TICCTITI	ATTGTTGGAGG	TTGTTG	rece	:	000
		*	680	*	700	*	720		
TrVRa	:	AAGCTTCCTGATTCTGT	TGAGAAAGCTC'	TTGTTTTG	GTACTAGGCAA	AAGGAACA	AATT	:	720
			740		760		780		
TrVRa		GGTATTATAAGTTTCCA		TAGATGAT		CATATCTA			780
12 71.0	•	001111111111111111111111111111111111111							
		*	800	*	820	*	840		0.40
TrVRa	:	CTTGAGAATCCTGTTCC	AGGAGGTAGAT.	ATAATTGT	TCACCATTCTT	GTATCTAT	TGAA	:	840
		*	860	*	880	*	900		
TrVRa	:	GAAATGTCACAGCTTCT	CTCAGCCAAAT.	ATCCAGAA	TATCAAATACT	TCAGTAGA	TGAG	:	900
			920		940		960		
TrVRa		TTGAAGGAAATTAAAGG		* ሮኔፎኔሞሞሞር		CTCGTGGA			960
IIVIO	•	11Gradorum Indiad	0001210112100	0.10.11.11					
		*	980		1000		1020		
TrVRa	:	GGTTTTGAGTTTAAGT	TAGTGTCGATG	ATATGTTC	GATGATGCGAT	CAATGCTG	CAAG	:	1020
		* 1	.040	*	1060	*	1080		
TrVRa	:	GAAAAAGGCTATCTCTA		GAAAATTC				:	1080
TrVRa		TGCCTAAAATCAATGAT	.100	መርመክሮክ አር	1120		1140		1140
ırvka	٠	IGCCIAAAAICAATGAT	GGC TAM I GAGA	. GIACAAC	11 1 MIGCALIA	MITTE.	TONL		2140
			.160	*	1180				
		0320033203200320	A TOTOTOTO A TO	mmmmccc2		1195			

### 167/271

		* 20 * 40 * 60		
TrVRa	:	MAEGKGRVCVTGGTGFLGSWIIKSLLENGYSVNTTIRADPERKRDVSFLTNLPGASERLH	:	60
TrVRa	:	* 80 * 100 * 120 FFNADLDDPESFNEAIEGCVGIFHTASPIDFAVSEPEEIVTKRTVDGALGILKACVNSKT		120
TrVRa	:	* 140 * 160 * 180 VKRFIYTSXGSAVSFNGKNKDXXDESDWSDVDLLRSVKPFGWSYXVFKTLAEKAVLEFGX	:	180
TrVRa	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		240
TrVRa	:	* 260 * 280 * 300 LLENPVPGGRYNCSPPFVSTEEMSQLLSAKYPEYQILSVDELKEIKGARLPDLNSKKUVD	:	300
T~1/Pa	,	* 320 AGPEFKYSUDDMPDDATOCCKEKGYI. • 326		

### 168/271

		20	
TrVRa1	:	GTA VIAGTTGAGAAAAAAHACNAATAAAGTAAACNCTATNTAGAAAGAGAGTCAAAAATG	: 60
TrVRa2	:	AGAGTTGAGAAAAAANNCCAATAAAGTAAACNCTATNTAGAAAGAGAGTNNAAAATG	: 57
TrVRa3			: -
TrVRa4			:
TrVRa5			: -
TrVRa6	:		
IIVNAO	•		: -
		* 80 * 100 * 120	
m			
TrVRa1	:	GCTGAAGGAAAAGGAAGGGTTTGTGTTACTGGAGGAACAGGTTTTCTTGGTTCATGGATC	: 120
TrVRa2	:	GCTGAAGGAAAAGGAAGGGTTTGTGTTACTGGAGGAACAGGTTTTCTTGGTTCATGGATC	: 117
TrVRa3	:		: -
TrVRa4	:		: -
TrVRa5	:		: -
TrVRa6	:		: -
		* 140 * 160 * 180	
TrVRa1		ATCAAGAGTCTTCTTGAAAATGGATACTCTGTTAATACCACTATTAGAGCTGATCCAGAA	: 180
TrVRa2		ATCAAGAGTCTTCTTGAAAATGGATACTCTGTTAATACCACTATTAGAGCTGATCCAGAA	: 177
TrVRa3		S S S S S S S S S S S S S S S S S S S	: 1//
TrVRa4			
TrVRa5	:		: -
TrVRa6	:		: -
IIVNAO	٠		: -
		* 200 * 220 * 240	
TrVRa1	:	CGTAAGAGGGATGTAAGCTTCCTAACAAATCTACCCGGCGCATCCGAAAGGCTACATTTC	: 240
TrVRa2	:	CGTAAGAGGGATGTAAGCTTCCTAACAATCTACCCGGCGCATCCGAAAGGCTACATTTC	: 237
TrVRa3	:		: -
TrVRa4	:		: -
TrVRa5	:		
TrVRa6	:		
		* 260 * 280 * 300	
TrVRa1	•	TTCAACGCCGATCTAGACGACCCAGAGAGTTTCAACGAAGCAATTGAAGGTTGTGTCGGG	: 300
TrVRa2	,	TTCAACGCCGATCTAGACGACCCAGAGAGTTTCAACGAAGCAATTGAAGGTTGTGTCCCG	: 297
TrVRa3	÷	The state of the s	. 251
TrVRa4	:		: -
TrVRa5	:		: -
TrVRa6	•		: -
TIVRAG	٠		: -
		4 000	
m		* 320 * 340 * 360	
TrVRa1	:	NTATTCCACACCGCTTCACCAATCGATTTCGCCGTGAGTGA	: 360
TrVRa2	:	ATATTCCACACCGCTTCACCAATCGATTTCGCCGTGAGTGA	: 357
TrVRa3	:		: -
TrVRa4	:		: -
TrVRa5	:		
TrVRa6	:		; _
		* 380 * 400 * 420	
TrVRa1		AAAAGAACAGTGGATGGAGCATTAGGAATTTTAAAAGCATGTGTGAATTCAAAGACAGTG	: 420
TrVRa2	:	MAAGAACAGTGGATGGAGCATTAGGAATTTTAAAAGCATGTGTGAATTCAAAGACAGTG	: 417
TrVRa3	:	THE STREET CONTINUES OF THE OWNER THE TOTAL AND AN ARCACACTO	: 41/
TrVRa4	:		: -
TrVRa4	•		: -
	:		: -
TrVRa6	;		: -




FIGURE 100 (cont)




FIGURE 100 (cont)

### 171/271

		*	20	*	40	*	60		
LpDFRa	:	GTSYWTTCGAGTTTG.	AGAGAATGGO	CTTCCAGGGC	AAGGTGTGTG1	TACTGGGGCC	TCTGG	:	60
LpDFRa	:	ctttgttgcttcttg	80 GCTTGTCAA	* AGACTACTO	100 GAGTCCGGTT	* ATAATGTTCTA	120 .GGGAC	:	120
LpDFRa	:	* AGTCAGAGACCCAGG	140 CAATCAGAAG	* GAAGGTAGCA	160 CACCTCTGGA/	* ACTTAGCAGGG	180 GCCAA	:	180
LpDFRa	:	* GGAAAGGTTGGAGCT	200 TGTCAAAGC	* PGACCTCTTG	220 GAAGAAGGGA	* SCTTCGATGAT	240 GCTGT	:	240
LpDFRa	:	* GATGGCCTGTGAGGG	260 TGTCTTCCA	* CACTGCATCA	280 CCTATCATCA	* CCAAATCTGA1	300 ACCAA	:	300
LpDFRa	:	* GGAAGAAATGCTTGA	320 TTCTGCAAT	* FAACGGCACT	340 CTAAACGTGC	* rgagatcgtg(	360 AAGAA	:	360
LpDFRa	:	gaatccttttctcaa	380 AAGGGTTGT	* ICTCACGTCA	400 TCATCGTCAA	* CCGTGAGGCTC	420 BAGGGA	:	420
LpDFRa	:	* TGAAGCTGAATTCCC	440 ACCCAACGIN	* GTTGCTGGAT	460 GAAACATCAT	* GGAGCTCCGT	480 GAGTT	:	480
LpDFRa	:	* CTGTGAAAGTATCCA	500 .GGTATGGTA	* rggtgtcgcg	520 AAGATCCTTG	* CTGAGAAATC?	540 GCTTG	:	540
LpDFRa	:	* GGAGTTCGCCAAGGA	560 GAACAACAT	* CGACCTAGTG	580 GCTGTTCTTC	* CAACGTTCGT	600 ATTGG	:	600
LpDFRa	:	* ACCTAATCTCTCGTC	620 TGAATTAGG	* ACCCACTGTT	640 TTAGATGTCC	* TTGGCTTATT	660 AAAGG	:	660
LpDFRa	:	* AGAGACAGAGAAGTT	680 CACCATGTT	* TKGGAAGGAT	G : 695				

### 172/271

		*	20	*	40	*	60		
LpDFRa	:	VFSSLREWLPGQVC	VTGASGFVAS	VLVKRLLESG	YNVLGTVRDF	GNQKKVAHLWI	NLAGAK	:	60
		*	80	*	100	*	120		
LpDFRa	:	ERLELVKADLLEEG	SFDDAVMACE	FVFHTASPII	TKSDTKEEML	DSAINGTLNV:	LRSCKK	;	120
		*	140	*	160	*	180		
LpDFRa	:	NPFLKRVVLTSSSS	TVRLRDEAEFI	PPNVLLDETS	WSSVEFCESI	QVWYGVAKIL:	AEKSAW	:	180
		*	200	*	220	*			
LADERA		DESCRIPTION OF STREET	PTFVTGPNLS	SELGPTVLDV	T.GLFKGETEK	FTMFGKD :	231		




FIGURE 103

### 174/271

		*		500	*	520	×	540	
LpDFRa1	:	TGTGAAAGTA	TCCAGG	TATGGTATG	GTGTCGCGAA	GATCCTTC	CTGAGAAATC		530
LpDFRa2	:	TGTGAAAGTA	PCCAGG	TATEGUATE	GTGTCGCGAA	GATCUTTO	CTGAGAAATC	AGC11GG	. 334
LpDFRa3	:								
LpDFRa4	:	TGTGAAAGTA	TCCAGG	TATEGTACE	GTGTCGCAAA	GATCCTTC	CCGAGAAATC	REGULTEE:	:538
LpDFRa5	:							:	
		*		560	*	580	*	600	
LpDFRa1	:	GAGTTCGCCA	AGGAGA	ACAACATCG	ACCTAGTGGC	TGTTCTTC	CAACGTTCGT	CATTICEA :	:590
LpDFRa2	:	GAGTTCGCCA	AGGAGA	ACAACATCG	ACCTAGTGGC	TGTTCTT	CAACGTTCGT	e).\usu(e(e)g	:594
LpDFRa3	:								:=
LpDFRa4	:	GAGTTTGCCA	AGGAGA	ACAACATCG	ACCTAGTGGC	TGTTCTT	CAACATICGT	ertuineen:	:598
LpDFRa5	:								: -
		*		620	*	640	*	660	
LpDFRal	:	CCTAATCTCT	CGTCTG	AATTAGGAC	CCACTGTTTT	AGATGTC	TTGGCTTATT		: 650
LpDFRa2	:	CCTAATCTCT	CGTCTG	AATTAGGAC	CCACTGTTT	AGATGTC	TTGGCTTATT	WATERNEEP	: 654
LpDFRa3	:								:
LpDFRa4	:	CCTAATCTCT	CGTCTG	AATTAGGAC	CCACTGTTTT	AGATGTC	TTGGCTTATT	PAAAGGA	:658
LpDFRa5	:								: -
		*		680	*				
LpDFRa1		GAGACAGAGA	AGTTCA	C		: 667			
LpDFRa2		GAGACAGAGA			GGAAGGATG	: 688			
LoDFRa3						: -			
LpDFRa4		GAGACAGAGA	AGTTCA	CCATGTTTC	GGAAGGAN-	: 691			
LoDFRa5						: -			

# FIGURE 103 (cont)

### 175/271


LpDFRb	:	* 20 * : GTCCTCGCCTACGAGCGCCCGACGCCCGCGGCC	GCTACCTCTGC	CATCGGGGCCG	TGCTG	:	60
LpDFRb	:	* 80 * : CACCGCGCGCACTTCCTAAAGCTTCTCAAGGACC	100 CTCTTCCCGCAC	* STACTCCTTC#	120 ACCGCC	:	120
LpDFRb	:	* 140 * : AAGTGCGAAGACGACGCCATGGCGAAGC	160 CCGTACAAGTTY	* CTCCNACCAG	180 AGGCTC	:	180
LpDFRb	:	* 200 * : AGGGACCTGGGATTAAAATTCACTCCGCTGGCGC	220 GAAAGTTTGTAG	* CGAGACCGTG	240 ACGTGC	:	240
LpDFRb	:	* 260 * CTGCAAAAAATGGCCACCTGCCTCTGCCCGCTC	280 CCCATGGCGCC	* AAAGCGTGCA1	300 PACCTA	:	300
LpDFRb	:	* 320 * : TAATACTACAAAGACACGGCCGGGATCGACAAGG	340 CCAAGAAACAGA	* AGGATTCTCC	360 CGAGGT	:	360
LpDFRb	:	* 380 * TCACCATGGAATTGTGTATTCACAAAGTTTGAA	400 ATTCTTATTTT	* PTTATTATG!	420 AAGAAA	:	420
LpDFRb	:	* 440 * : TACGGAAAACCAATACTGTATACCAGAGGCAAG	460 IGTAACAATGTA	* AAATAGTCGTX	480 STAAAT	:	480
Labesh		* 500 * • CTTCTTCARGAATGAATGATAAACTATTTTTCC	520	: 524			

### 176/271

		*	20	*	40	*	60		
LpDFRb	:	VLAYERPDARGRY	LCIGAVLHRAHF	LKLLKDLFF	QYSFTAKCEDD	GKPMAKPYKF	SXQRL :	6	0

\* 80 \* 100 LDDFRb : RDLGLKFTPLAESLYETVTCLQKNGHLPLPAPMAPKRAYL : 100

#### 177/271



### 178/271

LpF3Ha	:	TCTCNAGACACACTGTGTAACCACGGTAGCGAGTGGCAAGACTAGCAGAAAGTACGGACA	:	60
LpF3Ha	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	120
LpF3Ha	:	* 140 * 160 * 180 AGTGATCGGGTGGCACGCTCCAAGAAAGTCCCATCTAGCCACGTTAGAGCGGTGGGAGAC	:	180
LpF3Ha	:	* 200 * 220 * 240 CGCCCAGACCTCGCCAATGTCGACCACGAGTCCGGCGCGGGGCATTCCGCTCATCGACCTG	:	240
LpF3Ha	:	* 250 * 280 * 300 AAGCAGCTCGAAGGTCCAGGGCCCCAGGGTCGTCGAGGCCATCGGCTCCGCGTGCGAG	:	300
LpF3Ha	:	* 320 * 340 * 360 AACGATGGGTTTTTCATGGTGACGAATCATGGCATCCCAGAGGCGGTCGTGGAGGGGATG	:	360
LpF3Ha	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	420
LpF3Ha	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	480
LpF3Ha	:	* . 500 * 520 * 540 agcaactggggggacttcctccggctgcattgctaccctcttgagaggttcgtcgaccag	:	540
LpF3Ha		* 560 * 580 * 600 TGGCCGTCGAACCCGCCCTTCAGGCAAGTCGTCGGCACCTACTCGACGGAAGCGAAG	:	600
LpF3Ha	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	660
LpF3Ha	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	720
LpF3Ha	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	780
LpF3Ha	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	840
LpF3Ha	:	* 860 * 880 * 900 GCCGTCCACCCCACGCCCAACGCCTGGTCATCAACCTAGGCGACCAGCTACAGGCGCTG	:	900
LpF3Ha	:	* 920 * 940 * 960 AGCAACGGCGCGTACAAGAGCGTGTGGCACCGGGCAGTGGTGAACGCGGAGCAGGAGCGT	:	960
LpF3Ha	:	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	:	1020
LpF3Ha		* 1040 * 1060 * 1080 CTCGTCGGCGACGGGAGGACCCCGTCTACCGGAGGTACTACCACGAGGAGTACTACAAG	:	1080
r =====u=		* 1100 * 1120 * 1140	,	1140

### 179/271

		*	1160	*	1180	*	1200	
LpF3На	:	TGATGCTTGAACC	TTGAGTTACTA	GCTAGCTCTC	CTTAACAGT	GCAAATCCATG	GCCCAA	:1200
		*	1220	*	1240	*	1260	
LpF3Ha	:	GAGGGCCCCGATT	GCATGGTTACT	TATGTTGTTI	'GAACTGGTA'	PTGCTTAAGTG	CCTAAT	:1260
		*	1280	*	1300	*	1320	
LpF3Ha	:	AACATTGCTACAT	TCTACTNCTAT	CTTGTCCGT1	TAAAATTAT	AAGATGGCCTA	ACCTTT	:1320
		*	1340	*	1360	*	1380	
LpF3Ha	;	TTCTTAATTGTAT	GCATNCTGAAC	ATATTTAAGI	GTGTGTGTT	CAGACAGTTTA	GTCTGC	:1380

LpF3Ha : A :1381

# FIGURE 107 (cont)

### 180/271

pF3Ha	:	* MSNPLLSDRVARSKKVF	20 SSHVRAVGDRPD	* LANVDHES	40 GAGIPLIDLKQ	* LEGPGRRRV	60 VEA	:	60
рРЗНа	:	IGSACENDGFFMVTNHG	80 IPEAVVEGMLSV	* AREFFHLI	100 PESERLKCYSDD		120 SFN	:	120
р <b>г</b> 3на	:	* VRTEKVSNWRDFLRLHC	140 YPLESFVDQWPS	* NPPAFRQ\	160 VVGTYSTEARAL		180 ESL	:	180
ър ГЗНа	:	* GLERGHMVKAMGRHAQH	200 MAVNYYPPCPQP	* ELTYGLPO	220 SHTDPNALTILL		240 VLR	:	240
р ГЗНа	:	* DGAKWIAVHPRPNALVI	260 NLGDQLQALSNG	* AYKSVWHE	280 RAVVNAEQERLS		300 ISAV	:	300
рР3На	:	* ICPAPRLVGDGEDPVYR	320 SYTYDEYYKRFW	* SRNLDQEF	340 KCLELFRSQH :	·346			





FIGURE 109

#### 182/271



# FIGURE 109 (cont)




FIGURE 110


### 184/271

1	GAATTC GATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	GACTCTCAGA
51	ACACACTGTG	TAACCACGGT	AGCGAGTGGC	AAGACTAGCA	GAAAGTACGG
101	ACATCAGCTA	ACCATTCCTC	AACTAGAATA	AGCATGGCTC	CGGCGATGTC
151	CAACCCTCTC	CTCAGTGATC	GGGTGGCACG	CTCCAAGAAA	GTCCCATCTA
201	GCCACGTTAG	AGCGGTGGGA	GACCGCCCAG	ACCTCGCCAA	TGTCGACCAC
251	GAGTCCGGCG	CGGGCATTCC	GCTCATCGAC	CTGAAGCAGC	TCGAAGGTCC
301	AGGGCGCCGC	AGGGTCGTCG	AGGCCATCGG	CTCCGCGTGC	GAGAACGATG
351	GGTTTTTCAT	GGTGACGAAT	CATGGCATCC	CAGAGGCGGT	CGTGGAGGGG
401	ATGCTGAGCG	TGGCGAGGGA	GTTCTTCCAC	CTGCCGGAGT	CGGAGCGGCT
451	CAAGTGCTAC	TCCGACGACC	CCAAGAAGGC	GGTCCGGCTG	TCGACGAGCT
501	TCAACGTGCG	CACGGAGAAG	GTGAGCAACT	GGCGCGACTT	CCTCCGGCTG
551	CATTGCTACC	CTCTTGAGAG	CTTCGTCGAC	CAGTGGCCGT	CGAACCCGCC
601	CGCCTTCAGG	CAAGTCGTCG	GCACCTACTC	GACGGAAGCG	AGAGCGCTGG
651	CGCTGAGGCT	CCTGGAGGCG	ATATCGGAGA	GCCTAGGGCT	GGAGAGAGGC
701	CACATGGTGA	AGGCCATGGG	GCGGCACGCG	CAGCACATGG	CGGTGAACTA
751	CTACCCGCCG	TGCCCGCAGC	CGGAGCTCAC	CTACGGTCTG	CCAGGGCACA
801	AGGACCCCAA	TGCCATCACG	CTCCTCCTGC	AGGACGGCGT	CTCCGGCCTG
851	CAGGTCCAGC	GCGACGGCCG	GTGGGTGGCC	GTCAACCCGG	TGCCCAACGC
901	CCTCGTCATC	AACATCGGCG	ATCAGTTACA	GGCGCTGAGC	AACGACCGAT
951	ACAAGAGCGT	GAACCACAGA	GTGATCGTCA	ACAGCGCGAG	CGAGAGGATT
1001	TCGGTGCCGA	CGTTCTACTG	CCCGTCGCCG	GACACGGTGG	TCGCGCCGGC
1051	CGACGCGCTG	GTGGACGACG	CCCACCCTCG	GGCCTACCAG	CCCTTCACGT
1101	ACCAGGAGTA	CTACGAGGAG	TTCTGGAAGA	TGGGCCTTCA	GTCAGCAAGT
1151	TGCCTCGACA	GGTTCCGACG	GATCGAGTGA	TGGACAAGAC	GTGGGCCGTT
1201	GTTATCTCCT	GGGCCATGAG	CGTTGCCGCA	GCCGATGTGT	CGCCATATGG
1251	TGGAGACGTT	TCCTCCCTCC		AATAAAACAG	AGTGGAGACC
1301	ACTAGAACCG	TCAGATAGCA		AAAAAAAAA	
1351	AAAAGTACTC	TGCGTTGTTA	CCACTGCTTA	ATCACTAGTG	AATTC


### 185/271

1	MAPAMSNPLL	SDRVARSKKV	PSSHVRAVGD	RPDLANVDHE	SGAGIPLIDI
51	KQLEGPGRRR	VVEAIGSACE	NDGFFMVTNH	GIPEAVVEGM	LSVAREFFHI
101	PESERLKCYS	DDPKKAVRLS	TSFNVRTEKV	SNWRDFLRLH	CYPLESFVDQ
151	WPSNPPAFRQ	VVGTYSTEAR	ALALRLLEAI	SESLGLERGH	MVKAMGRHAÇ
201	HMAVNYYPPC	PQPELTYGLP	GHKDPNAITL	LLQDGVSGLQ	VQRDGRWVAV
251	NPVPNALVIN	${\tt IGDQLQALSN}$	DRYKSVNHRV	IVNSASERIS	VPTFYCPSPI
301	TVVAPADALV	DDAHPRAYQP	FTYQEYYEEF	WKMGLQSASC	LDRFRRIE

#### 186/271




## pDH51LpF3OH sense




pDH51LpF3OH anti

### 187/271



pPZP221:35S2LpF3OH sense



pPZP221:35S2LpF3OH anti





FIGURE 115

#### 189/271



**TrBANa** 


### 190/271

1	GAATTC GATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	ATAAAAACTG
51	CACTAGTGTG	TATAAGTTTC	TTGGTGAAAA	AAGAGTTTGT	AAATTAACAT
101	CATGGCTAGT	ATCAAACAAA	TTGGAAACAA	GAAAGCATGT	GTGATTGGTG
151	GCACTGGTTT	TGTTGCATCT	ATGTTGATCA	AGCAGTTACT	TGAAAAGGGT
201	TATGCTGTTA	ATACTACCGT	TAGAGACCCA	GATAGCCCTA	AGAAAATATC
251	TCACCTAGTG	GCACTGCAAA	GTTTGGGGGA	ACTGAATCTA	TTTAGAGCAG
301	ACTTAACAGT	TGAAGAAGAT	TTTGATGCTC	CTATAGCAGG	ATGTGAACTT
351	GTTTTTCAAC	TTGCTACACC	TGTGAACTTT	GCTTCTCAAG	ATCCTGAGAA
401	TGACATGATA	AAGCCAGCAA	TCAAAGGTGT	${\tt GTTGAATGTG}$	TTGAAAGCAA
451	TTGCAAGAGC	AAAAGAAGTT	AAAAGAGTTA	TCTTAACATC	TTCGGCAGCC
501	GCGGTGACTA	TAAATGAACT	CAAAGGGACA	GGTCATGTTA	TGGATGAAAC
551	CAACTGGTCT	GATGTTGAAT	TTCTCAACAC	TGCAAAACCA	CCCACTTGGG
601	GTTATCCTGC	CTCAAAAATG	CTAGCTGAAA	AGGCTGCATG	GAAATTTGCT
651	GAAGAAAATG	ACATTGATCT	AATCACTGTG	ATACCTAGTT	TAACAACTGG
701	TCCTTCTCTC	ACACCAGATA	TCCCATCTAG	TGTTGGCTTG	GCAATGTCTC
751	TAATAACAGG	CAATGATTTT	CTCATAAATG	CTTTGAAAGG	AATGCAGTTT
801	CTGTCGGGTT	CGTTATCCAT	CACTCATGTT	GAGGATATTT	GCCGAGCTCA
851	TATATTTCTT	GCAGAGAAAG	AATCAGCTTC	TGGTAGATAC	ATTTGCTGTG
901	CTCACAATAC	TAGTGTTCCC	GAGCTTGCAA	AGTTTCTCAA	CAAACGATAT
951	CCTCAGTATA	AAGTTCCAAC	TGAATTTGAT	GATTGCCCCA	GCAAGGCAAA
1001	GTTGATAATC	TCTTCTGAAA	AGCTTATCAA	AGAAGGGTTC	AGTTTCAAGC
1051	ATGGTATTGC	CGAAACTTTC	GACCAGACTG	TCGAGTATTT	TAAGACTAAG
1101	GGGGCACTGA	AGAATTAGAT	TTTGATATTT	CTAATTCAAT	AGCAAACTCT
1151	AAGCTTGTTA	TGTGTTTGTG	AAGTTCAGAG	TGAAATATCA	AATGAATAAG
1201	TGGAGAGAGC	ACAATAAGAG	GAGAGCACAA	TAATTTTGGA	AAAAAAAAA
1251	AAAAAAAAA	AAAAAAAGT	ACTCTGCGTT	GTTACCACTG	CTTAATCACT
1301	AGT <b>GAATTC</b>				


#### 191/271

1	MASIKQIGNK	KACVIGGTGF	VASMLIKQLL	EKGYAVNTTV	RDPDSPKKIS
51	HLVALQSLGE	LNLFRADLTV	EEDFDAPIAG	CELVFQLATP	VNFASQDPEN
101	DMIKPAIKGV	LNVLKAIARA	KEVKRVILTS	SAAAVTINEL	KGTGHVMDET
151	NWSDVEFLNT	AKPPTWGYPA	SKMLAEKAAW	KFAEENDIDL	ITVIPSLTTG
201	PSLTPDIPSS	VGLAMSLITG	NDFLINALKG	MQFLSGSLSI	THVEDICRAH
251	IFLAEKESAS	GRYICCAHNT	SVPELAKFLN	KRYPQYKVPT	EFDDCPSKAK
301	LIISSEKLIK	EGFSFKHGIA	ETFDQTVEYF	KTKGALKN	

#### 192/271




# pDH51TrBANa sense




pDH51TrBANa anti

#### 193/271




pPZP221:35S2TrBANa sense



pPZP221:35S2TrBANa anti

### 194/271



TrCHla


1	<b>GAATTC</b> GATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	GACTTAAACA
51	TTGACACAAG	TCCCAAATAA	AAAAGATCTG	AAACAACATA	GTCACCCCAT
101	TTTTTAACAT	TAAACTAAAA	ATATGTCGGC	CATCACCGCA	ATCCAAGTCG
151	AGAACCTTGA	ATTTCCGGCT	GTGGTTACTT	CTCCGGCCAC	CGGTAAGTCA
201	TATTTTCTTG	GTGGTGCAGG	GGAGAGAGGT	TTGACTATTG	AAGGAAACTT
251	CATCAAGTTC	ACTGCCATAG	GAGTATATTT	GGAAGATGTA	GCAGTGGCTT
301	CACTTGCCAC	TAAATGGAAG	GGTAAATCCT	CTGAGGAGTT	GCTTGAGACT
351	CTTGACTTCT	ATAGAGACAT	CATTTCAGGA	CCCTTTGAAA	AGTTGATTCG
401	AGGATCGAAG	ATTAGGGAAT	TGAGTGGTCC	TGAGTACTCA	AGGAAGGTTA
451	ATGAAAACTG	CGTGGCACAC	TTAAAATCTG	TTGGGACTTA	TGGAGATGCT
501	GAAGCTGAAG	CTATGCAAAA	ATTTGTTGAA	GCCTTCAAGC	CTATTAATTT
551	TCCACCTGGT	GCCTCTGTTT	TTTACAGGCA	ATCACCTGAT	GGAATATTAG
601	GGCTTAGTTT	CTCTCAAGAT	GCAAGTATAC	CAGAAAAGGA	GGCTGCAGTA
651	ATAGAGAACA	AGGCAGCTTC	ATCGGCAGTG	TTAGAAACTA	TGATTGGTGA
701	ACATGCTGTT	TCTCCTGATT	TAAAGCGTTG	TTTGGCTGCA	AGATTACCTG
751	CCTTGTTGAA	CGAGGGTACT	TTCAAGATTG	AATGAAAACT	GATTATTATT
801	ATCTCCAAAA	GCATTGCAGC	ACAAGATTGA	GTCATTTATG	AGCATGGACA
851	TTTTTATGTC	CACACATGTT	TAACTTTTGT	ATCTCTCTTT	AGATTCTCAT
901	CAATATCAAT	AATACTAATA	TGAAACGAAG	TCAAAAAAA	AAAAAAAAA
951	AAAAAAAAA	AAAAGTACTC	${\tt TGCGTTGTTA}$	CCACTGCTTA	ATCACTAGT <b>G</b>
1001	AATTC				

### 196/271


1	MSAITAIOVE	NLEFPAVVTS	PATGKSYFLG	GAGERGLTIE	GNFIKFTAIG
---	------------	------------	------------	------------	------------

- 51 VYLEDVAVAS LATKWKGKSS EELLETLDFY RDIISGPFEK LIRGSKIREL
- 101 SGPEYSRKVN ENCVAHLKSV GTYGDAEAEA MQKFVEAFKP INFPPGASVF
- 151 YRQSPDGILG LSFSQDASIP EKEAAVIENK AASSAVLETM IGEHAVSPDL
- 201 KRCLAARLPA LLNEGTFKIE

#### 197/271




# pDH51TrCHIa sense




pDH51TrCHIa anti

#### 198/271




pPZP221:35S2TrCHla sense



pPZP221:35S2TrCHla anti

### 199/271



**TrCHId** 

### 200/271


1	GAATTCACTA	GTGATTAAGC	AGTGGTAACA	ACGCAGAGTA	CGCGGGGACA
51	TTACAACTCA	CAACACCTTC	TCCATTACCA	TCTATCTTCT	ACTAAGTTCA
101	ACGAGATCAA	TGGCACTTCC	TTCTGTCACC	GCTTTGAATA	TCGAGAACAA
151	TCTATTCCCT	CCTACCGTCA	CACCACCGGG	ATCCACCAAC	AATTTCTTCC
201	TCGGCGGTGC	AGGAGAGCGG	GGTCTTCAAA	TTCAAGACAA	ATTTGTCAAA
251	TTCACCGCTA	TTGGTGTTTA	TCTACAGGAC	ATTGCTGTTC	CTTACCTCGC
301	CACTAAATGG	AAGGGTAAGA	CTGCTCAAGA	GCTAACGGAA	ACTGTTCCTT
351	TCTTCAGGGA	CATCGTTACA	GGTCCATTTG	AGAAATTTAT	GCAGGTGACA
401	ATGATCTTGC	CATTGACTGG	GCAACAATAC	TCAGAGAAAG	TGTCAGAAAA
451	TTGTGTAGCT	ATTTGGAAGT	CTCTTGGGAT	TTATACCGAC	GAAGAAGCCA
501	AAGCAATTGA	GAAGTTTGTT	TCTGTCTTCA	AAGATGAAAC	ATTCCCACCA
551	GGCTCCTCTA	TCCTTTTCAC	AGTATTACCC	AAAGGATTAG	GATCACTAAC
601	GATAAGTTTC	TCTAAAGATG	GATCCATTCC	AGAGACCGAG	TCTGCAGTTA
651	TAGAGAATAA	GCTACTCTCA	CAAGCTGTGC	TTGAGTCGAT	GATAGGGGCG
701	CACGGTGTCT	CCCCTGCAGC	AAAACAGAGT	TTGGCCACCA	GGTTATCCGA
751	GTTATTCAAC	GAGGTTGGTG	ATGCTAGCAA	CTGATTATAT	CAACAAAACG
801	AAAATGAAAG	TCCTTTCTGC	AATAAAGACC	AAGCGGAAAT	TTTATTTTAG
851	GTGCACTTTG	AAATGACCTC	TTTGGCGACT	TTTTCTTGTA	CTAATAATAA
901	AGAGTGTGTT	TGTATCATGT	TGTAATTTTA	TTTTAGAAAA	AGTGAGGTAA
951	GAAAGGAGTC	CTTATGTTTA	TTTCAATTAT	TGAAAAATTA	TTTGCATGTA
1001	TAATTGATTT	CAACTGATGT	TATTTAATCA	CGTTTTTTCT	AAAAAAAAA
1051	AAAAAAAAA	AAAAAAAAA	GTACTCTGCG	TTGTTACCAC	TGCTTAATCG
1101	3.3 mmc				

#### 201/271


1	MALPSVTALN	IENNLFPPTV	TPPGSTNNFF	LGGAGERGLQ	IQDKFVKFT.
---	------------	------------	------------	------------	------------

- 51 IGVYLQDIAV PYLATKWKGK TAQELTETVP FFRDIVTGPF EKFMQVTMIL
- 101 PLTGQQYSEK VSENCVAIWK SLGIYTDEEA KAIEKFVSVF KDETFPPGSS
- 151 ILFTVLPKGL GSLTISFSKD GSIPETESAV IENKLLSQAV LESMIGAHGV
- 201 SPAAKQSLAT RLSELFNEVG DASN

#### 202/271




# pDH51TrCHId sense




pDH51TrCHId anti

#### 203/271



pPZP221:35S2TrCHId sense



pPZP221:35S2TrCHId anti





FIGURE 131

1	GAATTCGATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	GATTCAAACA
51	TAGCTCAAAG	TGTGTAACAA	ATTTCTTAAC	TTAAAACATT	TTCAACCCAA
101	CAAAAAAAAA	CAAAGACAAA	AACATGGGTA	GTGTTGAAAT	TCCAACAAAG
151	GTTCTTACTA	ACAGTTCTAG	TCAAGTGAAA	ATGCCTGTGG	TTGGAATGGG
201	ATCAGCACCT	GATTTCACAT	GTAAGAAAGA	CACAAAAGAT	GCAATCATTG
251	AAGCCATCAA	ACAGGGTTAT	AGACACTTTG	ATACTGCTGC	TGCTTATGGC
301	TCAGAACAAG	CTCTTGGTGA	AGGTTTGAAA	GAAGCAATTG	AACTTGGTCT
351	TGTCACTAGA	GAAGACCTTT	TTGTTACTTC	TAAACTTTGG	GTCACTGAAA
401	ATCATCCTCA	TCTTGTTGTT	CCTGCTCTTC	AAAAATCTCT	CAAGACTCTT
451	CAATTGGAGT	ACTTGGACTT	GTATTTGATC	CATTGGCCAC	TTAGTTCTCA
501	GCCTGGAAAG	TTTTCATTTC	CAATTGATGT	GGCAGATCTC	TTGCCATTTG
551	ATGTGAAGGG	TGTTTGGGAA	TCCATGGAAG	AAGGCTTGAA	ACTTGGACTC
601	ACTAAAGCTA	TTGGTGTTAG	TAACTTCTCT	GTCAAGAAAC	TTCAAAATCT
651	TGTCTCAGTT	GCCACTGTTC	TTCCTGCTGT	CAATCAAGTG	GAGATGAACC
701	TTGCATGGCA	ACAAAAGAAG	CTTAGAGAAT	TTTGCAATGC	AAATGGAATA
751	GTGTTAACTG	CATTTTCACC	ATTGAGAAAA	GGTGCAAGCA	GGGGACCAAA
801	TGAAGTTATG	GAAAATGATA	TGCTTAAAGA	GATTGCAGAT	GCTCATGGAA
851	AGTCTGTTGC	ACAAATTTCA	TTGAGATGGT	TATATGAACA	AGGAGTCACT
901	TTTGTTCCCA	AGAGCTATGA	TAAGGAAAGA	ATGGGTCAAA	ATTTGGCTAT
951	CTTTGATTGG	ACATTGGCAA	AAGAAGATCA	TGAGAAAATT	GATCAAATTA
1001	AGCAGAACCG	TTTGATCCCT	GGACCAACCA	AGCCAGGACT	CAGTGACCTA
1051	TGGGATGATG	AAATATAAAG	TGGAAGATGT	TAAAAGTCCC	TTAAGCTCAC
1101	TCAATATCTA	TCTATTGTGT	ACTTTTTGCA	TTTGGGGTTT	GAAATTGAGT
1151	CACCCTTGTT	TCTGTATCGA	TTTAAAATTT	AAATAATCAA	TTTTTCATTA
1201	CAAAAAAAAA	AAAAAAAAA	AAAAAAAAA	AGTACTCTGC	GTTGTTACCA
1251	CTGCTTAATC	ACTAGT <b>GAAT</b>	TC		


# 206/271

1	MGSVEIPTKV	LINSSSQVKM	PVVGMGSAPD	FTCKKDTKDA	TIENTKÖGIR
51	HFDTAAAYGS	EQALGEGLKE	AIELGLVTRE	DLFVTSKLWV	TENHPHLVVE
101	ALQKSLKTLQ	LEALDFAFIH	WPLSSQPGKF	SFPIDVADLL	PFDVKGVWES
151	MEEGLKLGLT	KAIGVSNFSV	KKLQNLVSVA	TVLPAVNQVE	MNLAWQQKKI
201	REFCNANGIV	LTAFSPLRKG	ASRGPNEVME	NDMLKEIADA	HGKSVAQISI
251	RWLYEQGVTF	VPKSYDKERM	GQNLAIFDWT	LAKEDHEKID	QIKQNRLIPG
301	PTKPGLSDLW	DDEI			

#### 207/271




# pDH51TrCHRc sense




pDH51TrCHRc anti

#### 208/271




pPZP221:35S2TrCHRc sense



pPZP221:35S2TrCHRc anti

#### 209/271




TrCHSa1


1	GAATTCGATT	AAGCAGTGGT	ATCAACGCAG	AGTACGCGGG	GACAACAACT
51	ATAACTTCCT	GTTATTAACC	AATTGAGTTC	AAATTACATA	CATAGCAGGA
101	ACTATACTAA	AGATATCAAC	ATGGTTAGTG	TTTCTGAAAT	TCGCAAGGCT
151	CAAAGGGCTG	AAGGCCCTGC	AACTATTTTG	GCCATTGGTA	CTGCAAATCC
201	AGCAAATCGT	GTTGACCAGA	GTACATATCC	TGATTTCTAC	TTCAAAATCA
251	CTAACAGTGA	GCATAAGGTT	GAGCTTAAAG	AGAAATTTCA	GCGCATGTGT
301	GATAAATCTA	TGATCAAGAG	CAGATACATG	TATCTAACAG	AAGAGATTTT
351	GAAAGAAAAT	CCTAGTCTTT	GTGAATACAT	GGCACCTTCA	TTGGATGCTA
401	GGCAAGACAT	GGTGGTGGTT	GAGGTACCTA		GGAGGCTGCA
451	GTGAAAGCTA	TCAAAGAATG	GGGTCAACCA	AAGTCAAAGA	TTACTCACTT
501	AATCTTTTGC	ACCACAAGTG	GTGTTGACAT	GCCTGGTGCC	GATTACCAAC
551	TCACAAAACT	CTTAGGTCTT	CGCCCATATG	TGAAGAGGTA	CATGATGTAC
601	CAACAAGGGT	GCTTTGCAGG	TGGGACGGTT	CTTCGTTTGG	CCAAGGATTT
651	GGCCGAGAAC	AACAAAGGTG	CTCGTGTGTT	GGTTGTTTGC	TCTGAAGTAA
701	CCGCAGTCAC	ATTCCGCGGC	CCCAGTGACA	CTCATTTGGA	CAGTCTTGTT
751	GGACAAGCAC	TATTCGGAGA	TGGAGCTGCT	GCACTCATTG	TTGGCTCAGA
801	CCCAGTACCA	GAAATTGAGA	AGCCAATATT	TGAGATGGTT	TGGACCGCAC
851	AGACAATTGC	TCCAGATAGT	GAAGGTGCCA	TTGATGGTCA	TCTTCGTGAA
901	GCTGGACTAA	CATTTCATCT	TCTTAAAGAT	GTTCCTGGGA	
951	GAACATTGAT	AAGGCATTGG	TTGAGGCATT	CCAACCATTA	
1001	ATTACAATTC	AATCTTTTGG	ATTGCTCATC		
1051	GACCAAGTTG	AGATAAAGTT	GGGCTTAAAA		
1101	CAGAGATGTA	CTTAGTGAAT	ATGGTAACAT	GTCAAGTGCA	TGTGTATTGT
1151	TCATCTTAGA	TGAGATGAGA	AAGAAATCGG	CTGAAAATGG	
1201	ACAGGAGAAG	GACTTGACTG	GGGTGTGTTG		GGCCCGGACT
1251	TACCATTGAA	ACTGTTGTTC	TACATAGTGT		GAATGAGAGA
1301	CTTGATTTGT	TTTTATTGTA	TTGTATTGTA		TCTTGGTTGA
1351	ACCTCCATTT	TAAGAATAAA			ATCCTGTTAA
1401	AATAATATAT	CGTTAATAGC	TATTATTTA		CTTTTTACTA
1451	AACTATTTA	TTTTAGTATT	TGTTTTTGAC		AAAAAAAAA
1501	AAAAAAAGTA	CTCTGCGTTG	TTACCACTGC	TTAATCACTA	GTGAATTC

1	MVSVSEIRKA	QRAEGPATIL	AIGTANPANR	VDQSTYPDFY	FKITNSEHKV
51	ELKEKFQRMC	DKSMIKSRYM	YLTEEILKEN	PSLCEYMAPS	LDARQDMVVV
101	EVPRLGKEAA	VKAIKEWGQP	KSKITHLIFC	${\tt TTSGVDMPGA}$	DYQLTKLLGI
151	RPYVKRYMMY	QQGCFAGGTV	LRLAKDLAEN	NKGARVLVVC	SEVTAVTFRG
201	PSDTHLDSLV	GQALFGDGAA	ALIVGSDPVP	EIEKPIFEMV	WTAQTIAPDS
251	EGAIDGHLRE	AGLTFHLLKD	VPGIVSKNID	KALVEAFQPL	NISDYNSIFW
301	IAHPGGPAIL	DQVEIKLGLK	PEKMKATRDV	LSEYGNMSSA	CVLFILDEMF
351	KKSAENGLKT	TGEGLDWGVL	FGFGPGLTIE	TVVLHSVAI	

#### 212/271




# pDH51TrCHSa1 sense




pDH51TrCHSa1 anti

#### 213/271




pPZP221:35S2TrCHSa1 sense



pPZP221:35S2TrCHSa1 anti

# 214/271




TrCHSa3


1	GAATTCACTA	GTGATTAAGC	AGTGGTAACA	ACGCAGAGTA	CGCGGGGAAC
51	AAAAACAACT	ACGCATATTA	TATATATATA	TATATAGTCT	ATAATTGAAA
101	GAAACTGCTA	AAGATATTAT	TAAGATATGG	TGAGTGTAGC	TGAAATTCGC
151	AAGGCTCAGA	GGGCTGAAGG	CCCTGCAACC	ATTTTGGCCA	TTGGCACTGC
201	AAATCCACCA	AACCGTGTTG	AGCAGAGCAC	ATATCCTGAT	TTCTACTTCA
251	AAATTACAAA	CAGTGAGCAC	AAGACTGAGC	TCAAAGAGAA	GTTCCAACGC
301	ATGTGTGACA	AATCCATGAT	CAAGAGCAGA	TACATGTATC	TAACAGAAGA
351	GATTTTGAAA	GAAAATCCTA	GTCTTTGTGA	ATACATGGCA	CCTTCATTGG
401	ATGCTAGGCA	AGACATGGTG	GTGGTTGAGG	TACCTAGACT	TGGGAAGGAG
451	GCTGCAGTCA	AGGCCATTAA	AGAATGGGGT	CAACCAAAGT	CAAAGATTAC
501	TCACTTAATC	TTTTGCACCA	CAAGTGGTGT	TGACATGCCT	GGTGCTGATT
551	ACCAACTCAC	AAAACTCTTA	GGTCTTCGCC	CATATGTGAA	AAGGTATATG
601	ATGTACCAAC	AAGGTTGTTT	TGCAGGAGGC	ACGGTGCTTC	GTTTGGCAAA
651	AGATTTGGCC	GAGAACAACA	AAGGTGCTCG	TGTGCTAGTT	GTTTGTTCTG
701	AAGTCACCGC	AGTCACATTT	CGCGGCCCCA	GTGATACTCA	CTTGGACAGT
751	CTTGTTGGAC	AAGCATTGTT	TGGAGATGGA	GCCGCTGCAC	TAATTGTTGG
801	TTCTGATCCA	GTGCCTGAAA	TTGAGAAACC	AATATTTGAG	ATGGTTTGGA
851	CTGCACAAAC	AATTGCTCCA	GACAGTGAAG	GTGCCATTGA	TGGTCATCTT
901	CGTGAAGCTG	GGCTAACATT	TCATCTTCTT	AAAGATGTTC	CTGGGATTGT
951	ATCAAAGAAC	ATTAATAAAG	CATTGGTTGA	GGCTTTCCAA	CCATTAGGAA
1001	TTTCTGACTA	CAACTCAATC	TTTTGGATTG	CACACCCGGG	TGGACCTGCA
1051	ATTCTTGATC	AAGTAGAACA	AAAGCTAGCC	TTGAAGCCCG	AAAAGATGAG
1101	GGCCACGAGG	GAAGTTCTAA	GTGAATATGG	AAACATGTCA	AGCGCATGTG
1151	TATTGTTCAT	CTTAGATGAG	ATGCGGAAGA		AAATGGACTT
1201	AAGACAACTG	GAGAAGGACT	TGATTGGGGT		GCTTCGGACC
1251	AGGACTTACC	ATTGAAACCG	TTGTTCTTCG		ATATAAGATG
1301	TGTGATTGTT	TTTATTTAA	TGTATTACTT		TGCCTTGAAT
1351	TTCGATTTAA	GAATAAATAA	ATATATCTTT		AAAAAAAAA
1401	AAAAAAAAAA	AAGTACTCTG	CGTTGTTACC	ACTGCTTAAT	CGAATTC

1	MVSVAEIRKA	QRAEGPATIL	AIGTANPPNR	VEQSTYPDFY	FKITNSEHKT
51	ELKEKFQRMC	DKSMIKSRYM	YLTEEILKEN	PSLCEYMAPS	LDARQDMVVV
101	EVPRLGKEAA	VKAIKEWGQP	KSKITHLIFC	TTSGVDMPGA	DYQLTKLLGI
151	RPYVKRYMMY	QQGCFAGGTV	LRLAKDLAEN	NKGARVLVVC	SEVTAVTFRG
201	PSDTHLDSLV	GQALFGDGAA	ALIVGSDPVP	EIEKPIFEMV	WTAQTIAPDS
251	EGAIDGHLRE	AGLTFHLLKD	VPGIVSKNIN	${\tt KALVEAFQPL}$	GISDYNSIF
301	IAHPGGPAIL	DQVEQKLALK	PEKMRATREV	LSEYGNMSSA	CVLFILDEMF
351	KKSAQNGLKT	TGEGLDWGVL	FGFGPGLTIE	TVVLRSVAI	

#### 217/271




# pDH51TrCHSa3 sense




pDH51TrCHSa3 anti

### 218/271




pPZP221:35S2TrCHSa3 sense



pPZP221:35S2TrCHSa3 anti

### 219/271




**TrCHSc** 

### 220/271


					as mmas s mam
1	GAATTCGATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	GATTCAATCT
51	GTTGTGCATA	AAATTCACTC		AAACCATACA	CATTTGATCT
101	TGCAAAGAAG	AAATATGGGA	GACGAAGGTA		TGTCACAAAG
151	CAGACAACCC	CTGGGAAGGC	TACTATATTG		AGGCATTCCC
201	TCACCAACTT	GTGATGCAAG	AGTGTTTAGT	TGATGGTTAT	TTTAGGGACA
251	CTAATTGTGA	CAATCCTGAA	CTTAAGCAGA	AACTTGCTAG	ACTTTGTAAG
301	ACAACCACGG	TAAAAACAAG	GTATGTTGTT	ATGAATGAGG	AGATACTAAA
351	GAAATATCCA	GAACTTGTTG	TCGAAGGCGC	CTCAACTGTA	
401	TAGAGATATG	TAATGAGGCA	GTAACACAAA	TGGCAATTGA	AGCTTCCCAA
451	GTTTGCCTAA	AGAATTGGGG	TAGATCCTTA	TCGGACATAA	CTCATGTGGT
501	TTATGTTTCA	TCTAGTGAAG	CTAGATTACC	CGGTGGTGAC	CTATACTTGT
551	CAAAAGGACT	AGGACTAAAC	CCTAAAATTC	AAAGAACCAT	GCTCTATTTC
601	TCTGGATGCT	CGGGAGGCGT	AGCCGGCCTT	CGCGTTGCGA	AAGACGTAGC
651	TGAGAACAAC	CCTGGAAGTA	GAGTTTTGCT	TGCTACTTCG	GAAACTACAA
701	TTATTGGATT	CAAGCCACCA	AGTGTTGATA	GACCTTATGA	TCTTGTTGGT
751	GTGGCACTCT	TTGGAGATGG	TGCTGGTGCA	ATGATAATTG	GCTCAGACCC
801	GGTATTTGAA	ACTGAGACAC	CATTGTTTGA	GCTGCATACT	TCAGCTCAGG
851	AGTTTATACC	AGACACCGAG	AAGAAAATTG	ATGGGCGGCT	GACGGAGGAG
901	GGCATAAGTT	TCACACTAGC	AAGGGAACTT	CCGCAGATAA	TCGAAGACAA
951	TGTTGAGGGA	TTCTGTAATA	AACTAATTGA	TGTTGTTGGG	TTGGAGAATA
1001	AGGAGTACAA	TAAGTTGTTT	TGGGCTGTGC	ATCCAGGTGG	GCCTGCGATA
1051	TTGAATCGCG	TGGAGAAGCG	GCTTGAGTTG	TCGCCGCAGA	AGCTGAATGC
1101	TAGTAGAAAA	GCTCTAATGG	ATTATGGAAA	TGCTAGCAGC	AATACTATTG
1151	TTTATGTGCT	GGAATATATG	CTAGAAGAGG		TAAAAAGGCG
1201	GGTGGAGGAG	ATTCTGAATG	GGGATTGATA		GACCTGGAAT
1251	TACTTTTGAG	GGGATTCTAG	CAAGGAACTT		AGTCTTATAC
1301	AATTGTGATG	CATGACTTAT	ACTCTTATTT		TTATATTAAG
1351	CAAATTCAGA	ACTTTTAAGT	AATGATTTAA		TTATAGTATA
1401	TTGACTTTAT	TCACTTTCAA			ACATGGTAGA
1451	ACTTGAGCAT	GTGGAATAGT	TGTAACAAAA		
1501	TTATGTAGTA	TAAAGCATTT	CCAGACATGA		
1551	CATAAAATAT	ATTTAGCTAT	CTTTCATCCC		
1601	GGTACAGAAT	AAGCATATGT			
1651	AGTAACCAAA				
1701	GCATAGATCT			GGAAGGCGTA	
1751	TCCGCCGAAA				AACAGTGCAG
1801	AGTCATGCGG				
1851	TTATGAACTA				
1901	ATGAATGTCT			ACCATGACGG	
1951	TACCCCAAGG				
	GAAATAGTAA				
2001					
	AAATGTAAAC				
2101 2151					
2201					
2251					
2301				TCACTAGTGA	
2351	AAAGTACTCT	GCGTTGTTAC	. CACIGCITAL	LONCINGION	

1	MGDEGIVRGV	TKQTTPGKAT	${\tt ILALGKAFPH}$	${\tt QLVMQECLVD}$	GYFRDTNCDI
51	PELKQKLARL	CKTTTVKTRY	VVMNEEILKK	YPELVVEGAS	TVKQRLEIC
101	EAVTQMAIEA	SQVCLKNWGR	SLSDITHVVY	VSSSEARLPG	GDLYLSKGLO
151	LNPKIQRTML	YFSGCSGGVA	GLRVAKDVAE	NNPGSRVLLA	TSETTIIGF
201	PPSVDRPYDL	VGVALFGDGA	GAMIIGSDPV	FETETPLFEL	HTSAQEFIP
251	TEKKIDGRLT	EEGISFTLAR	ELPQIIEDNV	EGFCNKLIDV	VGLENKEYN
301	LFWAVHPGGP	AILNRVEKRL	ELSPQKLNAS	RKALMDYGNA	SSNTIVYVL
351	YMLEEEKKIK	KAGGGDSEWG	LILAFGPGIT	FEGILARNLC	A

### 222/271



# pDH51TrCHSc sense




pDH51TrCHSc anti

#### 223/271




pPZP221:35S2TrCHSc sense



pPZP221:35S2TrCHSc anti

### 224/271



TrCHSd2


## 225/271

1	GAATTCGATT	AAGCAGTGGT	AACAACGCAG		GATAGCAACA
5.1	CACACTTTGA	TTTCTTTTTG	AGTCCTTGCT	ACGTGGCTTT	ACCAAAAAAC
101	GTTGCTAAGT	CATCAACCAT	TCCAATTCCT	TAATATAACC	TATCAGTACT
151	CACCATCTTT	TCTTCCTCCC	TGCTAACTTT	AGACTCAGAG	AAGATGGTGA
201	ATGTTAATGA	GATCCGCCAG	GCACAGAGAG	CTGAAGGCCC	TGCCACCGTG
251	TTGGCAATCG	GCACTGCAAC	TCCTCCAAAC	TGTGTCGATC	AGAGTACATA
301	CCCAGACTAC	TACTTCCGCA	TCACAAACAG	TGAGCACAAG	ACAGAGCTCA
351	AAGAAAAATT	CCAGCGCATG	TGTGACAAAT	CTATGATTAA	GAAGAGATAC
401	ATGCATTTGA	CAGAAGAGAT	TTTGAAGGAG	AATCCAAGTT	TATGTGAGTA
451	CATGGCACCT	TCATTGGATG	CAAGACAAGA	CATGGTGGTT	GTGGAAGTAC
501	CAAGGCTAGG	AAAAGAGGCT	GCAACAAAGG	CTATCAAGGA	ATGGGGTCAA
551	CCTAAGTCCA	AGATTACTCA	CCTCATCTTT	TGCACCACAA	GTGGTGTGGA
601	CATGCCTGGC	GCCGACTATC	AGCTTACAAA	GCTTTTAGGC	CTTCGTCCGC
651	ATGTGAAGCG	TTATATGATG	TACCAACAAG	GTTGTTTCGC	TGGTGGTACG
701	GTGCTTCGTT	TGGCTAAAGA	CTTGGCTGAA	AACAACAAAG	GTGCCCGTGT
751	GTTGGTGGTT	TGTTCAGAGA	TCACTGCGGT	TACTTTCCGT	GGACCCAGTG
801	ACACTCATCT	TGATAGCCTT	GTGGGGCAAG	CATTGTTTGG	AGATGGTGCA
851	GCAGCTGTGA	TTGTAGGTTC	AGACCCATTA	CCACAAGTTG	AGAAGCCCTT
901	GTTTGAATTG	GTATGGACTG	CTCAAACAAT	CCTTCCAGAC	AGTGAAGGAG
951	CCATTGATGG	GCACCTTCGT	GAAGTCGGGC	TGACATTCCA	TCTCCTCAAG
1001	GATGTTCCTG	GACTCATCTC	AAAGAACATT	GAGAAAGCTC	TTGTTGAGGC
1051	CTTTCAACCT	TTAGGTATCT	CTGATTACAA	TTCTATATTT	TGGATCGCAC
1101	ATCCTGGTGG	ACCTGCAATT	CTGGACCAAG	TGGAAGCCAA	ATTAAGCTTA
1151	AAGCCAGAGA	AAATGCAAGC	CACCCGGCAT	GTGCTTAGCG	AGTATGGTAA
1201	CATGTCAAGT	GCATGTGTGT			AGGAGGAAGT
1251	CAAAAGAAGA	TGGACTTGCC	ACAACAGGCG		ATGGGGTGTA
1301	CTATTCGGTT	TTGGACCCGG			TGCTCCATAG
1351	TGTTGCCACT	TAAATTGCCT			CTTATTTAAT
1401	TCTTTGTTTC	TGGGGGATTI			AGCATTTGAA
1451	TAAAGTTTGT	TTTAATTATI			CTTAATGTAC
1501	CCATCCATAT				
1551	GAAAAAAAAA				
1601	AAAAAAAAAA	. AAAAAAAAA	AAGTACTCTG	CGTTGTTACC	ACTGCTTAAT
1651	CACTAGTGAA	TTC			


### 226/271

1	MVNVNEIRQA	QRAEGPATVL	AIGTATPPNC	VDQSTYPDYY	FRITNSEHKT
51	ELKEKFQRMC	DKSMIKKRYM	HLTEEILKEN	PSLCEYMAPS	LDARQDMVVV
101	EVPRLGKEAA	TKAIKEWGQP	KSKITHLIFC	TTSGVDMPGA	DYQLTKLLGL
151	RPHVKRYMMY	QQGCFAGGTV	LRLAKDLAEN	NKGARVLVVC	SEITAVTFRG
201	PSDTHLDSLV	GQALFGDGAA	AVIVGSDPLP	QVEKPLFELV	WTAQTILPDS
251	EGAIDGHLRE	VGLTFHLLKD	VPGLISKNIE	KALVEAFQPL	GISDYNSIFV
301	IAHPGGPAIL	DQVEAKLSLK	PEKMQATRHV	LSEYGNMSSA	CVLFILDEMF
351	RKSKEDGLAT	TGEGLEWGVL	FGFGPGLTVE	TVLLHSVAT	

#### 227/271



# pDH51TrCHSd2 sense




pDH51TrCHSd2 anti

### 228/271




pPZP221:35S2TrCHSd2 sense



pPZP221:35S2TrCHSd2 anti

# 229/271



**TrCHSf** 

### 230/271


1	GAATTCGATT	AAGCAGTGGT	AACAACGCAG		ACTAAGCCTT
51	GATTCATTGT	TTGTTTCCAT	AACACAAGAA	CTAGTGTTTG	CTTGAATCTT
101	AAGAAAAAT	GCCTCAAGGT	GATTTGAATG	GAAGTTCCTC	GGTGAATGGA
151	GCACGTGCTA	GACGTGCTCC	TACTCAGGGA	AAGGCAACGA	TACTTGCATT
201	AGGAAAGGCT	TTCCCCGCCC	AGGTCCTCCC	TCAAGAGTGC	TTGGTGGAAG
251	GATTCATTCG	CGACACTAAG	TGTGACGATA	CTTATATTAA	GGAGAAATTG
301	GAGCGTCTTT	GCAAAAACAC	AACTGTGAAA	ACAAGATACA	CAGTAATGTC
351	AAAGGAGATC	TTAGACAACT	ATCCAGAGCT	AGCCATAGAT	GGAACACCAA
401	CAATAAGGCA	AAAGCTTGAA	ATAGCAAATC	CAGCAGTAGT	TGAAATGGCA
451	ACAAGAGCAA	GCAAAGATTG	CATCAAAGAA	TGGGGAAGGT	CACCTCAAGA
501	TATCACACAC	ATAGTCTATG	TTTCCTCGAG	CGAAATTCGT	CTACCCGGTG
551	GTGACCTTTA	TCTTGCAAAT	GAACTCGGCT	TAAACAGCGA	TGTTAATCGC
601	GTAATGCTCT	ATTTCCTCGG	TTGCTACGGC	GGTGTCACTG	GCTTACGTGT
651	CGCCAAAGAC	ATCGCCGAAA	ATAACCCTGG	TAGTAGGGTG	TTACTCACAA
701	CATCCGAGAC	CACTATTCTC	GGTTTTCGAC	CACCGAGTAA	AGCTAGACCT
751	TATGACCTCG	TTGGCGCTGC	ACTTTTCGGT	GATGGCGCCG	CTGCTGCAAT
801	AATTGGAACA	GACCCTATAT	TGAATCAAGA	ATCACCTTTC	ATGGAATTGA
851	ACCATGCAGT	CCAAAAATTC	TTGCCTGATA	CACAAAATGT	GATTGATGGT
901	AGAATCACTG	AAGAGGGTAT	TAATTTTAAG	CTTGGAAGAG	ACCTTCCTCA
951	AAAAATTGAA	GACAATATTG	AAGAATTTTG	CAAGAAAATT	ATGGCTAAAA
1001	GTGATGTTAA	GGAATTTAAT	GACTTATTT	GGGCTGTTCA	TCCTGGTGGG
1051	CCAGCTATAC	TCAATAAGCT	AGAAAATATA	CTCAAATTGA	AAAGTGATAA
1101	ATTGGATTGT	AGTAGGAAGG	CATTAATGGA	TTATGGAAAT	GTTAGTAGCA
1151	ATACTATATT	CTATGTGATG	GAGTATATGA	GAGATTATTT	GAAGGAAGAT
1201	GGAAGTGAAG	AATGGGGATT	AGGATTGGCT	TTTGGACCAG	GGATTACTTT
1251	TGAAGGGGTT	CTCCTCCGTA	GCCTTTAATC	TTGAAATAAT	AATTCATATG
1301	AAATTACTTG	TCTTAAGATT	GTGATAGGAA		TATTGGATTA
1351	ATATTGATAT	GGTGTTATTT	TAAGTTGATT	TTAAAAAAAG	TTTATTAATA
1401	AAGTATGATG	TAACAATTGT	TGTTTGAATG	TTAAAAGGGA	AGTATACTAT
1451	TTTAAGTTCT	TGACCATACT	GATTTTTTCT	TTACACATTT	TCATATCTAA
1501	AATTGTTCTA	TGATATCTTC	ATTGTTGATA		ATAATATCTA
1551	ATTTGGCTGG			CGAAAAAAA	AAAAAAAAA
1601	AAAAAAAAAA	AAGTACTCTG	CGTTGTTACC	ACTGCTTAAT	CACTAGTGAA
1651	TTC				

## 231/271


1	MPQGDLNGSS	SVNGARARRA	${\tt PTQGKATILA}$	LGKAFPAQVL	PQECLVEGFI
51	RDTKCDDTYI	KEKLERLCKN	${\tt TTVKTRYTVM}$	SKEILDNYPE	LAIDGTPTIR
101	QKLEIANPAV	VEMATRASKD	CIKEWGRSPQ	DITHIVYVSS	SEIRLPGGDL
151	YLANELGLNS	DVNRVMLYFL	GCYGGVTGLR	VAKDIAENNP	GSRVLLTTSE
201	TTILGFRPPS	KARPYDLVGA	ALFGDGAAAA	IIGTDPILNQ	ESPFMELNHA
251	VQKFLPDTQN	VIDGRITEEG	INFKLGRDLP	QKIEDNIEEF	CKKIMAKSDV
301	KEFNDLFWAV	HPGGPAILNK	LENILKLKSD	KLDCSRKALM	DYGNVSSNTI

351 FYVMEYMRDY LKEDGSEEWG LGLAFGPGIT FEGVLLRSL

#### 232/271




# pDH51TrCHSf sense




pDH51TrCHSf anti

### 233/271




pPZP221:35S2TrCHSf sense



pPZP221:35S2TrCHSf anti

### 234/271



**TrCHSh** 


#### 235/271

1	GAATTCACTA	GTGATTAAGC	AGTGGTAACA	ACGCAGAGTA	CGCGGGGGAA
51	TCCACCAAAT	CAACACCATT	AATAACCTTC	CAAATTCTCG	TTACCTCACC
101	AAATCTCATT	TTTCATTATA	TATCTTGGGT	ACATCTTTTG	TTACCTCCAA
151	CAAAAAAATG	GTGACCGTAG	AAGAGATTCG	TAACGCCCAA	CGTTCAAATG
201	GCCCTGCCAC	TATCTTAGCT	TTTGGCACAG	CCACTCCTTC	TAACTGTGTC
251	ACTCAAGCTG	ATTATCCTGA	TTACTACTTT	CGTATCACCA	ACAGCGAACA
301	TATGACTGAT	CTTAAGGAAA	AATTCAAGCG	GATGTGTGAT	AGATCAATGA
351	TAAAGAAACG	TTACATGCAC	CTAACAGAAG	ACTTTCTGAA	GGAGAATCCA
401	AATATGTGTG	AATACATGGC	ACCATCACTA	GATGTAAGAC	GAGACATAGT
451	GGTTGTTGAA	GTACCAAAGC	TAGGTAAAGA	AGCAGCAAAA	
501	GTGAATGGGG	ACAACCAAAA	TCCAAAATCA	CACATCTTGT	
551	ACTTCCGGTG	TTGACATGCC	GGGAGCCGAT	TACCAACTCA	CCAAACTTTT
601	AGGCTTAAAA	CCTTCTGTCA	AGCGTCTCAT	GATGTATCAA	
651	TCGCTGGCGG	CACAGTTCTC	CGCTTAGCAA	AAGACCTTGT	TGAGAATAAC
701	AAAAATGCAA	GAGTTCTTGT	TGTTTGTTCT	GAAATTACTG	CGGTTACTTT
751	TCGTGGACCA	TCGGATACTC	ATCTTGATTC	GCTCGTGGGA	CAGGCGCTTT
801	TTGGTGATGG	AGCCGCAGCA	ATGATTATTG	GTGCGGATCC	TGATTTAACC
851	GTGGAGCGTC	CGATTTTCGA	GATTGTTTCG	GCTGCTCAGA	
901	TGATTCTGAT	GGCGCAATTG	ATGGACATCT	TCGTGAAGTG	GGGCTCACTT
951	TTCATTTATT	GAAAGATGTT	CCGGGGATTA	TTTCAAAGAA	
1001	AGTTTAGTTG	AAGCTTTTGC	GCCTATTGGG	ATTAATGATT	GGAACTCAAT
1051	ATTTTGGGTT	GCACATCCAG	GTGGACCGGC	TATTTTAGAC	CAGGTTGAAG
1101	AGAAACTCCA	TCTTAAAGAG	GAGAAACTCC	GGTCCACCCG	GCATGTGCTT
1151	AGTGAATATG	GAAATATGTC	AAGTGCATGT	GTTTTATTTA	TTTTGGATGA
1201	AATGAGAAAG	AGGTCTAAAG	AGGAAGGGAT	GATTACAACT	GGTGAAGGGT
1251	TGGAATGGGG	TGTGTTGTTT	GGGTTTGGAC	CGGGTTTAAC	TGTTGAAACC
1301	GTTGTGCTTC	ATAGTGTTCC	GGTTCAGGGT	TGAATTTATT	ATACATAGAT
1351	TGGAAAATAA	AATTTGCCTG	CCGAGAGATG	TGAACTAACT	TTGTAGGCAA
1401	GCTCAAATTA	AAGTTTGAGA	TAATATTGTG	CTTTAGTTAT	TATGGTATGT
1451	AATGTAATGT	TTTTACTTTT	TTCGAAATTC	ATGTAATTTG	ATATGTAAAG
1501	TAATATGTTT	GGGTTGGAAT	ATAATTATTT		AAAAAAAAA
1551	AAAAAAAAA	AAAAAGTACT	CTGCGTTGTT	ACCACTGCTT	AATC <b>GAATTC</b>


# 236/271

1	MVTVEEIRNA	QRSNGPATIL	AFGTATPSNC	VTQADYPDYY	FRITNSEHMT
51	DLKEKFKRMC	DRSMIKKRYM	HLTEDFLKEN	PNMCEYMAPS	LDVRRDIVVV
101	EVPKLGKEAA	KKAICEWGQP	KSKITHLVFC	${\tt TTSGVDMPGA}$	DYQLTKLLGL
151	KPSVKRLMMY	QQGCFAGGTV	LRLAKDLVEN	NKNARVLVVC	SEITAVTFRG
201	PSDTHLDSLV	GQALFGDGAA	AMIIGADPDL	TVERPIFEIV	SAAQTILPDS
251	DGAIDGHLRE	VGLTFHLLKD	VPGIISKNIE	KSLVEAFAPI	GINDWNSIFW
301	VAHPGGPAIL	DQVEEKLHLK	EEKLRSTRHV	LSEYGNMSSA	CVLFILDEMR
351	KRSKEEGMIT	TGEGLEWGVL	FGFGPGLTVE	TVVLHSVPVQ	G

#### 237/271




# pDH51TrCHSh sense




pDH51TrCHSh anti

#### 238/271



pPZP221:35S2TrCHSh sense



pPZP221:35S2TrCHSh anti

### 239/271



**TrDFRd** 


# 240/271

	1	GAATTC ACTA	GTGATTAAGC	AGTGGTAACA	ACGCAGAGTA	CGCGGGGGTG
	51	ACTTGATCTA	GCAGTTATCA	AACACAACAG	TCTTCCACTT	GAGCTCTGTT
	101	TCTCCACATG	TCGAAGCTAG	TTTGCGTCAC	CGGCGGCAGC	GGATGCATCG
	151	GTTCATGGCT	AGTCCATCTC	CTTCTCCTCC	GCGGCTACAC	TGTTCACGCC
	201	ACCGTCCAAA	ATCTCAATGA	TGAGAACGAA	ACGAAGCATC	TAGAAGCTCT
	251	CGAAGGAGCA	CAAACTAATC	TCCGTCTCTT	CCAGATCGAT	CTCCTTAACT
	301	ACGACACAAT	CCTCGCTGCT	GTCCGCGGTT	GCGTCGGAAT	TTTCCACCTC
	351	GCTTCACCTT	GCACTGTAGA	CAAAGTTCAT	GATCCTCAGA	AGGAGCTTTT
	401	GGATCCTGCA	ATTAAAGGGA	CTTTGAATGT	GCTTACTGCA	GCTAAGGAAG
	451	TAGGGGTGAA	GCGTGTGGTT	GTTACCTCGT	CTGTCTCGGC	GATTACTCCT
	501	AGTCCTGATT	GGCCTTCTGA	TGTTGTTAAA	AGAGAGGATT	GTTGGACTGA
	551	TGTTGAATAT	TGCAAGAAAA	AAGAGTTGTG	GTATCCGTTG	TCCAAAACAT
	601	TGGCTGAGAA	AGCTGCGTGG	GATTTTTCCA	AAGAAAATGG	TTTGGATGTT
	651	GTTGTGGTGA	ATCCCGGTAC	TGTGATGGGT	CCTGTTATTC	CACCACGGCA
	701	TAATGCAAGC	ATGCTCATGC	TTGTGAGACT	TCTTGAAGGC	TGCGCTGAAA
	751	CATTTGAAGA	CTATTTTATG	GGATTGGTCC	ACTTCAAAGA	TGTAGCATTG
	801	GCGCATATTT	TGGTGTATGA	GAACAAAGAA	GCATCTGGTA	GACATGTGTG
	851	TGTTGAAACT	ATCTCTCACT	ACGGTGATTT	TGTGGCAAAA	GTTGCTGAAC
	901	TTTATCCAGA	ATATAGTGTT	CCTAGGATGC	AGCGAGATAC	GCAACCTGGA
	951	TTGTTGAGAG	CGAATGATGG	ATCAAAGAAG	CTCATAGATT	TGGGTTTGGA
1	.001	ATTCATTCCA	ATGGAGCAAA	TTATCAAGGA	TGCTGTAGAG	AGTTTGAAGA
1	.051	ACAAAGGATT	CATTTCTTGA	ATGATGTTAC	TGTTCTTTGG	AGAACCCTAT
1	.101	AGTTACCAGA	GTATAGACTA	AATAATATAT	AGGTGATGGG	TCAGAGAATG
1	.151	AGTACTTATG	TCATGAGTTG	TGTCTGTATA	ATATGTTTTC	TCAATTCTTA
1	.201	TATGTTAAAT	TGCTAATGTT	AACTTCAATA	TTTATCAGCC	AGTATTGTTT
1	.251	TTTTAATAAA	ATATTGAAGC	AAAAAAAAA	AAAAAAAAA	AAAAAAAGT
1	.301	ACTCTGCGTT	GTTACCACTG	СТТААТССКА	TTC	


### 241/271

1	MSKLVCVTGG	SGCIGSWLVH	${\tt LLLLRGYTVH}$	${\tt ATVQNLNDEN}$	ETKHLEALEG
51	AQTNLRLFQI	DLLNYDTILA	AVRGCVGIFH	LASPCTVDKV	HDPQKELLDI
101	AIKGTLNVLT	AAKEVGVKRV	VVTSSVSAIT	PSPDWPSDVV	KREDCWTDVE
151	YCKKKELWYP	LSKTLAEKAA	WDFSKENGLD	VVVVNPGTVM	GPVIPPRHNA
201	SMLMLVRLLE	GCAETFEDYF	${\tt MGLVHFKDVA}$	LAHILVYENK	EASGRHVCVI
251	TISHYGDFVA	KVAELYPEYS	VPRMQRDTQP	GLLRANDGSK	KLIDLGLEFI
301	PMEQIIKDAV	ESLKNKGFIS			

#### 242/271




# pDH51TrDFRd sense




pDH51TrDFRd anti

#### 243/271



pPZP221:35S2TrDFRd sense



pPZP221:35S2TrDFRd anti

### 244/271



TrF3Ha


### 245/271

1	GAATTC GATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	GACCACTCTA
51	TTTATTTCTA	CTTAAACCTC	ACAAAAAATA	AACCACACAA	CACACAAACA
101	CCAAAAACAG	AGCACCGTTT	CCATCATCAA	ACAATGGCAC	CAGCCAAAAC
151	TCTAAGTTAT	CTCTCACAAC	AAAACACTCT	CGAGTCAAGT	TTCGTTAGGG
201	AAGAAGATGA	GCGTCCAAAA	GTTGCCTACA	ATAACTTCAG	CAACGAGATT
251	CCAATCATTT	CTCTTGCTGG	AATTGATGAG	GTTGATGGTC	GTAGAACAGA
301	GATATGTAAC	AAGATTGTTG	AAGCTTGTGA	GAATTGGGGT	ATTTTTCAGG
351	TTGTTGATCA	TGGTGTTGAT	ACAAAACTTG	TTTCTGAGAT	GACCCGTTTT
401	GCTAGAGAGT	TTTTTGCTTT	GCCACCGGAA	GAGAAGCTCC	GGTTTGACAT
451	GTCCGGTGGT	AAAAAGGGTG	GTTTCATTGT	CTCTAGTCAT	CTTCAAGGAG
501	AAGCAGTGAA	GGATTGGAGA	GAGCTAGTGA	CATATTTTTC	ATACCCAATT
551	AAACAAAGAG	ATTATTCAAG	GTGGCCAGAC	AAGCCAGAAG	GATGGAAAGA
601	GGTAACAGAA	AAATACAGTG	AAAACCTAAT	GAATTTAGCT	TGCAAGCTAT
651	TGGAAGTTTT	ATCAGAAGCA	ATGGGTTTAG	AAAAAGAAGC	TCTAACAAAA
701	GCATGTGTTG	ATATGGATCA	AAAAGTTGTT	ATAAATTATT	ACCCAAAATG
751	CCCTGAACCT	GACCTCACAC	TTGGCCTTAA	ACGTCACACT	GACCCTGGCA
801	CAATTACTCT	TTTGCTTCAA	GATCAAGTTG	GTGGTCTTCA	AGCTACCAAA
851	GATAATGGTA	AGACGTGGAT	TACAGTTCAA	CCAGTTGAAG	GTGCTTTTGT
901	TGTTAATCTT	GGAGACCATG	GTCACTATCT	AAGTAATGGA	CGGTTCAAAA
951	ATGCTGACCA	TCAAGCAGTG	GTGAATTCGA	ACTACAGCCG	TTTATCAATA
1001	GCAACATTTC	AAAATCCAGC	TCCAGATGCA	ACTGTGTACC	CTTTGAAGAT
1051	TAGAGATGGT	GAAAAATCTG	TGTTGGAAGA	ACCAATCACT	TTTGCTGAAA
1101	TGTATAGAAG	GAAGATGACC	AAAGACCTTG	AAATTGCTAG	GATGAAGAAG
1151	TTGGCTAAGG	AACAACAACT	TAGGGACTTG	GAGGAGAACA	AGACTAAATA
1201	TGAGGCCAAA	CCTTTGAATG	AGATCTTTGC	TTAATTAATT	AGTCTTAATT
1251	TAAATAATAA	ATTTTAGACT	TAATTTACAT	ATAATAATTT	TAATTTTTTG
1301	TTCAATTAAT	CTATGTTTAA	TTTGTCGTTA	TTGTCCACGT	GTATTAAGCT
1351	GCTTGGTTGT	GTGTGCCTTG	GAGAATAATC	AATAATATTA	CATCTATGTT
1401	TAATTATAAA	AAAAAAAAA	AAAAAAAAA	GTATCTGCGT	TGTTACCACT
1451	GCTTAATCAC	$\mathrm{TAGT} \mathbf{GAATTC}$			


### 246/271

1	${\tt MAPAKTLSYL}$	SQQNTLESSF	VREEDERPKV	AYNNFSNEIP	IISLAGIDEV
51	DGRRTEICNK	IVEACENWGI	FQVVDHGVDT	KLVSEMTRFA	REFFALPPEE
101	KLRFDMSGGK	KGGFIVSSHL	QGEAVKDWRE	${\tt LVTYFSYPIK}$	QRDYSRWPD
151	PEGWKEVTEK	YSENLMNLAC	KLLEVLSEAM	${\tt GLEKEALTKA}$	CVDMDQKVVI
201	NYYPKCPEPD	LTLGLKRHTD	PGTITLLLQD	QVGGLQATKD	NGKTWITVQ
251	VEGAFVVNLG	DHGHYLSNGR	FKNADHQAVV	NSNYSRLSIA	TFQNPAPDAT
301	VYPLKIRDGE	KSVLEEPITF	AEMYRRKMTK	DLEIARMKKL	AKEQQLRDLE
351	ENKTKYEAKP	LNEIFA			

#### 247/271




# pDH51TrF3Ha sense




pDH51TrF3Ha anti

#### 248/271




pPZP221:35S2TrF3Ha sense



pPZP221:35S2TrF3Ha anti

#### 249/271



**TrPAL**a


# 250/271

1	GAATTCGATT	AAGCAGTGGT		AGTACGCGGG	GAGGAAATTC
51	ACAACTCAAA	TATTCCTTTA	ATTCTTTCAT	ATAATCATTT	GAATTTCCAT
101	TCTCCCTAAA	AATTCTATAG	CTACCACATC	ACACAACATA	ACAAATTAAG
151	AAATATTTAT	TACTATATTA	AGATATGGAA	GTAGTAGCAG	CAGCAATCAC
201	AAAAAACAAT	GGCAAGATTG	ATTCATTTTG	CTTGAATCAT	GCTAATGCTA
251	ATAACATGAA	AGTGAATGGT	GCTGATCCTT	TGAATTGGGG	TGTGGCTGCT
301	GAGGCAATGA	AGGGAAGTCA	CTTGGATGAG	GTGAAGCGTA	TGGTGGAGGA
351	ATACCGGAAA	CCGGTTGTCC	GTCTTGGTGG	CGAGACACTA	ACCATTTCTC
401	AGGTGGCTGC	CATTGCTGCA	CACGATGGTG	CAACGGTGGA	GCTATCGGAA
451	TCTGCTAGAG	CCGGCGTTAA	GGCAAGCAGT	GACTGGGTTA	TGGAGAGTAT
501	GAACAAAGGT	ACCGACAGCT	ACGGTGTCCC	AACAGGGTTC	GGCGCTACCT
551	CGCACCGCCG	AACCAAACAA	GGTGGTGCTT	TGCAGAAAGA	GCTCATAAGG
601	TTTTTGAATG	CTGGAATATT	TGGAAATGGA	ACTGAGTCAA	GCCACACACT
651	ACCACACACA	GCCACAAGAG	CTGCCATGCT	AGTGAGAATC	AACACACTTC
701	TCCAAGGCTA	TTCAGGAATT	AGATTTGAAA	TCTTAGAAGC	TATCACCAAG
751	CTTCTTAACA	ACAATGTCAC	CCCATGTTTA	CCGCTTCGCG	GTACAATCAC
801	AGCTTCAGGA	GATTTAGTCC	CTCTTTCTTA	CATTGCTGGT	TTACTAACCG
851	GACGACCAAA	TTCCAAGGCT	CATGGACCTT	CTGGAGAAGT	ACTTAATGCA
901	AAACAAGCTT	TTCAATCAGC	TGGAATCGAT	GCCGAGTTCT	TTGAATTACA
951	ACCAAAAGAA	GGCCTTGCCC	TTGTTAACGG	AACCGCTGTT	GGTTCTGGTT
1001	TAGCTTCTAT	TGTTCTTTTT	GAGGCTAATA	TATTGGCGGT	GTTGTCTGAA
1051	GTTCTATCTG	CAATTTTCGC	TGAAGTTATG	CAAGGGAAGC	CCGAATTTAC
1101	CGATCATTTG	ACACATAAGT	TGAAACATCA	CCCTGGTCAA	ATTGAGGCTG
1151	CTGCTATTAT	GGAACACATT	TTGGATGGGA	GTGCTTATGT	TAAAGACGCT
1201	AAGAAGTTGC	ATGAGATGGA	TCCTTTACAG	AAGCCAAAAC	AAGATAGATA
1251	TGCACTTAGG	ACTTCGCCAC	AATGGCTTGG	TCCTTTGATT	GAAGTGATTA
1301	GATTCTCTAC	CAAGTCAATT	GAGAGAGAGA	TCAACTCTGT	CAATGACAAT
1351	CCTTTGATTG	ATGTTTCAAG	GAACAAGGCT	TTGCATGGTG	GAAATTTTCA
1401	AGGAACACCT	ATCGGAGTAT	CCATGGATAA	TACACGTTTG	GCTCTTGCAT
1451	CAATTGGCAA	ACTTATGTTT	GCTCAATTCT	CTGAGCTTGT	CAATGATTTT
1501	TACAACAATG	GATTGCCATC	AAATCTCTCT	GCTAGTAGAA	ATCCGAGCTT
1551	GGATTATGGG	TTCAAGGGAT	CCGAAATTGC	CATGGCTTCT	TATTGTTCCG
1601	AGTTGCAATA	TCTTGCAAAT	CCGGTTACAA	CTCATGTCCA	AAGTGCGGAA
1651	CAACACAACC	AAGATGTCAA	CTCTTTGGGT	TTGATTTCTT	CTAGAAAAAC
1701	TTATGAAGCA	ATTGAGATCC	TTCAATTGAT	GTCTTCCACA	TTCTTGATTG
1751	CACTTTGTCA	AGCAATTGAT	TTAAGACATT	TGGAGGAGAA	TTTGAAAAAC
1801	TCGGTCAAAA	ATACCGTAAG	CCAAGTGGCC	AAAAAGACAC	TAACCATAGG
1851	TGTCAATGGA	GAACTTCATC	CTTCAAGATT	TTGTGAAAAA	GACTTATTGA
1901	AAGTGGTTGA	TAGGGAACAT	GTCTTTGCCT	ACATTGATGA	TCCTTGTAGT
1951	GCTACATACC	CATTGATGCA	AAAACTCAGG	CAAGTACTAG	TGGATCATGC
2001	ATTAGTTAAT	GGAGAAAGTG	AGAAGAATTT	GAACACATCA	ATCTTCCAAA
2051	AGATTGCAAC	TTTTGAGGAA	GAGTTGAAAA	ACCTTTGCCA	AAAGAGGTTG
2101	AAAGTGCAAG	GATTGCATAT	GAAAGTGGAA	ATTCAACAAT	TCCAAACAAG
2151	ATCAATGGAT	GCAGATCTTA	TCCACTCTAC	AATTTTGTGA	GAAAGGAGTT
2201	GGGAACTGGT	TTGCTAACTG	GAGAAAATGT	CATTTCACCG	GGTGAAGAGT
2251	GTGACAAACT	ATTCACAGCT	ATGTGTCAAG	GAAAAATCAT	TGATCCTCTT
2301	CTTGAATGCT	TGGGAGAGTG	GAACGGTGCT	CCTCTTCCAA	TTTGTTAACT
2351	TTGATTGTTA	GTTCATAAAA	TGTTTTATTT	GTATTTATCA	TTTGTATTTA
2401	TGCGAGTGTA	GTAATAATGA	TTAGGTGTTT	TGTGCCTTTA	ATGAAAAAAA
2451	AAAAAAAAA		AAAAGTACTC	TGCGTTGTTA	CCACTGCTTA
2501	ATCACTAGTG	AATTC			


## 251/271

1	${\tt MEVVAAAITK}$	${\tt NNGKIDSFCL}$	NHANANNMKV	NGADPLNWGV	AAEAMKGSHL
51	DEVKRMVEEY	RKPVVRLGGE	TLTISQVAAI	AAHDGATVEL	SESARAGVKA
101	SSDWVMESMN	KGTDSYGVPT	GFGATSHRRT	KQGGALQKEL	IRFLNAGIFG
151	NGTESSHTLP	HTATRAAMLV	RINTLLQGYS	GIRFEILEAI	TKLLNNNVTF
201	CLPLRGTITA	SGDLVPLSYI	AGLLTGRPNS	KAHGPSGEVL	NAKQAFQSAG
251	IDAEFFELQP	KEGLALVNGT	AVGSGLASIV	LFEANILAVL	SEVLSAIFAE
301	VMQGKPEFTD	HLTHKLKHHP	GQIEAAAIME	HILDGSAYVK	DAKKLHEMDP
351	LQKPKQDRYA	LRTSPQWLGP	LIEVIRFSTK	SIEREINSVN	DNPLIDVSRN
101	KALHGGNFQG	TPIGVSMDNT	RLALASIGKL	MFAQFSELVN	DFYNNGLPSN
451	LSASRNPSLD	YGFKGSEIAM	ASYCSELQYL	ANPVTTHVQS	AEQHNQDVNS
501	LGLISSRKTY	EAIEILQLMS	STFLIALCQA	IDLRHLEENL	KNSVKNTVSQ
551	VAKKTLTIGV	NGELHPSRFC	EKDLLKVVDR	EHVFAYIDDP	CSATYPLMQK
601	LRQVLVDHAL	VNGESEKNLN	TSIFQKIATF	EEELKNLCQK	RLKVQGLHMF
651	VETOOFOTRS	MDADLITHSTI	L		

#### 252/271




# pDH51TrPALa sense




pDH51TrPALa anti

#### 253/271




pPZP221:35S2TrPALa sense



pPZP221:35S2TrPALa anti

#### 254/271



**TrPALb** 


#### 255/271

1 GAATTCGATT AAGCAGTGGT AACAACGCAG AGTACGCGGG AGGAAATAAA 51 TTCATCATTG TTCCTTATTT CCCACCCAAC ACAACATAAC AAATACATTT 101 CCTCTCCTCT CATCACAATT ATTACTTTCT ACACCCCCC CTCTCAACTA 151 TTATTAACTA ACATAATGGA GGGAATTACC AATGGCCATG CTGAAGCAAC 201 TTTTTGCGTG ACCAAAAGTG TTGGTGATCC ACTCAACTGG GGTGCAGCCG 251 CGGAGTCGTT GATGGGGAGT CATTTGGATG AGGTGAAGCG TATGGTGGAG 301 GAATACCGTA ATCCATTGGT TAAAATTGGC GGCGAGACGC TTACCATTGC 351 TCAGGTGGCT GGAATTGCTT CTCATGATAG TGGTGTGAGG GTGGAGCTGT 401 CTGAGTCCGC CAGGGCCGGC GTTAAGGCGA GTAGTGGTTG GGTGATGGAC 451 AGCATGAACA ATGGGACTGA TAGTTATGGT GTTACCACTG GTTTCGGCGC 501 CACCTCTCAC CGGAGAACCA AGCAGGGTGG TGCCTTGCAG AAGGAGCTAA 551 TTAGGTTTTT GAATGCCGGA ATATTTGGCA ATGGTACAGA ATCTAACTGT 601 ACACTACCAC ACACAGCAAC CAGAGCTGCA ATGCTTGTGA GAATCAACAC 651 TCTTCTTCAA GGATATTCTG GAATTAGATT TGAAATTTTG GAAGCTATCA 701 CAAAGCTTCT AAACAACAAC ATTACCCCAT GTTTACCACT TCGTGGTACA 751 ATCACGGCTT CCGGTGATCT CGTTCCGCTT TCCTACATTG CCGGTTTGTT 801 AACCGGTAGA CCGAACTCCA AAGCCGTTGG ACCCTCCGGA GAAATTCTCA SSI ANGCARARGA ACCITITICAA CITGCCGCCA TIGGTTCTG GITTITTGAA 901 TIGCAGCCAA AAGAAGGICT TGCTCTGTT AATGGTACTG CTGTTGGTTC 951 TGGTTTAGCT TCTATTGTTC TGTTTCAAGC AAATGTACTA CCTGTTTGT 1001 CTGAAGTTAT CTCGGCGATT TCGCTGAAG TTATGCAAGG GAAACCAGAA 1051 TTCACTGATC ATTTGACTCA TAAGTTGAAA CATCACCCTG GTCAAATTGA 1101 AGCTGCTGCA ATTATGGAAC ATATTTTGGA TGGAAGTGCT TATGTTAAAG
1151 CAGCTAAGAA ATTACACGAA ACCGATCCTT TACAAAAGCC GAAACAAGAT 1331 CGTCTAGGA ATTAGACGA ACCORATG CTTGGTCCTT TGATTGAGT 1251 GGTAGGATTT TCAACTAGGT CAATTGAGG AGGAATTGAC TGTGTCAGTG 1311 ATAGACCTTT GGTTGATGTT TCAAGGAAG AGGCCATTCA CGGTGGTAAT 1351 TTTCAAGGAA CACCTATTGG AGTTTCAATG GATAACACAC GTTTAGCTCT 1401 TGCTTCAATT GGTAAACTCA TGTTTGCTCA ATTCTCTGAA CTTGTTAATG 1451 ATTTTTACAA CAACGGGTTA CCTTCGAATC TTACTGCTAG TAGGAACCCA 1501 AGCTTGGATT ACGGTTTCAA GGGATCGGAA ATTGCCATGG CTTCTTATTG 1551 TTCTGAGTTA CAATATCTTG CTAATCCTGT CACCACCCAT GTCCAAAGTG 1601 CGGAGCAACA CAATCAAGAT GTTAACTCTT TGGGTTTGAT TTCTTCAAGA 1651 AAAACAAATG AAGCTATTGA GATCCTAAAG CTCATGTCTT CGACATTTCT 1701 GATTGCACTT TGTCAAGCAA TTGATTTAAG GCATTTGGAG GAAAATCTGA 1751 GGAACACTGT CAAGAACACG GTAAGCCAAG TAGCGAAGAG AACACTCACC 1801 ACCGGTGTTA ATGGAGAACT TCATCCTTCT AGATTTTGTG AGAAAGATTT 1851 GCTCAAAGTT GTTGATAGGG AGTATGTATT TGCCTATGTC GACGATCCTT 1901 GTCTAGCTAC ATACCCTTTG ATGCAAAAGT TGAGACAAGT GCTTGTGGAT 1951 CATGCATTGG TAAATGCTGA TGGAGAGAAG AATTTGAACA CATCAATCTT 2001 TCAAAAGATT GCAACTTTTG AGGATGAATT GAAAGCTATC TTGCCAAAGG 2051 AAGTTGAAAG TACAAGAACT GCATATGAAA ATGGACAATG TGGAATTTCA 2101 AACAAGATTA AGGAATGCAG GTCTTATCCA TTGTACAAGT TTGTTAGAGA 2151 GGAGTTAGGA ACCGCGTTGC TAACCGGAGA AAAAACGATA TCGCTGGGCG 2201 AAGAGTGTGA CAAATTGTTC ACAGCTATGT GCCAAGGTAA AATTGTTGAT 2251 CCTCTTTTGG AATGCCTTGG AGAGTGGAAT GGTGCTCCTC TACCAATATG 2301 TTAATTAGCA GAATTAATAT GTTTCTTTGA GAAGTGATTT CTTTATATAT 2351 TTGTAGTATA CTATAGTAGT TGCATTGAGA AGCAATTGGT TTGTCTATAA 2401 GCCTATGGAA AATGGCAAAA CAATTTTCTG CTCAAAGCAT CGTTTATTAA 2451 GTTTTCCTTA AAGTGTTAAG GAACTTTTAA TTGTTTTTGT AATAGAATTT 2501 CATTTGTTTG CCACAACTTT GGGTGCAAAT ATCACGTGAT ACATGTGGTG 2551 TTTGATGTAA ATGGTGTTTT CTCAATTAAT AAATAGTGTT TCAGCCATGA 2601 AAAAAAAAAA AAAAAAAAA AAAAAAGTAC TCTGCGTTGT TACCACTGCT 2651 TAATCACTAG TGAATTC


# 256/271

1	MEGITNGHAE	${\tt ATFCVTKSVG}$	DPLNWGAAAE	SLMGSHLDEV	KRMVEEYRNP
51	LVKIGGETLT	IAQVAGIASH	DSGVRVELSE	SARAGVKASS	GWVMDSMNNG
101	TDSYGVTTGF	GATSHRRTKQ	GGALQKELIR	FLNAGIFGNG	TESNCTLPHT
151	ATRAAMLVRI	NTLLQGYSGI	RFEILEAITK	LLNNNITPCL	PLRGTITASG
201	DLVPLSYIAG	LLTGRPNSKA	VGPSGEILNA	KEAFQLAGIG	SEFFELQPKE
251	GLALVNGTAV	GSGLASIVLF	EANVLAVLSE	VMSAIFAEVM	QGKPEFTDHL
301	${\tt THKLKHHPGQ}$	IEAAAIMEHI	LDGSAYVKAA	${\tt KKLHETDPLQ}$	KPKQDRYALR
351	TSPQWLGPLI	EVIRFSTKSI	EREINSVNDN	PLIDVSRNKA	IHGGNFQGTF
401	IGVSMDNTRL	ALASIGKLMF	AQFSELVNDF	YNNGLPSNLT	ASRNPSLDYG
451	FKGSEIAMAS	YCSELQYLAN	PVTTHVQSAE	QHNQDVNSLG	LISSRKTNEA
501	IEILKLMSST	FLIALCQAID	LRHLEENLRN	TVKNTVSQVA	KRTLTTGVNG
551	ELHPSRFCEK	DLLKVVDREY	VFAYVDDPCL	ATYPLMQKLR	QVLVDHALVN
601	ADGEKNLNTS	IFQKIATFED	ELKAILPKEV	ESTRTAYENG	QCGISNKIKE
651	CRSYPLYKFV	REELGTALLT	GEKTISLGEE	CDKLFTAMCQ	GKIVDPLLEC
701	LGEWNGAPLP	IC			

#### 257/271




# pDH51TrPALb sense




pDH51TrPALb anti

#### 258/271




pPZP221:35S2TrPALb sense



pPZP221:35S2TrPALb anti

### 259/271



**TrPALf** 


#### 260/271

1 GAATTCACTA GTGATTAAGC AGTGGTAACA ACGCAGAGTA CGCGGGGAGG 51 AAATAAATTC ATCATTGTTC ATTATTTCCC ACCCAACACA ACATAACAAA 101 TACATTATTC TCTCCTCTGA TCACAATTAT TACTTTCTAC ACCCTCCTCT 151 CAACTATTAT TAACTAGCAT AATGGAGGGA ATTACCAATG GCCATGCTGA 201 AACAACTTTT TGCGTGACCA AAAGTGTTGG TGATCCACTC AACTGGGGTG 251 CAGCCGCGGA GTCGTTGACG GGGAGTCATT TGGATGAGGT GAAGCGTATG 301 GTGGAGGAGT ACCGTAATCC GTTGGCTAAA ATTGGCGGCG AGACGCTTAC 351 CATTGCTCAG GTGGCTGGAA TTGCTTCTCA TGATAGTGGT GTGAGGGTGG 401 AGCTGTCCGA GTCCGCAAGG GCCGGCGTTA AGGCGAGTAG TGATTGGGTG 451 ATGGATAGCA TGAACAATGG GACTGATAGT TACGGTGTTA CCACCGGTTT 501 TGGTGCCACC TCTCACCGGA GAACCAAGCA GGGTGGTGCT TTGCAGAAGG 551 AGCTAATTAG GTTTTTGAAT GCTGGAATAT TTGGCAATGG TACAGAATCT 601 AACTGTACAC TACCACACAC AGCAACTAGA GCTGCAATGC TTGTGAGAAT 651 CAACACTCTT CTTCAAGGGT ACTCTGGTAT TAGATTTGAA ATTTTGGAAG 701 CTATCACAAA GCTTCCAAAC AACAACATTA CCCCATGTTT ACCACTTCGT 751 GGTACAATCA CGGCTTCCGG TGATCTTGTT CCGCTTTCCT ACATTGCCGG 801 TTTGTTAACC GGAAGACCCA ACTCCAAAGC AGTTGGACCT TCCGGAGAAA 851 TTTTGAGTGC TAAAGAAGCT TTTCAACTCG CCGGCATTGG TTCTGAGTTT 901 TTTGAATTGC AACCAAAAGA AGGTCTTGCT CTTGTTAATG GTACTGCTGT 951 TGGCTCTGGT TTAGCTTCTA TTGTTCTGTT TGAAGCAAAT GTACTAGCTG 1001 TTTTATCCGA AGTTATGTCG GCGATTTTCG CTGAAGTTAT GCAAGGGAAA 1051 CCGGAATTTA CCGATCATTT GACTCATAAG TTGAAACATC ACCCTGGTCA 1001 ARTTGARGCT GCTGCARTH TOGGACATH TITGGATGG AGTGCTRIAG 1151 TTAAAGCAG TAAGAAGTH CAGGAACCG ATCCTTRAC AAAACCGAA 1201 CAAGATGGTT AGCACTAG AACTTCACCT CAATGGCTTG GTCCTTTGAT 1251 TGAAGTGATA AGATTTTCAC CAAATCGCTT GTCATTGAT 1301 TCAACGACAA CCCTTTGATC GATGTTTCAA GGAACAAGGC CATTCATGGT 1351 GGTAACTITC AAGGAACACC TATTGGAGTT TCAATGGATA ACACACGTTT 1401 AGCTCTTGCT TCAATTGGTA AACTCATGTT TGCTCAATTC TCTGAACTTG 1451 TTAATGATTT TTACAACAAC GGGTTGCCTT CGTATCTTAC TGCTAGTAGG 1501 AACCCGAGCT TGGACTATGG TTTCAAGGGA TCGGAAATTG CCATGGCTTC 1551 GTATTGTTCC GAGTTACAAT ATCTTGCTAA TCCTGTCACC ACCCATGTCC 1601 AAAGTGCCGA GCAACACAAC CAAGATGTTA ACTCTTTGGG TTTGATTTCT 1651 TCTAGAAAAA CAAATGAAGC TATTGAGATT CTCAAGCTCA TGTCTTCCAC 1701 TTTCTTGATT GCATTATGTC AAGCAATCGA CTTAAGGCAC TTGGAGGAAA
1751 ATCTCAGGAA CACCGTCAAG AACACGGTAA GCCAAGTAGC GAAGAGAACA 1801 CTCACCACCG GCGTCAACGG AGAACTTCAT TCTTCTAGAT TTTGTGAGAA 1851 AGATTTGCTT AAAGTTGTTG ATAGGGAGTA TGTATTTGCC TATGCCGACG 1901 ATCCTTGTCT AGCTACATAC CCTTTGATGC AAAAGTTGAG ACAAGTGCTT 1951 GTGGATCATG CATTGGTAAA TGTTGATGGA GAGAAGAATT TGAACACATC 2001 AATCTTTCAA AAGATTGCAA CTTTTGAGGA TGAGTTGAAA GCTATTTTGC 2051 CAAAGGAGGT TGAAAGTACA AGAACTGCAT ATGAAAATGG ACAATGTGGA 2101 ATTTCAAACA AGATTAAGGA ATGCAGGTCT TATCCATTGT ACAAGTTTGT 2151 TAGAGAGGAG TTAGGAACCG CGTTGCTAAC CGGAGAAAAA ACTATATCGC 2201 CGGGCGAAGA GTGCGATAAA TTGTTCACAG CTATGTGCCA AGGTAAAATT 2251 GTTGATCCTC TTATGGAATG CCTCGGAGAG TGGAATGGTG CTCCTCTACC 2301 AATATGTTAA TTAGCATAAT ATGTTTCTT TGAGAAGTGA TTACTTTATA 2351 TATTTGTAGT ATACTATAGT AGTTGCATTG AGAAGAAATT GGTTTGTTTA 2401 TAAGCCTATG GAAAATGGCA AATCAATTTT CTGCTCAAAG CATCGTTTAT 2401 TARGUTTICG GRANITGEAR MALCHAITT CHOCLORAG CRICGITAL 2461 TARGITTICG TRAARGIGT AAGGAACTIT TAATTGTTIT TGTAATAGAA 2501 TTTCATTIGT TIGCCACAAC TITIGGGTGCA AATRACACGA GATACATGIG 2551 GTGTTTGATG TAAATGGTGT TTTTTCAATA AATAAATAGT GTTTCAACTA 2601 AAAAAAAAA AAAAAAAAA AAAAAAAAG TACTCTGCGT TGTTACCACT 2651 GCTTAATCGA ATTC


## 261/271

1	MEGITNGHAE	TTFCVTKSVG	DPLNWGAAAE	SLIGSHLDEV	KRMVEEYRNE
51	LAKIGGETLT	IAQVAGIASH	DSGVRVELSE	SARAGVKASS	DWVMDSMNNG
101	TDSYGVTTGF	GATSHRRTKQ	GGALQKELIR	FLNAGIFGNG	TESNCTLPHT
151	ATRAAMLVRI	NTLLQGYSGI	RFEILEAITK	LPNNNITPCL	PLRGTITASG
201	DLVPLSYIAG	LLTGRPNSKA	VGPSGEILSA	KEAFQLAGIG	SEFFELQPKE
251	GLALVNGTAV	GSGLASIVLF	EANVLAVLSE	VMSAIFAEVM	QGKPEFTDHI
301	$\mathtt{THKLKHHPGQ}$	IEAAAIMEHI	LDGSAYVKAA	KKLHETDPLQ	KPKQDRYALF
351	TSPQWLGPLI	EVIRFSTKSI	EREINSVNDN	PLIDVSRNKA	IHGGNFQGT
401	IGVSMDNTRL	ALASIGKLMF	AQFSELVNDF	YNNGLPSYLT	ASRNPSLDYG
451	FKGSEIAMAS	YCSELQYLAN	PVTTHVQSAE	QHNQDVNSLG	LISSRKTNEA
501	IEILKLMSST	FLIALCQAID	LRHLEENLRN	TVKNTVSQVA	KRTLTTGVNG
551	ELHSSRFCEK	DLLKVVDREY	VFAYADDPCL	ATYPLMQKLR	QVLVDHALVI
601	VDGEKNLNTS	IFQKIATFED	ELKAILPKEV	ESTRTAYENG	QCGISNKIKE
651	CRSYPLYKFV	REELGTALLT	GEKTISPGEE	CDKLFTAMCQ	GKIVDPLMEC
701	T OFFINION DE D	TC			

#### 262/271




# pDH51TrPALf sense




pDH51TrPALf anti

#### 263/271




pPZP221:35S2TrPALf sense



pPZP221:35S2TrPALf anti

## 264/271



**TrVRa** 

FIGURE 191


## 265/271

1	<b>GAATTC</b> GATT	AAGCAGTGGT	AACAACGCAG	AGTACGCGGG	ATAGTAGTAG
51	TTGAGAAAAA	ATACACAAAT	AAAGTAAACA	CTATCATAGA	AAGAGAGTCA
101	AAAATGGCTG	AAGGAAAAGG	AAGGGTTTGT	GTTACTGGAG	GAACAGGTTT
151	TCTTGGTTCA	TGGATCATCA	AGAGTCTTCT	TGAAAATGGA	TACTCTGTTA
201	ATACCACTAT	TAGAGCTGAT	CCAGAACGTA	AGAGGGATGT	AAGCTTCCTA
251	ACAAATCTAC	CCGGCGCATC	CGAAAGGCTA	CATTTCTTCA	ACGCCGATCT
301	AGACGACCCA	GAGAGTTTCA	ACGAAGCAAT	TGAAGGTTGT	GTCGGGATAT
351	TCCACACCGC	TTCACCAATC	GATTTCGCCG	TGAGTGAGCC	AGAAGAAATA
401	GTGACAAAAA	GAACAGTGGA	TGGAGCATTA	GGAATTTTAA	AAGCATGTGT
451	GAATTCAAAG	ACAGTGAAGA	GATTTATTTA	CACTTCAAGT	GGTTCTGCTG
501	TTTCATTCAA	TGGAAAAAAC	AAAGATGTTT	TGGATGAGAG	TGATTGGAGT
551	GATGTTGATT	TGCTTAGAAG	TGTTAAACCA	TTTGGTTGGA	GTTATGGTGT
601	TTCAAAGACT	TTGGCTGAGA	AAGCAGTGCT	TGAATTTGGT	CAACAAAATG
651	GGATTGATGT	TGTTACTTTG	ATTCTTCCTT	TTATTGTTGG	AAGTTTTGTT
701	TGTCCTAAGC	TTCCTGATTC	TGTTGAGAAA	GCTCTTGTTT	TGGTACTAGG
751	CAAAAAGGAA	CAAATTGGTA	TTATAAGTTT	CCACATGGTA	CATGTGGATG
801	ATGTGGCTAG	AGCACATATT	TATCTACTTG	AGAATCCTGT	TCCAGGAGGT
851	AGATATAATT	GTTCACCATT	CTTTGTATCT	ATTGAAGAAA	TGTCACAACT
901	TCTTTCAGCC	AAATATCCAG	AATATCAAAT	ACTATCAGTA	GATGAGTTGA
951	AGGAAATCAA	AGGTGCAAGG	TTGCCAGATT	TGAACTCGAA	AAAGCTCGTG
1001	GACGCTGGTT	TTGAGTTTAA	GTATAGTGTC	GGTGATATGT	TCGATGATGC
1051	GATTCAATGC	TGCAAGGAAA	AAGGCTATCT	CTAAGTATGT	GTTTGAAAAA
1101	AATTCCATGA	AGCTGAGAAA	ACAATAATAT	GCCTAAAATC	AATGATGGCT
1151	AATGAAATGT	ACAAGTTTAT	GCATAAAGTT	ATTTGTGATG	AATCAAATAA
1201	TGAAATAATC	GGTTCATTTT	TCCGAAAAAA	AAAAAAAAA	AAAAAAAAA
1251	AAAAAGTACT	CTGCGTTGTT	ACCACTGCTT	AATCACTAGT	GAATTC


#### 266/271

1	MAEGKGRVCV	TGGTGFLGSW	IIKSLLENGY	SVNTTIRADP	ERKRDVSFL
51	NLPGASERLH	FFNADLDDPE	SFNEAIEGCV	GIFHTASPID	FAVSEPEEI
101	TKRTVDGALG	ILKACVNSKT	VKRFIYTSSG	SAVSFNGKNK	DVLDESDWSI
151	VDLLRSVKPF	GWSYGVSKTL	AEKAVLEFGQ	QNGIDVVTLI	LPFIVGSFV
201	PKLPDSVEKA	LVLVLGKKEQ	IGIISFHMVH	VDDVARAHIY	LLENPVPGG
251	YNCSPFFVSI	EEMSQLLSAK	YPEYQILSVD	ELKEIKGARL	PDLNSKKLVI
301	AGFEFKYSVG	DMFDDAIQCC	KEKGYL		

#### 267/271




## pDH51TrVRa sense



pDH51TrVRa anti

### 268/271





pPZP221:35S2TrVRa anti

## 269/271









FIGURE 196

## 270/271



E




FIGURE 196 (cont)

#### 271/271




FIGURE 197

WO 03/031622 PCT/AU02/01345 1/390

SEQUENCE LISTING

<110> Agriculture Victoria Services Pty Ltd AgResearch Limited <120> Manipulation of flavonoid biosynthesis in plants <130> M80393510 <150> PR8113 <151> 2001-10-05 <160> 336 <170> PatentIn version 3.1 <210> 1 <211> 636 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (11)..(11) <223> Any nucleotide <220> <221> misc\_feature <222> (17)..(17) <223> Any nucleotide <400> 1 gcattaaaca ntgaaanttg accagtccca acaaagatct gaaacacata gctccccatt ttttaacatt aaactaaaaa tatgtcggcc atcaccgcaa tccaagtcga gaaccttgaa 120 tttccggctg tgattacttc tccggccacc ggtaagtcat attttcttgg tggtgcaggg gagagaggtt tgactattga aggaaacttc atcaagttca ctgccatagg agtatatttg gaagatgtag cagtggette acttgccact aaatggaagg gcaaatcctc tgaagagttg 300 cttgagaccc ttgacttcta cagagatatc atttcaggac catttgagaa gttgattcga ggatcgaaga ttaqgqaatt gagtggtcct qaqtactcaa qqaaqqttaa tqaaaactqt gtggcacact taaaatctgt tgggacttat ggagatgcag aagttgaagc tatgcaaaaa 480 tttgttgaag cetteaagee tattaatttt ceacetggtg cetetgtttt ttacaggeaa teacetgatg gaatattagg gettagttte tetcaagatg caagtatace agaaaaggaa gctgcagtaa tagagaacaa gggagcttca tcggcg

636

<210> 2 <211> 185 <212> PRT

<213> Trifolium repens

<400> 2

Met Ser Ala Ile Thr Ala Ile Gln Val Glu Asn Leu Glu Phe Pro Ala

Val Ile Thr Ser Pro Ala Thr Gly Lys Ser Tyr Phe Leu Gly Gly Ala

Gly Glu Arg Gly Leu Thr Ile Glu Gly Asn Phe Ile Lys Phe Thr Ala

Ile Gly Val Tyr Leu Glu Asp Val Ala Val Ala Ser Leu Ala Thr Lys 55

Trp Lys Gly Lys Ser Ser Glu Glu Leu Leu Glu Thr Leu Asp Phe Tyr

Arg Asp Ile Ile Ser Gly Pro Phe Glu Lys Leu Ile Arg Gly Ser Lys

Ile Arg Glu Leu Ser Gly Pro Glu Tyr Ser Arg Lys Val Asn Glu Asn

Cys Val Ala His Leu Lys Ser Val Gly Thr Tyr Gly Asp Ala Glu Val 115

Glu Ala Met Gln Lys Phe Val Glu Ala Phe Lys Pro Ile Asn Phe Pro 135

Pro Gly Ala Ser Val Phe Tyr Arg Gln Ser Pro Asp Gly Ile Leu Gly 150

Leu Ser Phe Ser Gln Asp Ala Ser Ile Pro Glu Lys Glu Ala Ala Val

Ile Glu Asn Lys Gly Ala Ser Ser Ala 180

<210> 3 <211> 244 <212> DNA <213> Trifolium repens

<220>

<221> misc\_feature
<222> (17)..(17)
<223> Any nucleotide

<220>
<221> misc\_feature
<222> (23)..(23)

<222> Any nucleotide

<220> description

<221> misc\_feature
<222> (50)..(50)

<223> Any nucleotide

<222> misc\_feature
<222> (207)..(208)

<223> Any nucleotides

<220> description

<221> misc\_feature
<222> (207)..(208)

<223> Any nucleotides

<220> description

<221> misc\_feature
<221> description

<221> misc\_feature
<221> description

<221> misc\_feature
<222> description

<220>
<221> misc\_feature
<222> (222) (222)
<223> Any nucleotide

<220> <221> misc\_feature <222> (233)..(233) <223> Any nucleotide

<220>
<221> misc\_feature
<222> (236)..(236)
<223> Any nucleotide

<220> <221> misc\_feature <222> (238)..(238) <223> Any nucleotide

<220>
<221> misc\_feature
<222> (241)..(241)
<223> Any nucleotide

<220>
<221> misc\_feature
<222> (244)..(244)
<223> Any nucleotide

<400> 3
gcattaaaca ttgacanagt ccnaataaaa aagatctgaa acacatagtn ccccattttt
60

taacattaaa ctaaaaatat gtcggccatc accgcaatcc aagtcgagaa ccttgaattt

ceggetgtgg ttacttetec ggccaeeggt aagteatatt ttettggtgg tgeaggggag  $180\,$ 

agagg<br/>ttga ctattgaagg aaacttn<br/>ntc aanggcgctg gnatacgacc ctnttngnag  $240\,$ 

nagn 244

<210> 4

<211> 606 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (2)..(2) <223> Any nucleotide

<220>

<221> misc\_feature <222> (605)..(606)

<223> Any nucleotides

<400> 4

gnttgcccgg tcccaacaaa gatctgaaac acatagcccc ccatttttta acattaaact

aaaaaatatgt ctgccatcac cgcaatccaa gtcgagaacc ttgaattccc ggcggtgatt  $120\,$ 

actteteegg teaacggtaa gteatatttt ettggtggtg caggggagag aggtttgact

attgaaggaa acttcatcaa g<br/>ttcactgcc ataggagtat atttggaaga tg<br/>tagcagtg  $240\,$ 

gcttcacttg ccactaaatg gaagggcaaa tcctctgaag agttgcttga gacccttgac  $300\,$ 

ttctacagag atatcatttc aggaccattt gagaagttga ttcgaggatc gaagattagg 360

gaattgagtg gtcctgagta ctcaaggaag gttaatgaaa actgtgtggc acacttaaaa 420

tctgttggga cttacggaga tgcagaagtt gaagctatgc aaaaatttgt tgaagccttc  $480\,$ 

aagcctatta attttccacc tggtgcctct gttttttaca ggcaatcacc tgatggaata

ttagggetta gtttetetea agatgeaagt ataceagaaa aggaagetge agtaatagag  $600\,$ 

aacann

606

<211> 599 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (19)..(19)

<223> Any nucleotide

<400> 5

ggatetgaaa cacatagtne ceettttaac attaaactaa aaatatgteg geeateaceg

PCT/AU02/01345

caatccaagt cgagaacctt gaatttccag ctgtgattac ttctccggcc accggtaagt 120

catattttct tggtggtgca ggggagagag gtttgactat tgaaggaaac ttcatcaagt

tcactgccat aggagtatat ttggaagatg tagcagtggc ttcacttgcc actaaatgga 240

agggtaaatc ctctgaggag ttgcttgaga ctcttgactt ctatagagac atcatttcag

gaccetttga aaagttgatt egaggatega agattaggga attgagtggt eetgagtaet

caaggaaggt taatgaaaac tgcgtggccc acttaaaatc tgttgggact tatggagatg

ctgaagctga agctatgcaa aaatttgttg aagccttcaa gcctattaat tttccacctg

gtgcctctgt tttttacagg caatcacctg atggaatatt agggcttagt ttctctcaaq 540

atgcaagtat accagaaaag gaggctgcag taatagagaa caagggagct tcatcggcg 599

<210> 6

<211> 228 <212> DNA <213> Trifolium repens

<220>

<221> misc\_feature

<222> (2)..(2)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (15)..(15)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (31) ... (31) <223> Any nucleotide

```
<221> misc feature
<222> (54), (54)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (212)..(212)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (214)..(215)
<223> Any nucleotides
<220>
<221> misc feature
<222> (217)..(217)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (221)..(221)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (223)..(223)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (225)..(22)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (225)..(226)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (228)..(228)
<223> Any nucleotide
<400> 6
gngatctgaa aaacntagta cccattttaa nattaaacta aaaatatgtc ggcnatcacc
gcaatccaag tcgagaacct tgaatttcca gctgtgatta cttctccggc caccggtaag
tcatattttc ttggtggtgc aggggagaga ggtttgacta ttgaaggaaa cttcatcaag
180
```

ttcactgcca taggagtata tttggaagat gnannanggg ntncnntn

<213> Trifolium repens

```
<210> 7
<211> 589
<212> DNA
<213> Trifolium repens
<2205
<221> misc feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<221> misc feature
<222> (8) .. (8)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (20)..(20)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (589)..(589)
<223> Any nucleotide
<400> 7
enttaaantt gaccagteen aacaaagate tgaaacacat agecceccat tttttaacat
taaactaaaa atatgtctgc catcacegca atccaagtcg agaaccttga cttcccggcg
gtgattactt ctccggtcaa cggtaagtca tattttcttg gtggtgcagg ggagagaggt
180
tigactattg aaggaaactt catcaagttc actgccatag gagtatattt ggaagatgta
240
gcagtggett cacttgccac taaatggaag ggcaaatcct ctgaagagtt gcttcagacc
300
cttgacttct acagagatat catttcagga ccatttgaga agttgattcg aggatccaag
360
attagggaat tgagtggtcc tgagtactca aggaaggtta atgaaaactg tgtggcacac
ttaaaatctg ttgggactta tggagatgca gaagttgaag ctatgcaaaa atttgttgaa
480
gccttcaagc ctattaattt tccacetggt gcctctgttt tttacaggca atcacetgat
540
ggaatattag ggcttagttt ctctcaagat gcaagtatac cagaaaagn
589
<210> 8
<211> 332
<212> DNA
```

8/390 <220> <221> misc feature <222> (29)..(29) <223> Any nucleotide <220× <221> misc\_feature <222> (36)..(36) <223> Any nucleotide <220> <221> misc\_feature <222> (206)..(206) <223> Any nucleotide <220> <221> misc\_feature <222> (313)..(313) <223> Any nucleotide <220> <221> misc feature <222> (326)..(326) <223> Any nucleotide <220> <221> misc\_feature <222> (331)..(331) <223> Any nucleotide <400> 8 ttaaaattga cacagtccca accttaaant tgaccnggtc ccaaacaaag atctgaaaca acatagecee ceattitta acattaaaet aaaaatatgt etgecateae egeaatecaa 120 gtcgagaacc ttgaattccc ggcggtgatt acttctccgg tcaacggtaa gtcatatttt cttggtggtg caggggagag aggttngact attgaaggaa acttcatcaa gttcactgcc 240 ataggagtat atttggaaga tgtagcaggg gcttcacttg ccactaaatg gaagggcaga

tcctctgaag agngcttgag accctngact nc 332

<210> 9
<211> 78
<212> PRT
<213> Trifolium repens
<220>
<221> MISC\_FEATURE
<222> (37)...(37)
<223> Any amino acid

<220:

<221> MISC\_FEATURE <222> (73)..(73) <223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (77)...(77)

<223> Any amino acid

<400> 9

Met Ser Ala Ile Thr Ala Ile Gln Val Glu Asn Leu Glu Phe Pro Ala 10

Val Ile Thr Ser Pro Val Asn Gly Lys Ser Tyr Phe Leu Gly Gly Ala 20

Gly Glu Arg Gly Kaa Thr Ile Glu Gly Asn Phe Ile Lys Phe Thr Ala 35 40

Ile Gly Val Tyr Leu Glu Asp Val Ala Gly Ala Ser Leu Ala Thr Lys 50 55

Trp Lys Gly Arg Ser Ser Glu Glu Xaa Leu Arg Pro Xaa Thr 70

<210> 10

<211> 332 <212> DNA <213> Trifolium repens

<220>

<221> misc\_feature

<222> (13)..(13) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (19)..(19) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (29)..(29) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (36)..(36) <223> Any nucleotide

10/390 <221> misc feature <222> (297)..(297) <223> Any nucleotide <220> <221> misc\_feature
<222> (310)..(310)
<223> Any nucleotide <220> <221> misc feature <222> (313)..(313) <223> Any nucleotide <220> <221> misc feature <222> (315)..(315) <223> Any nucleotide <220> <221> misc\_feature <222> (320)..(320) <223> Any nucleotide <220> <221> misc\_feature <222> (324)..(324) <223> Any nucleotide <220> <221> misc feature <222> (326)..(326) <223> Any nucleotide <220> <221> misc feature <222> (331)..(332) <223> Any nucleotides <400> 10 ttaaaattga ccnagtccna accttaaant tgaccnggtc ccaaacaaag atctgaaaca acatagecce ccatttttta acattaaact aaaaatatgt etgecateac egcaatecaa gtcgagaacc ttgaattccc ggcggtgatt acttctccgg tcaacggtaa gtcatatttt 180 cttggtggtg caggggagag aggtttgact attgaaggaa acttcatcaa gttcactgcc ataggagtat atttggaaga tgtagcaggg gcttcacttg ccactaaatg gaagggnaga 300

tectetgaan agngnttgan accntngact nn

332

<210> 11 <211> 331 <212> DNA

<213> Trifolium repens

<220>

<221> misc feature

<222> (5)..(5)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (28)..(28) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (35)..(35)
<223> Any nucleotide

<220>

<221> misc\_feature <222> (205)..(205) <223> Any nucleotide

<220>

<221> misc\_feature <222> (298)..(298) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (301)..(301)
<223> Any nucleotide

<400> 11

ttaanttgac acagtcccaa ccttaaantt gaccnggtcc caaacaaaga tctgaaacaa 60

catagecece cattttttaa cattaaacta aaaatatgte tgecateace geaatecaag 120

togagaacct tgaattoocg goggtgatta cttctccggt caacggtaag tcatattttc

ttggtggtgc aggggagaga ggttngacta ttgaaggaaa cttcatcaag ttcactgcca

taggagtata tttggaagat gtagcagggg cttcacttgc cactaaatgg aagggcanat 300

netetgaaga gtgettgaga ceettgaett e

331

<210> 12 <211> 186 <212> DNA <213> Trifolium repens

```
<220>
  <221> misc_feature
 <222> (22)..(22)
<223> Any nucleotide
 <220>
 <220>
<221> misc_feature
<222> (135)..(135)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (143)..(143)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (157)..(157)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (167)..(167)
<223> Any nucleotide
 <220>
<220>
<221> misc_feature
<222> (173)..(174)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (178)..(179)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (181)..(182)
<223> Any nucleotides
<220>
<221> misc feature
<222> (184)..(184)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (186)..(186)
<223> Any nucleotide
```

<400> 12

gcgttaaaat tgacccagte cnaacaaaga tctgaaacac atagcccccc attttttaac  $60\,$ 

attaaactaa aaatatgtct gccatcaccg caatccaagt cgagaacctt gacttcccgg

120

cogaqattac ttctncqqqq aanqqqaaqq qatattntct tqqtqqqqqa qqnnaqannq 180

nntngn

186

<210> 13

<211> 274 <212> DNA <213> Trifolium repens

<220>

<221> misc\_feature

<222> (6)..(6) <223> Any nucleotide

<220>

<221> misc feature

<222> (9)..(9)

<223> Any nucleotide

<220>

<221> misc\_feature
<222> (12)..(12)
<223> Any nucleotide

<220>

<221> misc\_feature

<222> (15)..(15) <223> Any nucleotide

<220>

<221> misc feature

<222> (18)..(18) <223> Any nucleotide

<400> 13

gttagnagna gnatntengg caccetttga aaagttgatt egaggatega agattaggga

attgagtggt cctgagtact caaggaaggt taatgaaaac tgcgtggcac acttaaaatc 120

tgttgggact tatggagatg cagaagctga agctatgcaa aaatttgttg aagcettcaa

qcctattaat tttccacctq qtqcctctqt tttttacaqq caatcacctq atqqaatatt 240

aggggttagt attgccaatt cattttttt aact 274

<210> 14

<211> 94

<212> PRT

<213> Trifolium repens

<400> 14

Ala Pro Phe Glu Lys Leu Ile Arg Gly Ser Lys Ile Arg Glu Leu Ser

Gly Pro Glu Tyr Ser Arg Lys Val Asn Glu Asn Cys Val Ala His Leu 20

Lys Ser Val Gly Thr Tyr Gly Asp Ala Glu Ala Glu Ala Met Gln Lys

Phe Val Glu Ala Phe Lys Pro Ile Asn Phe Pro Pro Gly Ala Ser Val

Phe Tyr Arg Gln Ser Pro Asp Gly Ile Leu Gly Val Ser Ile Ala Asn

Ser Phe Phe Leu Thr Ile Leu Ile Arg Val Arg Phe Asp Cys

<210> 15

<211> 274 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (6)..(6) <223> Any nucleotide

<220> <221> misc\_feature

<222> (9)..(9) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (12)..(13) <223> Any nucleotides

<220>

<221> misc\_feature

<222> (18)..(18)

<223> Any nucleotide

<400> 15

gttagnagna tnntttcngg caccctttga aaagttgatt cgaggatcga agattaggga

attgagtggt cctgagtact caaggaaggt taatgaaaac tgcgtggcac acttaaaatc

tgttgggact tatggagatg cagaagctga agctatgcaa aaatttgttg aagccttcaa 180

gcctattaat tttccacctg gtgcctctgt tttttacagg caatcacctg atggaatatt

aggggttagt attgccaatt cattttttt aact

<210> 16 <211> 264 <212> DNA

<213> Trifolium repens

<220>

240

<221> misc\_feature <222> (2)..(2) <223> Any nucleotide

<220>

<221> misc\_feature <222> (5)..(5) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (9)..(9)
<223> Any nucleotide

<400> 16

gnatntttng gaccetttga aaagttgatt egaggatega agattaggga attgagtggt

cctgagtact caaggaaggt taatgaaaac tgcgtggcac acttaaaatc tgttgggact .120

tatggagatg cagaagctga agctatgcaa aaatttgttg aagccttcaa gcctattaat 180

tttccacctg gtgcctctgt tttttacagg caatcacctg atggaatatt aggggttagt 240

attgccaatt cattttttt aact

264

<210> 17 <211> 825

<212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (3)..(3) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (5)..(5) <223> Any nucleotide

<220>

<221> misc\_feature <222> (7)..(10)

<223> Any nucleotides

<220>

<220>
<221> misc\_feature
<222> (13)..(14)
<223> Any nucleotides

<220>

<221> misc\_feature <222> (487)..(488) <223> Any nucleotides

<220>

<221> misc\_feature
<222> (507)..(507)
<223> Any nucleotide

<220>

<220>
<221> misc\_feature
<222> (545)..(545)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (579)..(579)
<223> Any nucleotide

<220>

<221> misc\_feature <222> (654)..(654) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (716)..(716)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (719)..(719)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (725)..(725)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (738)..(738)
<223> Any nucleotide

<220>

<221> misc\_feature <222> (762)..(762)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (787)..(787) <223> Any nucleotide

<400> 17

ctactaagtt caacgagatc aatggcactt ccttctgtca ccgctttgaa tatcgagaac

aatotattoc ctoctaccgt cacaccaccg ggatccacca acaatttott cotcggcggt

gcaggagagc ggggtcttca aattcaagac aaatttgtca aattcaccgc tattggtqtt

tatctacagg acattgctgt tccttacctc gccactaaat ggaagggtaa gactgctcaa 300

gagetaacgg aaactgttee tttetteagg gacategtta caggteeatt tgagaaattt

atgcaggtga caatgatett gccattgact gggcaacaat actcagagaa agtgtcagaa 420

aattgtgtag otatttggaa gtotottggg atttatacog acgaagaago caaagcaatt 480

gagaagnntg tttctgtctt caaagangaa acattcccac caggctcctc tatccttttc  $540\,$ 

acagnattac ccaaaggatt aggatcacta acgataagnt tototaaaga tggatccatt 600

ccagagaccg agtctgcagt tatagagaat aagctactct cacaagctgt gctngagtcg

atgatagggg cacacggtgt ctcccctgca gcaaaacaga gttttggcca ccaggntanc 720

cgagntattc aacgaggntg gctgatgcct agcaacttga tnatatcaac aa<br/>aacgaaaa  $780\,$ 

tgaaagnoot tttotgoaat aaagaacaag cggaaatttt atttt 825

<210> 18

<211> 230 <212> PRT <213> Trifolium repens

<220>

<221> MISC\_FEATURE <222> (163)..(163) <223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (188)..(188) <223> Any amino acid

<220>

<221> MISC\_FEATURE <222> (209)..(210) <223> Any amino acids

<220>

<221> MISC FEATURE

<222> (212)..(212) <223> Any amino acid

<220>

<221> MISC\_FEATURE
<222> (216)..(216)
<223> Any amino acid

<220>

<220>
<221> MISC\_FEATURE
<222> (224)..(224)
<223> Any amino acid

<400> 18

Met Ala Leu Pro Ser Val Thr Ala Leu Asn Ile Glu Asn Asn Leu Phe 15

Pro Pro Thr Val Thr Pro Pro Gly Ser Thr Asn Asn Phe Phe Leu Gly 20 25

Gly Ala Gly Glu Arg Gly Leu Gln Ile Gln Asp Lys Phe Val Lys Phe

Thr Ala Ile Gly Val Tyr Leu Gln Asp Ile Ala Val Pro Tyr Leu Ala 55

Thr Lys Trp Lys Gly Lys Thr Ala Gln Glu Leu Thr Glu Thr Val Pro

Phe Phe Arg Asp Ile Val Thr Gly Pro Phe Glu Lys Phe Met Gln Val

Thr Met Ile Leu Pro Leu Thr Gly Gln Gln Tyr Ser Glu Lys Val Ser

Glu Asn Cys Val Ala Ile Trp Lys Ser Leu Gly Ile Tyr Thr Asp Glu 115

Glu Ala Lys Ala Ile Glu Lys Val Ser Val Phe Lys Glu Thr Phe Pro 130 135 140

19/390

Pro Gly Ser Ser Ile Leu Phe Thr Leu Pro Lys Gly Leu Gly Ser Leu 155

Thr Ile Xaa Phe Ser Lys Asp Gly Ser Ile Pro Glu Thr Glu Ser Ala 165

Val Ile Glu Asn Lys Leu Leu Ser Gln Ala Val Xaa Glu Ser Met Ile 185

Gly Ala His Gly Val Ser Pro Ala Ala Lys Gln Ser Phe Gly His Gln 200

Xaa Xaa Arg Xaa Ile Gln Arg Xaa Trp Leu Met Pro Ser Asn Leu Xaa 215 220

Ile Ser Thr Lys Arg Lys

<210> 19 <211> 807 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature
<222> (3)..(3)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (5)..(5)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (7)..(10)
<223> Any nucleotides

<220>

<221> misc\_feature <222> (13)..(14) <223> Any nucleotides

<220>

<221> misc\_feature
<222> (21)..(21)
<223> Any nucleotide

<220>

<221> misc\_feature

<222> (23)..(23) <223> Any nucleotide

<221> misc feature <222> (25)..(25) <223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (99)..(99)
<223> Any nucleotide <220> <221> misc\_feature <222> (147)..(147) <223> Any nucleotide <220> <221> misc\_feature <222> (229)..(229) <223> Any nucleotide <220> <221> misc\_feature
<222> (288)..(288)
<223> Any nucleotide <220> <221> misc\_feature <222> (316)..(316) <223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (335)..(335)
<223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (337)..(338)
<223> Any nucleotides <220> <221> misc\_feature
<222> (417)..(417)
<223> Any nucleotide <220> <221> misc feature <222> (434)..(434) <223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (437)..(437)
<223> Any nucleotide

110 03/03/	1022
<221> <222> <223>	misc_feature (486)(487) Any nucleotides
<220> <221> <222> <223>	misc_feature (506)(506) Any nucleotide
<220> <221> <222> <223>	misc_feature (544)(544) Any nucleotide
<220> <221> <222> <223>	misc_feature (561)(561) Any nucleotide
<220> <221> <222> <223>	misc_feature (578)(578) Any nucleotide
<220> <221> <222> <223>	misc_feature (625)(625) Any nucleotide
<220> <221> <222> <223>	misc_feature (653)(653) Any nucleotide
<220> <221> <222> <223>	misc_feature (672)(673) Any nucleotides
<220><221><222><222><223>	misc_feature (682)(683) Any nucleotides
<220> <221> <222> <223>	misc_feature (685)(685) Any nucleotide
<220> <221> <222> <223>	misc_feature (690)(690) Any nucleotide

#### WO 03/031622 PCT/AU02/01345 22/390

<221>	misc feature
<222>	misc_feature (695)(695)
<223>	Any nucleotide
<220>	
<221>	misc feature
<222>	misc_feature (706)(707)
<223>	Any nucleotides
<220>	
<221>	misc feature
<322>	misc_feature (715)(715)
<223>	Any nucleotide
	-
<220>	
<221>	misc feature
<222>	misc_feature (718)(718)
<223>	Any nucleotide
.000	
<220> <221>	mica fortuna
<222>	misc_feature (721)(721)
<223>	Any nucleotide
12207	imiy indereceded
<220> <221>	
<222>	misc_feature (724)(724)
<223>	Any nucleotide
	imig musicociae
.000	
<220> <221>	miaa 6aat
<222>	(737) (737)
<223>	misc_feature (737)(737) Any nucleotide
	ini, indozeocide
<220> <221>	
<222>	misc_feature (754)(754)
<223>	Any nucleotide
1000	inij mucicociue
<220>	
<221> <222>	misc_feature (761)(762)
<223>	Any nucleotides
12237	Any nucleotides
<220>	
<221> <222>	misc_feature
<2225	(764)(764) Any nucleotide
4443>	way nucleotide
<220>	
<221>	misc_feature (766)(766)
<222> <223>	(766)(766) Any nucleotide
<223>	with uncreoride

23/390 <221> misc feature <222> (775)..(775) <223> Any nucleotide <220> <221> misc\_feature <222> (782)..(782) <223> Any nucleotide <220> <221> misc\_feature <222> (784)..(784) <223> Any nucleotide <220> <221> misc\_feature <222> (786)..(786) <223> Any nucleotide <400> 19 ttnantnnnn ttnncggttt ntnanaacta cacaacacct tcttttttcc atttatcttc tactaagttc aacgagatca atggcacttc cttctgtcnc cgctttgaat atcgagaaca 120 atctattccc tectacegte acaccanegg gatecaceaa caatttette eteggeggtg 180 caggagagcg gggtcttcaa attcaagaca aatttgtcaa attcaccgnt attggtgttt 240 atctacagga cattgctgtt cettaceteg ceactaaatg gaagggtnag actgetcaag agetaacgga aactgneect ttetteaggg acatngnnae aggteeattt gagaaattta 360 tgcaggtgac aatgatettg ccattgactg ggcaacaata etcagagaaa gtgtcanaaa attgtgtacc tatntgnaag tctcttcgga tttataccga ccaagaagcc aaagcaattg 480 agaagnntgt ttctgtcttc aaagangaaa cattcccacc aggctcctct atccttttca cagnattacc caaaggatta ngatcactaa cgataagntt ctctaaaagat ggatccattc 600 cagagaccga gtctgcagtt atagngaata agctactctc acaagctgtg ctngagtcga 660 tgataggggc annoggtgtc tnnontgcan caaancatag ttttgnncac caggntancc nagntattca acgaggntgg ctgatgccta gcancttgat nntntnaaca aaacnaaaat 780

gnangneett ttetgeatta aagaaca

<210>	20
<211> <212>	266 DNA
<213>	Trifolium repen
<220>	
<221>	misc_feature
<222>	(14)(15) Any nucleotides
<223>	Any nucleotides
<220> <221>	
<222>	misc_reacure
<223>	misc_feature (33)(33) Any nucleotide
<220>	
<221>	misc_feature (52)(52)
<222> <223>	(52)(52)
<223>	Any nucleotide
<220>	
<221>	misc feature
<222>	misc_feature (200)(200)
<223>	Any nucleotide
<220> <221>	
<221>	misc_feature (211)(211)
<223>	Any nucleotide
<220>	
<221> <222>	misc_feature (229)(229)
<222>	Any nucleotide
	imi, inductional
<220>	
<221>	misc_feature
<222>	misc_feature (241)(242) Any nucleotides
<223>	Any nucleotides
222	
<220> <221>	misc_feature
<222>	(244) . (244)
<223>	Any nucleotide
<220>	
<221> <222>	misc_feature
<222>	(247)(247) Any nucleotide
<220>	
<221>	misc_feature
<222>	(254)(254)
<223>	Any nucleotide

WO 03/031622 PCT/AU02/01345 25/390

<220> <221> misc\_feature <222> (256)..(256)

<223> Any nucleotide

<220>

<221> misc feature <222> (266)..(266) <223> Any nucleotide

<400> 20

gcaattacaa cctnncaaca ccttctcctt acntctatct tctactaagt tnaacgagat

caatggcact teettetgtg accgetttga atategagaa caatetatte eeteetaceg

tcacaccacc gggatccacc aacaatttot tcctcggcgg tgcaggagag cggggtcttc 180

aaattcaaga caaatttgtn aaattgaccg ntattggtgt ttatgtacng gacgttggtg 240

nngnttnegt gggngntgge tggatn 266

<210> 21 <211> 797

<212> DNA <213> Trifolium repens

<400> 21

ttacactcac aacaccttct ccattaccat ctatcttcta ctaagttcaa cgagatcaat

ggcacttect tetgteaccg etttgaatat egagaacaat etatteeete etaccgteac 120

accaccagga tocaccaaca atttetteet eggeggtgca ggagageggg gtetteaaat 180

tcaagacaaa tttgtcaaat tcaccqctat tqqtgtttat ctacaggaca ttgctgttcc 240

ttacctcgcc actaaatgga agggtaagac tgctcaagag ctaacggaaa ctgttccttt 300

cttcagggac atcgttacag gtccatttga gaaatttatg caggtgacaa tqatcttgcc

attgactggg caacaatact cagagaaagt gtcagaaaat tgtgtagcta tttggaagtc 420

tettgggatt tataccgacg aagaagccaa agcaattgag aagtttgttt etgtetteaa

agatgaaaca ttcccaccag gctcctctat ccttttcaca gtattaccca aaggattagg

atcactaacg ataagtttct ctaaagatgg atccattcca gagaccgagt ctgcagttat 600

agagaataag ctactctcac aagctgtget tgagtcgatg atagggggge acggtgtete

660

ccctgcagca aaacagagtt tggccaccag gttatccgag ttattcaacg aggttggtga

tgctagcaac tgattatatc aacaaaacga aaatgaaagt cctttctgca ataaaqacca

agcggaaatt ttatttt

797

<210> 22 <211> 468 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (30)..(30) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (47)..(47) <223> Any nucleotide

<220>

<221> misc feature

<222> (436)..(436) <223> Any nucleotide

<220>

<221> misc feature

<222> (442) .. (442) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (450)..(450)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (453)..(455)
<223> Any nucleotides

<220>

<221> misc\_feature <222> (458) .. (458)

<223> Any nucleotide

<220>

<221> misc\_feature
<222> (464)..(464)
<223> Any nucleotide

<221> misc feature <222> (467)..(468)

<223> Any nucleotides

<400> 22

tcacattatt acaattacaa cttaacattn actcgtaaaa agagatnaat ggcacttcct

tetgtcaceg ctttggatat cgagaacaat ctattccctc ccaccgtcac accaccgga 120

tocactgaca acttottoct eggeggtgca ggagagaggg gtottcaaat ccaagacaaa

ttcgtcaaat tcaccgctat tggtgtttat ctgcaggaca ttgctgttcc ttacctcgca 240

gctaaatgga agggtaagac tgctcaagag ctaactcaaa ctgttccttt cttcagggac

atogttacag gtccatttga gaaatttatg caggtgacaa tgatcttgcc attgactggg

caacaatact cagagaaagt gtcagaaaat tgtgtagcta tttggaagtc tcttgggata 420

tatacggacg aacaanccaa ancaattgan aannntgntt ctgnttnn 468

<210> 23

<211> 1130 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (5)..(5) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (7)..(8) <223> Any nucleotides

<220>

<221> misc\_feature <222> (28)..(28)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (38)..(38) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (53)..(53)

<223> Any nucleotide

WO 03/031622 PCT/AU02/01345

***************************************	122	28/	390		1 C 1/A C 0 2/01
<220>					
	mice forture				
-2222	misc_feature (61)(61)				
<2222	Any nucleotide				
10237	Any nucleotide				
<220>					
<221>	misc_feature				
<222>	(91)(91)				
<223>	Any nucleotide				
<220>					
<221>	misc_feature				
	(101)(101)				
<223>	Any nucleotide				
<220>					
<221>	misc feature				
<222>	(107)(107)				
<223>	Any nucleotide				
<220>					
<221>	misc_feature				
<222>	(115)(115)				
	Any nucleotide				
<220>					
	misc feature				
	(138)(138)				
<223>	Any nucleotide				
<220>					
<221>	misc_feature				
	(154) (154)				
<223>	Any nucleotide				
<220>					
<221>	misc feature				
	(191)(191)				
<223>	Any nucleotide				
<400>	23				
	nga aaccacttgt	attassmoa	tanaattnaa	*	
60	nga aaccaccege	geegaagneg	cgaaccinge	caccecceat	atnatactat
nacctct 120	tct gagacccttc	atcatagaaa	nacaacacac	ntcagcnctt	tgctntttct
acaacaa 180	cct ataactanac	atattattt	tatntattta	gtatataatt	gaaataaact
gctaaag 240	ata nttattaaga	tatggtgagt	gtagctgaaa	ttcgcaaggc	tcagagggct
240					
gaaggcc	ctg caaccatttt	ggccattggc	actocaaato	cagcaaaccg	tattaaanea
300	-	350		ougoudaccy	cgccgagcag

agcacatate etgattteta etteaaaate acaaacagtg agcacaagae tgageteaaa 360

gagaaattcc agcgcatgtg tgacaaatct atgatcaaga gcagatacat gtatctaaca gaagagattt tgaaagaaaa tootagtott tgtgaataca tggcaccttc attggatgot 480 aggcaagaca tggtggtggt tgaggtacct agacttggga aggaggctgc agtgaaggct 540 attaaagaat ggggtcaacc aaagtcaaag attactcact taatcttttg caccacaagt ggtgtagaca tgcctggtgc tgattaccaa ctcacaaaac tcttaggtct tcgcccatat gtgaagaggt acatgatgta ccaacaaggg tgctttgcag gtgggacggt gcttcgtttg gcaaaagatt tggccgagaa caacaaaggt gctcgtgtgt tggttgtttg ttctgaagta accgcagtca cattccgcgg ccccagtgac actcacttgg acagtcttgt tggacaagca 840 ctatttggag atggagctgc tgcactcatt gttggctcag acccagtacc agaaattgag aaaccaatat ttgagatggt atggaccgca cagacaattg ctccagacag tgaaggtgcc attgatggtc accttcgtga agctggacta acatttcatc ttcttaaaga tgttcctggg attgtatcaa agaacattaa taaagcattg gtcgaggctt tccaaccatt aggaatttct gattacaact caatcttttg gattgcacac ccgggtggac ctgcaattct 1130 <210> 24 <211> 309 <212> PRT <213> Trifolium repens

<400> 24

Met Val Ser Val Ala Glu Ile Arg Lys Ala Gln Arg Ala Glu Gly Pro

Ala Thr Ile Leu Ala Ile Gly Thr Ala Asn Pro Ala Asn Arg Val Glu 25

Gln Ser Thr Tyr Pro Asp Phe Tyr Phe Lys Ile Thr Asn Ser Glu His

Lys Thr Glu Leu Lys Glu Lys Phe Gln Arg Met Cys Asp Lys Ser Met

Ile Lys Ser Arg Tyr Met Tyr Leu Thr Glu Glu Ile Leu Lys Glu Asn 70

Pro	Ser	Leu	Cys	Glu 85	Tyr	Met	Ala	Pro	Ser 90	Leu	Asp	Ala	Arg	Gln 95	Asp
Met	Val	Val	Val 100	Glu	Val	Pro	Arg	Leu 105	Gly	Lys	Glu	Ala	Ala 110	Val	Lys
Ala	Ile	Lys 115	Glu	Trp	Gly	Gln	Pro 120	Lys	Ser	Lys	Ile	Thr 125	His	Leu	Ile
Phe	Cys 130	Thr	Thr	Ser	Gly	Val 135	Asp	Met	Pro	Gly	Ala 140	Asp	Tyr	Gln	Leu
Thr 145	Lys	Leu	Leu	Gly	Leu 150	Arg	Pro	Tyr	Val	Lys 155	Arg	Tyr	Met	Met	Tyr 160
Gln	Gln	Gly	Сув	Phe 165	Ala	Gly	Gly	Thr	Val 170	Leu	Arg	Leu	Ala	Lys 175	Asp
Leu	Ala	Glu	Asn 180	Asn	Lys	Gly	Ala	Arg 185	Val	Leu	Val	Val	Cys 190	Ser	Glu
Val	Thr	Ala 195	Val	Thr	Phe	Arg	Gly 200	Pro	Ser	Asp	Thr	His 205	Leu	Asp	Ser
Leu	Val 210	Gly	Gln	Ala	Leu	Phe 215	Gly	Asp	Gly	Ala	Ala 220	Ala	Leu	Ile	Val
Gly 225	Ser	Asp	Pro	Val	Pro 230	Glu	Ile	Glu	Lys	Pro 235	Ile	Phe	Glu	Met	Val 240
Trp	Thr	Ala	Gln	Thr 245	Ile	Ala	Pro	Asp	Ser 250	Glu	Gly	Ala	Ile	Asp 255	Gly
His	Leu	Arg	Glu 260	Ala	Gly	Leu	Thr	Phe 265	His	Leu	Leu	Lys	Asp 270	Val	Pro
Gly	Ile	Val 275	Ser	Lys	Asn	Ile	Asn 280	Lys	Ala	Leu	Val	Glu 285	Ala	Phe	Gln
Pro	Leu 290	Gly	Ile	Ser	Asp	Tyr 295	Asn	Ser	Ile	Phe	Trp 300	Ile	Ala	His	Pro
Gly 305	Gly	Pro	Ala	Ile											

<sup>305</sup> 

<sup>&</sup>lt;210> 25 <211> 663 <212> DNA <213> Trifolium repens

<220> <221> <222> <223>	misc_feature (5)(5) Any nucleotide
<220> <221> <222> <223>	misc_feature (7)(8) Any nucleotides
<220> <221> <222> <223>	misc_feature (28)(28) Any nucleotide
<220> <221> <222> <223>	misc_feature (38)(38) Any nucleotide
<220> <221> <222> <223>	misc_feature (53)(53) Any nucleotide
<220> <221> <222> <223>	misc_feature (61)(61) Any nucleotide
<220> <221> <222> <223>	misc_feature (97)(97) Any nucleotide
<220> <221> <222> <223>	misc_feature (128)(128) Any nucleotide
<220> <221> <222> <223>	misc_feature (138)(139) Any nucleotides
<220> <221> <222> <223>	misc_feature (148)(148) Any nucleotide
<220> <221> <222> <223>	misc_feature (151)(151) Any nucleotide

<220> <221> misc feature <222> (163)..(163) <223> Any nucleotide <220> <221> misc\_feature

<222> (171)..(171) <223> Any nucleotide

<400> 25 tattntnnga aaccacttgt gttgaagneg tgaacttngc taccetecat atnatactat

nacctettet gagaccette atcatatata tataacneat eteaceteat acatatttee

acaacaanct ataacttnnc ctgttatnta naccaattga gtntcaaatt nacatacata

geggaacata etaaatacaa eatggttagt gtttetgaaa ttegeaagge teaaaggget 240

gaaggccctg caactatitt ggccattggt actgcaaatc cagcaaatcg tgttgaccag 300

agtacatatc ctgatttcta cttcaaaatc actaacagtg agcataaggt tgagcttaaa

gagaaatttc agcgcatgtg tgataaatct atgatcaaga gcagatacat gtatctaaca

gaagagattt tgaaagaaaa tootagtott tgtgaataca tggcacotto attggatgot 480

aggcaagaca tggtggtggt tgaggtacct agacttggga aggaggctgc agtgaaagct

atcaaagaat ggggtcaacc aaagtcaaag attactcact taatcttttg caccacaagt 600

ggtgttgaca tgcctggtgc tgattaccaa ctcacaaaac tcttaggtct tcgcccatat 660

gtg 663

<210> 26 <211> 575 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (2)..(2) <223> Any nucleotide

<220>

<221> misc\_feature <222> (4)..(5) <223> Any nucleotides

<220> <221> misc\_feature

<222> (18)..(18) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (47)..(47) <223> Any nucleotide

<220> <221> misc\_feature

<222> (65)..(65) <223> Any nucleotide

<400> 26

gnannacaac acacttonac ctttgctttt ctacaacaac ttctatntaa acctttttt 60

agttnaaact tacactactg ctaaagatat atatcaacat ggttagtgtg tctgaaattc 120

gcaaggctca aagggctgaa ggccctgcaa ctattttggc cattggcact gcaaatccag

caaaccgtgt tgatcagagt acatatcctg atttctactt caaaatcact aacagtgagc  $240\,$ 

ataaagttga gotcaaagag aaattocago goatgtgtga taaatotatg atcaagagca 300

gatacatgta totaacagaa gagattttga aagaaaatco tagtotttgt gaatacatgg 360

caccttcatt ggatgctagg caagatatgg tggtggttga ggtacctaga cttggaaagg  $420\,$ 

aggotgcagt gaaggotatt aaagaatggg gtcaaccaaa atctaagatt acacatttga 480

tettttgcac cacaagtggt gtagacatge etggtgetga ttaccagece acaaaacttt 540

taggacttcg tccatatgtg aagaggtaca tgatg

<210> 27 <211> 607

<211> 607 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (4)..(4) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (10)..(10)

WO 03/031622 PCT/AU02/01345

<223> Any nucleotide <220> <221> misc feature <222> (18)..(18) <223> Any nucleotide <220> <221> misc feature <222> (26)..(26) <223> Any nucleotide <220> <221> misc\_feature <222> (29)..(30) <223> Any nucleotides <220> <221> misc\_feature <222> (55)..(55) <223> Any nucleotide <220> <221> misc\_feature <222> (57)..(57) <223> Any nucleotide <220> <221> misc\_feature <222> (75)..(76) <223> Any nucleotides <220> <221> misc\_feature
<222> (80)..(81)
<223> Any nucleotides <220> <221> misc\_feature <222> (92)..(95) <223> Any nucleotides

<220>

<221> misc\_feature <222> (103)..(104)

<223> Any nucleotides

<400> 27

cacnttagen etttgetntt tetaenaenn ettetgteta aacetttttt gagtninaet 60

tgcatacata gaaannctan nctgctaaag annnntatca agnnatggtt agtgtgtctg

aaattcgcaa ggctcaaagg gcagaaggcc ctgcaacaat cttggccatt ggcactgcaa 180

atccagcaaa ccgtgttgat cagagcacat atcctgattt ctacttcaaa atcactaaca 240 gtgaacataa agttgagctc aaagagaaat tccagcgcat gtgtgataaa tctatgatca 300 agagcagata catgtatcta acagaagaga ttttgaaaga aaatcctagt ctttgtgagc 360 acatggcacc ttcattggat gctaggcaag acatggtggt ggttgaggta cctagacttg 420 ggaaggaggc tgcagtgaaa gctataaaag aatggggtca accaaagtca aagattactc 480 acttaatctt ttgcaccaca agtggtgttg acatgcctgg tgctgattac caactcacaa 540 aactettagg tettegeeca tatgtgaaga ggtacatgat gtaccaacaa gggtgetttg caggtgg 607 <210> 28 <211> 606 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (4) .. (4) <223> Any nucleotide <220> <221> misc\_feature <222> (40)..(40) <223> Any nucleotide <220> <221> misc\_feature <222> (52)..(52) <223> Any nucleotide <400> 28 cacnttagec tttqcttttc tacactcttc tgtctaaacn ttttttgagt tnacttqcat acatagaaac tactgctaaa gatatcaaga tggttagtgt gtctgaaatt cgcaaggctc aaagggcaga aggccctgca acaatcttgg ccattggcac tgcaaatcca gcaaaccgtg ttgatcagag cacatatect gatttetact teaaaateae taacagtgaa cataaagttg agctcaaaga gaaattccag cgcatgtgtg ataaatctat gatcaagagc agatacatgt 300 atctaacaga agagattttg aaagaaaatc ctagtctttg tgagcacatg gcaccttcat

WO 03/031622 PCT/AU02/01345

360

tggatgctag gcaagacatg gtggtggttg aggtacctag acttgggaag gaggctgcag

tgaaagctat aaaagaatgg ggtcaaccaa agtcaaagat tactcactta atcttttgca 480

ccacaagtgg tgttgacatg cctggtgctg attaccaact cacaaaactc ttaggtcttc

gcccatatgt gaagaggtac atgatgtacc aacaagggtg ctttgcaggt gggacggttc

ttcqtt 606

<210> 29 <211> 594

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (4)..(4)

<223> Any nucleotide

<220>

<221> misc\_feature
<222> (26)..(26)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (32)..(33)
<223> Any nucleotides

<220>

<221> misc\_feature <222> (43), (43)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (53)..(53) <223> Any nucleotide

<220>

<221> misc\_feature <222> (62)..(62) <223> Any nucleotide

<400> 29

gcanacactc tatccctttc ttttcntata anntacagta ctngcaataa acnactgaat 60

tnaattacat aaaaatctta ctattaagat atggtgagtg tatctgaaat tcgtaaggct 120

caaagggcag aaggccctgc aaccatttta gccattggta ctgcaaatcc agcaaaccgt

gtagaccaga gcacatatcc tgatttctac ttcaaaatca ctaacagtga gcataaggtt 240

gagettaaag agaaatteea gegeatgtgt gataaateta tgateaagag cagatacatg

tatctaacag aagagatttt gaaagaaaat cctagtcttt gtgaatacat ggcaccttca

ttggatgcta ggcaagacat ggtggtggtt gaggtaccta gactaggaaa ggaggctgca 420

gtcaaggcca ttaaagaatg gggtcaacca aagtcaaaga ttactcactt aatcttttgc 480

accacaagtg gtgtagacat gcctggtgct gattaccaac tcacaaaact cttgggactt 540

cgtccatatg tgaagaggtt catgatgtac caacaaggtt gttttgcagg aggc 594

<210> 30

<211> 708 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (3)..(3) <223> Any nucleotide

<220>

<221> misc\_feature <222> (52)..(52)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (706)..(706)

<223> Any nucleotide

<400> 30

acnaaaacaa ctacgcatat tatatatata tatatagtct ataattgaaa gnaaactgct 60

aaagatatta ttaagatatg g<br/>tgagtgtag ctgaaattcg caaggctcag agggctgaag  $120\,$ 

catatectga tttetaette aaaattacaa acagtgagca caagaetgag etcaaagaga  $240\,$ 

agttccaacg catgtgtgac aaatccatga tcaagagcag atacatgtat ctaacagaag

agatttttgaa agaaaatcct agtctttgtg aatacatggc accttcattg gatgctaggc 360

aagacatggt ggtggttgag gtacctagac ttgggaagga ggctgcagtc aaggccatta aagaatgggg tcaaccaaag tcaaagatta ctcacttaat cttttgcacc acaagtgqtq ttgacatgcc tggtgctgat taccaactca caaaactctt aggtcttcgc ccatatgtga 540 aaaggtatat gatgtaccaa caaggttgtt ttgcaggagg cacggtgctt cgtttqqcaa aagatttggc cgagaacaac aaaggtgctc gtgtgctagt tgtttgttct gaagtcaccq cagtcacatt tegeggcccc agtgatactc acttggacag tettgntg 708 <210> 31 <211> 407 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (4)..(4) <223> Any nucleotide <220> <221> misc\_feature
<222> (20)..(20)
<223> Any nucleotide <220> <221> misc\_feature <222> (26)..(26) <223> Any nucleotide <220> <221> misc feature <222> (28)..(28) <223> Any nucleotide <220> <221> misc feature <222> (41)..(42) <223> Any nucleotides

<220>

<221> misc feature

<222> (73)..(73) <223> Any nucleotide

<220× <221> misc\_feature <222> (329)..(329) <223> Any nucleotide

```
<220×
<221> misc_feature
<222> (345)..(345)
<223> Any nucleotide
<220>
<221> misc feature
<222> (365)..(365)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (378)..(378)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (383)..(384)
<223> Any nucleotides
<220>
<221> misc feature
<222> (386)..(389)
<223> Any nucleotides
<220>
<221> misc feature
<222> (402)..(402)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (407)..(407)
<223> Any nucleotide
<400> 31
Ccanggaaaa caacctccqn qcatantnta tatatatata nnqtctataa ttgaaagaaa
ctactaaaga tanttattaa gatatggtga qtqtaqctqa aattcqcaaq qctcaqaqqq
120
ctgaaggccc tgcaaccatt ttggccattq qcactqcaaa tccaccaaac cqtqttqaqc
agagcacata teetgattte taetteaaaa ttacaaacaq tqagcacaaq actqagetea
aagagaagtt ccaacgcatg tgtgacaaat ccatgatcaa gaqcaqatac atgtatctaa
cagaagagat tttgaaagaa aatectagne tttgtgaata catgneacet teattggatg
```

ctagncaaga catggtgneg cennannne ceaccetece enegcen 407

<210> 32 <211> 483 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc\_feature
<222> (21)..(21)
<223> Any nucleotide <220> <221> misc feature <222> (37)..(37) <223> Any nucleotide <220> <221> misc\_feature
<222> (388)..(388)
<223> Any nucleotide <220> <221> misc\_feature <222> (408)..(409) <223> Any nucleotides <220> <221> misc\_feature
<222> (444)..(444)
<223> Any nucleotide <220> <221> misc\_feature
<222> (449)..(449)
<223> Any nucleotide <220> <221> misc\_feature
<222> (453)..(453)
<223> Any nucleotide <220> <221> misc\_feature
<222> (476)..(476)
<223> Any nucleotide <220> <221> misc feature <222> (479)..(479) <223> Any nucleotide

<221> misc feature <222> (483)..(483) <223> Any nucleotide

<400> 32

gnacaaaaac actcgcatat ncatatatct ctctctngtc tataattgaa agaaactgct

aaagatatta ttaagatatg gtgagtgtag ctgaaattcg caaggctcag agggctgaag 120

gecetgeaac cattttggcc attggcactg caaatecacc aaaccgtgtt gagcagaqca

catatectga tttctacttc aaaattacaa acagtgagca caagactgag ctcaaagaga 240

agttccaacg catgtgtgac aaatccatga tcaagagcag atacatgtat ctaacagaag 300

agattttgaa agaaaatcct agtctttgtg aatacatggc accttcattg gatgctaggc

aagacatggt ggtggttgag gtacctanac ttgggaagga ggctgcannc aaggccatta 420

aagaatgggg tcaaccaaag tcanagatna ctnacttaat cttttgcacc acaagnggng 480

con 483

<210> 33 <211> 586 <212> DNA

<213> Trifolium repens

<220>

<221> misc feature <222> (14)..(14)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (20)..(20)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (26)..(26) <223> Any nucleotide

<220>

<221> misc feature <222> (36)..(36)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (42)..(42)

```
<223> Any nucleotide
```

<220>

<221> misc feature

<222> (73)..(73) <223> Any nucleotide

<400> 33

gcacaaaaac actnogctan ttatantata tatatntata tnatatataa ttgaaagaaa

ctactaaaga tanttattaa gatatggtga gtgtagcaga aattcgcaag gctcagaggg 120

ctgaaggccc tgcaaccatt ttggccattg gcactgcaaa tccaccaaac cgtgttgagc

agagcacata tectgattte taetteaaaa ttacaaacag tgagcacaag actgagetea

aagagaagtt ccaacgcatg tgtgacaaat ccatgatcaa gagcagatac atgtatctaa 300

cagaagagat tttgaaagaa aatcctagtc tttgtgaata catggcacct tcattggatg

ctagacaaga catggtggtg gttgaggtac ctagacttgg gaaggaggct gcagtcaagg 420

ctatcaaaga atggggtcaa ccaaaatcta agattacaca tttgatcttt tgcaccacaa 480

gtggtgtaga catgcctggt gctgattacc aactcacaaa actcttagga cttcgtccat

atgtgaagag gtacatgatg taccaacaag ggtgctttgc aggtgg

<210> 34 <211> 574

<212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (3)..(3) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (8) .. (8)

<223> Any nucleotide

<220> <221> misc\_feature

<222> (11)..(11) <223> Any nucleotide

<220>

<221> misc feature

PCT/AU02/01345

43/390 <222> (18)..(19) <223> Any nucleotides <220> <221> misc feature <222> (28)..(28) <223> Any nucleotide <220> <221> misc\_feature <222> (30)..(31) <223> Any nucleotides <220> <221> misc\_feature <222> (34)..(35) <223> Any nucleotides <220> . <221> misc\_feature <222> (43)..(43) <223> Any nucleotide <220> <221> misc\_feature
<222> (45)..(46)
<223> Any nucleotides <220> <221> misc\_feature <222> (51)..(51) <223> Any nucleotide <400> 34 genacaanet ntaaettnne etgttatnin nachnatiga gintnnaatt nacatacata gcggaacata ctaaatacaa catggttagt gtttctgaaa ttcgcaaggc tcaaagggct gaaggccctg caactatttt ggccattggc actgcaaatc cagcaaaccg tgttgatcag 180 agcacatatc ctgattttta cttcaaaatc actaacagtg agcataaggt tgagcttaaa gagaaatttc agcgcatgtg tgataaatct atgatcaaga gcagatacat gtatctaaca gaagagattt tgaaagaaaa tootagtott tgtgaataca tggcacottc attggatgot aggcaagaca tggtggtggt tgaggtacct agacttggga aggaggctgc agtgaaagct atcaaagaat ggggtcaacc aaagtcaaag attactcact taatcttttg caccacaagt

ggtgtagaca tgcctggagc tgattaccaa ctcacaaaac tcttaggtct tcgcccatat

540

gtgaagaggt acatgatgta ccaacaaggg tgct

<210> 35 <211> 604 <212> DNA

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (32)..(32)

<223> Any nucleotide

<400> 35

aaaacaaccc cgcatattat atatatatat angtotataa ttgaaagaaa ctgctaaaga 60

tattattaag atatggtgag tgtagctgaa attcgcaagg ctcagagggc tgaaggccct

gcaaccattt tggccattgg tactgcaaat ccaccaaacc gtgttgagcg gagcacatat

cctgatttct acttcaaaat tacaaacagt gagcacaaga ctgagctcaa agagaagttc 240

caacgcatgt gtgacaaatc catgatcaag agcagataca tgtatctaac agaagagatt 300

ttgaaagaaa atcctagtct ttgtgaatac atggcacctt cattggatgc taggcaagac 360

atggtggtgg ttgaggtacc tagacttggg aaggaggctg cagtgaaagc tatcaaagaa 420

tggggtcaac caaagtcaaa gattactcac ttaatctttt gcaccacaag tggtgtagac 480

atgcctggag ctgattacca actcacaaaa ctcttaggtc ttcgcccata tgtgaaaagg 540

tatatgatgt accaacaagg ttgttttgca ggaggcacgg tgcttcgttt ggcaaaagat 600

ttgg 604

<210> 36

<211> 570 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (9)..(9) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (37)..(37)

<400> 36

<223> Any nucleotide

caacaaccnt aacttcctgt tattaaccat tgagttnaat tacatacata qcqqaacata

ctaaatacaa catggttagt gtttctgaaa ttcgcaaggc tcaaagggct gaaggccctg

caactatttt ggccattggt actgcaaatc cagcaaatcg tgttgaccag agtacatatc 180

ctgatttcta cttcaaaatc actaacagtg agcataaggt tgagcttaaa qagaaatttc 240

agegeatgtg tgataaatet atgateaaga geagataeat gtatetaaea gaagagattt

tgaaagaaaa tootagtott tgtgaataca tggcaccttc attggatgct aggcaagaca 360

tggtggtggt tgaggtacct agacttggga aggaggtgc agtgaaagct atcaaagaat

ggggtcaacc aaagtcaaag attactcact taatcttttg caccacaagt ggtgttgaca

tgcctggtgc cgattaccaa ctcacaaaac tcttaggtct tcgcccatat gtgaagaggt 540

acatgatgta ccaacaaggg tgctttgcag 570

<210> 37 <211> 598

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature

<222> (10)..(10) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (17), (18)

<223> Any nucleotides

<220>

<221> misc\_feature

<222> (26) ... (27)

<223> Any nucleotides

<220>

<221> misc feature

<222> (29)..(30) <223> Any nucleotides

<220>

<221> misc\_feature

WO 03/031622 PCT/AU02/01345

<222> (34)..(34) <223> Any nucleotide

<220> <221> misc\_feature <222> (42)..(42)

<223> Any nucleotide

<221> misc\_feature <222> (44)..(45) <223> Any nucleotides

<220>

<221> misc\_feature <222> (50)..(50) <223> Any nucleotide

<223> Any nucleotide

<221> misc\_feature <222> (67)..(67) <223> Any nucleotide

<400> 37

caacaacctn taacttnncc tgttanntnn accnattgag tntnnaattn acatacatag

cggaacntac taaatacaac atggttagtg tttctgaaat tcgcaaggct caaagggctg 120

aaggccctgc aactatt<br/>tttg gccattggta ctgcaaatcc agcaaatcgt gttgaccaga  $\ensuremath{\texttt{180}}$ 

gtacatatee tgatttetae tteaaaatea etaacagtga geataaggtt gagettaaag 240

agaaatttca gegeatgtgt gataaatcta tgatcaagag cagatacatg tatctaacag 300  $\,^{\circ}$ 

aagagatttt gaaagaaaat cctagtettt gtgaatacat ggcacettca ttggatgeta 360

ggcaagacat ggtggtggtt gaggtaccta gacttgggaa ggaggctgca gtgaaagcta 420

tcaaagaatg gggtcaacca aagtcaaaga ttactcactt aatcttttgc accacaagtg

gtgtagacat gcctggagct gattaccaac tcacaaaact cttaggtctt cgcccatatg

tgaagaggta catgatgtac caacaagggt gctttgcagg tgggacggtt cttcgttt

<210> 38 <211> 609

<212> DNA

<213> Trifolium repens

<220>

47/390 <221> misc\_feature <222> (3)..(3) <223> Any nucleotide <220> <221> misc feature <222> (32)..(32) <223> Any nucleotide <220> <221> misc\_feature <222> (34)..(34) <223> Any nucleotide <400> 38 ganaaaaaca ctccgcatat tatatatata tntntatagt ctataattga aagaaactgc 60 taaagatatt attaagatat ggtgagtgta gctgaaattc gcaaggctca gagggctgaa ggccctgcaa ccattttggc cattggcact gcaaatccac caaaccgtgt tgagcagagc acatatectg atttetaett caaaattaca aacagtgage acaagactga geteaaagag 240 aagttccaac gcatgtgtga caaatccatg atcaagagca gatacatgta tctaacagaa 300 gagattttga aagaaaatcc tagtctttgt gaatacatgg caccttcatt ggatgctagg caagacatgg tggtggttga ggtacctaga cttgggaagg aggctgcagt caaggccatt aaagaatggg gtcaaccaaa gtcaaagatt actcacttaa tcttttgcac cacaagtggt 480 gttgacatgc ctggtgctga ttaccaactc acaaaactct taggtcttcq cccatatgtg aaaaggtata tgatgtacca acaaggttgt tttgcaggag gcacggtgct tcgtttggca 600 aaagatttq 609 <210> 39 <211> 390 <212> DNA <213> Trifolium repens

<220> <221> misc\_feature <222> (8) ... (8) <223> Any nucleotide

<220> <221> misc\_feature <222> (37)..(37)

WO 03/031622 PCT/AU02/01345 48/390

<223>	Any nucleotide
<220> <221> <222> <223>	misc_feature (97)(97) Any nucleotide
<220> <221> <222> <223>	misc_feature (334)(334) Any nucleotide
<220> <221> <222> <223>	misc_feature (345)(345) Any nucleotide
<220> <221> <222> <223>	misc_feature (349)(349) Any nucleotide
<220> <221> <222> <223>	misc_feature (353)(353) Any nucleotide
<220> <221> <222> <223>	misc_feature (363)(363) Any nucleotide
<220> <221> <222> <223>	misc_feature (366)(366) Any nucleotide
<220> <221> <222> <223>	misc_feature (369)(369) Any nucleotide
<220> <221> <222> <223>	misc_feature (371)(371) Any nucleotide
<220> <221> <222> <223>	misc_feature (376)(376) Any nucleotide

<220>

<221> misc\_feature
<222> (380)..(380)

<223> Any nucleotide

<220>

<221> misc feature <222> (390)..(390)

<223> Any nucleotide

<400> 39

aacaaccnat aacttcctgt tattaaccat tgagttnaat tacatacata gcggaacata

ctaaatacaa catggttagt gtttctgaaa ttcgcanggc tcaaagggct gaaggccctg 120

caactatttt ggccattggt actgcaaatc cagcaaatcg tgttgaccag agtacatatc

ctgatttcta cttcaaaatc actaacagtg agcataaggt tgagcttaaa gagaaatttc

agogoatgtg tgataaatot atgatcaaga goagatacat gtatctaaca gaagagattt 300

tgaaagaaaa tootagtott tgtgaataca tggnacotto attgnatgnt agncaagaca 360

tgntgntgnc ngaggnaccn agacttgccn 390

<210> 40 <211> 561 <212> DNA

<213> Trifolium repens

<220>

<221> misc feature

<222> (15)..(16) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (37)..(38)
<223> Any nucleotides

<220>

<221> misc\_feature <222> (69)..(69) <223> Any nucleotide

<220>

<221> misc feature

<222> (485)..(485) <223> Any nucleotide

<220>

<221> misc feature <222> (507)..(507)

<223> Any nucleotide

50/390 <220> <221> misc feature <222> (511)..(511) <223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (520)..(520)
<223> Any nucleotide <220> <221> misc\_feature
<222> (530)..(530)
<223> Any nucleotide <220> <221> misc feature <222> (543)..(543) <223> Any nucleotide <220> <221> misc feature <222> (554)..(554) <223> Any nucleotide <220> <221> misc\_feature
<222> (557)..(558)
<223> Any nucleotides <220> <221> misc\_feature <222> (561)..(561) <223> Any nucleotide <400> 40 aaaaaacaac ctacnngcat attatatata tatatanngt ctataattga aagaaactac taaagatant tattaagata tggtgagtgt agctgaaatt cgcaaggctc agagggctga 120 aggccctgca accattttgg ccattggcac tgcaaatcca ccaaaccgtg ttgagcagag cacatateet gatttetaet teaaaattae aaacagtgag cacaagaetg ageteaaaga gaagttecaa egeatgtgtg acaaateeat gateaagage agatacatgt atetaacaga 300 agagattttg aaagaaaatc ctagtctttg tgaatacatg gcaccttcat tggatgctag

acaagacatg gtggtggttg aggtacctag acttgggaag gaggctgcag tcaaggctat 420

360

caaagaatgg ggtcaaccaa aatctaagat tacacatttg atcttttgca ccacaagtgg

480

tgtanacatg cctggtgctg attaccnact ngcaaaactn ttaggacttn gcccatatgt

gangaggcgc gtgntgnncc n 561

<210> 41

<211> 543 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (1)..(2) <223> Any nucleotides

<220>

<221> misc\_feature
<222> (14)..(15)
<223> Any nucleotides

<220>

<220>
<221> misc\_feature
<222> (20)..(20)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (25)..(25)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (28)..(28)
<223> Any nucleotide

<220>

<221> misc feature

<222> (31)..(31) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (40)..(40)
<223> Any nucleotide

<220>

<221> misc feature

<222> (42)..(42) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (48)..(48) <223> Any nucleotide

nnaacctata actnnccctn ttatntanac ncattgagtn tnaaattnac atacatageg gaacatacta aatacaacat ggttagtgtt tctgaaattc gcaaggctca aagggctgaa 120 ggccctgcaa ctattttggc cattggtact gcaaatccag caaatcgtgt tgaccaqagt 180 acatateetg atttetaett caaaateaet aacagtgage ataaggttga gettaaagag aaatttcagc gcatgtgtga taaatctatg atcaagagca gatacatgta tctaacagaa 300 gagattttga aagaaaatcc tagtctttgt gaatacatgg caccttcatt ggatgctagg 360 caagacatgg tggtggttga ggtacctaga cttgggaagg aggctgcagt gaaagctatc aaagaatggg gtcaaccaaa gtcaaagatt actcacttaa tcttttgcac cacaagtggt 480 gttgacatgc ctggtgctga ttaccaactc acaaaactct taggtcttcg cccatatgtg 540 aag 543 <210> 42 <211> 437 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (3)..(3) <223> Any nucleotide <220> <221> misc\_feature <222> (13)..(13) <223> Any nucleotide

<220>
<221> misc\_feature

<222> (16)..(16) <223> Any nucleotide

<220>

<221> misc\_feature <222> (21)..(21) <223> Any nucleotide

<220>
<221> misc\_feature
<222> (30)..(31)

<223> Any nucleotides

<220> <221> misc\_feature
<222> (35)..(36)
<223> Any nucleotides <220>

<221> misc\_feature <222> (38)..(38) <223> Any nucleotide

<220> <221> misc\_feature
<222> (41)..(42)
<223> Any nucleotides

<220>

<221> misc\_feature
<222> (54)..(54)
<223> Any nucleotide

<220> <221> misc\_feature <222> (59)..(59) <223> Any nucleotide

<220> <220>
<221> misc\_feature
<222> (373)..(373)
<223> Any nucleotide

<220>
<221> misc\_feature
<222> (388)..(388)
<223> Any nucleotide

<220>

<220> <221> misc\_feature
<222> (394)..(394)
<223> Any nucleotide

<220> <221> misc\_feature
<222> (407)..(408)
<223> Any nucleotides

<220> <221> misc\_feature <222> (434)..(434) <223> Any nucleotide

<220> <221> misc\_feature <222> (437)..(437)

<221> misc\_feature <222> (32)..(32) <223> Any nucleotide

<221> misc\_feature

<220>

<223> Any nucleotide <400> 42 ggntaaccaa contanactt nootgttatn nottnmanat nntacataca tagncagona aacaaagata tcaacatatg gttagtgttt ctgaaattcg taaggctcaa agggcagaag 120 gecetgeaac tattttggcc attggtactg caaatccagc aaaccgtgtt gatcagagta catateetga tttetaette aaaateaeta acagtgagea taaagttgag etcaaagaga 240 aattccagcg catgtgtgat aaatctatga tcaagagcag atacatgtat ctaacagaag 300 agattttgaa agaaaatcct agtctttgtg aatacatggc accttcattg gatgctaggc aagatatggt ggncgttgag gtacctanac ttgnaaagga ggctgcnntg aaggctatta aagaatgggg ccancen 437 <210> 43 <211> 607 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (13)..(13) <223> Any nucleotide <220> <221> misc\_feature
<222> (18)..(18)
<223> Any nucleotide <220> <221> misc\_feature <222> (23)..(23) <223> Any nucleotide <220> <221> misc feature <222> (29), (29) <223> Any nucleotide <220>

<222> (35)..(35)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (66)..(66) <223> Any nucleotide

<400> 43

caacaaaaac acntcgcnat atntatatna tnttngtcta taattgaaag aaactgctaa

agatanttat taagatatgg tgagtgtagc tgaaattcgc aaggctcaga gggctgaagg

ccctgcaacc attttggcca ttggcactgc aaatccacca aaccgtgttg agcagagcac  $180\,$ 

atateetgat ttetaettea aaattacaaa eagtgageac aagaetgage teaaagagaa 240

gttccaacgc atgtgtgaca aatccatgat caagagcaga tacatgtatc taacagaaga 300

gattttgaaa gaaaatccta gtctttgtga atacatggca ccttcattgg atgctaggca 360

agacatggtg gtggttgagg tacctagact tgggaaggag gctgcagtga aagctatcaa 420

agaatggggt caaccaaagt caaagattac tcacttaatc tttttgcacca caagtggtgt 480

agacatgoot ggagotgatt accaactoac aaaactotta ggtottogoc catatgtgaa 540 aaggtatatg atgtaccaac aaggttgttt tgcaggaggc acggtgotto gtttggcaaa

agatttg

<210> 44 <211> 581

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (7)..(7)

<223> Any nucleotide

<220> <221> misc\_feature

<222> (11)..(11) <223> Any nucleotide

<220> <221> misc\_feature

<222> (17)..(17) <223> Any nucleotide -<220> <221> misc feature <222> (29)..(29) <223> Any nucleotide <220> <221> misc feature <222> (33)..(33) <223> Any nucleotide <220> <221> misc\_feature <222> (64)..(64) <223> Any nucleotide <400> 44 aacactnogo natattntat atatatatnt atngtotata attgaaagaa actgotaaag atanttatta agatatggtg agtgtagetg aaattegcaa ggeteagagg getgaaggee ctgcaaccat tttggccatt ggcactgcaa atccaccaaa ccgtgttgag cagagcacat 180 atcctgattt ctacttcaaa attacaaaca gtgagcacaa gactgagctc aaagagaagt 240 tccaacgcat gtgtgacaaa tccatgatca agagcagata catgtatcta acagaagaga 300 ttttgaaaga aaatcctagt ctttgtgaat acatggcacc ttcattggat gctaggcaag acatggtggt ggttgaggta cctagacttg ggaaggaggc tgcagtcaag gccattaaag 420 aatggggtca accaaagtca aagattactc acttaatctt ttgcaccaca agtggtgttg 480 acatgcctgg tgctgattac caactcacaa aactcttagg tcttcgccca tatgtgaaaa 540 ggtatatgat gtaccaacaa ggttgttttg caggaggcac g 581 <210> 45 <211> 588 <212> DNA <213> Trifolium repens

<220>
<221> misc\_feature
<222> (9)..(10)
<223> Any nucleotides

<220>
<221> misc\_feature
<222> (16)..(16)

<220>

<221> misc\_feature

<223> Any nucleotide

<222> (20)..(20) <223> Any nucleotide

<220>

<221> misc feature

<222> (25)..(28) <223> Any nucleotides

<220>

<221> misc feature

<222> (32)..(33) <223> Any nucleotides

<220>

<221> misc\_feature <222> (63)..(63)

<223> Any nucleotide

<400> 45

aaacaaccnn ccgcantatn tatannnnta tnngtcataa ttgaaagaaa ctgctaaaga

tanttattaa gatatggtga gtgtagctga aattcgcaag gctcagaggg ctgaaggccc 120

tgcaaccatt ttggccattg gcactgcaaa tccaccaaac cgcgttgagc agagcacata

tcctgatttc tacttcaaaa ttacaaacag tgagcacaag actgagctca aagagaagtt 240

ccaacgcatg tgtgacaaat ccatgatcaa gagcagatac atgtatctaa cagaagagat

tttgaaagaa aatootagto tttgtgaata catggcacct tcattggatg ctaggcaaga 360

catggtggtg gttgaggtac ctagacttgg gaaggaggct gcagtcaagg ctatcaaaga

atggggtcaa ccaaaatcta agattacaca tttgatcttt tgcaccacaa gtggtgtaga

catgootggt gctgattacc aactcacaaa actcttggga cttcgtccat atgtgaagag 540

attcatgatg taccaacaag getgetttge aggtgggacg gttetteg 588

<210> 46 <211> 613

<212> DNA

<213> Trifolium repens

<220> <221> misc\_feature

<222> (5)..(5) <223> Any nucleotide <220> <221> misc\_feature <222> (7)..(7) <223> Any nucleotide <220> <221> misc\_feature
<222> (12)..(13)
<223> Any nucleotides <220> <220>
<221> misc\_feature
<222> (17)..(18)
<223> Any nucleotides <220> <221> misc feature <222> (20)..(22) <223> Any nucleotides <220> <221> misc\_feature <222> (24)..(24) <223> Any nucleotide <220> <221> misc\_feature <222> (26)..(27) <223> Any nucleotides <220> <221> misc\_feature <222> (29)..(29) <223> Any nucleotide <220> <221> misc\_feature <222> (50)..(50) <223> Any nucleotide <220>

<221> misc\_feature
<222> (60)..(60)
<223> Any nucleotide

<400> 46

caacnenteg cnntatnntn nntntnntng tetataattg aaagaaactn etaaagatan 60

ttattaagat atggtgagtg tagctgaaat tcgcaaggct cagagggctg aaggccctgc 120

aaccattttg gccattggca ctgcaaatcc accaaaccgt gttgagcaga gcacatatcc

180

tgatttctac ttcaaaatta caaacagtga gcacaagact gagctcaaag agaagttcca

acgcatgtgt gacaaatcca tgatcaagag cagatacatg tatctaacag aagagatttt

gaaagaaaat cctagtcttt gtgaatacat ggcaccttca ttggatgcta ggcaagacat

ggtggtggtt gaggtaccta gacttgggaa ggaagctgca gtcaaggcca ttaaagaatg

gggtcagcca aagtcaaaga ttactcactt aatcttttgc accacaagtg gtgttgacat 480

gcctggagct gattaccaac tcacaaaact cttaggtctt cgcccatatg tgaaaaggta

tatgatgtac caacaaggtt gttttgcagg aggcacggtg cttcgtttgg caaaagattt 600

ggccgagaac aac

613

<210> 47 <211> 544

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature
<222> (3)..(3)
<223> Any nucleotide

<220>

<221> misc\_feature

<222> (6)..(6) <223> Any nucleotide

<220>

<221> misc\_feature <222> (20)..(21)

<223> Any nucleotides

<400> 47

conatnacet teetgttatm nettacatat actacataca tageaggage aaagatatea

acatatggtt actgtttctg aaattcgcaa ggctcaaagg gctgaaggcc ctgcaaccat 120

tttggccatt ggtactgcaa atccagcaaa ccgtgttgat cagagtacat atcctgattt

ctacttcaaa atcactaaca gtgagcataa ggttgagctc aaggagaaat tccagcgcat 240

gtgtgacaaa totatgatoa agagoagata catgtatota acagaagaga ttttgaaaga 300

aaatcctagt ctttgtgaat acatggcacc ttcattggat gctaggcaag atatggtggt 360 cgttgaggta cctagactgg gaaaggaagc tgcagtgaag gctattaaag aatggggtca 420 accaaagtca aagattactc acttaatctt ttgcactaca agtggtgtag acatgcctgg 480 tgctgattac cagctcacaa aactcttagg tcttcgccca tatgtgaaga ggtatatgat 540 gtat 544 <210> 48 <211> 555 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (4) .. (5) <223> Any nucleotides <220> <221> misc\_feature <222> (8) ... (8) <223> Any nucleotide <220> <221> misc\_feature <222> (11) ... (11) <223> Any nucleotide <220> <221> misc feature <222> (21)..(22) <223> Any nucleotides <220> <221> misc\_feature
<222> (513)..(513)
<223> Any nucleotide <400> 48 accnnatnac ntactgttat nncttacata tactacatag caggactgca aaattcaagt atcaacatat ggttactgtt tctgaaattc gcaaggctca aagggctgaa ggccctgcaa 120 ccattttggc cattggtact gcaaatccag caaaccgtgt tgatcagagt acatatcctg 180 atttctactt caaaatcact aacagtgagc ataaggttga gctcaaggag aaattccagc

gcatgtgtga taaatctatg atcaagagca gatacatgta tctaacagaa gagattttga 300

aagaaaatcc tagtctgtgt gagtacatgg caccttcatt ggatgctagg caagacatgg 360 ttgtggttga ggtacctaga cttggaaagg aggctgcagt caaggccatt aaagaatggg gtcaaccaaa gtcaaagatt actcacttaa tcttttgcac cacaagtggt gtagacatgc 480 ctggtgctga ttaccaactc acaaaactct tangtcttcg tccatacgtg aagagggaca 540 tgatgtacca acaaq 555 <210> 49 <211> 570 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (3)..(3) <223> Any nucleotide <220> <221> misc\_feature <222> (5)..(5) <223> Any nucleotide <220> <221> misc\_feature <222> (13)..(13) <223> Any nucleotide <220× <221> misc\_feature <222> (25)..(25) <223> Any nucleotide <220> <221> misc\_feature <222> (58)..(58) <223> Any nucleotide <400> 49 acnontogot atntatttat atatntagto tataattgaa agaaactgot aaagatantt attaagatat ggtgagtgta gctgaaattc gcaaggctca gagggctgaa ggccctgcaa 120 ccattttggc cattggcact gcaaatccac caaaccgtgt tgagcagagc acatatcctg 180 atttctactt caaaattaca aacagtgagc acaagactga gctcaaagag aagttccaac 240

gcatgtgtga caaatccatg atcaagagca gatacatgta tctaacagaa gagattttga

WO 03/031622 PCT/AU02/01345

300

aagaaaatcc tagtctttgt gaatacatgg caccttcatt ggatgctagg caagacatgg

tggtggttga ggtacctaga cttgggaagg aggctgcagt caaggccatt aaagaatggg 420

gtcaaccaaa gtcaaagatt actcacttaa tcttttgcac cacaagtggt gttgacatgc 480

ctggtgctga ttaccaactc acaaaactct taggtcttcg cccatatgtg aaaaggtata 540

tgatgtacca acaaggttgt tttgcaggag

<210> 50 <211> 546

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature
<222> (6)..(6)
<223> Any nucleotide

<220>

<221> misc\_feature

<222> (25)..(25) <223> Any nucleotide

<220> <221> misc\_feature

<222> (35)..(35) <223> Any nucleotide

<220>

<221> misc feature <222> (49) .. (49)

<223> Any nucleotide

<400> 50

actatnacta ctgtttactt acatntactc atagnggact gcaagtatna gtataacata

tggttactgt ttctgaaatt cgcaaggctc aaagggctga aggccctgca accattttgg

ccattggtac tgcaaatcca gcaaaccgtg ttgatcagag tacatatcct gatttctact

tcaaaatcac taacagtgag cataaggttg agctcaagga gaaattccag cgcatgtgtg 240

ataaatctat gatcaagagc agatacatgt atctaacaga agagattttg aaagaaaatc 300

ctagtctgtg tgagtacatg gcaccttcat tggatgctag gcaagacatg gttgtggttg 360

63/390 aggtacctag acttggaaag gaggctgcag tcaaggccat taaagaatgg ggtcaaccaa agtcaaagat tactcactta atcttttgca ccacaagtgg tgtagacatg cctggtgctg 480 attaccaact cacaaaactc ttaggtcttc gtccatacgt gaagaggtac atgatgtacc aacaaq 546 <210> 51 <211> 582 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (18)..(18) <223> Any nucleotide <220> <221> misc\_feature <222> (22) ... (22) <223> Any nucleotide <220> <221> misc\_feature <222> (34)..(34) <223> Any nucleotide <400> 51 acctacette etgttatnet tnaatteata catngeagea aacaaagata taacatatgg ttagtgtatc tgaaattcgc aaggctcaaa gggcagaagg ccctgcaact attttggcca ttggtactgc aaatccagca aaccgtgttg atcaaagtac atatcctgat ttctacttca 180 aaatcactaa cagtgagcat aaggttgagc tcaaagagaa attccagcgc atgtgtgata 240 aatotatgat caagagcaga tacatgtato caacagaaga gattttgaaa gaaaatoota 300 gtetttgtga atacatggca cetteattgg atgetagaca agacatggtg gtggttgagg tacctagact tggaaaggag gctgcagtga aggccattaa agaatggggt caaccaaaat ctaagattac acatttgatc ttttgcacca caagtggtgt agacatgcct ggtgctgatt accageteac aaaactetta ggtettegte catatgtgaa aaggtatatg atgtaccaac

aagggtgett tgeaggtggg acggtgette gtttggeeaa gg

582

<210> 52

<211> 649 <212> DNA <213> Trifolium repens

<220>

<221> misc\_feature

<222> (3)..(3) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (21)..(21)
<223> Any nucleotide

<220> <221> misc\_feature
<222> (24)..(24)
<223> Any nucleotide

<220>

<221> misc\_feature

<222> (26)..(26) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (40)..(40)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (45)..(45)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (80)..(81)
<223> Any nucleotides

<220>

<220>
<221> misc\_feature
<222> (238)..(239)
<223> Any nucleotides

<220>

<221> misc\_feature
<222> (469)..(469)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (578)..(578)
<223> Any nucleotide

<220>

```
<221> misc_feature
  <222> (588)..(588)
<223> Any nucleotide
  <220>
   <221> misc_feature
  <222> (600)..(600)
<223> Any nucleotide
  <220>
  <221> misc_feature
<222> (610)..(610)
<223> Any nucleotide
  <220>
  <221> misc_feature
  <222> (612)..(612)
<223> Any nucleotide
  <220>
  <221> misc_feature
  <222> (618)..(618)
<223> Any nucleotide
  <220>
 <221> misc_feature
<222> (620)..(620)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (626)..(626)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (637)..(637)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (640)..(640)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (649)..(649)
<223> Any nucleotide
<400> 52
```

acmacttect gttatcactt ncananatta catacatagn cagcnaaaca aagatatcaa 50

catatggtta gtgtatctgn nattegcaag gctcaaaggg cagaaggccc tgcaactatt

ttggccattg gtactgcaaa tccagcaaac cgtgttgatc aaagtacata tcctgatttc

tacttcaaaa tcactaacag tgagcataag gttgagctca aagagaaatt ccagcgonng

tgtgataaat ctatgatcaa gagcagatac atgtatctaa cagaagagat tttgaaagaa

aatcctagtc tttgtgaata catggcacct tcattggatg ctagacaaga catggtggtg

gttgaggtac ctagacttgg aaaggaggct gcagtgaagg ccattaaaga atggggtcaa

ccaaaatcta agattacaca titgatctti tgcaccacaa gtggtgtana catgcotggt

getgattace ageteacaaa actettaggt ettegteeat atgtgaaaag ggatatgatg

taccaacaag ggtgctttgc aggtgggacc gtgcttcntt tggccaanga tttggccan

aacaacaaan gngetegngn gttggntggt tggtetnaan teacegean

<210> 53

<211> 521 <212> DNA

<213> Trifolium repens

<220>

<221> misc feature

<222> (2)..(2) <223> Any nucleotide

<220>

<221> misc feature <222> (4)..(4)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (8) .. (8)

<223> Any nucleotide

<400> 53 tntngtcnta ttgaagaaac tgctaagatt tttaagatat ggtgagtgta gctgaaattc

gcaaggctca gagggctgaa ggccctgcaa ccattttggc cattggcact gcaaatccac

caaaccgtgt tgagcagagc acatatcctg atttctactt caaaattaca aacagtgagc

acaagactga gctcaaagag aagttccaac gcatgtgtga caaatccatg atcaagagca

WO 03/031622 67/390 gatacatgta totaacagaa gagattttga aagaaaatoo tagtotttgt gaatacatgg caccttcatt ggatgctagg caagacatgg tggtggttga ggtacctaga cttgggaagg aggotgcagt gaaagotato aaagaatggg gtcaaccaaa gtcaaagatt actcacttaa tettttgcac cacaagtggt gtagacatge etggagetga ttaccaacte acaaaactet taggtetteg eccatatgtg aaaaggtata tgatgtacca a 521 <210> 54 <211> 506 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc\_feature
<222> (354)..(354)
<223> Any nucleotide <220> <221> misc\_feature <222> (356)..(356) <223> Any nucleotide <220> <221> misc\_feature <222> (368)..(368) <223> Any nucleotide <220> <221> misc feature <222> (376)..(376) <223> Any nucleotide <220> <221> misc\_feature

<222> (378)..(378) <223> Any nucleotide

<221> misc\_feature
<222> (386)..(386)
<223> Any nucleotide

<221> misc\_feature <222> (434)..(434)

<220>

<220>

WO 03/031622 68/390 <223> Any nucleotide <220> <221> misc\_feature <222> (469)..(469) <223> Any nucleotide <2205 <221> misc\_feature <222> (484)..(484) <223> Any nucleotide <220> <221> misc\_feature
<222> (491)..(491)
<223> Any nucleotide <220> <221> misc\_feature <222> (503)..(503) <223> Any nucleotide <220> <221> misc\_feature <222> (506)..(506) <223> Any nucleotide <400> 54 gngctaaaga tattattaag atatggtgag tgtagctgaa attcgcaagg ctcagagggc tgaaggccct gcaaccattt tggccattgg cactgcaaat ccaccaaacc gtgttgagca gagcacatat cctgatttct acttcaaaat tacaaacagt gagcacaaga ctgagctcaa agagaagtto caacgcatgt gtgacaaato catgatcaag agcagataca tgtatctaac

agaagagatt ttgaaagaaa atcctagtct ttgtgaatac atggcacctt cattggatgc taggcaagac atggtggtgg ttgaggtacc tagacttggg aaggaggctg cagncnaggc

cattaaanaa tggggncnac caaagncaaa gattactcac ttaatctttt gcaccacaag

tggtgctgac atgnctggtg ctgattacca actcacaaaa ctcttaggnc ttcccccata

tgtnaaaagg natatgatgc ccncan 506

<210> 55 <211> 504

<212> DNA <213> Trifolium repens

<220> <221> misc feature <222> (3)..(3) <223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (9)..(11)
<223> Any nucleotides <220> <221> misc\_feature <222> (14)..(14) <223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (20)..(20)
<223> Any nucleotide <220> <221> misc\_feature
<222> (53)..(53)
<223> Any nucleotide <220> <221> misc\_feature
<222> (374)..(374)
<223> Any nucleotide <220> <221> misc\_feature
<222> (395)..(395)
<223> Any nucleotide <220> <221> misc feature <222> (431)..(431) <223> Any nucleotide <220> <221> misc\_feature
<222> (466)..(467)
<223> Any nucleotides <220> <221> misc\_feature
<222> (473)..(473)
<223> Any nucleotide

<220>

<220>
<221> misc\_feature
<222> (504)..(504)
<223> Any nucleotide

<400> 55

<400> 55 gtnctaaann nttnttaagn aatggtgagt gtagctgaat tegeaggete agnaggetga 60

aggecetgea accattttgg ceattggeae tgeaaateea ceaaacegtg ttgageagag

cacatateet gatttetaet teaaaattae aaacagtgag cacaagaetg ageteaaaga

gaagttocaa ogcatgtgtg acaaatocat gatcaagago agatacatgt atotaacaga 240

agagattttg aaagaaaatc ctagtetttg tgaatacatg geacetteat tggatgetag 300

gcaagacatg gtggtggttg aggtacctag acttgggaag gaggctgcag tcaaggccat 360

taaagaatgg ggtnaaccaa agtgaaagat tactnactta atcttttgca ccacaagtgg 420

tgttgacatg nctggtgctg attaccaact cacaaaactc ttaggnnttg gcncatatgt 480

gaaaaggtct atgatgcacc aacn

<210> 56

<211> 782

<212> DNA <213> Trifolium repens

<400> 56

gataagatat tattaagata tggtgagtgt agctgaaatt cgcaaggctc agagggctga 60

aggecetgea accattttgg ceattggeac tgeaaateea ceaaacegtg ttgageagag 120

cacatatect gatttetaet teaaaattae aaacagtgag cacaagaetg ageteaaaga  $^{190}$ 

gaagtteeaa egeatgtgtg acaaateeat gatcaagage agatacatgt atetaacaga $^{240}$ 

agagattttg aaagaaaatc ctagtctttg tgaatacatg gcaccttcat tggatgctag

gcaagacatg gtggtggttg aggtacctag acttgggaag gaggctgcag tgaaagctat

caaagaatgg ggtcaaccaa agtcaaagat tactcactta atcttttgca ccacaagtgg

tgtagacatg cctggagctg attaccaact cacaaaactc ttaggtcttc gcccatatgt 480

gaaaaggtat atgatgtacc aacaaggttg ttttgcagga ggcacggtgc ttcgtttggc 540

aaaagatttg googagaaca acaaaggtgo togtgtgttg gttgtttgtt otgaagtoac 600

WO 03/031622 PCT/AU02/01345 71/390 tgcagttaca ttccgtggcc cgagtgacac tcacttggac agtcttgttg gacaagcatt -----gtttggagat ggagcagctg cacttatcgt tggttctgat ccagtgccag aaattgagaa accaatattt gagatggttt ggactgcaca aacaattgct ccagacagtg aaggtgccat tg 782 <210> 57 <211> 597 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (2) .. (2) <223> Any nucleotide <220> <221> misc\_feature <222> (9)..(10) <223> Any nucleotides <220> <221> misc\_feature <222> (12)..(13) <223> Any nucleotides <220> <221> misc\_feature <222> (15) .. (15) <223> Any nucleotide <220> <221> misc\_feature <222> (19)..(20) <223> Any nucleotides <400> 57 tnaagatann tnntnagann tggtgagtgt agcagaaatt cgcaaggctc agagggctga aggecetgea accattttgg ceattggeae tgeaaateea ceaaacegtg ttgageagag cacatateet gatttetaet teaaaattae aaacagtgag cacaagaetg ageteaaaga gaagttccaa cgcatgtgtg acaaatccat gatcaagagc agatacatgt atctaacaga agagattitg aaagaaaatc ctagtetttg tgaatacatg gcacetteat tggatgetag

acaagacatg gtggttggttg aggtacctag acttgggaag gaggctgcag tcaaggctat 360

caaagaatgg ggtcaaccaa aatctaagat tacacatttg atcttttgca ccacaagtgg

tgtagacatg cctggtgctg attaccaact cacaaaactc ttaggacttc gtccatatgt

gaagaggtac atgatgtacc aacaagggtg ctttgcaggt ggggcggttc ttcgtttggc

taaagatttg gccgagaaca acaaaggtgc tcgtgtgttg gttgtttgtt ctgaagt

<210> 58

<211> 590 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (3)..(3)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (7)..(7) <223> Any nucleotide

<400> 58

ggntcanagg gctgaaggcc ctgcaacctt ttggccgttg gcactgcaaa tccgcaaacc

gtgttgagca gagcacatat cctgatttct acttcaaaaat tacaaacagt gagcacaaga

ctgageteaa agagaagtte caacgeatgt gtgacaaate catgateaag agcagataca

tgtatotaac agaagagatt ttgaaagaaa atootagtot ttgtgaatac atggcacott

cattggatgc tagacaagac atggtggtgg ttgaggtacc tagacttggg aaggaggccg

cagtcaaggc tatcaaagaa tggggtcaac caaaatctaa gattacacat ttgatctttt

gcaccacaag tggtgtagac atgcctggtg ctgattacca actcacaaaa ctcttaggac

ttegtecata tgtgaagagg tacatgatgt accaacaagg gtgetttgea ggtgggaegg

ttcttcgttt ggctaaagat ttggccgaga acaacaaagg tgctcgtgtg ttggttgttt

gttctgaagt aactgcagtc acattccgtg gcccgagtga cactcacttg

<210> 59

<211> 618 <212> DNA

WO 03/031622 73/390 <213> Trifolium repens <220> <221> misc\_feature <222> (13)..(13) <223> Any nucleotide <220> <221> misc\_feature <222> (15)..(15) <223> Any nucleotide <220> <221> misc\_feature <222> (41)..(41) <223> Any nucleotide <220> <221> misc feature <222> (58)..(58) <223> Any nucleotide <400> 59 aaggeeetge aanentittt ggeettggta etgeaaatee ngeaaategt gitgaeenga gtacatatcc tgatttctac ttcaaaatca ctaacagtga gcataagatt gagcttaaag agaaatttca gcgcatgtgt gataaatcta tgatcaagag cagatacatg tatctaacag aagagatttt gaaagaaaat ootagtottt gtgaatacat ggcacottca ttggatgota gqcaagacat ggtggtggtt gaggtaccta gacttgggaa ggaggctgca gtgaaagcta tcaaagaatg gggtcaacca aagtcaaaga ttactcactt aatcttttgc accacaagtg gtgttgacat gcctggtgct gattaccaac tcacaaaact cttaggtctt cgcccatatg tgaagaggta catgatgtac caacaagggt gctttgcagg tgggacggtt cttcgtttgg ccaaggattt ggccgagaac aacaaaggtg ctcgtgtgtt ggttgtttgc tctgaagtaa cegeagteae atteegegge ceeagtgaca eteatttgga cageettgtt ggacaagcae tatttggaga tggagctg

618 <210> 60 <211> 619 <212> DNA <213> Trifolium repens

74/390 <2205

<221> misc\_feature

<222> (13)..(14) <223> Any nucleotides

<220> <221> misc\_feature

<222> (39)..(39) <223> Any nucleotide

<400> 60

ggccctgcaa ccnnttttgg ccttggtact gcaaatccng caaatcgtgt tgaccagagt

acatatectg atttetaett caaaateaet aacagtgage ataaggttga gettaaagag

aaatttcagc gcatgtgtga taaatctatg atcaagagca gatacatgta tctaacagaa

gagattttga aagaaaatcc tagtctttgt gaatacatgg caccttcatt ggatgctagg

caagacatgg tggtggttga ggtacctaga cttgggaagg aggctgcagt gaaagctatc

aaagaatggg gtcaaccaaa gtcaaagatt actcacttaa tcttttgcac cacaagtggt

gttgacatgc ctggtgctga ttaccaactc acaaaactct taggtcttcg cccatatgtg

aagaggtaca tgatgtacca acaagggtgc tttgcaggtg ggacggttct tcgtttggcc

aaggatttgg ccgagaacaa caaaggtgct cgtgtgttgg ttgtttgctc tgaagtaacc gcagtcacat tccgcggccc cagtgacact catttggaca gccttgttgg acaagcacta

tttggagatg gagctgctg 619

<210> 61

<211> 559 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (27)..(28)

<223> Any nucleotides

<220>

<221> misc\_feature <222> (559)..(559)

<223> Any nucleotide

<400> 61

ataaggetga gettaaagag aaatttnnge geatgtgtga taaatetatg ateaagagea

gatacatgta totaacagaa gagattttga aagaaaatoo tagtotttgt gaatacatgg 120

caccttcatt ggatgctagg caagacatgg tggtggttga ggtacctaga cttgggaagg 180

aggetgeagt gaaagetate aaagaatggg gteaaceaaa gteaaagatt acteacttaa  $240\,$ 

tottttgcac cacaagtggt gtagacatgc ctggagctga ttaccaactc acaaaactct

taggtetteg eccatatgtg aagaggtaca tgatgtacca acaagggtge tttgcaggtg 360

ggacggttet tegtttggee aaggatttgg eegagaacaa caaaggtget egtgttgg 420

ttgtttgctc tgaagtaacc gcagtcacat tccgcggccc cagtgacact catttggaca 480

gtottgttgg acaagcacta ttcggagatg gagctgctgc actcattgtt ggctcagacc 540

cagtaccaga aattgagan 559

...

<210> 62

<211> 553 <212> DNA

<213> Trifolium repens

<400> 62

atcaagagca gatacatgta totaacagaa gagattttga aagaaaatco tagtctgtgt 60

gagtacatgg cacetteatt ggatgetagg caagacatgg ttgtggttga ggtacetaga 120

cttggaaagg aggctgcagt caaggccatt aaagaatggg gtcaaccaaa gtcaaagatt 180

actcacttaa tettitgeae cacaagtggt gtagacatge etggtgetga ttaccaacte 240

acaaaactet taggtetteg tecataegtg aagaggtaca tgatgtaeca acaagggtge 300

tttgcaggtg ggacggtgct tcgtttggcc aaggatttgg ccgagaacaa caaaggtgct 360

cgtgtgttgg ttg<br/>ttgttc tgaagtcacc gcagtcacat tccgtggccc tagtgacact  $420\,$ 

catttggaca gtottgttgg acaagcacta tttggagatg gagetgetge teteattgtt 480

ggttctgatc cagtaccaga aattgagaag ccaatatttg agatggtatg gaccgcacag 540

acaattgctc cag 553 WO 03/031622 PCT/AU02/01345

76/390 <210> 63 <211> 591 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (5)..(5) <223> Any nucleotide <220> <221> misc\_feature <222> (18) .. (18) <223> Any nucleotide <220> <221> misc\_feature <222> (22)..(22) <223> Any nucleotide <220> <221> misc\_feature <222> (33)..(33) <223> Any nucleotide <220> <221> misc\_feature <222> (35)..(35) <223> Any nucleotide <400> 63 gottnaagaa tggggacnac cnaaatotaa gantnoacat ttgatotttt gcaccacaag tggtgtagac atgcctggtg ctgattacca gctcadaaaa ctcttaggtc ttcgcccata tgtgaagagg tatatgatgt atcaacaagg ttgctttgca ggaggcacgg tgcttcgttt ggctaaagat ttggccgaga acaacaaagg tgctcgtgtg ctagttgttt gttctgaagt aacageagte acatteegeg gteeaagtga cacteacttg gacagtettg ttggacaage actattegga gatggagetg etgeteteat tgttggetea gaecetgtae eagaaatega gaaacctata tttgagatgg tatggaccgc acagacaatt gctccggaca gtgaaggtgc

cattgatggt caccttcgtg aagctggact aacatttcat cttcttaaag atgttcctgg gattgtatca aagaacatta ataaagcatt ggtcgaggct ttccaaccat taggaatttc

tgattacaac tcaatctttt ggattgcaca cccgggtgga cctgcaattc t 591

```
<210> 64
  <211> 634
  <212> DNA
  <213> Trifolium repens
  <220>
  <221> misc feature
  <222> (7)..(7)
<223> Any nucleotide
  <220>
  <221> misc feature
  <222> (9)..(9)
  <223> Any nucleotide
 <220>
 <221> misc_feature
<222> (18)..(18)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (26)..(26)
<223> Any nucleotide
 <400> 64
 tottognona gotggaonaa cattinigot tottaaagat gitootgaga tigiotcaaa
 gaacattgat aaggcattgg ttgaggcatt ccaaccatta aacatctctg attacaattc
 aatcttttgg attgctcatc caggtggtcc tgcaattcta gaccaagttg agataaagtt
gggcttaaaa cctgaaaaaa tgaaggccac cagagatgta cttagtgaat atggtaacat
gtcaagtgca tgtgtattgt tcatcttaga tgagatgcaa aagaaatcgg ctgaaaatgg
actgaaaacc acaggagaag gacttgactg gggtgtgttg tttggatttg gaccaggact
taccattgaa actgttgttc tacatagtgt ggctatatga gaatgcgaga cttgattgtt
ttgtattgta ttgtattgta ttgtattact tttaatcttg cttgaatttc catttaacaa
taaatatgga gttcaataag taccatcagt gttaaaataa tatatcgtta atagctatta
```

aaataaatat tgtcctctta actgaaaaaa aaaa

634

WO 03/031622 78/390

<210> 65 <211> 132 <212> PRT

<213> Trifolium repens

<220>

<221> MISC FEATURE <222> (3)..(3) <223> Any amino acid

<220> <221> MISC\_FEATURE

<222> (6)..(6) <223> Any amino acid

<220> <221> MISC\_FEATURE <222> (9)..(9) <223> Any amino acid

<400> 65

Leu Arg Xaa Ala Gly Xaa Thr Phe Xaa Leu Leu Lys Asp Val Pro Glu

Ile Val Ser Lys Asn Ile Asp Lys Ala Leu Val Glu Ala Phe Gln Pro

Leu Asn Ile Ser Asp Tyr Asn Ser Ile Phe Trp Ile Ala His Pro Gly 35

Gly Pro Ala Ile Leu Asp Gln Val Glu Ile Lys Leu Gly Leu Lys Pro 55

Glu Lys Met Lys Ala Thr Arg Asp Val Leu Ser Glu Tyr Gly Asn Met 70 75

Ser Ser Ala Cys Val Leu Phe Ile Leu Asp Glu Met Gln Lys Lys Ser 90

Ala Glu Asn Gly Leu Lys Thr Thr Gly Glu Gly Leu Asp Trp Gly Val

Leu Phe Gly Phe Gly Pro Gly Leu Thr Ile Glu Thr Val Val Leu His 115 120

Ser Val Ala Ile 130

<210> 66 <211> 491 <212> DNA

<213> Trifolium repens

------

<221> misc\_feature
<222> (26)..(26)
<223> Any nucleotide

<220> <221> misc\_feature

<222> (429)..(429) <223> Any nucleotide

<220> <221> misc\_feature
<222> (452)..(452)
<223> Any nucleotide

<220> <221> misc\_feature
<222> (468)..(468)
<223> Any nucleotide

<220> <221> misc\_feature

<222> (480)..(480) <223> Any nucleotide

<221> misc\_feature
<222> (482)..(482)
<223> Any nucleotide

<220>

<220>

<220> <221> misc\_feature
<222> (486)..(486)
<223> Any nucleotide

<221> misc\_feature
<222> (488)..(488)
<223> Any nucleotide

<220>

<221> misc\_feature

(491)..(491) <222> <223> Any nucleotide

<400> 66

tettegnena getggaenaa cattinitget tettaaagat giteetgaga tigteteaaa

gaacattgat aaggcattgg ttgaggcatt ccaaccatta aacatctctg attacaattc

aatcttttgg attgctcatc caggtggtcc tgcaattcta gaccaagttg agataaagtt

gggottaaaa ootgaaaaaa tgaaggocao cagagatgta ottagtgaat atggtaacat

acttaaaacc acaggagaag gacttgactg gggtgtgttg tttggatttg ggcccggact

taccattgaa actgttgttc tacatagtgt ggctatatga gaatgagaga cttgatttgt

ttttattgna ttgtattact ttaaatcttg gntgaacttc catttaanaa taagtatggn

gntcantntg n 491

<210> 67 <211> 363

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (22)..(22) <223> Any nucleotide

<400> 67

gagatgcaca agaaatcggc tnaaaatgga ctgaaaacca caggagaagg acttgactgg

ggtgtgttgt ttggatttgg accaggactt accattgaaa ctgttgttct acatagtgtg

ttaatcttgc ttgaatttcc atttaacaat aaatatggag ttcaataagt accatcagtg

ttaaaataat atatogitaa tagotattat titagigtot gittoittit actaaactat

attitattit agtattigct attgattiga aataaatatt gtcctcttaa ctgaaaaaaa

aaa

WO 03/031622 PCT/AU02/01345 81/390 363 <210> 68 <211> 363 <212> DNA <213> Trifolium repens <400> 68 gagatgeeta agaaategge teaaaatgga etgaaaaeca caggagaagg aettgaetgg ggtgtgttgt ttggatttgg accaggactt accattgaaa ctgttgttct acatagtgtg ttaatcttgc ttgaatttcc atttaacaat aaatatggag ttcaataagt accatcagtg ttaaaataat atatogttaa tagotattat tttagtgtot gtttottttt actaaactat attttatttt agtatttgct attgatttga aataaatatt gtootottaa otgaaaaaaa aaa 363 <210> 69 <211> 897 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc\_feature <222> (26)..(26) <223> Any nucleotide <220> <221> misc\_feature <222> (33)..(33) <223> Any nucleotide

<400> 69

gnttcaatct gttgtgcata aaattnottt gcnatagaaa accatacaca tttgatcttg

caaagaagaa atatgggaga cgaaggtata gtgagaggtg tcacaaagca gacaacccct 120

gggaaggcta ctatattggc tcttggcaag gcattccctc accaacttgt gatgcaagag

tatttagttg atggttattt tagggacact aattgtgaca atcctgaact taagcagaaa  $240\,$ 

cttgctagac tttgtaagac aaccacggta aaaacaaggt atgttgttat gaatgaggag

atactaaaga aatatccaga acttgttgtc gaaggcgcct caactgtaaa acaacgttta  $360\,$ 

gagatatgta atgaggcagt aacacaaatg gcaattgaag cttcccaagt ttgcctaaag 420

aattggggta gateettate ggacataaet eatgtggttt atgttteate tagtgaaget 480

agattacccg gtggtgacct atacttgtca aaaggactag gactaaaccc taaaattcaa 540

agaaccatge tetatttete tggatgeteg ggaggegtag ceggeetteg egttgegaaa  $600\,$ 

gacatagotg agaacaacco tggaagtaga gttttgottg otaottotga aactacaatt 660

attggattca agccaccaag tgttgataga cettatgate ttgttggtgt ggcactettt 720

ggagatggtg ctggtgctat gataattggc tcagacccaa tacttgaaac tgagactcca 780

ttgtttgagc ttcatacttc agctcaggag tttataccag acacagagaa gaaaatagat 840

gggcggctga cggaggaggg cataagtttc acgctagcga gggaactgcc gcagata 897

<210> 70

<211> 275 <212> PRT

<213> Trifolium repens

<400> 70

Met Gly Asp Glu Gly Ile Val Arg Gly Val Thr Lys Gln Thr Thr Pro 1 10 15

Val Met Gln Glu Tyr Leu Val Asp Gly Tyr Phe Arg Asp Thr Asn Cys  $35 \hspace{1cm} 40 \hspace{1cm} 45$ 

Asp Asp Pro Glu Leu Lys Gln Lys Leu Ala Arg Leu Cys Lys Thr Thr 50  $\phantom{\bigg|}55\phantom{\bigg|}$ 

Thr Val Lys Thr Arg Tyr Val Val Met Asn Glu Glu Ile Leu Lys Lys 65 70 75 80

Tyr Pro Glu Leu Val Val Glu Gly Ala Ser Thr Val Lys Gln Arg Leu 85 90 95

Glu Ile Cys Asn Glu Ala Val Thr Gln Met Ala Ile Glu Ala Ser Gln 105 110

Val Cys Leu Lys Asn Trp Gly Arg Ser Leu Ser Asp Ile Thr His Val 120

Val Tyr Val Ser Ser Ser Glu Ala Arg Leu Pro Gly Gly Asp Leu Tyr 135

Leu Ser Lys Gly Leu Gly Leu Asn Pro Lys Ile Gln Arg Thr Met Leu

Tyr Phe Ser Gly Cys Ser Gly Gly Val Ala Gly Leu Arg Val Ala Lys

Asp Ile Ala Glu Asn Asn Pro Gly Ser Arg Val Leu Leu Ala Thr Ser 185

Glu Thr Thr Ile Ile Gly Phe Lys Pro Pro Ser Val Asp Arg Pro Tyr 200 205

Asp Leu Val Gly Val Ala Leu Phe Gly Asp Gly Ala Gly Ala Met Ile

Ile Gly Ser Asp Pro Ile Leu Glu Thr Glu Thr Pro Leu Phe Glu Leu 235

His Thr Ser Ala Gln Glu Phe Ile Pro Asp Thr Glu Lys Lys Ile Asp 250

Gly Arg Leu Thr Glu Glu Gly Ile Ser Phe Thr Leu Ala Arg Glu Leu 265

Pro Gln Ile 275

<210> 71 <211> 577 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature
<222> (2)..(2)
<223> Any nucleotide

<220>

<221> misc\_feature

<222> (26)..(26) <223> Any nucleotide

<220>

WO 03/031622 PCT/AU02/01345

```
<221> misc_feature
<222> (33)..(33)
<223> Any nucleotide
   <220>
   <221> misc_feature
  <222> (43)..(43)
  <223> Any nucleotide
  <400> 71
  gnttcaatct gttgtgcata aaattnettt genatagaaa aenetacaca tttgatettg
  caaagaagaa atatgggaga cgaaggtata gtgagaggtg tcacaaagca gacaacccct
  gggaaggcta ctatattggc tettggcaag gcattccctc accaacttgt gatgcaagag
  tgtttagttg atggttattt tagggacact aattgtgaca atcctgaact taagcagaaa
 cttgctagac tttgtaagac aaccacggta aaaacaaggt atgttgttat gaatgaggag
 atactaaaga aatatccaga acttgttgtc gaaggcgcct caactgtaaa acaacgttta
 gagatatgta atgaggcagt aacacaaatg gcaattgaag cttcccaagt ttgcctaaag
 aattggggta gatcettate ggacataact catgtggttt atgtttcate tagtgaaget
 agattacccg gtggtgacct atacttgtca aaaggactag gactaaaccc taaaattcaa
 agaaccatge tetatttete tggatgeteg ggaggeg
 <210> 72
 <211> 599
<212> DNA
<213> Trifolium repens
 <220>
<221> misc_feature
<222> (12)..(12)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (20)..(20)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (23)..(23)
<223> Any nucleotide
```

------

WO 03/031622 PCT/AU02/01345

<221> misc\_feature <222> (30)..(30) <223> Any nucleotide

<400> 72

<220>

tcaatctgtt gngcattttn ttnctttgcn atagaaaacc atacacattt gatcttgctt

agaagaaata tgggagacga aggtatagtg agaggtgtca caaagcagac aacccctggg

aaggetasta tattggetet tggeaaggea tteeeteace aacttgtgat geaagagtgt

ttagttgatg gttattttag ggacactaat tgtgacaatc ctgaacttaa gcagaaactt

gotagacttt gtaagacaac cacggtaaaa acaaggtatg ttgttatgaa tgaggagata

ctaaagaaat atccagaact tgttgtcgaa ggcgcctcaa ctgtaaaaca acgtttagag

atatgtaatg aggcagtaac acaaatggca attgaagctt cccaagtttg cctaaagaat

tggggtagat ccttatcgga cataactcat gtggtttatg tttcatctag tgaagctaga

ttacceggtg gtgacctata cttgtcaaaa ggactaggac taaaccctaa aattcaaaga

accatgetet atttetetgg atgeteggga ggegtageeg geettegegt tgegaaaga

<210> 73 <211> 581

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature

<222> (10)..(11) <223> Any nucleotides

<220>

<221> misc\_feature <222>

(19) .. (19) <223> Any nucleotide

<220>

<221> misc feature <222> (26)..(26)

<223> Any nucleotide

<400> 73 tetgttgtgn ntaacattne ttteenttag aaaactatae acatttgate ttgcaaagaa

gaaatatggg agacgaaggt atagtgagag gtgtcacaaa gcagacaacc cctgggaagg

ctactatatt ggctcttggc aaggcattcc ctcaccaact tgtgatgcaa gagtatttag

ttgatggtta ttttagggac actaattgtg acaatcctga acttaagcag aaacttgcta 240

gactttgtaa gacaaccacg gtaaaaacaa ggtatgttgt tatgaatgag gagatactaa 300

agaaatatcc agaacttgtt gtcgaaggcg cctcaactgt aaaacaacgt ttagagatat

gtaatgagge agtaacacaa atggeaattg aagetteeca agtttgeeta aagaattggg 420

gtagateett ateggacata acteatgtgg tttatgttte atetagtgaa getagattae

ccggtggtga cctatacttg tcaaaaggac taggactaaa ccctaaaatt caaagaacca  $540\,$ 

tgetetattt etetggatge tegggaggeg tageeggeet t

<210> 74 <211> 588

<212> DNA

<213> Trifolium repens

<220>

120

<221> misc\_feature

<222> (11)..(11) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (13)..(13) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (25)..(27) <223> Any nucleotides

<220>

<221> misc\_feature <222> (36)..(36)

<223> Any nucleotide

<400> 74

tetgttgtgc ntnaaattac tttgnnntag aaaacnetac acatttgate ttgcaaagaa

gaaatatggg agacgaaggt atagtgagag gtgtcacaaa gcagacaacc cctgggaagg 120

ctactatatt ggctcttggc aaggcattcc ctcaccaact tgtgatgcaa gagtgtttag

ttgatggtta ttttagggac actaattgtg acaatcctga acttaagcag aaacttgcta

gactttgtaa gacaaccacg gtaaaaacaa ggtatgttgt tatgaatgag gagatactaa

agaaatatcc agaacttgtt gtcgaaggcg cctcaactgt aaaacaacgt ttagagatat 360

gtaatgaggc agtaacacaa atggcaattg aagcttccca agtttgccta aagaattggg

gtagateett ateggaeata aeteatgtgg tttatgttte atetagtgaa getagattae

ccggtggtga cctatacttg tcaaaaggac taggactaaa ccctaaaatt caaagaacca

tgctctattt ctctggatgc tcgggaggcg tagccggcct tcgcgttg

<210> 75

<211> 563 <212> DNA

<213> Trifolium repens

<400> 75

ttaacatttt tttattgtag aaaatataca tttgatctag caaagaagaa atatgggaga

cgaaggtata gtgagaggtg tcacaaggca gccaacccct gggaaggcta ctatattggc

tettggcaag geatteeete accaacttgt gatgcaagag tatttagttg atggttattt

tagggacact aattgtgaca atcctaaget taagcagaaa cttgctagac tttgcaagac 240

aaccacagtg aaaacaaggt atgttgttat gaatgaagag atactaaaga aatatccaga 300

acttactatc ggaggcacct cgacggtaaa acaacattta gagatatgta atgaggcagt

aacacaaatg gcaattgaag cttcccaagt ttgcctaaag aattggggta gacccatatc

agacataact catgtggttt atgtttcatc tagtgaagct agattacctg gtggtgacct  $480\,$ 

atacttgtca aaaggactag gactaaaccc taaaattcaa agaaccatgc tctatttctc  $540\,$ 

gggatgeteg ggaggegtag eeg

<210> 76

<211> 603

<212> DNA

<213> Trifolium repens

<220>

<221> misc feature

<222> (4)..(4)

<223> Any nucleotide

<400> 76 gcantagaaa accetacaca tttgatettg caaagaagaa atatgggaga cgaatgtata

gtgagaggtg tcacaaagca gacaacccct gggaaggcta ctatattggc tcttggcaag 120

gcattccctc accaacttgt gatgcaagag tatttagttg atggttattt tagggacact 180

aattgtgaca atcctgacct taagcagaaa cttgctagac tttgtaagac aaccacggta

aaaacaaggt atgttgttat gaatgaggag atactaaaga aatatccaga acttgttgtc

gaaggegeet caactgtaaa acaacgttta gagatatgta atgaggeagt aacacaaatg 360

gcaattgaag etteecaagt ttgeetaaag aattggggta gateettate ggacataaet

catgtggttt atgtttcatc tagtgaagct agattacccg gtggtgacct atacttgtca

aaaggactag gactaaaccc taaaattcaa agaaccatgc tctatttctc tggatgctcg 540

ggaggcgtag ccggccttcg cgttgcgaaa gacatagctg agaacaaccc tggaagtaga 600

att 603

<210> 77

<211> 584
<212> DNA
<213> Trifolium repens

<220>

<221> misc\_feature <222> (1)..(1)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (5)..(5) <223> Any nucleotide

<220>

<221> misc\_feature <222>

(40) .. (40) <223> Any nucleotide

<400> 77

ntcongaact tactgtggaa ggogootoga otgtaaaacn acgtttagag atatgtaatg

aggcagtaac acaaatggca attgaagctt cccaagtttg cctaaagaat tggggtagac 120

ccttatcaga cataactcat gtggtttatg tttcctctag tgaagctaga ttacccggtg

gtgacctata tttgtcaaaa ggactaggac taaatcctaa aattcaaaga accatgctct 240

atttctctgg atgctcagga ggcgtagccg gccttcgcgt tgcgaaagac atagctgaga

acaaccctgg aagtagagtt ttgcttgcta cttctgaaac tacaattatt ggattcaagc 360

caccaagtgt tgatagacct tatgatettg ttggtgtggc actetttgga gatggtgetg

gtgctatgat aattggctca gacccaatac ttgaaactga gactccattg tttgagcttc

atacttcagc tcaggagttt ataccagaca cagagaagaa aatagatggg cggctgacgg 540

aggagggcat aagtttcacg ctagegaggg aactgccgca gata 584

<210> 78

<211> 735 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (47)..(47)

<223> Any nucleotide

<400> 78

gtagcaacac acactttgat ttctttttga gtccttgcta cgtggcntta ccaaaaaacg

ttgctaagtc atcaaccatt ccaattcctt aatataacct atcagtactc accatctttt

cttcctccct gctaacttta tacttagaga agatggtgaa agttaatgag atccgccagg  $180\,$ 

cacagagage tgaaggeest gecaetgtgt tggcaategg caetgcaaet cetecaaaet 240

gtgttgatca gagtacatac cccgactact acttccgcat cacaaacagt gagcacaaga 300

cagageteaa agaaaaatte cagegeatgt gtgacaaate tatgattaag aagagataca

tgcatttgac agaagagatt ttgaaggaga atccaagttt atgtgagtac atggcacctt

cattggatgc aagacaagac atggtggttg tggaagtacc aaggctagga aaagaggcag  $480\,$ 

caacaaaggc aatcaaggaa tggggtcaac ctaagtccaa gattacccac ctcatctttt 540 WO 03/031622 PCT/AU02/01345 90/390

gcaccacaag tggtgtggac atgcccggtg ccgactatca gcttacaaag cttttaggcc

ttegteegea tgtgaagegt tacatgatgt accaacaagg ttgttttget ggtggcaegg

tgcttcgttt ggctaaagac ttggctgaaa acaacaaagg tgcccgtgta ttggtggttt

gttcagagat aactg 735

<210> 79

<211> 194 <212> PRT <213> Trifolium repens

<400> 79

Met Val Lys Val Asn Glu Ile Arg Gln Ala Gln Arg Ala Glu Gly Fro

Ala Thr Val Leu Ala Ile Gly Thr Ala Thr Pro Pro Asn Cys Val Asp

Gln Ser Thr Tyr Pro Asp Tyr Tyr Phe Arg Ile Thr Asn Ser Glu His

Lys Thr Glu Leu Lys Glu Lys Phe Gln Arg Met Cys Asp Lys Ser Met

Ile Lys Lys Arg Tyr Met His Leu Thr Glu Glu Ile Leu Lys Glu Asn

Pro Ser Leu Cys Glu Tyr Met Ala Pro Ser Leu Asp Ala Arg Gln Asp

Met Val Val Glu Val Pro Arg Leu Gly Lys Glu Ala Ala Thr Lys

Ala Ile Lys Glu Trp Gly Gln Pro Lys Ser Lys Ile Thr His Leu Ile

Phe Cys Thr Thr Ser Gly Val Asp Met Pro Gly Ala Asp Tyr Gln Leu

Thr Lys Leu Leu Gly Leu Arg Pro His Val Lys Arg Tyr Met Met Tyr

Gln Gln Gly Cys Phe Ala Gly Gly Thr Val Leu Arg Leu Ala Lys Asp 170 175

Leu Ala Glu Asn Asn Lys Gly Ala Arg Val Leu Val Val Cys Ser Glu

190

Ile Thr

<210> 80

<211> 574 <212> DNA

<213> Trifolium repens

180

<220>

<221> misc\_feature

<222> (47)..(47) <223> Any nucleotide

<400> 80

gtagcaacac acactttgat ttctttttga gtccttgcta cgtggcntta ccaaaaaacg

ttgctcactc atcaaccatt ccaattcctt aatataacct atcagtactt accatctttt

cttcctccct gctaacttta gaatcagaga agatggtgaa tgttaatgag atccgccagg

cacagagage tgaaggcoot gecaetgtgt tggcaategg cactgeaact cetecaaact

gtgtcgatca gagtacatac ccggactact acttccgcat cacaaacagt gagcacaaga

cagageteaa agaaaaatte eagegeatgt gtgacaaate tatgattaag aagagataca

tgcatttgac agaagagatt ttgaaggaga atccaagttt atgtgagtac atggcacctt

cattggatgc aagacaagac atggtggttg tggaagtacc aaggctagga aaagaggcag

caacaaaggc aattaaggaa tggggtcaac ctaagtccaa gattacccac ctcatctttt

geaccaccag tggtgtcgac atgcccggtg ccgc 574

<210> 81

<211> 597 <212> DNA

<213> Trifolium repens

<400> 81

gtagcaacac acactttgat ttctttttga gtccttgcta cgtggcttta ccaaaaaacg

ttgctaagtc atcaaccatt ccaattcctt aatataacct atcagtactc accatctttt

cttcctccct gctaacttta gactcagaga agatggtgaa tgttaatgag atccgccagg

cacagagage tgaaggeeet gecacegtgt tggcaategg cactgcaact cetecaaact

240 gtgtcgatca gagtacatac ccagactact acttccgcat cacaaacagt gagcacaaga cagageteaa agaaaaatte cagegeatgt gtgacaaate tatgattaag aagagataca tgcatttgac agaagagatt ttgaaggaga atccaagttt atgtgagtac atggcacctt 420 cattggatgc aagacaagac atggtggttg tggaagtacc aaggctagga aaagaggctg caacaaaggc tatcaaggaa tggggtcaac ctaagtccaa gattactcac ctcatctttt gcaccacaag tggtgtggac atgeetggeg eegaetatea gettacaaag ettttag 597 <210> 82 <211> 616 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (70)..(70) <223> Any nucleotide <220> <221> misc\_feature <222> (616)..(616) <223> Any nucleotide <400> 82 gtagcaacac acactttgat ttctttttga gtccttgcta cgtggcttta ccaaaaaacg ttgctaagtn atcaaccatt ccaattcctt aatataacct atcagtactc accatctttt cttcctccct gctaacttta gactcagaga agatggtgaa tgttaatgag atccgccagg cacagagage tgaaggeeet gecacegtgt tggcaategg cactgcaact cetecaaact gtgtcgatca gagtacatac ccagactact acttccgcat cacaaacagt gagcacaaga cagageteaa agaaaaatte cagegeatgt gtgacaaate tatgattaag aagagataca tgcatttgac agaagagatt ttgaaggaga atccaagttt atgtgagtac atggcacctt cattggatgc aagacaagac atggtggttg tggaagtacc aaggctagga aaagaggctg

caacaaaggc tatcaaggaa tggggtcaac ctaagtccaa gattactcac ctcatctttt 540

```
. -- - -- --
   gcaccacaag tggtgtggac atgcctggcg ccgactatca gcttacaaag cttttaggcc
   ttcgtccgca tgtgan
  616
  <210> 83
  <211> 585
  <212> DNA
  <213> Trifolium repens
  <220>
  <221> misc_feature
  <222> (1)..(3)
<223> Any nucleotides
  <220>
  <221> misc_feature
  <222> (7)..(7)
<223> Any nucleotide
  <220>
 <221> misc_feature
<222> (20)..(20)
  <223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (37)..(37)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (61)..(61)
<223> Any nucleotide
<220>
 <221> misc_feature
<222> (451)..(451)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (507)..(507)
<223> Any nucleotide
<400> 83
nnncacncac acttttttgn atcoctgcta cgtggcntta ccaaaaaacg ttgctaagtc
ntcaaccatt ccaattcott aatataacct atcagtactc accatctttt cttcctccct
gctaacttta gactcagaga agatggtgaa tgttaatgag atccgccagg cacagagagc
tgaaggccct gccaccgtgt tggcaatcgg cactgcaact cctccaaact gtgttgatca
```

WO 03/031622 PCT/AU02/01345

94/390 gagtacatac ccggactact acttccgcat cacaaacagt gagcacaaga cagagctcaa agaaaaattc cagcgcatgt gtgacaaatc tatgattaag aagagataca tgcatttaac agaagagatt ttgaaggaga atccaagttt atgtgagtac atggcacctt cattggatgc aagacaagac atggtggttg tggaagtacc naggctagga aaagaggcag taacaaaggc 480 aattagggaa tggggtcaac ctaagtncaa gattacccac ctcatctttt gcaccaccaq tggtgtggac atgcccggtg ccgactatca gctcacaaag ctctt 585 <210> 84 <211> 596 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (3)..(3) <223> Any nculeotide <220> <221> misc\_feature <222> (14)..(14) <223> Any nculeotide <220> <221> misc\_feature <222> (37)..(37) <223> Any nculeotide <400> 84 ttnatcccct aatntagttt tcttctttgt tacttanaga atatggttac agttaatgag atccgccagg cacagagagc tgaaggccct gcaactgtgt ttgcaatcgg cactgcaact cctaaaaact gtgttgatca gagtacttac cccgactact atttccgaat cacaaacage gaacacaaga ctgaactcaa agaaaaatto cagcgcatgt gtgacaaatc tatgattaag aagagataca tgcatttgac agaagagatt ttgaaggaga attcaagttt atgtgagtac

atggcacctt cattggatgc aagacaagac atggtggttg tggaagtacc aaggctagga

aaagaggetg caacaaagge tatcaaggaa tggggteaae ctaagtecaa gattactcae

ctcatctttt gcaccacaag tggtgtggac atgcctggtg ccgactatca gcttacaaag

cttttaggcc ttcgtccgca tgtgaagcgt tatatgatgt accaacaagg ttgttttgct

ggtggcacgg tgcttcgttt ggctaaagac ttggctgaaa acaacaaagg tgcccg

<210> 85

480

<211> 618

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (3)..(3)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (6)..(6) <223> Any nucleotide

<220>
<221> misc\_feature

<222> (9)..(9) <223> Any nucleotide

<220>

<221> misc feature

<222> (14)..(14) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (37)..(37) <223> Any nucleotide

<400> 85

ttnatncont aatntagttt tettettigt taettanaga atatggttae agitaatgag

atccgccagg cacagagagc tgaaggccct gcaactgtgt ttgcaatcgg cactgcaact 120

cctaaaaact gtgttgatca gagtacttac cccgactact atttccgaat cacaaacagc

gaacacaaga ctgaactcaa agaaaaattc cagcgcatgt gtgacaaatc tatgattaag  $240\,$ 

aagagataca tgcatttgac agaagagatt ttgaaggaga attcaagttt atgtgagtac 300

atggcacctt cattggatgc aagacaagac atggtggttg tggaagtacc aaggctagga

aaagaggctg caacaaaggc tatcaaggaa tggggtcaac ctaagtccaa gattactcac 420

ctcatctttt gcaccacaag tggtgtggac atgcctggtg ccgactatca gcttacaaag 480

cttttaggcc ttcgtccgca tgtgaagcgt tatatgatgt accaacaagg ttgttttgct  $540\,$ 

ggtggcacgg tgcttcgttt ggctaaagac ttggctgaaa acaacaaagg tgcccgtgta 600

ttggtggttt gttcagag 618

<210> 86 <211> 609

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (4)..(4)

<222> (4)..(4) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (10)..(10) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (32)..(33) <223> Any nucleotides

<400> 86

tecnataatn tagttttett etttgttaet tnnagaatat ggttacagtt aatgagatee

gccaggcaca gagagctgaa ggccctgcaa ctgtgtttgc aatcggcact gcaactccta

aaaactgtgt tgatcagagt acttaccccg actactattt ccgaatcaca aacagcgaac 180

acaagactga actcaaagaa aaattccagc gcatgtgtga caaatctatg attaagaaga  $240\,$ 

gatacatgca tttgacagaa gagattttga aggagaattc aagtttatgt gagtacatgg

caccttcatt ggatgcaaga caagacatgg tggttgtgga agtaccaagg ctaggaaaag 360

aggetgeaac aaaggetate aaggaatggg gteaacetaa gtecaagatt acteacetea

tettttgeac cacaagtggt gtggacatge etggtgeega etateagett acaaagettt  $480\,$ 

taggeetteg teegeatgtg aagegttata tgatgtacca acaaggttgt tttgetggtg  $540\,$ 

gcacggtgct tcgtttggct aaagacttgg ctgaaaacaa caaaggtgcc cgtgtattgg  $600\,$ 

------

tggtttgtt 609 <210> 87 <211> 571 <212> DNA <213> Trifolium repens <220> <221> misc\_feature
<222> (3)..(4)
<223> Any nucleotides <220> <220>
<221> misc\_feature
<222> (14)..(14)
<223> Any nucleotide <220> <221> misc\_feature <222> (18)..(19) <223> Any nucleotides <220> <221> misc\_feature
<222> (22)..(22)
<223> Any nucleotide <220> <221> misc\_feature
<222> (60)..(60)
<223> Any nucleotide <220> <221> misc feature
<222> (87)..(87)
<223> Any nucleotide <220> <221> misc\_feature
<222> (89)..(89)
<223> Any nucleotide <220> <221> misc\_feature <222> (91)..(91) <223> Any nucleotide <220> <221> misc\_feature
<222> (247)..(247)
<223> Any nucleotide

<220>

<221> misc feature

- -----

<222> (571)..(571)

<223> Any nucleotide

<400> 87

genntaacct ttanaatnng anaagatggt gaaagttaat gagateegee aggeacagan

agetgaagge cetgecactg tgttggnant nggcactgca actectecaa actgtgtega

teagagtaca tacceggaet actaetteeg cateacaaac agtgageaca agacagaget

caaagaaaaa ttccagcgca tgtgtgacaa atctatgatt aagaagagat acatgcattt

gacagangag attttgaagg agaatccaag tttatgtgag tacatggcac cttcattgga

tgcaagacaa gacatggtgg ttgtggaagt accaaggcta ggaaaagagg cagcaacaaa

ggcaattaag gaatggggcc aacctaagtc caagattacc cacctcatct tttgcaccac

cagtggtgtc gacatgcccg gtgccgacta tcagctcaca aagctcttag gcctgcgtcc

atatgtgaag cgttacatga tgtatcaaca aggttgtttt gctggtggca cggtgcttcg

tttggctaaa gacttggctg aaaacaacaa n 571

<210> 88 <211> 603

<212> DNA <213> Trifolium repens

<220> <221> misc\_feature

<222> (2) .. (4) <223> Any nucleotides

<220>

<221> misc\_feature <222> (9)..(9) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (13)..(14) <223> Any nucleotides

<220> <221> misc\_feature

<222> (32)..(32) <223> Any nucleotide

<220>

99/390 <221> misc\_feature <222> (567)..(567) <223> Any nucleotide <220> <221> misc feature <222> (594)..(594) <223> Any nucleotide <400> 88 tnnntttana atnngagaag atggtgaaag tnaatgagat ccgccaggca cagagagctg aaggecetge cactgtgttg geaateggea etgeaactee tecaaactgt gtegateaga 120 gtacataccc ggactactac ttccgcatca caaacagtga gcacaagaca gagctcaaag 180 aaaaattcca gcgcatgtgt gacaaatcta tgattaagaa gagatacatg catttgacag aagagatttt gaaggagaat ccaagtttat gtgagtacat ggcaccttca ttggatgcaa gacaagacat ggtggttgtg gaagtaccaa ggctaggaaa agaggcagca acaaaggcaa ttaaggaatg gggccaacct aagtccaaga ttacccacct catcttttgc accaccagtg gtgtcgacat gcccggtgcc gactatcagc tcacaaagct cttaggcctg cgtccatatg tgaagcgtta catgatgtat caacaaggtt gttttgctgg tggcacggtg cttcgtttgg ctaaagactt ggctgaaaac aacaaangtg cccgtgtgtt ggtgggttgt tcanagataa cta 603 <210> 89 <211> 588 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (7) .. (7) <223> Any nucleotide <220> <221> misc feature <222> (12) ... (12) <223> Any nucleotide

<220> <221> misc\_feature <222> (43)..(43)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (68)..(68) <223> Any nucleotide

<400> 89

tttgttnatt gnagaatatg gttacagtta atgagateeg cenggeacaa agageegaag

geoctgence tgtgtttgca ateggeactg caactectaa aaactgtgtt gatcagagta 120

cttaccccga ctactatttc cgaatcacaa acagcgaaca caagactgag ctcaaagaaa

aattccagcg catgtgtgac aaatctatga ttaagaagag atacatgcat ttgacagaag

agattttgaa ggagaatcca agtttatgtg agtacatggc accttcattg gatgcaagac

aagacatggt ggtagtggaa gtaccaaggc taggaaaaga ggcagcaaca aaggcaatta

aagaatgggg tcaacctaag tccaagatta cccacctcat cttttgcacc accagtggtg

tggacatgcc cggtgccgac tatcagctca caaagctctt aggcctgcgt ccatatgtga

agegttacat gatgtatcaa caaggttgtt ttgctggtgg caeggtaett egtttggcta

aagacttggc tgaaaacaac aaaggtgccc gtgtgttggt ggtttgtt

<210> 90

<211> 250 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature
<222> (17)..(17)
<223> Any nucleotide

<220>

<221> misc\_feature

<222> (35)..(35) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (48)..(49) <223> Any nucleotides

<220>

<221> misc\_feature

WO 03/031622 PCT/AU02/01345

<222> (165)..(165) <223> Any nucleotide <220> <221> misc\_feature
<222> (188)..(188)
<223> Any nucleotide <220> <221> misc\_feature <222> (212)..(212) <223> Any nucleotide <220> <221> misc feature <222> (224)..(225) <223> Any nucleotides <220> <221> misc\_feature
<222> (228)..(228)
<223> Any nucleotide <220> <221> misc\_feature
<222> (232)..(232)
<223> Any nucleotide <220> <221> misc\_feature
<222> (235)..(235)
<223> Any nucleotide <220> <221> misc feature <222> (240)..(240) <223> Any nucleotide <220> <221> misc\_feature <222> (247)..(247) <223> Any nucleotide <220> <221> misc\_feature
<222> (250)..(250)
<223> Any nucleotide

<400> 90

taaaactgtg ttgatengag tacttacccc gactnotatt tccgaatnnc aaacagcgaa

cacaagactg agctcaaaga aaaattccag cgcatgtgtg acaaatctat gattaagaag 120

agatacatgc atttgacaga agagattttg aaggagaatc caagnttatg tgagtacatg

180

gcaccttnat tggatgcaag acaagacatg gnggccgccc accnncente encencacen

caaccencen

250

<210> 91 <211> 583

<212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (2)..(2)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (47)..(47) <223> Any nucleotide

<220>

<221> misc\_feature <222> (552)..(552)

<223> Any nucleotide

<400> 91

gnagcaacac acactttgat ttotttttga atccctgcta cgtggcncac caaaaaacgt

tgctaagtca tcaaccattc caattcctta atataaccta tcagtactca ccatcttttc

ttcctccctg ctaactttag actcagtaga agatggtgaa tgttaatgag atccgccagg 180

cacagagage tgaaggeest gecacegtgt tggcaategg cactgcaact cetecaaact

gtgttgatca gagtacatac ccggactact acttccgcat cacaaacagt gagcacaaga

cagageteaa agaaaaatte cagegeaegt gtaagatatt tatettatae tecatgeatg 360

gtcactctca catgtacaaa acacttaaga ctaaactgca tatcattttt ttcagggaca 480

aatctatgat taagaagaga tacatgcatt tgacagaaga gattttgaag gagaatccaa 540

gtttatgtga gnacatggca ccttcttggg atgcaagaca agt 583

<210> 92

<211> 95

WO 03/031622 PCT/AU02/01345

<212> PRT <213> Trifolium repens

<220>

<221> MISC\_FEATURE · <222> (86)..(86) <223> Any amino acid

<400> 92

Met Val Asn Val Asn Glu Ile Arg Gln Ala Gln Arg Ala Glu Gly Pro 15

Ala Thr Val Leu Ala Ile Gly Thr Ala Thr Pro Pro Asn Cys Val Asp 25

Gln Ser Thr Tyr Pro Asp Tyr Tyr Phe Arg Ile Thr Asn Ser Glu His

Lys Thr Glu Leu Lys Glu Lys Phe Gln Arg Thr Arg Asp Lys Ser Met

Ile Lys Lys Arg Tyr Met His Leu Thr Glu Glu Ile Leu Lys Glu Asn

Pro Ser Leu Cys Glu Xaa Met Ala Pro Ser Trp Asp Ala Arg Gln 90

<210> 93 <211> 582

<212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (2)..(2) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (551)..(551)
<223> Any nucleotide

<400> 93

gnagcaacac acactttgat ttctttttga atccctgcta cgtggcttac caaaaaacgt

tgctaagtca tcaaccattc caattcctta atataaccta tcagtactca ccattttttc

ttcctccctg ctaactttag actcagagaa gatggtgaat gttaatgaga tccgccaggc

acagagaget gaaggeeetg ccaccgtgtt ggcaatcgge actgcaacte etccaaactg 240

tgttgatcag agtacatacc cggactacta cttccgcatc acaaacagtg agcacaagac

agageteaaa gaaaaattee agegeaegtg taagatattt atettataet eeatgeatgt

tcactctcac atgtacaaaa cacttaagac taaactgcat atcatttttt tcagggacaa

atctatgatt aagaagagat acatgcattt gacagaagag attttgaagg agaatccaag

tttatgtgag nacatggcac cttcttggga tgcaagacaa gt 582

<210> 94

300

<211> 167 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature
<222> (17)..(17)
<223> Any nucleotide

<220>

<221> misc\_feature

<222> (34)..(34) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (38)..(38) <223> Any nucleotide

<400> 94

gtccctgctg cgtggcncac caaaaacgtt gctnagtntg aaccttccat tccttaatat

aacctatcag tactcaccat cttttcttcc tccctgctaa ctttagactc agtagaagat

ggtgaatgtt aatgagatcc gccaggcaca gagagctgaa ggccctg 167

<210> 95

<211> 613 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (3)..(3)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (16)..(16)

<223> Any nucleotide

<400> 95

gentaageet tgattnttgt ttgttteeta acacaagaae tagtgtttge ttgaatetta

agaaaaaatg cctcaaggtg atttgaatgg aagttcctcg gtgaatggag cacgtgctag

acgtgotect actcagggaa aggcaacgat acttgcatta ggaaaggett teccegecca

agteeteest caagagtget tggtggaagg atteattege gacastaagt gtgacgatae

ttatattaag gagaaattgg agcgtotttg caaaaacaca actgtaaaaa caagatacac

agtaatgtca aaggagatct tagacaacta tccagagcta gccatagatg gaacaccaac

aataaggcaa aagcttgaaa tagcaaatcc agcagtagtt gaaatggcaa caagagcaag

caaagattgc atcaaagaat ggggaaggtc acctcaagat atcacacaca tagtctatgt

troctegage gaaattegte tacceggtgg tgacetttat ettgeaaatg aacteggett

aaacagcgat gttaatcgcg taatgctcta tttcctcggt tgctacggcg gtgtcactgg

cttacgtgtc gcc 613

<210> 96

<211> 182 <212> PRT

<213> Trifolium repens

<400> 96

Met Pro Gln Gly Asp Leu Asn Gly Ser Ser Ser Val Asn Gly Ala Arg 15

Ala Arg Arg Ala Pro Thr Gln Gly Lys Ala Thr Ile Leu Ala Leu Gly

Lys Ala Phe Pro Ala Gln Val Leu Pro Gln Glu Cys Leu Val Glu Gly

Phe Ile Arg Asp Thr Lys Cys Asp Asp Thr Tyr Ile Lys Glu Lys Leu

Glu Arg Leu Cys Lys Asn Thr Thr Val Lys Thr Arg Tyr Thr Val Met

Ser Lys Glu Ile Leu Asp Asn Tyr Pro Glu Leu Ala Ile Asp Gly Thr

90

95

Pro Thr Ile Arg Gln Lys Leu Glu Ile Ala Asn Pro Ala Val Val Glu 100 105 110

Met Ala Thr Arg Ala Ser Lys Asp Cys Ile Lys Glu Trp Gly Arg Ser 115 120 125

Pro Gln Asp Ile Thr His Ile Val Tyr Val Ser Ser Ser Glu Ile Arg

Leu Pro Gly Gly Asp Leu Tyr Leu Ala Asn Glu Leu Gly Leu Asn Ser 145

Asp Val Asn Arg Val Met Leu Tyr Phe Leu Gly Cys Tyr Gly Gly Val 170

Thr Gly Leu Arg Val Ala 180

85

<210> 97 <211> 613

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (3)..(3)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (16)..(16)

<223> Any nucleotide

<400> 97

gentaageet tgattnttgt ttgttteeta acacaagaac tagtgtttge ttgaatetta

agaaaaaatg cctcaaggtg atttgaatgg aagttcctcg gtgaatggag cacgtgctag 120

acgtgctcct actcagggaa aggcaacgat acttgcatta ggaaaggctt tccccgccca

agtcctccct caagagtgct tggtggaagg attcattcgc gacactaagt gtgacgatac 240

ttatattaag gagaaattgg agcgtctttg caaaaacaca actgtaaaaa caagatacac

agtaatgtca aaggagatct tagacaacta tecagageta gecatagatg gaacaccaac

aataaggcaa aagettgaaa tagcaaatee agcagtagtt gaaatggcaa caagagcaag 420

```
107/390
 caaagattgc atcaaagaat ggggaaggtc acctcaagat atcacacaca tagtctatgt
 ttcctcgagc gaaattcgtc tacccggtgg tgacctttat cttgcaaatg aactcggctt
 aaacagcgat gitaatcgcg taatgctcta tttcctcggt tgctacggcg gtgtcactgg
 cttacgtgtc gcc
 613
 <210> 98
 <211> 570
 <212> DNA
 <213> Trifolium repens
 <220>
 <221> misc_feature
 <222> (13)..(13)
 <223> Any nucleotide
 <400> 98
 taagcettga ttnttgtttg ttteetaaca caagaactag tgtttgettg aatettaaga
aaaaatgcct caaggtgatt tgaatggaag ttcctcggtg aatggagcac gtgctagacg
tgctcctact cagggaaagg caacgatact tgcattagga aaggctttcc ccgcccaggt
cctccctcaa gagtgcttgg tggaaggatt cattcgcgac actaagtgtq acgatactta
tattaaggag aaattggagc gtctttgcaa aaacacaact gtgaaaacaa gatacacagt
aatgtcaaag gagatcttag acaactatcc agagctagcc atagatggaa caccaacaat
aaggcaaaag cttgaaatag caaatccagc agtagttgaa atggcaacaa gagcaagcaa
agattgcatc aaagaatggg gaaggtcacc tcaagatatc acacacatag tctatgtttc
ctcgagcgaa attcgtctac ccggtggtga cctttatctt gcaaatgaac tcggcttaaa
cagcgatgtt aatcgcgtaa tgctctattt
570
      DNA
```

<210> 99 <211> 575 <212> <213> Trifolium repens <220> <221> misc\_feature

<222> (33)..(33) <223> Any nucleotide 108/.

<400> 99

ttgattettg tttgttteet aacacaagaa etngtgtttg ettgaatett aagaaaaaat

gcctcaaggt gatttgaatg gaagttcctc ggtgaatgga gcacgtgcta gacgtgctcc

tactcaggga aaggcaacga tacttgcatt aggaaaggct ttccccgccc aggtcctccc 180

tcaagagtgc ttggtggaag gattcattcg cgacactaag tgtgacgata cttatattaa 240

ggagaaattg gagcgtcttt gcaaaaacac aactgtgaaa acaagataca cagtaatgtc

aaaggagatc ttagacaact atccagagct agccatagat ggaacaccaa caataaggca

aaagcttgaa atagcaaatc cagcagtagt tgaaatggca acaagagcaa gcaaagattg

catcaaagaa tggggaaggt cacctcaaga tatcacaca atagtctatg tttcctcgag 480

cgaaattcgt ctacccggtg gtgaccttta tcttgcaaat gaactcggct taaacagcga  $540\,$ 

tgttaatcgc gtaatgctct atttcctcgg ttgct 575

<210> 100 <211> 573

<212> DNA

<213> Trifolium repens

<400> 100

gtttgtttcc taacacaaga actagtgttt gcttgaatct taagaaaaaa tgcctcaagg

tgatttgaat ggaagttoot oggtgaatgg agcacgtgot agacgtgoto otactcaggg

aaaggcaacg atacttgcat taggaaaggc tttccccgcc caagtcctcc ctcaagagtg

cttggtggaa ggattcattc gcgacactaa gtgtgacgat acttatatta aggagaaatt 240

ggagcgtctt tgcaaaaaca caactgtaaa aacaagatac acagtaatgt caaaggagat

cttagacaac tatccagagc tagccataga tggaacacca acaataaggc aaaagcttga

aatagcaaat ccagcagtag ttgaaatggc aacaagagca agcaaagatt gcatcaaaga

atggggaagg teaceteaag atateacaea catagtetat gttteetega gegaaatteg  $480\,$ 

totacccggt ggtgaccttt atcttgcaaa tgaactcggc ttaaacagcg atgttaatcg 540

------

cgtaatgctc tatttcctcg gttgctacgg cgg

<210> 101 <211> 607

<212> DNA <213> Trifolium repens

<400> 101

gtataccaag gttgttttgc tggtggcacg gtacttcgtt tggctaaaga cttggctgaa 60

aacaacaaag gtgcccgtgt gttggtggtt tgttcagaga taactgcagt tactttccgt

ggacccagtg acactcacct tgatagcctt gtggggcaag cattgtttgg agatggtgca 180

gcagctgtga ttgttggttc agaccctttg ccagaagttg agaagccttt gtttgaattg 240

gtatggacog cacaaacaat cgctccagat agtgaaggag ccattgatgg tcaccttcgc 300

gaagcagggc tgacattcca tctcctcaag gatgttccta gccttgtctc aaataacatt

gagaaagcgc ttgttgatgc ctttcaacct ttgaatattt ctgactacaa ttccatcttt

tggattgcac acccaggogg accagcaatt cttgaccaag ttgaagctaa gttaggctta 480

aagccagaga aaatgcaagc cactcgacat gtacttagcg aatatggtaa catgtcaagt 540

gcgtgtgtgt tatttatett ggatgagatg aggaggaagt caaaagaaga cggaettgce  $600\,$ 

acaacag

<210> 102

<211> 202 <212> PRT

<213> Trifolium repens

<400> 102

Val Tyr Gln Gly Cys Phe Ala Gly Gly Thr Val Leu Arg Leu Ala Lys

Asp Leu Ala Glu Asn Asn Lys Gly Ala Arg Val Leu Val Val Cys Ser 20 25 30

Glu Ile Thr Ala Val Thr Phe Arg Gly Pro Ser Asp Thr His Leu Asp  $35 \hspace{1cm} 40 \hspace{1cm} 45$ 

Ser Leu Val Gly Gln Ala Leu Phe Gly Asp Gly Ala Ala Ala Val Ile 50 55 60

Val Gly Ser Asp Pro Leu Pro Glu Val Glu Lys Pro Leu Phe Glu Leu 70 75

Val Trp Thr Ala Gln Thr Ile Ala Pro Asp Ser Glu Gly Ala Ile Asp

Gly His Leu Arg Glu Ala Gly Leu Thr Phe His Leu Leu Lys Asp Val 110

Pro Ser Leu Val Ser Asn Asn Ile Glu Lys Ala Leu Val Asp Ala Phe

Gln Pro Leu Asn Ile Ser Asp Tyr Asn Ser Ile Phe Trp Ile Ala His 135

Pro Gly Gly Pro Ala Ile Leu Asp Gln Val Glu Ala Lys Leu Gly Leu 150 155

Lys Pro Glu Lys Met Gln Ala Thr Arg His Val Leu Ser Glu Tyr Gly 165 170

Asn Met Ser Ser Ala Cys Val Leu Phe Ile Leu Asp Glu Met Arg Arg 180 185

Lys Ser Lys Glu Asp Gly Leu Ala Thr Thr 195

<210> 103 <211> 607 <212> DNA <213> Trifolium repens

<220>

<221> misc\_feature

<222> (12)..(12) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (46) .. (46)

<223> Any nucleotide

<400> 103

gtataccaag gntgttttgc tggtggcacg gtacttcgtt tggctnaaga cttggctgaa

aacaacaaag gtgcccgtgt gttggtggtt tgttcagaga taactgcagt tactttccgt

ggacccagtg acactcatct tgatagcctt gtggggcaag cattgtttgg agatggtgca

gcagctgtga ttgttggttc agaccetttg ccagaagttg agaagcettt gtttgaattg

gtatggaccg cacaaacaat cgctccagat agtgaaggag ccattgatgg tcaccttcgc gaagcagggc tgacattcca tetectcaag gatgtteeta geettgtete aaataacatt gagaaagcte tigitgaige etticaacci tigaatatei eegatiacaa tiecateiti tggattgcac acccaggcgg accagcaatt cttgaccaag ttgaagctaa gttaggctta aagecagaga aaatgeaate caetegacat gtaettageg aatatggtaa eatgtegagt gcgtgtgtgt tatttatctt ggatgagatg aggaggaagt caaaagaaga cggacttgcc acaacaq 607 <210> 104 <211> 591 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (562)..(562) <223> Any nucleotide <220> <221> misc\_feature <222> (587)..(587) <223> Any nucleotide <220> <221> misc\_feature <222> (589)..(589) <223> Any nucleotide <400> 104 ccaaggtigt titgctggtg gcaeggtact tegtitggct aaagaettgg ctgaaaacaa caaaggtgcc cgtgtgttgg tggtttgttc agagataact gcagttactt tccgtggacc cagtgacact caccttgata gccttgtggg gcaagcattg tttggagatg gtgcagcagc tgtgattgtt ggttcagacc ctttgccaga agttgagaag cctttgtttg aattggtatg gaccgcacaa acaatcgctc cagatagtga aggagccatt gatggtcacc ttcgcgaagc agggetgaca ttecatetee teaaggatgt teetageett gteteaaata acattgagaa agegettgtt gatgeettte aacetttgaa tatttetgae tacaatteca tettttggat

-----

112/390

420

tgcacaccca ggcggaccag caattettga ccaagttgaa gctaagttag gcttaaagcc

agagaaaatg caagccactc gacatgtact taqcgaatat ggtaacatgt caagtgcgtg

tgtgttattt atcttggatg anatgaggag gaagtcaaaa gaacacngnc t

<210> 105 <211> 590

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature

<222> (55)..(55) <223> Any nucleotide

<400> 105

ggttgttttg ctggtggcac ggtacttcgt ttggctaaag acttggctga aaacnacaaa

ggtgcccgtg tgttggtggt ttgttcagag ataactgcag ttactttccg tggacccagt

gacactcacc ttgatagect tgtggggcaa geattgtttg gagatggtge ageagetgtg

attgttggtt cagaccettt gecagaagtt gagaageett tgtttgaatt ggtatggace 240

gcacaaacaa togotocaga tagtgaagga gccattgatg gtcaccttcg cgaagcaggg 300

ctgacattcc atctcctcaa ggatgttcct agccttgtct caaataacat tgagaaagcg 360

cttgttgatg cctttcaacc tttgaatatt tctgactaca attccatctt ttggattgca

cacccaggeg gaccagcaat tettgaccaa gttgaageta agttaggett aaagecagag 480

aaaatgcaag ccactcgaca tgtacttagc gaatatggta acatgtcaag tgcgtgtgtg 540

ttatttatct tggatgagat gaggaggaag tcaaaagaag acggacttqc 590

<210> 106

<211> 510

<212> DNA

<213> Trifolium repens

<220> <221> misc\_feature

<222> (4)..(4)

<223> Any nucleotide

113/390 <220> <221> misc\_feature <222> (10)..(10) <223> Any nucleotide <220> <221> misc\_feature <222> (12)..(12) <223> Any nucleotide <220> <221> misc\_feature
<222> (14)..(14)
<223> Any nucleotide <220> <221> misc\_feature <222> (397)..(397) <223> Any nucleotide <220> <221> misc\_feature <222> (417)..(417) <223> Any nucleotide <220> <221> misc\_feature
<222> (437)..(437)
<223> Any nucleotide <220> <221> misc\_feature
<222> (458)..(458)
<223> Any nucleotide <220> <221> misc\_feature <222> (496)..(496) <223> Any nucleotide <400> 106 aatnacaccn tnanaccttc caattotogt acctoaccaa totoatttt attatatat ttggtacatc ttttgttacc tccaacaaaa aaatggtgac cgtagaagag attcgtaacg cccaacgttc aaatggccct gccactatct tagcttttgg cacagccact ccttctaact gtgtcactca agctgattat cctgattact actttcgtat caccaacagc gaacatatga ctgatcttaa ggaaaaattc aagcggatgt gtgatagatc aatgataaag aaacgttaca

tgcacctaac agaagacttt ctgaaggaga atccaaatat gtgtgaatac atggcaccat

cactagatgt aagacgagac atagtggttg ttgaagnacc aaagctaggt aaagaancac

caaaaaaagc catatgngaa tggggacaac caaaatcnaa aatcacacat gcttggtttc

tgaccacttc cggtgntgac atgcccgggg

<210> 107

<211> 137 <212> PRT <213> Trifolium repens

<220>

<221> MISC\_FEATURE

<222> (102)..(102) <223> Any amino acid

<220>

<221> MISC\_FEATURE
<222> (114)..(114)
<223> Any amino acid

<220>

<220>
<221> MISC\_FEATURE
<222> (121)..(121)
<223> Any amino acid

<400> 107

Met Val Thr Val Glu Glu Ile Arg Asn Ala Gln Arg Ser Asn Gly Pro

Ala Thr Ile Leu Ala Phe Gly Thr Ala Thr Pro Ser Asn Cys Val Thr 25

Gln Ala Asp Tyr Pro Asp Tyr Tyr Phe Arg Ile Thr Asn Ser Glu His 40

Met Thr Asp Leu Lys Glu Lys Phe Lys Arg Met Cys Asp Arg Ser Met

Ile Lys Lys Arg Tyr Met His Leu Thr Glu Asp Phe Leu Lys Glu Asn 70

Pro Asn Met Cys Glu Tyr Met Ala Pro Ser Leu Asp Val Arg Arg Asp 85 90

Ile Val Val Glu Xaa Pro Lys Leu Gly Lys Glu Pro Lys Lys Ala 110

Ile Xaa Glu Trp Gly Gln Pro Lys Xaa Lys Ile Thr His Ala Trp Phe 120

```
Leu Thr Thr Ser Gly Asp Met Pro Gly
       130
                                    135
 <210> 108
<211> 240
<212> DNA
  <213> Trifolium repens
 <220>
 <221> misc_feature
<222> (10)..(10)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (129)..(129)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (162)..(162)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (184)..(184)
<223> Any nucleotide
 <2205
<221> misc_feature
<222> (194)..(194)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (217)..(218)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (231)..(231)
<223> Any nucleotide
<400> 108
gacaaatgen tgtggttgga atgggateeg cacetgattt tacatgtaag aaagacacaa
aagatgcaat cgttgaagcc atcaaacaag gttatagaca ctttgatact gctgctgctt
atggctcana acaagctctt ggtgaaggtt tgaaagaagc anttgaactt ggtcttgtca
ctanagaaga gctntttgtt acttctaaac tttgggnnac tgaaaatcat nctaaccttg
240
```

WO 03/031622 <210> 109 <211> 79 <212> PRT <213> Trifolium repens <220> <221> MISC FEATURE <222> (3)..(3) <223> Any amino acid <220> <221> MISC\_FEATURE <222> (43)..(43) <223> Any amino acid <220> <221> MISC\_FEATURE <222> (54)..(54) <223> Any amino acid <220> <221> MISC\_FEATURE <222> (61)..(61) <223> Any amino acid <220> <221> MISC\_FEATURE <222> (64)..(64) <223> Any amino acid <221> MISC FEATURE <222> (72)..(72) <223> Any amino acid

<220>

<220> <221> MISC\_FEATURE <222> (77)..(77) <223> Any amino acid

<400> 109

Gln Met Xaa Val Val Gly Met Gly Ser Ala Pro Asp Phe Thr Cys Lys 10

Lys Asp Thr Lys Asp Ala Ile Val Glu Ala Ile Lys Gln Gly Tyr Arg 25

His Phe Asp Thr Ala Ala Ala Tyr Gly Ser Xaa Gln Ala Leu Gly Glu 40 45

Gly Leu Lys Glu Ala Xaa Glu Leu Gly Leu Val Thr Xaa Glu Glu Xaa

```
117/390
  Phe Val Thr Ser Lys Leu Trp Xaa Thr Glu Asn His Xaa Asn Leu
                      70
 <210> 110
 <211> 604
 <212> DNA
 <213> Trifolium repens
 <220>
 <221> misc feature
 <222> (13)..(13)
<223> Any nucleotide
 <400> 110
 gtgtagcaga gtnagaaaaa gagagaaaaa aaaacatggc aggaaagaaa atcccagaag
 tgttattgaa ttcaggacac aaaatgccag tcataggaat gggaacatca gtagacaatc
 gtccatcaaa tgatgttctt gcttcaatct ttgttgatgc aattgaagtt ggttatcgcc
 atttcgattc tgcttctgtg tatggaacag aggaagccat aggaattgct ttagcaaaag
 ctttagaaaa agggcttatt aagagtagag atgaagtttt catcacttca aagccatgga
 atactgatgc agattatgaa cttattgttc cagctctcaa gaccacattg aaaaagctgg
ggacggagta tgtggatctt tatctgatcc attggccagt gagacttaga catgatcttg
aaaaccctgt tgttttcacc aaagaagatt tacttccctt tgatatagaa gggacatgga
aagctatgga agaatgttat aagttaggct tagcaaagtc tattggtata tgcaattatg
gtaccaaaaa actcaccaaa ctcttggaaa cagccaccat tacccctgca gtcaatcagg
tgga
604
<210> 111
<211> 189
<212> PRT
<213> Trifolium repens
<400> 111
Met Ala Gly Lys Lys Ile Pro Glu Val Leu Leu Asn Ser Gly His Lys
Met Pro Val Ile Gly Met Gly Thr Ser Val Asp Asn Arg Pro Ser Asn
```

Asp Val Leu Ala Ser Ile Phe Val Asp Ala Ile Glu Val Gly Tyr Arg

WO 03/031622 PCT/AU02/01345

118/390 35 40 45

His Phe Asp Ser Ala Ser Val Tyr Gly Thr Glu Glu Ala Ile Gly Ile 55

Ala Leu Ala Lys Ala Leu Glu Lys Gly Leu Ile Lys Ser Arg Asp Glu 75

Val Phe Ile Thr Ser Lys Pro Trp Asn Thr Asp Ala Asp Tyr Glu Leu 90

Ile Val Pro Ala Leu Lys Thr Thr Leu Lys Lys Leu Gly Thr Glu Tyr 100 105

Val Asp Leu Tyr Leu Ile His Trp Pro Val Arg Leu Arg His Asp Leu 120

Glu Asn Pro Val Val Phe Thr Lys Glu Asp Leu Leu Pro Phe Asp Ile 135 140

Glu Gly Thr Trp Lys Ala Met Glu Glu Cys Tyr Lys Leu Gly Leu Ala

Lys Ser Ile Gly Ile Cys Asn Tyr Gly Thr Lys Lys Leu Thr Lys Leu 165

Leu Glu Thr Ala Thr Ile Thr Pro Ala Val Asn Gln Val 180 185

<210> 112 <211> 334

<212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (10)..(10) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (17)..(17) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (21)..(21) <223> Any nucleotide

<220>

<221> misc\_feature <222> (246)..(246) <223> Any nucleotide

WO 03/031622 PCT/AU02/01345 119/390

<220> <221> misc\_feature <222> (268)..(268) <223> Any nucleotide <220> <221> misc\_feature <222> (277)..(277) <223> Any nucleotide <220> <221> misc\_feature
<222> (281)..(281)
<223> Any nucleotide <220> <221> misc\_feature
<222> (294)..(294)
<223> Any nucleotide <220> <221> misc\_feature <222> (328)..(328) <223> Any nucleotide <220> <221> misc\_feature <222> (330)..(330) <223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (334)..(334)
<223> Any nucleotide

<400> 112

gtgtagcagn attaganaaa natataaaaa aaaacatggc aggaaagaaa atcccagaag

tgttattgaa ttcaggacac aaaatgccag tcataggaat gggaacatca gtagacaatc 120

gtccatcaaa tgatgttctt gcttcaatct ttgttgatgc aattgaagtt ggttatcgcc

atttcgattc tgcttctgtg tatggaacag aggaagccat aggaattgct ttagcaaaag 240

ctttanaaaa agggcttatt aagagtanag atgaagnttt natcacttgc aagncatgga

atactgatgc acattatgaa cttattgntn caan 334

<210> 113 <211> 602 <212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (8)..(8)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (14)..(14) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (16)..(16) <223> Any nucleotide

<220>

<221> misc\_feature <222> (20)..(20)

<223> Any nucleotide

<220> <221> misc\_feature

<222> (22)..(22) <223> Any nucleotide

<400> 113

gtagcagngt tagnanaagn gngaaaaaaa aacatggcag gaaagaaaat cccagaagtg

ttattgaatt caggacacaa aatgocagtc ataggaatgg gaacatcagt agacaatcgt

ccatcaaatg atgttcttgc ttcaatcttt gttgatgcaa ttgaagttgg ttatcgccat

ttcgattctg cttctgtgta tggaacagag gaagccatag gaattgcttt agcaaaagct

ttagaaaaag ggcttattaa gagtagagat gaagttttca tcacttcaaa gccatggaat 300

actgatgcag attatgaact tattgttcca gctctcaaga ccacattgaa aaagctgggg

acggagtatg tggatcttta tctgatccat tggccagtga gacttagaca tgatcttgaa

aaccctgttg ttttcaccaa agaagattta cttccctttg atatagaagg gacatggaaa

gctatggaag aatgttataa gttaggctta gcaaagtcta ttggtatatg caattatggt

accaaaaaac tcaccaaact cttggaaaca gccaccatta cccctgcagt caatcaggtg

qа 602

<210> 114 <211> 584 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (4)..(5) <223> Any nucleotides <220> <221> misc\_feature
<222> (27)..(27)
<223> Any nucleotide <400> 114 agtnngaaaa agagagaaaa aaaaacntgg caggaaagaa aatcccagaa gtgttattga attcaggaca caaaatgcca gtcataggaa tgggaacatc agtagacaat cgtccatcaa 120 atgatgttct tgcttcaatc tttgttgatg caattgaagt tggttatcgc catttcgatt ctgcttctgt gtatggaaca gaggaagcca taggaattgc tttagcaaaa gctttagaaa aagggettat taagagtaga qatgaagttt teateaette aaageeatgg aataetgatg cagattatga acttattgtt ccagctctca agaccacatt gaaaaagctg gggacggagt atgtggatct ttatctgatc cattggccag tgagacttag acatgatctt gaaaaccctg ttgttttcac caaagaagat ttacttccct ttgatataga agggacatgg aaagctatgg aagaatgtta taagttaggc ttagcaaagt ctattggtat atgcaattat ggtaccaaaa 540 aactcaccaa actcttggaa acagccacca ttacccctgc agtc 584 <210> 115 <211> 547 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (4)..(5) <223> Any nucleotides <220>

<221> misc\_feature

<222> (27)..(27) <223> Any nucleotide WO 03/031622 PCT/AU02/01345

<400> 115 agtnngaaaa agagagaaaa aaaaacntgg caggaaagaa aatcccagaa gtgttattga attcaggaca caaaatgcca gtcataggaa tgggaacatc agtagacaat cgtccatcaa atgatgttct tgcttcaatc tttgttgatg caattgaagt tggttatcgc catttcgatt ctgcttctgt gtatggaaca gaggaagcca taggaattgc tttagcaaaa gctttagaaa aagggettat taagagtaga gatgaagttt teateaette aaageeatgg aataetgatg cagattatga acttattgtt ccagctctca agaccacatt gaaaaagctg gggacggagt atgtggatct ttatctgatc cattggccag tgagacttag acatgatctt gaaaaccctg ttgttttcac caaagaagat ttacttccct ttgatataga agggacatgg aaagctatgg aagaatgtta taagttaggc ttagcaaagt ctattggtat atgcaattat ggtaccaaaa aactcac 547 <210> 116 <211> 334 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (295)..(295) <223> Any nucleotide <400> 116 acatggcagg aaagaaaatc ccagaagtgt tattgaattc aggacacaaa atgccaqtca taggaatggg aacatcagta gacaatcgtc catcaaatga tgttcttgct tcaatctttg ttgatgcaat tgaagttggt tatcgtcatt tcgattctgc ttctgtttat ggaacagagg aagctatagg aattgcttta gcaaaagctt tagaaaaagg gcttattaag agtagagatg aagttttcat cacttcaaag ccatggaata ctgatgcaga ttatgatctt attgntccag ctctcaagac cacattgaaa aagctgggga caga 334

<210> 117

WO 03/031622 PCT/AU02/01345 123/390

<211> <212> <213>	694 DNA Trifolium repens
<220> <221> <222> <223>	misc_feature (11)(11)
<220> <221> <222> <223>	(23),,(23)
<220> <221> <222> <223>	misc_feature (25)(25) Any nucleotide
<220> <221> <222> <223>	misc_feature (32)(33) Any nucleotides
<220> <221> <222> <223>	misc_feature (36)(36) Any nucleotide
<220> <221> <222> <223>	misc_feature (43)(43) Any nucleotide
<220> <221> <222> <223>	misc_feature (48)(49) Any nucleotides
<220> <221> <222> <223>	misc_feature (62)(62) Any nucleotide
<220> <221> <222> <223>	misc_feature (94)(96) Any nucleotides
<220> <221> <222> <223>	misc_feature (101)(101) Any nucleotide

<220> <221> misc\_feature WO 03/031622 PCT/AU02/01345

<222> (106)..(106) <223> Any nucleotide

<400> 117 taagaatgaa ncaattttat ctnanaaaag gnncangcaa gtnagttnna ttcaaacata 60

gnottaaagt gtgtaacata ttottaactt aaannntttt nacconacaa aaaaaaacaa 120

agacaataac atgggtagtg ttgaaattcc aacaaaggtt cttactaaca cttctagtca 180

agtgaaaatg cctgtggttg gaatgggatc agctcctgat ttcacatgta agaaagatac 240

aaaagatgca atcattgaag ccatcaaaca aggttataga cactttgata ctgctgctgc 300

ttatggctca gaacaagctc ttggtgaagg tttgaaagaa gcaattgaac ttggccttgt 360

cactagagaa gagotttttg ttacttotaa actttgggtc actgaaaatc atcotcacct 420

tgttgttcct gctcttcaaa aatctctcaa gactcttcaa ttggagtact tggacttgta

tttgatccat tggccactta gttctcagcc tggaaagttt tcatttccaa ttgatgtggc

agatetettg ceatttgatg tgaagggtgt ttgggaatee atggaagaag gettgaaaet 600

tggactcact asagctattg gtgttagtaa cttctctgtc asgasacttc asaatcttgt  $660\,$ 

ctcagttgcc accgttcttc ctgcggtcaa tcag

<210> 118 <211> 188

<212> PRT

<213> Trifolium repens

<400> 118

Met Gly Ser Val Glu Ile Pro Thr Lys Val Leu Thr Asn Thr Ser Ser  $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$ 

Cys Lys Lys Asp Thr Lys Asp Ala Ile Ile Glu Ala Ile Lys Gln Gly 35 40 45

Tyr Arg His Phe Asp Thr Ala Ala Ala Tyr Gly Ser Glu Gln Ala Leu 50 55 60

Gly Glu Gly Leu Lys Glu Ala Ile Glu Leu Gly Leu Val Thr Arg Glu

WO 03/031622 PCT/AU02/01345

125/390 65 70 75 80 Glu Leu Phe Val Thr Ser Lys Leu Trp Val Thr Glu Asn His Pro His 85 90 Leu Val Val Pro Ala Leu Gln Lys Ser Leu Lys Thr Leu Gln Leu Glu 105 Tyr Leu Asp Leu Tyr Leu Ile His Trp Pro Leu Ser Ser Gln Pro Gly 120 Lys Phe Ser Phe Pro Ile Asp Val Ala Asp Leu Leu Pro Phe Asp Val 135 Lys Gly Val Trp Glu Ser Met Glu Glu Gly Leu Lys Leu Gly Leu Thr 155 Lys Ala Ile Gly Val Ser Asn Phe Ser Val Lys Lys Leu Gln Asn Leu 165 170 Val Ser Val Ala Thr Val Leu Pro Ala Val Asn Gln 180 <210> 119 <211> 576 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (11)..(11) <223> Any nucleotide <220> <221> misc\_feature
<222> (33)..(33)
<223> Any nucleotide <220> <221> misc\_feature <222> (36)..(36) <223> Any nucleotide

<220> <221> misc\_feature <222> (48)..(48) <223> Any nucleotide

<220>

<221> misc\_feature <222> (62)..(62) <223> Any nucleotide

<220> <221> misc\_feature <222> (65)..(65) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (95)..(95) <223> Any nucleotide

<400> 119 taagaatgaa ncaattttat cttataaaag gtncangcaa gttagttnct attaaacata

gnotnaaagt gtgtaacata ttottaactt aaacnatttt cacccaacaa aaaaaaacaa 120

agacaataac atgggtagtg ttgaaattcc aacaaaggtt cttactaaca cttctagtca

agtgaaaatg cctgtggttg gaatgggatc agctcctgat ttcacatgta agaaagatac

aaaagatgca atcattgaag ccatcaaaca aggttataga cactttgata ctgctgctgc

ttatggetca gaacaagete ttggtgaagg tttgaaagaa gcaattgaac ttggtettgt

cactagagaa gagetttttg ttgettetaa actttgggte actgaaaate atceteatet 420

tgttgttcct gctcttcaaa aatctctcaa gactcttcaa ttggagtact tggacttgta 480

tttgattcac tggccactta gttctcagcc cggaaagttt tcatttccaa ttgaggtggc 540

agatotottg coatttgatg tgaagggtgt ttgggg

<210> 120

<211> 524

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature

<222> (4) .. (6)

<223> Any nucleotides

<220>

<221> misc\_feature

<222> (13)...(14)

<223> Any nucleotides

<220>

<221> misc\_feature

<222> (17)..(17) <223> Any nucleotide

<220>

127/390

PCT/AU02/01345

-----

```
<221> misc_feature
 <222> (24)..(24)
 <223> Any nucleotide
 <220>
<221> misc_feature
<222> (29)..(30)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (33)..(33)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (36)..(36)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (43)..(43)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (46)..(46)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (55)..(55)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (76)..(76)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (524)..(524)
<223> Any nucleotide
<400> 120
tctnnnaaaa ggnncangca agtnagttnn tanttnaact agnctnaaag tgtgnaacat
attettaact taaacnattt teacceaaca aaaaaaaaca aagacaataa catgggtagt
gttgaaattc caacaaaggt tcttactaac acttctagtc aagtgaaaat gcctgtggtt
```

ggaatgggat cagctcctga tttcacatgt aagaaagata caaaagatgc aatcattgaa

gccatcaaac aaggttatag acactttgat actgctgctg cttatggctc agaacaagct

cttggtgaag gtttgaaaga agcaattgaa cttggtcttg tcactagaga agagcttttt

gttgcttcta aactttgggt cactgaaaat catcctcatc ttgttgttcc tgctcttcaa

aaatototoa agaotottoa attggagtao ttggacttgt atttgattoa ctggccactt

agtteteage ceggaaagtt tteattteea attgaggtgg cagn 524

<210> 121

240

<211> 577 <212> DNA

<213> Trifolium repens

<220> <221> misc\_feature

<222> (2)..(2)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (15)..(15) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (18)..(18) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (54)..(54)

<223> Any nucleotide

<400> 121

gnattcaaac atagnetnaa agtgtgtaac atattettaa ettaaaacat tttnacceaa

caaaaaaaaa caaagacaac aacatgggta gtgttgaaat tccaacaaag gttcttacta

acacttetag teaagtgaaa atgeetgtgg ttggaatggg ateageteet gattteacat

gtaagaaaga tacaaaagat gcaatcattg aagccatcaa acaaggttat agacactttg

atattgctgc tgcttatggc tcagaacaag ctcttggtga aggtttgaaa gaagcaattg

aacttggtct tgtcactaga gaagaccttt ttgttacttc taaactttgg gtcactgaaa

129/390 atcatcctca cettgttatt ectgetette aaaaatetet caagactett caattggagt 420 acttggactt gtatttgatc cactggccac ttagttctca gcccggaaag ttttcatttc caattgaggt ggcagatctc ttgccatttg atgtgagggg tgtttggcaa tccatggaag aaggettgaa acttggacte actaaageta ttggtgt <210> 122 <211> 597 <212> DNA <213> Trifolium repens <220> <221> misc\_feature
<222> (13)..(13)
<223> Any nucleotide <220> <221> misc\_feature <222> (16)..(16) <223> Any nucleotide <220> <221> misc\_feature <222> (29)..(29) <223> Any nucleotide <220> <221> misc\_feature <222> (47)..(47) <223> Any nucleotide <220> <221> misc\_feature <222> (52)..(52) <223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (57)..(57)
<223> Any nucleotide <220> <221> misc\_feature <222> (597)..(597) <223> Any nucleotide <400> 122 attcaaacat agnctnaaag tgtgtaacnt attcttaact taaaacnttt tnaccenaca

aaaaaaaaca aagacaacaa catgggtagt gttgaaattc caacaaaggt tcttactaac

<223> Any nucleotide

```
acttctagtc aagtgaaaat gcctgtggtt ggaatgggat cagctcctga tttcacatgt
  aagaaagata caaaagatgc aatcattgaa gccatcaaac aaggttatag acactttgat
 attgctgctg cttatggctc agaacaagct cttggtgaag gtttgaaaga agcaattgaa
 cttggtcttg tcactagaga agaccttttt gttacttcta aactttgggt cactgaaaat
 360
 catectcace ttgttattcc tgctcttcaa aaatctctca agactcttca attggagtac
 ttggacttgt atttgatcca ctggccactt agttctcagc ccggaaagtt ttcatttcca
 attgaggtgg cagatetett gecatttgat gtgaggggtg tttggcaate catggaagaa
 ggcttgaaac ttggactcac taaagctatt ggtgtcagta acttctctgt caagaan
 <210> 123
 <211>
        293
 <212> DNA
 <213> Trifolium repens
 <220>
 <221> misc_feature
 <222> (17)..(17)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (51)..(51)
 <223> Any nucleotide
 <220>
<221> misc_feature
<222> (59) .. (59)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (224)..(224)
<223> Any nucleotide
<220>
<221> misc feature
<222> (250)..(250)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (257)..(257)
```

131/390 <220> <220>
<221> misc\_feature
<222> (274)..(277)
<223> Any nucleotides <220> <221> misc\_feature
<222> (279)..(280)
<223> Any nucleotides <220> <221> misc\_feature <222> (285)..(285) <223> Any nucleotide <220> <221> misc\_feature <222> (293)..(293) <223> Any nucleotide <400> 123 ttcaaacata gcctccnagt gtgtaacata ttcttaactt aaaacatttt nacccaacna taaaaaacaa agacaacaac atgggtagtg ttgaaattcc aacaaaggtt cttactaaca gttctagtca agtgaaaatg cctgtggttg gaatgggatc agctcctgac ttcacatgta agaaagacac aaaagatgca atcattgaag ccatcaaaca aggntataga cactttgaaa 240 ctgctgctgn ttatgcntca caacaagctc ttgnnnnann cttcnatgcc ccn 293 <210> 124 <211> 636 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (4)..(4) <223> Any nucleotide <220> <221> misc feature
<222> (12)..(12)
<223> Any nucleotide

<220>

<221> misc\_feature <222> (86)..(86) <223> Any nucleotide

<221> misc\_feature <222> (244)..(244) <223> Any nucleotide <220> <221> misc\_feature
<222> (261)..(261)
<223> Any nucleotide <220> <221> misc\_feature
<222> (458)..(458)
<223> Any nucleotide <220> <221> misc\_feature
<222> (485)..(485)
<223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (507)..(507)
<223> Any nucleotide <220> <221> misc\_feature
<222> (515)..(515)
<223> Any nucleotide <220> <221> misc\_feature <222> (540)..(540) <223> Any nucleotide <220> <221> misc\_feature <222> (545)..(545) <223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (574)..(574)
<223> Any nucleotide <220> <221> misc\_feature
<222> (577)..(578)
<223> Any nucleotides

<220>

<221> misc\_feature <222> (588)..(588) <223> Any nucleotide

```
133/390
  <221> misc_feature
<222> (593)..(593)
<223> Any nucleotide
  <220>
  <221> misc_feature
  <222> (609)..(609)
<223> Any nucleotide
  <220>
  <221> misc feature
  <222> (630)..(630)
  <223> Any nucleotide
  <400> 124
 ttcnaacata gnctcaaagt gtgtaacata ttcttaactt aaaacatttt cacccaacaa
 aaaaaaacaa agacaacaac atgggnaggg ttgaaattcc aacaaaggtt cttactaaca
 cttctagtca agtgaaaatg cctgtggttg gaatgggatc agctcctgat tttacatgta
 aaaaagacac aaaagatgca atcattgaag ccatcaaaca aggttataga cactttgata
 ctgntgctgc ttatggctca naacaagctc ttggtgaagg tttgaaagaa gcaattgaac
 ttggccttgt cactagaaaa gagctttttg ttacttctaa actttgggtc actgaaaatc
 atcctcacct tgttgttcct gctcttcaaa aatctctcaa gactcttcaa ttggagtact
 tggacttgta tttgatccat tggccactta attctcancc tggaaagttt tcatttccca
 ttgangtggc aaatctcttg ccatttnatg tgaanggtgt ttgggaatcc atggaaaaan
540
gettnaaact tggactcact aaagetattg gtgncannaa ettetetnte aanaaactte
aaaatcttnt ctcaattgcc accgttcttn ctgcgg
636
<210> 125
<211> 570
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (8)..(8)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (11)..(11)
```

WO 03/031622 PCT/AU02/01345

<223> Any nucleotide

<220>

<221> misc\_feature <222> (21)..(21)

<223> Any nucleotide

<220>
<221> misc\_feature

<222> (23)..(23) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (25)..(25) <223> Any nucleotide

<220>

<221> misc\_feature <222> (41)..(42)

<223> Any nucleotides

<220>
<221> misc\_feature

<222> (55)..(55) <223> Any nucleotide

<400> 125

aacatagnot naaagtgtgt nananattot taacttaaaa nnttttcacc caacnaaaaa

aaacaaagac aaaaacatgg gtagtgttga aattccaaca aaggttctta ctaacacttc 120

tagtcaagtg aaaatgcctg tggttggaat gggatcagca cctgatttca catgtaagaa 180

agacacaaaa gatgcaatca ttgaagccat caaacaaggt tatagacact ttgatactgc 240

tgctgcttat ggctcagaac aagctcttgg tggaggtttg aaagaagcaa ttgaacttgg 300

ccttgtcact agagaagagc tttttgttac ttctaaactt tgggtcactg aaaatcatcc

teacettgtt gtteetgete tteaaaaate teteaagaet etteaattgg agtaettgga 420

cttgtatttg atccattggc cacttagttc tcagcctgga aagttttcat ttccaattga  $480\,$ 

tgtggcagat ctcttgccat ttgatgtgaa gggtgtttgg caatccatgg aagaaggctt 540

gaaacttgga ctcactaaag ctattggtgt 570 WO 03/031622 PCT/AU02/01345 135/390

<211> 621 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (5)..(5) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (9)..(9) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (17)..(18)
<223> Any nucleotides

<220>

<220>
<221> misc\_feature
<222> (21)..(22)
<223> Any nucleotides

<220>

<220>
<221> misc\_feature
<222> (27)..(27)
<223> Any nucleotide

<220>

<221> misc\_feature

<222> (32)..(32) <223> Any nucleotide

<220>

<221> misc\_feature <222> (38)..(38) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (44)..(44)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (49)..(51)
<223> Any nucleotides

<220>

<221> misc\_feature <222> (62)..(62)

<223> Any nucleotide

<400> 126

60 cnaagacaat aacatgggta gtgttgaaat tccaacaaag gttcttacta acacttctag tcaagtgaaa atgcctgtgg ttggaatggg atcagctcct gatttcacat gtaagaaaga tacaaaagat gcaatcattg aagccatcaa acaaggttat agacactttg atactgctgc tgcttatggc tcagaacaag ctcttggtga aggtttgaaa gaagcaattg aacttggcct tgtcactaga gaagagcttt ttgttacttc taaactttgg gtcactgaaa atcatcctca tettgttgtt cetgetette aaaaatetet caagaetett caattggagt acttggaett gtatttgatc cattggccac ttagttctca gcctggaaag ttttcatttc caattgatgt ggcagatete ttgccatttg atgtgaaggg tgtttgggaa tecatggaag aaggettgaa acttggactc actaaagcta ttggtgttag taacttctct gtcaagaaac ttcaaaatct tgtctcagtt gccaccgttc t 621 <210> 127 <211> 573 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (8) .. (8) <223> Any nucleotide <220> <221> misc\_feature <222> (16)..(16) <223> Any nucleotide <220> <221> misc\_feature <222> (19)..(19) <223> Any nucleotide

<220>

<221> misc\_feature <222> (36)..(38) <223> Any nucleotides

<220>

<221> misc feature <222> (43)..(43)

<223> Any nucleotide

<222> (16)..(17)

```
<220>
 <221> misc_feature
<222> (48)..(48)
 <223> Any nucleotide
  <220>
 <221> misc_feature
<222> (61)..(61)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (573)..(573)
<223> Any nucleotide
 <400> 127
 catagethaa gtgtgnaana atttettaae taaaannntt ttnaccenae aaaaaaaaae
 60
 naagacaaaa acatgggtag tgttgaaatt ccaacaaagg ttcttactaa cagttctagt
 caagtgaaaa tgcctgtggt tggaatggga tcagcacctg atttcacatg taagaaagac
 acaaaagatg caatcattga agccatcaaa caaggttata gacactttga tactgctgct
gettatgget cagaacaage tettggtgaa ggtttgaaag aagcaattga aettggeett
gtcactagag aagagetttt tgttacttet aaaetttggg teactgaaaa teateeteae
cttgttgttc ctgctcttca aaaatctctc aagactcttc aattggagta cttggacttg
tatttgatcc attggccact tagttctcag cctggaaagt tttcatttcc aattgatgtg
gcagatetet tgecatttga tgtgaagggt gtttgggaat ccatggaaga aggettgaaa
cttggactca ctaaagctat tggtgttagt aan
<210> 128
<211> 583
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (4)..(4)
<223> Any nucleotide
<220>
<221> misc_feature
```

<223>	Any nucleotides
<220><221><222><223>	misc_feature (19)(20) Any nucleotides
<220> <221> <222> <223>	misc feature
<220> <221> <222> <223>	misc_feature (31)(31) Any nucleotide
<220> <221> <222> <223>	(36)(38)
<220> <221> <222> <223>	misc_feature (43)(43) Any nucleotide
<220> <221> <222> <223>	misc_feature (48)(48) Any nucleotide
<220> <221> <222> <223>	misc_feature (61)(61) Any nucleotide
<220> <221> <222> <223>	misc_feature (79)(79) Any nucleotide
<220> <221> <222> <223>	misc_feature (81)(81) Any nucleotide
<220> <221> <222> <223>	misc_feature (83)(84) Any nucleotides

<220>

<220> <221> misc\_feature <222> (239)..(239)

<223> Any nucleotides

<220>

<221> misc feature

<400> 128 catngctaaa gtgtgnnann tattcntaac ntaaannntt ttnacccnac aaaaaaaaac naagacaata acatgggtng ngnngaaatt ccaacaaagg ttcttactaa cacttctagt caagtgaaaa tgcctgtggt tggaatggga tcagctcctg atttcacatg taagaaagat acaaaagatg caatcattga agccatcaaa caaggttata gacactttga tactgctgnt 240 gottatggot cagaacaago tottggtgaa ggtttgaaag aagcaattga acttggoott 300 gtcactagag aagagetttt tgttacttet aaaetttggg teaetgaaaa teateeteae 360 cttgttattc ctgctcttca aaaatctctc aagactcttc aattggagta cttggacttg tatttgatcc attggccact tagttctcag cctggaaagt tttcatttcc aattgatgtg 480 gcagatctct tgccatttga tgtgaagggt gtttgggaat ccatggaaga aggcttgaaa cttggactca ctaaagctat tggtgttagt aacttctctg tcc 583 <210> 129 <211> 597 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (4)..(4) <223> Any nucleotide <220> <221> misc\_feature <222> (8)..(8) <223> Any nucleotide <220> <221> misc\_feature . <222> (16)..(16) <223> Any nucleotide <220> <221> misc feature <222> (18) .. (18) <223> Any nucleotide

140/390 <222> (21)..(21) <223> Any nucleotide <220> <221> misc\_feature <222> (36)..(38) <223> Any nucleotides <220> <221> misc\_feature <222> (48)..(48) <223> Any nucleotides <220> <221> misc\_feature <222> (61)..(61) <223> Any nucleotides <220> <221> misc\_feature <222> (67)...(67) <223> Any nucleotides <400> 129 120

naagacnaaa acatgggtag tgttgaaatt ccaacaaagg ttcttactaa cagttctagt

caagtgaaaa tgcctgtggt tggaatggga tcagcacctg atttcacatg taagaaagac

acaaaagatg caatcattga agccatcaaa cagggttata gacactttga tactgctgct

gcttatggct cagaacaagc tcttggtgaa ggtttgaaag aagcaattga acttggtctt

gtcactagag aagacetttt tgttacttet aaaetttggg teaetgaaaa teateeteat

cttgttgttc ctgctcttca aaaatctctc aagactcttc aattggagta cttggacttg 420

tatttgatcc attggccact tagttctcag cctggaaagt tttcatttcc aattgatgtg

gcagatctct tgccatttga tgtgaaggt gtttgggaat ccatggaaga aggcttgaaa

cttggactca ctaaagctat tggtgttagt aacttctctg tcaagaaact tcaaaaat

<210> 130 <211> 597

<212> DNA

<213> Trifolium repens

<220>

141/390 <221> misc\_feature <222> (16)..(17) <223> Any nucleotides <220> <221> misc feature <222> (19)..(19) <223> Any nucleotide <220> <221> misc\_feature <222> (28)..(28) <223> Any nucleotide <220> <221> misc\_feature <222> (36)..(38) <223> Any nucleotides <220> <221> misc\_feature <222> (48)..(48) <223> Any nucleotide <220> <221> misc\_feature <222> (55)..(55) <223> Any nucleotide <220> <221> misc\_feature <222> (61)..(61) <223> Any nucleotide <400> 130 catagctaaa gtgtgnnana atttcttnac taaaannntt ttcacccnac aaaanaaaac 60 naagacaaaa acatgggtag tgttgaaatt ccaacaaagg ttcttactaa cacttctagt caagtgaaaa tgcctgtggt tggaatggga tcagcacctg atttcacatg taagaaagac acaaaagatg caatcattga agccatcaaa caaggttata gacactttga tactgctgct 240 gcttatggct cagaacaagc tcttggtgga ggtttgaaag aagcaattga acttggcctt gtcactagag aagagetttt tgttacttet aaaetttggg teaetgaaaa teateeteae

cttgttgttc ctgctcttca aaaatctctc aagactcttc aattggagta cttggacttg tatttgatcc attggccact tagttctcag cctggaaagt tttcatttcc aattgatgtg

480

gcagatetet tgccatttga tgtgaagggt gtttggcaat ccatggaaga aggettgaaa 540 cttggactca ctaaagctat tggtgttagt aacttctctg tcaagaaact tcaaaat 597 <210> 131 <211> 574 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (2)..(2) <223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (26)..(28)
<223> Any nucleotides <220> <221> misc\_feature <222> (33)..(33) <223> Any nucleotide <220> <221> misc\_feature <222> (38)..(38) <223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (51)..(51)
<223> Any nucleotide <220> <221> misc\_feature <222> (57)..(57) <223> Any nucleotide <220> <221> misc\_feature
<222> (83)..(83)
<223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (519)..(519)
<223> Any nucleotide <220>

<221> misc\_feature <222> (540)..(540) <223> Any nucleotide

```
-----
 <220>
 <221> misc_feature
 <222> (559)..(561)
<223> Any nucleotides
 <220>
 <221> misc_feature
<222> (568)..(568)
<223> Any nucleotide
<220>
<221> misc feature
<222> (572)..(572)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (574)..(574)
<223> Any nucleotide
<400> 131
gngtgtaaca tattettaac ttaaannntt ttnaccenac aaaaaaaaac naagacnata
acatgggtag tgttgaaatt ccnacaaagg ttcttactaa cacttctagt caagtgaaaa
tgcctgtggt tggaatggga tcagctcctg atttcacatg taagaaagat acaaaagatg
caatcattga agccatcaaa caaggttata gacactttga tactgctgct gcttatggct
240
cagaacaagc tcttggtgaa ggtttgaaag aagcaattga acttggcctt gtcactagag
aagagetttt tgttaettet aaactttggg teactgaaaa teateeteae ettgttgtte
ctgctcttca aaaatctctc aagactcttc aattggagta cttggacttg tatttgatcc
attggccact tagttctcag cctggaaagt tttcatttcc aattgatgtg gcagatctct
480
tgccatttga tgtgaagggt gtttgggaat ccatggaana aggcttgaaa cttggacton
540
ctaaagctat tggtgttann nacttctntg tnan
574
<210> 132
<211> 578
```

<212> DNA <213> Trifolium repens <2205 <221> misc\_feature <222> (2)..(2)

<223> Any nucleotide

```
<220>
 <221> misc_feature
 <222> (14)..(14)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (26)..(27)
 <223> Any nucleotides
 <220>
<221> misc_feature
<222> (33)..(33)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (37)..(37)
<223> Any nucleotide
<220>
<221> misc feature
<222> (578)..(578)
<223> Any nucleotide
<400> 132
gngtgtaaca tatnettaac ttaaannatt ttnacenaac aaaaaaaaa aaagacaata
acatgggtag tgttgaaatt ccaacaaagg ttcttactaa cacttctagt caagtgaaaa
120
tgcctgtggt tggaatggga tcagctcctg atttcacatg taagaaagat acaaaagatg
caatcattga agccatcaaa caaggttata gacactttga tactgctgct gcttatggct
cagaacaagc tettggtgaa ggtttgaaag aagcaattga acttggcett gtcactagag
aagagettit tgttacttet aaaetttggg teactgaaaa teateeteac ettgttgtte
ctgctcttca aaaatctctc aagactcttc aattggagta cttggacttg tatttgatcc
attggccact tagttctcag cctggaaagt tttcatttcc aattgatgtg gcagatctct
480
tgccatttga tgtgaagggt gtttgggaat ccatggaaga aggcttgaaa cttggactca
ctaaagctat tggtgttagt aacttctctg tcaaqaan
578
```

<sup>&</sup>lt;210> 133 <211> 600 <212> DNA

WO 03/031622 145/390 <213> Trifolium repens <220> <221> misc\_feature <222> (6) .. (6) <223> Any nucleotide <220> <221> misc\_feature <222> (8)..(12) <223> Any nucleotides <220> <221> misc feature <222> (26)..(28) <223> Any nucleotides <220> <221> misc\_feature <222> (33)..(33) <223> Any nucleotide <220> <221> misc\_feature <222> (37)..(38) <223> Any nucleotides <220> <221> misc\_feature <222> (48)..(48) <223> Any nucleotide <220> <221> misc\_feature <222> (51)..(51) <223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (57)..(59)
<223> Any nucleotides

<400> 133

gtgtgnannn nntttctaac taaaannntt ttnaccnnac aaaaaatnaa ngacacnnna

acatgggtag tgttgaaatt ccaacaaagg ttcttactaa cagttctagt caagtgaaaa

tgcctgtggt tggaatggga tcagcacctg atttcacatg taagaaagac acaaaagatg

caatcattga agccatcaaa caaggttata gacactttga tactgctgct gcttatggct 240

cagaacaagc tottggtgaa ggtttgaaag aagcaattga acttggcott gtcactagag 300

aagagetttt tgttacttet aaactttggg teaetgaaaa teateeteae ettgttgtte 360

etgetettea aaaatetete aagaetette aattggagta ettggaettg tatttgatee

attggccact tagttctcag cccgaaaagt tttcatttcc aattgatgtg gcagatctct

tgccatttga tgtgaagggt gtttgggaat ccatggaaga aggcttgaaa cttggactca 540

ctaaaagctat tggtgtcagt aacttctctg tcaagaaact tcaaaatctt gtctcagttg 600

<210> 134 <211> 612 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (1)..(1) <223> Any nucleotide

<220>

<221> misc feature

<222> (6)..(6)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (13)..(14) <223> Any nucleotides

<220> <221> misc\_feature

<222> (19)..(19) <223> Any nucleotide

<220>

<221> misc feature

<222> (23)..(24) <223> Any nucleotides

<220> <221> misc feature

<222> (27)..(27) <223> Any nucleotide

<220>

<221> misc feature
<222> (37)..(37)
<223> Any nucleotide

<220>

<221> misc\_feature

<222> (43)..(43)

```
<223> Any nucleotide
 <220>
 <221> misc feature
 <222> (46) .. (46)
 <223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (69)..(69)
<223> Any nucleotide
 <400> 134
 nttctnacta aannttttna connacnaaa aaaaacnaag acnatnacat gggtagtgtt
 60
gaaattccna caaaggttct tactaacact tctagtcaag tgaaaatgcc tgtggttgga
 atgggatcag ctcctgattt cacatgtaag aaagatacaa aagatgcaat cattgaagcc
 180
atcaaacaag gitatagaca cittgatact gctgctgctt atggctcaga acaagctctt
ggtgaaggtt tgaaagaagc aattgaactt ggccttgtca ctagagaaga gctttttgtt
300
acttctaaac tttgggtcac tgaaaatcat cctcaccttg ttgttcctgc tcttcaaaaa
360
tototcaaga etettcaatt ggagtacttg gacttgtatt tgatecattg gccacttagt
420
totcagcotg gaaagttttc atttccaatt gatgtggcag atctcttgcc atttgatgtg
480
aagggtgttt gggaatccat ggaagaaggc ttgaaacttg gactcactaa agctattggt
gttagtaact tetetgteaa gaaactteaa aatettgtet eagttgeeac egttetteet
gcggtcaatc ag
612
<210> 135
<211> 610
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (7)..(7)
<223> Any nucleotide
```

<220> <221> misc\_feature

<222> (30)..(30) <223> Any nucleotide -2205

148/390

```
<221> misc_feature
<222> (41) ... (41)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (67)..(67)
<223> Any nucleotide
<400> 135
gcacacnttc ttgacttacc aattgtaatn cataataatt ntaaacatgt caaaqacagt
ttgtgtnacc ggagccagcg gagccatcgg ttcatgggtg gttcgcctcc tcctcgaacg
120
cggctacatt gtccacgcca ccatccaaga tctcgaggat gagaacgaga caaaacattt
ggaagcaatg gaaggagcaa agggtcatct caaatttttc gaaatggatc ttcttaacag
cgactctatt gcggccgccg tgaaaggttg tgccggagtt atacatcttg catgtcctaa
300
catcattggt gaagtcaaag accccgagaa gcaaattttg gaaccggcaa ttcaaggaac
ggttaatgtg ttgaaggtgg caaaggaaqc aqqqqtqqaq cqtqtqqtqq cqacatcqtc
420
gatctccgcc atcataccga gtcctaattg gccagctgat aagattaagg gagaagattg
ttggacagac cttgattatt gcaaggaaaa gaagttatac taccccattg caaagacact
540
agcagaaaaa gctggttggg aatttgctaa agagaccggt tttgatgttg ttatgattaa
ccctggtact
610
<210> 136
<211> 188
<212> PRT
<213> Trifolium repens
<2205
<221> MISC_FEATURE
<222> (7)..(7)
<223> Anv amino acid
<400> 136
Met Ser Lys Thr Val Cys Xaa Thr Gly Ala Ser Gly Ala Ile Gly Ser
                 5
```

Trp Val Val Arg Leu Leu Leu Glu Arg Gly Tyr Ile Val His Ala Thr

30

149/390

20

25 Ile Gln Asp Leu Glu Asp Glu Asn Glu Thr Lys His Leu Glu Ala Met 40

Glu Gly Ala Lys Gly His Leu Lys Phe Phe Glu Met Asp Leu Leu Asn

Ser Asp Ser Ile Ala Ala Ala Val Lys Gly Cys Ala Gly Val Ile His

Leu Ala Cys Pro Asn Ile Ile Gly Glu Val Lys Asp Pro Glu Lys Gln 85

Ile Leu Glu Pro Ala Ile Gln Gly Thr Val Asn Val Leu Lys Val Ala 100 110

Lys Glu Ala Gly Val Glu Arg Val Val Ala Thr Ser Ser Ile Ser Ala 120

Ile Ile Pro Ser Pro Asn Trp Pro Ala Asp Lys Ile Lys Gly Glu Asp

Cys Trp Thr Asp Leu Asp Tyr Cys Lys Glu Lys Lys Leu Tyr Tyr Pro 150

Ile Ala Lys Thr Leu Ala Glu Lys Ala Gly Trp Glu Phe Ala Lys Glu 170

Thr Gly Phe Asp Val Val Met Ile Asn Pro Gly Thr 180

<210> 137 <211> 327 <212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (30)..(30) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (41)..(41)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (67)..(67)
<223> Any nucleotide

```
<220>
 <221> misc feature
<222> (255)..(255)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (271)..(271)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (287)..(287)
<223> Any nucleotide
 <220>
 <221> misc feature
 <222> (291)..(291)
<223> Any nucleotide
 <220>
 <221> misc_feature
 <222> (313)..(313)
<223> Any nucleotide
 <220>
 <221> misc feature
 <222> (317)..(319)
<223> Any nucleotides
 <220>
 <221> misc_feature
 <222> (326)..(327)
 <223> Any nucleotides
 <400> 137
 gcacacette ttgacttace aattgtaatn cataataatt ntaaacatgt caaagacagt
 ttgtgtnacc ggagccagcg gagccatcgg ttcatgggtg gttcgcctcc tcctcgaacg
 cggctacatt gtccacgcca ccatccaaga tctcgaggat gagaacgaga caaaacattt
 ggaagcaatg gaaggagcaa agggtcatct caaatttttc gaaatggatc ttcttaacag
 egactetatt geggnegeeg tgaaaggttg ngeeggagtt atacatnttg netgteetae
 300
 ccccttqqq qanqaqnnnq caccenn
 <210> 138
<211> 349
```

<212> DNA

<213> Trifolium repens

<220> <221> <222> <223>	misc_feature (3)(3) Any nucleotide
<220> <221> <222> <223>	misc_feature (7)(7) Any nucleotide
<220> <221> <222> <223>	misc_feature (30)(30) Any nucleotide
<220> <221> <222> <223>	misc_feature (67)(67) Any nucleotide
<220> <221> <222> <223>	misc_feature (287)(287) Any nucleotide
<220> <221> <222> <223>	misc_feature (314)(314) Any nucleotide
<220> <221> <222> <223>	misc_feature (316)(316) Any nucleotide
<220> <221> <222> <223>	misc_feature (320)(320) Any nucleotide
<220> <221> <222> <223>	misc_feature (324)(324) Any nucleotide
<220> <221> <222> <223>	misc_feature (328)(328) Any nucleotide
<220> <221> <222> <223>	misc_feature (333)(333) Any nucleotide

<220> <221> misc feature <222> (341)..(341) <223> Any nucleotide

<220>

<221> misc feature <222> (346)..(346) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (348)..(349) <223> Any nucleotides

<400> 138

geneachtte ttgacttace aattgtaatn cataatattt ataaacatgt caaagacagt

ttgtgtnacc ggagccageg gagccatcgg ttcatgggtg gttcgcctcc tcctggaacg

cggctacatc gtccacgcca ccatccaaga tctcgaggat gagaacgaga caaaacattt

ggaagcaatg gaaggggcaa agggtcatct taaatttttc gaaatggatc ttcttaacag

tgactctatt gcggccgccg tgaaaggttg tgccggagtt atacatnttg catgtgctaa 300

catcattgct gaangnaaan accncganaa cgngattttg naaccngnn 349

<210> 139 <211> 592 <212> DNA

<213> Trifolium repens

<220>

<221> misc feature

<222> (7)..(7) <223> Any nucleotide

<220>

<221> misc feature

<222> (20)..(20) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (30)..(30)
<223> Any nucleotide

<220>

<221> misc\_feature

<222> (41)..(41)

<223> Any nucleotide

```
<220>
<221> misc_feature
<222> (481)..(481)
<223> Any nucleotide
<220>
 <221> misc feature
<222> (505)..(505)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (542)..(542)
<223> Any nucleotide
<400> 139
gcacacnttc ttgacttacn aattgtaatn cataataatt ntaaacatgt caaaggcagt
ttgtgtcacc ggagccagcg gagccattgg ttcatgggtg gttcgcctcc tcctccaacg
cggctacatt gtccacgcca ccatccaaga tctcgaggat gagaacgaga caaaacattt
ggaagcaatg gaaggagcaa agggtcatct caaatttttt gaaatggatc ttcttaacag
240
cgactctatt gcggccgccg tgaaaggttg tgccggagtt atacatcttg catgtcctaa
catcattggt gaagtcaaag accccgagaa gcaaattttg gaaccggcaa ttcaaggaac
ggttaatgtg ttgaaggtgg caaaggaagc aggggtggag cgtgtggtgg cgacatcgtc
gatctccgcc atcataccga gtcctaattg gccagctgat aagattaagg gagaagattg
ntggacagac cttgattatt gcaangaaaa gaagttatac taccccattg caaagacatt
540
ancagaaaaa gctggttggg aatttgctaa agagaccggt tttgatgttg tt
592
<210> 140
<211> 594
<212> DNA
<213> Trifolium repens
<220>
<221> misc feature
<222> (7)..(7)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (30)..(30)
```

<223> Any nucleotide

<220> <221> misc feature <222> (41)..(41) <223> Any nucleotide

<400> 140

gcacacnttc ttgacttacc aattgtaatn cataataatt ntaaacatgt caaagacagt

ttgtgtcacc ggagccagcg gagccatcgg ttcatgggtg gttcgcctcc tcctcgaacg 120

cggctacatt gtccacgcca ccatccaaga tctcgaggat qagaacgaga caaaacattt

ggaagcaatg gaaggagcaa agggtcatct caaatttttc gaaatggatc ttctcaacag 240

cgactctatt gcggccgccg tgaaaggttg tgccggagtt atacatcttg catgtcctag

catcattqqt qaaqtcaaaq accccqaqaa qcaaattttq qaaccqqcaa ttcaaqqaac

ggttaatgtg ttgaaggtgg caaaggaagc aggggtggag cgtgtggtgg cgacatcgtc 420

gatctccgcc atcataccga gtcctaattg gccagctgat aagattaagg gagaagattg 480

ttggacagac cttgattatt gcaaggaaaa gaagttatac taccccattg caaagacact 540

agcagaaaaa gctggttggg aatttgctaa agaqaccqgt tttqatqttq ttat 594

<210> 141 <211> 583

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (4)..(4) <223> Any nucleotide

<220> <221> misc feature <222> (14)..(14)

<223> Any nucleotide

<220> <221> misc\_feature

<222> (18)..(18) <223> Anv nucleotide

<220× <221> misc\_feature

<222> (28)..(28) <223> Any nucleotide <220> <221> misc\_feature <222> (49)..(50) <223> Any nucleotides <400> 141 gccncttctt gacncacnaa ttgtaatnca taataattat aaacatgtnn aagacagttt gtgtcactgg agccagegga gccateggtt catgggtggt tegeeteete etecaaegeg gctacattgt ccacgccacc atccaagatc tcgaggatga gaacgagaca aaacatttgg 180 aagcaatgga aggagcaaag ggtcatctca aatttttcga aatggatctt cttaacagcg 240 actotattgc ggccgccgtg aaaggttgtg ccggagttat acatottgca tgtcctaaca tcattggtga agtcaaagac cccgagaagc aaattttgga accggcaatt caaggaacgg ttaatgtgtt gaaggtggca aaggaagcag gggtggagcg tgtggtggcg acatcgtcga tctctgccat cataccgagt cctaattggc cagctgataa gattaaggga gaagattgtt 480 ggacagacct tgattattgc aaggaaaaga agttatacta ccccattgca aagacactag cagaaaaagc tggttgggaa tttgctagag agaccggttt tgt 583 <210> 142 <211> 608 <212> DNA <213> Trifolium repens <220> <221> misc\_feature

<222> (4)..(4) <223> Any nucleotide <220> <221> misc feature

<220> <221> misc feature <222> (28)..(28) <223> Any nucleotide

<222> (18)...(18) <223> Any nucleotide

156/390 <221> misc feature <222> (39)..(39) <223> Any nucleotide <220> <221> misc\_feature <222> (49)..(49) <223> Any nucleotide <220> <221> misc feature <222> (65) .. (65) <223> Any nucleotide <400> 142 gctnettett gaettaenaa tigtaatnea taataatint aaacatgina aagacagiit gtgtnaccgg agccagcgga gccatcggtt catgggtggt tcgcctcctc ctcgaacgcg gctacattgt ccacgccacc atccaagatc tcgaggatga gaacgagaca aaacatttgg 180 aagcaatgga aggagcaaag ggtcatctca aatttttcga aatggatctt ctcaacagcg acticating ggccgccgtg aaaggttgtg ccggagttat acatictigca tgtcctagca 300 tcattggtga agtcaaagac cccgagaagc aaattttgga accggcaatt caaggaacgg 360 ttaatgtgtt gaaggtggca aaggaagcag gggtggagcg tgtggtggcg acatcgtcga 420 totocgocat catacogagt cotaattggc cagotgataa gattaaggga gaagattgtt ggacagacct tgattattgc aaggaaaaga agttatacta ccccattgca aagacactag cagaaaaagc tggttgggaa tttgctaaag agaccggttt tgatgttgtt atgattaacc 600 ctggtact 608 <210> 143 <211> 571 <212> DNA <213> Trifolium repens <220>

<221> misc\_feature
<222> (2)..(2)
<223> Any nucleotide

<220> <221> misc\_feature <222> (11)..(11)

WO 03/031622 PCT/AU02/01345 157/390

<223> Any nucleotide <220> <221> misc feature <222> (25)..(25) <223> Any nucleotide <220> <221> misc feature <222> (36)..(36) <223> Any nucleotide <220> <221> misc\_feature <222> (47)..(47) <223> Any nucleotide <220> <221> misc\_feature
<222> (62)..(63)
<223> Any nucleotides <220> <221> misc feature <222> (72)..(72) <223> Any nucleotide <220> <221> misc feature <222> (537)..(537) <223> Any nucleotide <400> 143 cnttcttgac ntaccaattg taatncataa taattntaaa catgtcnaag gcagtttgtg tnnccggagc cngcggagcc attggttcat gggtggttcg cctcctcctc caacgcggct acattgtcca cgccaccatc caagatcteg aggatgagaa cgagacaaaa catttggaag caatggaagg agcaaagggt catctcaaat tttttgaaat ggatcttctt aacagcgact 240 ctattgcggc cgccgtgaaa ggttgtgccg gagttataca tcttgcatgt cctaacatca 300 ttggtgaagt caaagacccc gagaagcaaa ttttggaacc ggcaattcaa ggaacggtta atgtgttgaa ggtggcaaag gaagcagggg tggagcgtgt ggtggcgaca tcgtcgatct 420 ccgccatcat accgagtcct aattggccag ctgataagat taagggagaa gattgttgga

cagacettga ttattgcaag gaaaagaagt tatactacce cattgcaaag acattancag

540

WO 03/031622 PCT/AU02/01345

```
aaaaagctgg ttgggaattt gctaaagaga c
571
<210> 144
<211> 586
<212> DNA
<213> Trifolium repens
<220>
<221> misc feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (15)..(15)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (25)..(25)
<223> Any nucleotide
<400> 144
cnttettgac ttacnaattg taatneataa tatttataaa catgteaaag acagtttgtg
tcaccggagc cagcggagcc atcggttcat gggtggttcg tctcctcctg gaacgcggct
acategteca egecaceate caagateteg aggatgagaa egagacaaaa catttggaag
caatggaagg ggcaaagggt tatcttaaat ttttcgaaat ggatcttctt aacagtgact
ctattgcggc cgccgtgaaa ggttgtgccg gagttataca tcttgcatgt cctaacatca
300
ttggtgaagt caaagacccc gagaagcaaa ttttggaacc ggcgattcaa ggaacggtta
acgtgttgaa ggtggcaaag gaagcagggg tggagcgtgt ggtggcgacg tcatcgatct
420
ccgccatcat accgagtcct aattggccag ctgataagat taagggagaa gattgttgga
480
cggaccttga ttattgcaag gaaaagaagt tacactaccc catcgcaaag acactagcag
aaaaagctgg ttgggaattt gctaaagaga ccggttttga tgttgt
586
<210> 145
```

<211> 328 <212> DNA

<213> Trifolium repens

<220>

<221> misc feature <222> (10)..(10) <223> Any nucleotide <220> <221> misc\_feature <222> (19)..(19) <223> Any nucleotide <220> <221> misc\_feature
<222> (24)..(24)
<223> Any nucleotide <220> <221> misc\_feature
<222> (31)..(31)
<223> Any nucleotide <220> <221> misc\_feature
<222> (35)..(37)
<223> Any nucleotides · <220> <221> misc\_feature <222> (41)..(41) <223> Any nucleotide <220> <221> misc\_feature <222> (45)..(45) <223> Any nucleotide <220> <221> misc\_feature <222> (61)..(61) <223> Any nucleotide <220> <221> misc feature <222> (71)..(71) <223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (249)..(249)
<223> Any nucleotide

<220>
<221> misc\_feature
<222> (289)..(289)
<223> Any nucleotide

<220>

<221> misc\_feature <222> (310)..(310) <223> Anv nucleotide

<220>

<221> misc\_feature <222> (315)..(315) <223> Any nucleotide

<220>

<221> misc\_feature <222> (320)..(320) <223> Any nucleotide

<220>

<221> misc\_feature <222> (326)..(326)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (328)..(328) <223> Any nucleotide

<400> 145

tttcttgacn tacccattnt tatncataat nattnnnaac ntgtnaaaga cagtttgtgt

naccggagec ngcggageca teggtteatg ggtggttege etecteeteg aacqcqqcta 120

cattgtccac gccaccatcc aagatctcga ggatgagaac gagacaaaac atttggaagc 180

aatggaagga gcaaagggtc atctcaaatt ttttgaaatg gatcttctta acagcgactc

tattgcggnc gccgtgaaag gttgtgccgg agttatacat cttgcatgng ctaacatcat

tqqqqaaqcn aaaqnactcn ataaqnan 328

<210> 146 <211> 232

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (1)..(1)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (3)..(3)

<223> Any nucleotide

<220> <221> misc\_feature
<222> (12)..(12)
<223> Any nucleotide <220> <221> misc\_feature
<222> (14)..(14)
<223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (21)..(22)
<223> Any nucleotides <220> <221> misc\_feature
<222> (39)..(39)
<223> Any nucleotide <220> <221> misc\_feature <222> (60)..(60) <223> Any nucleotide <220> <221> misc\_feature
<222> (69)..(69)
<223> Any nucleotide <220> <221> misc\_feature <222> (154)..(154) <223> Any nucleotide <220> <221> misc feature <222> (156)..(156) <223> Any nucleotide <220> <221> misc\_feature
<222> (178)..(178)
<223> Any nucleotide <220>

<221> misc\_feature <222> (186)..(186) <223> Any nucleotide

<220>
<221> misc\_feature
<222> (232)..(232)
<223> Any nucleotide

<400> 146 ngngtttgtg tnanctgagc nngcggagcc ctcggttant gggtggttcg cctcctcctn ccacgeggnt acattgtcca egecaccate caagateteg aggatgagaa egaqacaaaa catttggaag caatggaagg agcaaagggt catntnaaat ttttcgaaat ggatcttntt aacagngact ctattgcggc cgccgtgaaa ggttgtgccg gagttataca tn 232 <210> 147 <211> 623 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (11)..(11) <223> Any nucleotide <220> <221> misc feature <222> (14)..(14) <223> Any nucleotide <400> 147 ataaaaccaa nctncaaaac tgattggaac tcagaaaaat agaagaaaag agatqcctga 60 gttttgtgtt acagggggca ctggcttcat agcagcctac ctagtgaaag ccttattaga aaagggtcac acagtaagga ctactgtaag aaacccagat gatttggaga aggttggtta tctaactgaa ctaagtgaag acaaagagag attgaagatt ttaaaagcag atctattggt ggaagggagt tttgatgagg cagtgagtgg tgttgatggt qtqtttcata cagcttcccc tgttcttgtt ccacatgatg acaacattca ggttactttg attgatccat gtataaaagg 360 aacacaaaat gtgcttaact catgcatcaa agcaaaggtg aaacgtgtgg tgttaacatc 420 ttcatgctct tccataagat accgtgacga tgtgcaacaa atttctcctc ttaatgaatc tcattggagt gattctgaat actgcaaacg ctataacctg tggtatgcat atgcaaagac 540 tttaggagaa aaagaagcat ggaggattgc aaaggaaagt ggaattgatc tagttgtagt

taacccctct tttgttggtg gtc 623

<210> 148 <211> 190 <212> PRT <213> Trifolium repens

<400> 148

Met Pro Glu Phe Cys Val Thr Gly Gly Thr Gly Phe Ile Ala Ala Tyr

Leu Val Lys Ala Leu Leu Glu Lys Gly His Thr Val Arg Thr Thr Val

Arg Asn Pro Asp Asp Leu Glu Lys Val Gly Tyr Leu Thr Glu Leu Ser

Glu Asp Lys Glu Arg Leu Lys Ile Leu Lys Ala Asp Leu Leu Val Glu 60

Gly Ser Phe Asp Glu Ala Val Ser Gly Val Asp Gly Val Phe His Thr 70

Ala Ser Pro Val Leu Val Pro His Asp Asp Asn Ile Gln Val Thr Leu 90

Ile Asp Pro Cys Ile Lys Gly Thr Gln Asn Val Leu Asn Ser Cys Ile

Lys Ala Lys Val Lys Arg Val Val Leu Thr Ser Ser Cys Ser Ser Ile

Arg Tyr Arg Asp Asp Val Gln Gln Ile Ser Pro Leu Asn Glu Ser His

Trp Ser Asp Ser Glu Tyr Cys Lys Arg Tyr Asn Leu Trp Tyr Ala Tyr

Ala Lys Thr Leu Gly Glu Lys Glu Ala Trp Arg Ile Ala Lys Glu Ser

Gly Ile Asp Leu Val Val Val Asn Pro Ser Phe Val Gly Gly

<210> 149 <211> 570

<212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (11)..(11) <223> Any nucleotide

164/390 <220> <221> misc\_feature <222> (14)..(14) <223> Any nucleotide <220> <221> misc\_feature <222> (32)..(32) <223> Any nucleotide <400> 149 ataaaaccaa nctncaaaac tgattggaac tnagaaaaat agaagaaaag agatgcctga 60 gttttgtgtt acagggggca ctgggttcat agcagcctac ctagtgaaag ccttattaga aaagggtcac acagtaagga ctactgtaag aaacccagat gatttggaga aggttggtta 180 tctaactgaa ctaagtgaag acaaagagag attgaagatt ttaaaagcag atctattggt 240 ggaagggagt tittgatgagg cagtgagtgg tgttgatggt gtgtttcata cagcttcccc tgttcttgtt ccacatgatg acaatattca ggttactttg attgatccat gtataaaagg aacacaaaat gtgcttagct catgcatcaa agcaaaggtg aaacgtgtgg tgttaacatc 420 ttcatgetet tecataagat acegtgaega tgtgcaacaa atttcaccae ttaatgaate 480 tcattggagt gattctgaat actgcaaacg ctataacctg tggtatgcat atgcaaagac attaggagaa aaaqaaqcat qqaqqattqc 570 <210> 150 <211> 572 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc\_feature <222> (8) .. (9) <223> Any nucleotides

<400> 150

gnacctenna aaaatagaag aaaagagatg cetgagtttt gtgttacagg gggcactggg

ttcatagcag cctacctagt gaaagcccta ttagaaaagg gtcacacagt aaggactact

120

gtaagaaacc cagatgattt ggagaaggtt ggttatctaa ctgaactaag tgaagacaaa 180

gagagattga agattttaaa agcagatcta ttggtggaag ggagttttga tgaggcagtg 240

agtggtgttg atggtgtgtt tcatacaget teceetgtte ttgttccaca tgatgacaat

attcaggtta ctttgattga tccatgtata aaaggaacac agaatgtgct taactcatgc

atcaaagcaa aggtgaaacg tgtggtgtta acatcctcat gctcttccat aagataccgt

gacgatgtgc aacaaatttc tcctcttaat gaatctcatt ggagtgattc tgattactgc 480

aaacgctata acctgtggta tgcatatgca aagactttag gagaaaaaga agcatggagg 540

attgcaaagg aaagtgggat taatctagtt gt 572

<210> 151 <211> 572

<212> DNA

120

<213> Trifolium repens

<400> 151 ggaaagagat gcctgagttt tgtgttacag ggggcactgg cttcatagca gcttacctag

60
tqaaaqcctt attaqaaaaq qqtcacacaq taaqqactac tqtaaqaaac ccaqatqatt

tggagaaggt tggttatcta actgaactta gtgaagacaa agagagattg aagattttaa

aagcagatct attggtggaa gggagttttg atgaggcagt gagtggtgtt gatggtgtgt

ttcatacage ttcccctgtt cttgttccac atgatgacaa cattcaggtt actttgattg

atccatgtat aaaaggaaca caaaatgtgc ttaactcatg catcaaagca aaggtgaaac 360

gtgtggtgtt aacatottca tgctcttcca taagataccg tgacgatgtg caacaaattt 420

ctcctcttaa tgaatctcat tggagtgatt ctgaatactg caaacgctat aacctgtggt

atgcatatgc aaagacttta ggagaaaaag aagcatggag gattgcaaag gaaagtggaa

ttgatctagt tgtagttaac ccctcttttg tt 572

<210> 152 <211> 574 <212> DNA

<213> Trifolium repens

<220> <221> misc feature <222> (40)..(40) <223> Any nucleotide

<400> 152

gagatgcctg agttttgtgt tacagggggc actggcttcn tagcagctta cctagtgaaa

gccttattag aaaagggtca cacagtaagg actactgtaa gaaacccaga tgctttqqaq 120

aaggttggtt atctaactga acttagtgaa gacaaagaga gattgaagat tttaaaagca

gatctattgg tggaagggag ttttgatgag gcagtgagtg gtgttgatgg tgtgtttcat 240

acagcitccc cigitcitgt tocacatgat gacaacattc aggitacttt gattgatcca

tgtataaaag gaacacaaaa tgtgcttaac tcatgcatca tagcaaaggt gaaacgtgtg

gtgttaacat cttcatgctc ttccataaqa taccqtqacq atqtqcaaca aatttctcct

cttaatgaat ctcattqqaq tqattctqaa tactqcaaac qctataacct qtqqtatqca

tatgcaaaga ctttaggaga aaaagaagca tggaggattg caaaggaaag tggaattgat 540

ctagttgtag ttaacccctc ttttgttggt ggtc 574

<210> 153 <211> 641

<212> DNA <213> Trifolium repens

<220>

<221> misc feature <222> (2)..(2)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (8)..(8) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (28)..(28) <223> Any nucleotide

<220> <221> misc feature WO 03/031622 PCT/AU02/01345

```
<222> (505)..(505)
<223> Any nucleotide
<220>
<221> misc feature
<222> (565)..(565)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (608)..(608)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (615)..(616)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (626)..(628)
<223> Any nucleotides
<220>
<220>
<221> misc_feature
<222> (632)..(632)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (641)..(641)
<223> Any nucleotide
<400> 153
gngaaganct agtttgcgta acccgganca acggtttcat cggaacatgg ctagttaaaa
ccctactcca aaaacactac aaaattcacg ccacaatctt ccccaattcc aacgcatctc
 120
 atotottoac actocaccog gaagotcaat cooggatcac aattttccct gtogatatcc
 togactocac egeogtette teegetatea ataactgete aggtgtettt catgeegett
 ctccatgtac cctcgaagat ccaactgatc cgcaaaaaga gcttctagaa cctgctgtac
 300
 aaggaaccet aaatgtteta gaageateea gegegeaggt accaaaccet aattggeegg
 360
 agaaaaaggc gatcgatgag gegtegtgga eggatgttga gtaetgtaaa ttgagaggga
 420
 agtggtatct ggtgtcgaaa acggaggcgg agaaggcggc ttgggatttt cgagagaaaa
 atggtggtgt tgatgtgggg gcggntcatc cggggacttg tttgggagag ttgatacaga
```

540

aggagttgaa tgcgagttca gcggntttac agaggttgat gatggggagt gaggatactc

aagagtgnta ttggnngggg ggctgnnnat gntaaagatg n

<210> 154

<211> 206 <212> PRT

<213> Trifolium repens

<220×

<221> MISC\_FEATURE <222> (2)..(2) <223> Any amino acid

<220>

<221> MISC\_FEATURE <222> (9)..(9) <223> Any amino acid

<220>

<221> MISC\_FEATURE <222> (168)..(168) <223> Any amino acid

<220>

<220>
<221> MISC\_FEATURE
<222> (201)..(201)
<223> Any amino acid

<220>

<221> MISC\_FEATURE <222> (204)..(204) <223> Any amino acid

<400> 154

Glu Xaa Leu Val Cys Val Thr Arg Xaa Asn Gly Phe Ile Gly Thr Trp

Leu Val Lys Thr Leu Leu Gln Lys His Tyr Lys Ile His Ala Thr Ile 20 25

Phe Pro Asn Ser Asn Ala Ser His Leu Phe Thr Leu His Pro Glu Ala

Gln Ser Arg Ile Thr Ile Phe Pro Val Asp Ile Leu Asp Ser Thr Ala

Val Phe Ser Ala Ile Asn Asn Cys Ser Gly Val Phe His Ala Ala Ser 75

Pro Cys Thr Leu Glu Asp Pro Thr Asp Pro Gln Lys Glu Leu Leu Glu 90

Pro Ala Val Gln Gly Thr Leu Asn Val Leu Glu Ala Ser Ser Ala Gln 100 1.05

Val Pro Asn Pro Asn Trp Pro Glu Lys Lys Ala Ile Asp Glu Ala Ser 115

Trp Thr Asp Val Glu Tyr Cys Lys Leu Arg Gly Lys Trp Tyr Leu Val 130

Ser Lys Thr Glu Ala Glu Lys Ala Ala Trp Asp Phe Arg Glu Lys Asn

Gly Gly Val Asp Val. Gly Ala Xaa His Pro Gly Thr Cys Leu Gly Glu 165 170

Leu Ile Gln Lys Glu Leu Asn Ala Ser Ser Ala Leu Gln Arg Leu Met

Met Gly Ser Glu Asp Thr Gln Glu Kaa Tyr Trp Kaa Gly Gly 200

<210> 155

<211> 822 <212> DNA

<213> Trifolium repens

<220>

<220>
<221> misc\_feature
<222> (3)..(3)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (17)..(17)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (26)..(26)
<223> Any nucleotide

<221> misc\_feature
<222> (574)..(574)
<223> Any nucleotide

<220>

<220>

<221> misc\_feature <222> (601)..(601) <223> Any nucleotide

<220> <221> <222> <223>	misc_feature (614)(614) Any nucleotide
<220> <221> <222> <223>	misc_feature (619)(619) Any nucleotide
<220> <221> <222> <223>	misc_feature (692)(693) Any nucleotides
<220> <221> <222> <223>	misc_feature (729)(730) Any nucleotides
<220> <221> <222> <223>	misc_feature (743)(743) Any nucleotide
<220> <221> <222> <223>	misc_feature (752)(752) Any nucleotide
<220> <221> <222> <223>	misc_feature (756)(757) Any nucleotides
<220> <221> <222> <223>	misc_feature (777)(777) Any nucleotide
<220> <221> <222> <223>	misc_feature (779)(780) Any nucleotides
<220> <221> <222> <223>	misc_feature (789)(789) Any nucleotide
<220> <221> <222> <223>	misc_feature (794)(794) Any nucleotide

<220>
<221>
misc\_feature
<222> (797)...(797)
<223> Any nucleotide

<220>
<221>
misc\_feature
<222> (812)...(813)
<223> Any nucleotides

<400> 155

genttgatea gegtatnaac acacangtet teeettgage tetgtttete cacatgtega 60

agetagtttg cgtcaccggc ggcagcggat gcatcggttc atggctagtc catctccttc 120

tecteegegg ctacactgtt caegecaeeg tecaaaatet caatgatgag aaegaaaega

agcatctaga agctctcgaa ggagcacaaa ctaatctccg tctcttccag atcgatctcc 240

ttaactacga cacaatcotc gotgotgtoc goggttgogt oggaattttc cacctogott 300

caccttgcac tgtagacaaa gttcatgatc ctcagaagga gcttttggat cctgcaatta

aagggacttt gaatgtgctt actgcagcta aggaagtagg ggtgaagcgt gtggttgtta 420

cctcgtctgt ctcggcgatt actcctagtc ctgattggcc ttctgatgtt gttaaaagag 480

aggattgttg gactgatgtt gaatattgca agaaaaaaga gttggggtat ccgttgtcca  $540\,$ 

aaacattggc tgaaaaagct gcgtgggatt tttncaaaga aaatggtttg gatgttgttg 600

nggtgaatcc cggnactgng atgggtcctg tttttccacc acggcataat gcaagcatgc  $660\,$ 

tratgccttg ggaaactttt ttgaaggctg gnnctgaaac atttgaagac tattttatgg 720

gattggccnn ctttaaagat gtngcattgg cncatnnttt ggggtatgag aacaaanann 780

ctttgggana catnggnggg ttgaaactat cnntccttac gg 822

<210> 156
<211> 256
<212> PRT
<213> Trifolium repens
<220>
<221> MISC\_FEATURE
<222> (174)..(174)
<223> Any amino acid

<220> <221> <222> <223>	MISC_FEATURE (183)(183) Any amino acid
<220> <221> <222> <223>	MISC_FEATURE (187)(187) Any amino acid
<220> <221> <222> <223>	MISC_FEATURE (189)(189) Any amino acid
<220> <221> <222> <223>	MISC_FEATURE (213)(214) Any amino acids
<220> <221> <222> <223>	MISC_FEATURE (226)(226) Any amino acid
<220> <221> <222> <223>	MISC_FEATURE (230)(230) Any amino acid
<220> <221> <222> <223>	MISC_FEATURE (233)(233) Any amino acid
<220> <221> <222> <223>	MISC_FEATURE (235)(235) Any amino acid
<220> <221> <222> <223>	(242) $(243)$
<220> <221> <222> <223>	MISC_FEATURE (246)(248) Any amino acids
<220> <221> <222> <223>	MISC_FEATURE (253)(254)

<400> 156

Met Ser Lys Leu Val Cys Val Thr Gly Gly Ser Gly Cys Ile Gly Ser

Trp Leu Val His Leu Leu Leu Leu Arg Gly Tyr Thr Val His Ala Thr 20 25 30

Val Gln Asn Leu Asn Asp Glu Asn Glu Thr Lys His Leu Glu Ala Leu 35 40 45

Glu Gly Ala Gln Thr Asn Leu Arg Leu Phe Gln Ile Asp Leu Leu Asn 50 55 60

Tyr Asp Thr Ile Leu Ala Ala Val Arg Gly Cys Val Gly Ile Phe His 65 70 75 80

Leu Ala Ser Pro Cys Thr Val Asp Lys Val His Asp Pro Gln Lys Glu 85 90 95

Leu Leu Asp Pro Ala Ile Lys Gly Thr Leu Asn Val Leu Thr Ala Ala 100 105 110

Lys Glu Val Gly Val Lys Arg Val Val Val Thr Ser Ser Val Ser Ala 115 120 125

Ile Thr Pro Ser Pro Asp Trp Pro Ser Asp Val Val Lys Arg Glu Asp 130 135 140

Cys Trp Thr Asp Val Glu Tyr Cys Lys Lys Lys Glu Leu Gly Tyr Pro 145 150 150 160

Leu Ser Lys Thr Leu Ala Glu Lys Ala Ala Trp Asp Phe Xaa Lys Glu 165 170 170

Asn Gly Leu Asp Val Val Xaa Val Asn Pro Xaa Thr Xaa Met Gly Pro 180 185 190

Val Phe Pro Pro Arg His Asn Ala Ser Met Leu Met Pro Trp Glu Thr 195 200 205

Phe Leu Lys Ala Xaa Xaa Glu Thr Phe Glu Asp Tyr Phe Met Gly Leu 210 215 220

Ala Xaa Phe Lys Asp Xaa Ala Leu Xaa His Xaa Leu Gly Tyr Glu Asn 225 230 230 240

Lys Xaa Xaa Leu Gly Xaa Xaa Xaa Gly Leu Lys Leu Xaa Xaa Leu Thr 245 250 255

<210> 157 <211> 535 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (3)..(3) <223> Any nucleotide <220> <221> misc\_feature <222> (17)..(17) <223> Any nucleotide <220> <221> misc\_feature <222> (26)..(26) <223> Any nucleotide <220> <221> misc feature <222> (52)..(52) <223> Any nucleotide <400> 157 gentigatea gegiainaac acacangiet teeetigage teigtitete encatgiega agctagtttg cgtcaccggc ggcagcggat gcatcggttc atggctagtc catctccttc 120 tecteegegg etacactgtt caegecaeeg tecaaaatet caatgatgag aacgaaaega 180 agcatctaga agctctcgaa ggagcacaaa ctaatctccg tctcttccag atcgatctcc ttaactacga cacaatcete getgetgtee geggttgegt eggaatttte cacetegett caccttgcac tgtagacaaa gttcatgatc ctcagaagga gcttttggat cctgcaatta 360 aagggacttt gaatgtgett actgeageta aggaagtagg ggtgaagegt gtggttgtta cctcqtctqt ctcqqcqatt actcctaqtc ctqattggcc ttctgatgtt gttaaaagag 480 aggattgttg gactgatgtt gaatattgca agaaaaaaga gttgtggtat ccgtt 535 <210> 158 <211> 801

<213> Trifolium repens

<212> DNA

<221> <222> <223>	misc_feature (1)(1) Any nucleotide
<220> <221> <222> <223>	misc_feature (5)(6) Any nucleotides
<220> <221> <222> <223>	misc_feature (62)(62) Any nucleotide
<220> <221> <222> <223>	misc_feature (553)(553) Any nucleotide
<220> <221> <222> <223>	misc_feature (580)(580) Any nucleotide
<220> <221> <222> <223>	misc_feature (593)(593) Any nucleotide
<220> <221> <222> <223>	misc_feature (598)(598) Any nucleotide
<220> <221> <222> <223>	misc_feature (671)(672) Any nucleotides
<220> <221> <222> <223>	misc_feature (708)(709) Any nucleotides
<220> <221> <222> <223>	misc_feature (722)(722) Any nucleotide
<220> <221> <222> <223>	misc_feature (731)(731) Any nucleotide

<221> misc\_feature <222> (735)..(736) <223> Any nucleotides <220> <221> misc feature <222> (756)..(756) <223> Any nucleotide <220> <221> misc\_feature <222> (758)..(759) <223> Any nucleotides <220> <221> misc feature <222> (768)..(768) <223> Any nucleotide <220> <221> misc\_feature <222> (773)..(773) <223> Any nucleotide <220> <221> misc\_feature
<222> (776)..(776)
<223> Any nucleotide <220> <221> misc\_feature <222> (791)..(792) <223> Any nucleotides <400> 158 nacanntett cccttgaget etgtttetee acatgtegaa getagtttge gteaceggeg gnggcggatg catcggttca tggctagtcc atctccttct cctccgcggc tacactgttc 120 gagcacaaac taatctccqt ctcttccaga tcgatctcct taactacgac acaatcctcg 240 ctgctgtccg cggttgcgtc ggaattttcc acctcgcttc accttgcact gtagacaaag 300 ttcatgatcc tcagaaggag cttttggatc ctgcaattac agggactttg aatgtgctta ctgcagctaa qqaaqtaqqq qtqaaqcqtq tqqttqttac ctcqtctqtc tcqqcqatta 420 ctcctagtcc tgattggcct tctgatgttg ttaaaagaga ggattgttgg actgatgttg

480

aatattgcaa gaaaaaagag ttggggtatc cgttgtccaa aacattggct gaaaaagctg 540

cgtgggattt ttncaaagaa aatggtttgg atgttgttgn ggtgaatccc ggnactgnga

tgggtcctgt ttttccacca cggcataatg caagcatgct catgccttgg gaaacttttt

tgaagg<br/>ctgg n<br/>nctgaaaca tttgaagact attttatggg attggccnnc tttaaagatg<br/>  $720\,$ 

tngcattggc ncatnntttg gggtatgaga acaaanannc tttggganac atnggngggt

tgaaactatc nntccttacg g

<210> 159

<211> 582 <212> DNA

<213> Trifolium repens

<400> 159

gtcacttatg aaatggaaca caaaggtgga gacaaagtat gtgtgacagg ggcatcaggc 60

tttttagcat cttggcttat taagaaactt cttttgtctg gctatcaagt cattggaaca 120

gttagagatt tagggaagaa gaagaaagtt gaacatttat ggaaattgga aggagcaaca 180

gaaagactag aactaatcca agctgattta atggaagaaa atagtttcga caaagcgatc  $240\,$ 

atgggatgca aaggtgtctt ccacattgcc tctccagtac tcaatcatat atcagataat 300

cctaaggcgg aaatcttgga accggcagtc caaggtacgc taaatgtgtt gcgttcttgt 360

aagaggaacc ccgatcttgt tcgagtggtg ctagcctcat catcttcggc tgttagagta 420

agagetgatt t<br/>tgatecaag cataceaatt gatgaateat ettggagete ettggaatt<br/>g $4\,8\,0$ 

tgcgagaaac tcaaggcatg gtacccaatg tcaaagacaa tggcagaaaa agcagcttgg 540

gaatatagca aagagaatgg aatagactta gtgactattt tc 582

<210> 160 <211> 190

<212> PRT <213> Trifolium repens

<400> 160

Met Glu His Lys Gly Gly Asp Lys Val Cys Val Thr Gly Ala Ser Gly
1 5 10 15

Phe Leu Ala Ser Trp Leu Ile Lys Lys Leu Leu Leu Ser Gly Tyr Gln

Val Ile Gly Thr Val Arg Asp Leu Gly Lys Lys Lys Val Glu His

Leu Trp Lys Leu Glu Gly Ala Thr Glu Arg Leu Glu Leu Ile Gln Ala

Asp Leu Met Glu Glu Asn Ser Phe Asp Lys Ala Ile Met Gly Cys Lys

Gly Val Phe His Ile Ala Ser Pro Val Leu Asn His Ile Ser Asp Asn 90

Pro Lys Ala Glu Ile Leu Glu Pro Ala Val Gln Gly Thr Leu Asn Val 1.00

Leu Arg Ser Cys Lys Arg Asn Pro Asp Leu Val Arg Val Val Leu Ala 115

Ser Ser Ser Ser Ala Val Arg Val Arg Ala Asp Phe Asp Pro Ser Ile 130

Pro Ile Asp Glu Ser Ser Trp Ser Ser Leu Glu Leu Cys Glu Lys Leu

Lys Ala Trp Tyr Pro Met Ser Lys Thr Met Ala Glu Lys Ala Ala Trp 165

Glu Tyr Ser Lys Glu Asn Gly Ile Asp Leu Val Thr Ile Phe

<210> 161 <211> 572

<212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (2)..(2) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (4)..(5) <223> Any nucleotides

<220>

<220>
<221> misc\_feature
<222> (9)..(9)
<223> Any nucleotide

<220> <221> misc feature <222> (11)..(11) <223> Any nucleotide <220> <221> misc feature <222> (13)..(13) <223> Anv nucleotide <220> <221> misc\_feature <222> (24)..(24) <223> Any nucleotide <220> <221> misc feature <222> (39)..(39) <223> Any nucleotide <220> <221> misc feature <222> (47) .. (47) <223> Any nucleotide <400> 161 thorngoing nincoggoad agantitocc tgacctaint gitactnaag aatatitota 120 qtttqtqtca ccqqtqqtqc tggttatatt ggttctcttt tagtcaaaaa gcttttggaa aagggttaca ccgttcatgc tactcttaga aacttgaagg acgaatccaa agtagatttt 240 ttgagagget ttccacatge agatactaga ettatgttat ttgaagetga tatatacaaa 300 tcagatgaat tttggcccgc aattcaaggt tgtgagtttg tttttcacct tgctactcct tttcaacatc aaactgattc tcaqtttaaq aqcatagaqq aaqctgcaat agcaggggta 420 aaaaggatag ctgaaaattg cataaaatca ggaacagtga gaaaattgat atacactgga

actgtaattg cttcttcttc tctgaaagat gatggaagtg gctacaaaga cttcattgat

gaaacttgtt ggacacctct ccatcttcct ct 572

<210> 162 <211> 156

<212> PRT <213> Trifolium repens

<400> 162

Met Glu Arg Ser Cys Lys Val Cys Val Thr Gly Gly Ala Gly Tyr Ile

Gly Ser Leu Leu Val Lys Lys Leu Leu Glu Lys Gly Tyr Thr Val His

Ala Thr Leu Arg Asn Leu Lys Asp Glu Ser Lys Val Asp Phe Leu Arg

Gly Phe Pro His Ala Asp Thr Arg Leu Met Leu Phe Glu Ala Asp Ile 55

Tyr Lys Ser Asp Glu Phe Trp Pro Ala Ile Gln Gly Cys Glu Phe Val

Phe His Leu Ala Thr Pro Phe Gln His Gln Thr Asp Ser Gln Phe Lys 85

Ser Ile Glu Glu Ala Ala Ile Ala Gly Val Lys Ser Ile Ala Glu Asn 100

Cys Ile Lys Ser Gly Thr Val Arg Lys Leu Ile Tyr Thr Gly Thr Val

Ile Ala Ser Ser Ser Leu Lys Asp Asp Gly Ser Gly Tyr Lys Asp Phe 130 135

Ile Asp Glu Thr Cys Trp Thr Pro Leu His Leu Pro 150

<210> 163 <211> 714 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (4)..(4) <223> Any nucleotide

<220>

<221> misc feature

<222> (131)..(131)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (147)..(147)

<223> Any nucleotide

<400> 163 gccnttgcct actactaaac tatatattat tattatatta tatgatgata catagtgaca

ttaataattg gaagggagaa taaatagttg aaaaacacac agttggagtg tttttgttgt

taaagaagct ngaaaatgga ggaagcnaca aagatggtga aaaagagtgg acaaattgtt

cctactgcca aatactgtgt tacaggagca acaggctata ttggttcatg gcttgttgaa

getettette aaagaggttg caetgtteat getaetgtta gagateetga aaaategtta 300

cacctcctgt cgttgtggaa aggtagtgac caattgagaa ttttccgtgc ggatttgcaa 360

gaagaaggaa gtttcgatga tgccgtaaaa ggatgtattg gtgtgttcca tgttgcagct 420

tcaatgcaat tcaatattag tgacaaagaa aacactgagg actttgttga agcaaatata 480

attgaccctg caatcaaagg aaccataaat cttctcaaat catgcttgaa atcaaattca 540

gtgaaaaggg ttgttttcac atcttccata agtactatta ctgctaaaga caacgacgga 600

aaatggaaac ctattgttga tgaatcttgc caaacaaaaa ctgagattct gtggaataca 660

caaccaagtg gatgggttta tgcactttca aagcttcatg cagaagaagc ggct 714

<210> 164 <211> 187

<212> PRT <213> Trifolium repens

\_

<400> 164

Met Val Lys Lys Ser Gly Gln Ile Val Pro Thr Ala Lys Tyr Cys Val 1 10 15

Thr Gly Ala Thr Gly Tyr Ile Gly Ser Trp Leu Val Glu Ala Leu Leu 20 25 30

Gln Arg Gly Cys Thr Val His Ala Thr Val Arg Asp Pro Glu Lys Ser 35 40 45

Leu His Leu Leu Ser Leu Trp Lys Gly Ser Asp Gln Leu Arg Ile Phe 50 55 60

Arg Ala Asp Leu Gln Glu Glu Gly Ser Phe Asp Asp Ala Val Lys Gly 65 70 75 80

Cys Ile Gly Val Phe His Val Ala Ala Ser Met Gln Phe Asn Ile Ser

Asp Lys Glu Asn Thr Glu Asp Phe Val Glu Ala Asn Ile Ile Asp Pro

Ala Ile Lys Gly Thr Ile Asn Leu Leu Lys Ser Cys Leu Lys Ser Asn 115

Ser Val Lys Arg Val Val Phe Thr Ser Ser Ile Ser Thr Ile Thr Ala

Lys Asp Asn Asp Gly Lys Trp Lys Pro Ile Val Asp Glu Ser Cys Gln 145 150 155

Thr Lys Thr Glu Ile Leu Trp Asn Thr Gln Pro Ser Gly Trp Val Tyr 165 170

Ala Leu Ser Lys Leu His Ala Glu Glu Ala Ala 180 185

<210> 165

<211> 289 <212> DNA <213> Trifolium repens

<220> <221> misc feature

<222> (4) .. (4) <223> Any nucleotide

<400> 165

qccnttqcct actactaaac tatatattat tattatatta tatqatqata cataqtqaca

ttaataattg gaagggagaa taaatagttg aaaaacacac agttggagtg tttttgttgt

taaagaagct ataaaatgga ggaaacaaca aagatggtga aaaatagtgg acaaattgtt

cctatagcca aatactgtgt cacaggagcc acaggctata ttqqttcatq gcttgttgaa 240

getettette aaagaggttg cactgtteat getactgtta gagateetg 289

<210> 166 <211> 591

<212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (8)..(8) <223> Any nucleotide <220>
<221> misc\_feature

<222> (23)..(24) <223> Any nucleotides

<400> 166

agaagctnga aaatggagga agnnacaaag atggtgaaaa agagtggaca aattgttcct  $60\,$ 

actgccaaat actgtgttac aggagcaaca ggctatattg gttcatggct tgttgaagct 120

cttcttcaaa gaggttgcac tgttcatgct actgttagag atcctgaaaa atcgttacac 180

ctcctgtcgt tgtggaaagg tagtgaccaa ttgagaattt tccgtgcgga tttgcaagaa 240

gaaggaagtt tcgatgatgc cgtaaaagga tgtattggtg tgttccatgt tgcagcttca

atgcaattca atattagtga caaagaaaac actgaggact ttgttgaagc aaatataatt

gaccotgoaa toaaaggaac cataaatott otoaaatoat gottgaaato aaattoagtg 420

aaaagggttg ttttcacatc ttccataagt actattactg ctaaagacaa cgacggaaaa 480

tggaaaccta ttgttgatga atcttgccaa acaaaaactg agattctgtg gaatacacaa 540

ccaagtggat gggtttatgc actttcaaag cttcatgcag aagaagcggc t 591

<210> 167 <211> 572 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (3)..(3)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (19)..(19)

<223> Any nucleotide

<400> 167

ctngaaaatg gaggaagcna caaagatggt gaaaaagagt ggacaaattg ttcctactgc

caaatactgt gttacaggag caacaggcta tattggttca tggcttgttg aagctcttct 120

tCaaagaggt tgcactgttc atgctactgt tagagatcct gaaaaatcgt tacacctcct 180

gtcgttgtgg aaaggtagtg accaattgag aattttccgt gcggatttgc aagaagaagg aagtttcgat gatgccgtaa aaggatgtat tggtgtgttc catgttgcag cttcaatgca attcaatatt agtgacaaag aaaacactga ggactttgtt gaagcaaata taattgaccc tgcaatcaaa ggaaccataa atcttctcaa atcatgcttg aaatcaaatt cagtgaaaag ggttgttttc acatetteca taagtactat tactgetaaa gacaaegaeg gaaaatggaa acctattgtt gatgaatctt gccaaacaaa aactgagatt ctgtggaata cacaaccaag 540 tggatgggtt tatgcacttt caaagcttca tg 572 <210> 168 <211> 976 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (2)..(3) <223> Any nucleotides <220> <221> misc\_feature <222> (5)..(5) <223> Any nucleotide <220> <221> misc\_feature <222> (16)..(16) <223> Any nucleotide <220> <221> misc\_feature <222> (22)..(22) <223> Any nucleotide <220> <221> misc\_feature <222> (25)..(25) <223> Anv nucleotide <400> 168 gnngngtett eegttnaatt tnagnetata ttgaaaagga aaaaaagagt agagaagtga agtgaagtga aaacatacat gggttccgaa tcagaaatag tttgtgttac cggagcttca

ggtttcatcg gatcgtggct tgttatgaga cttatagage gtggctacac ggttcgagee

10.

180

accepttegeg acceagataa catgaagaag gtgaagcatt tggtggaact geegggtgca 240

aaaagcaaat tgtctctttg gaaggctgat cttgataaag aggggagttt tgatgaagca 300

attaaagggt gcacaggagt ttttcatgtt gctacaccaa tggattttga atccaaggac

cctgagaatg aagtgataaa gcctacaata aatggattaa tagacatact gaaagcatgc 420

gaaaaggcaa aaacagttag aaaattggtt ttcacatcat cggctggaac tgtggacgtt 480

actgaacatc caaagtctat tattgatgaa acatgctgga gtgacgttga cttttgccgt 540

agagtcaaga tgaccggttg gatgtatttt gtttcaaaga ccctagcaga gcaagaagct

tggaagtatt cgaaagagca caacatagac tttgtctcca tcattccacc tcttgttgtt

ggcccctttc ttatggcctc aatgccacct agtctaatca ctgctctttc tcttatcaca 720

ggaaatgagg cccattactc aatcataaag caagggcaat acgtccattt agatgacctt 780

tgtcttgctc atatatttct gtatgagaat ccaaaagctc aagggagata catttgctgt 840

tcacatgaag caaccattca tcaagttgca aaacttatta aagaaaaata cccagagttc 900

aatgtcccaa caaaattcaa tgatatccca gatgaattgg aaattattaa attttctaaa 960

aagaagatca cagact 976

<210> 169

<211> 299 <212> PRT

<213> Trifolium repens

<400> 169

Met Gly Ser Glu Ser Glu Ile Val Cys Val Thr Gly Ala Ser Gly Phe 1 5 10 15

Ile Gly Ser Trp Leu Val Met Arg Leu Ile Glu Arg Gly Tyr Thr Val

Arg Ala Thr Val Arg Asp Pro Asp Asn Met Lys Lys Val Lys His Leu 35 .40 45

Val Glu Leu Pro Gly Ala Lys Ser Lys Leu Ser Leu Trp Lys Ala Asp

Leu Asp Lys Glu Gly Ser Phe Asp Glu Ala Ile Lys Gly Cys Thr Gly

Val Phe His Val Ala Thr Pro Met Asp Phe Glu Ser Lys Asp Pro Glu

Asn Glu Val Ile Lys Pro Thr Ile Asn Gly Leu Ile Asp Ile Leu Lys

Ala Cys Glu Lys Ala Lys Thr Val Arg Lys Leu Val Phe Thr Ser Ser

Ala Gly Thr Val Asp Val Thr Glu His Pro Lys Ser Ile Ile Asp Glu 130 135 140

Thr Cys Trp Ser Asp Val Asp Phe Cys Arg Arg Val Lys Met Thr Gly 145  $\phantom{\bigg|}$  150  $\phantom{\bigg|}$  155  $\phantom{\bigg|}$  160

Trp Met Tyr Phe Val Ser Lys Thr Leu Ala Glu Gln Glu Ala Trp Lys 165 170 175

Tyr Ser Lys Glu His Asn Ile Asp Phe Val Ser Ile Ile Pro Pro Leu 180 185 190

Val Val Gly Pro Phe Leu Met Ala Ser Met Pro Pro Ser Leu Ile Thr 195 200 205

Ala Leu Ser Leu Ile Thr Gly Asn Glu Ala His Tyr Ser Ile Ile Lys 210 215 220

Gln Gly Gln Tyr Val His Leu Asp Asp Leu Cys Leu Ala His Ile Phe 225 230 235 240

Leu Tyr Glu Asn Pro Lys Ala Gln Gly Arg Tyr Ile Cys Cys Ser His 245 250 255

Glu Ala Thr Ile His Gln Val Ala Lys Leu Ile Lys Glu Lys Tyr Pro 260 265 270

Glu Phe Asn Val Pro Thr Lys Phe Asn Asp Ile Pro Asp Glu Leu Glu 275 280 285

Ile Ile Lys Phe Ser Lys Lys Lys Ile Thr Asp 290 295

<210> 170

<211> 586

<212> DNA <213> Trifolium repens WO 03/031622 PCT/AU02/01345

187/390 <220> <221> misc feature <222> (2)..(3) <223> Any nucleotides <220> <221> misc\_feature <222> (16)..(16) <223> Any nucleotide <220> <221> misc feature <222> (22)..(22) <223> Any nucleotide <220> <221> misc feature <222> (25)..(25) <223> Any nucleotide <220> <221> misc\_feature <222> (53)..(55) <223> Any nucleotides <220> <221> misc\_feature <222> (57)..(58) <223> Any nucleotides <400> 170 gnnttgtctt ccgttnaatt tnagnctata ttgaaaaaga aaaaaagagt agnnnannga agtgaagtga aaacatacat gggttccgaa tcagaaatag tttgtgttac cggagcttca tgtttcatcg gatcgtggct tgttatgaga cttatagagc gtggctacac ggttcgagcc 180 acceptices acceasataa categaagaag etgaagcatt tegetegaact eccegegeeac aaaagcaaat tgtctctttg gaaggctgat cttgataaag aggggagttt tgatgaagca 300 attaaagggt gcacaggagt ttttcatgtt gctacaccaa tggattttga atccaaggac 360 cctgagaatg aagtgataaa gcctacaata aatggattaa tagacatact gaaagcatgc gaaaaggcaa aaacagttaa aaaattggtt ttcacatcat cggctggaac tgtggacgtt 480 actgaacatc caaagtctat tattgatgaa acatgctgga gtgacgttga cttttgccgt 540

agagtcaaga tgaccggttg gatgtatttt gtttcaaaga ccctag

586

<210> 171

<211> 569

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature

<222> (24)..(24) <223> Any nucleotide

<220>

<221> misc feature <222> (209)..(209)

<223> Any nucleotide

<400> 171

ttttgtctta aatccaattt cagnctaaat tqaaaaggaa aaaaagagga gagaagtcaa

ctggagtgaa aatatacatg ggttctgaat cggaaatagt ttgtgttacc ggaqcttcag 120

gtttcatcgg gtcgtggctt gttatgagac ttatggagca tggctacact gttcgagcca

ccgttcgtga cccagataac atgaagaang tgaagcattt gctggaactg ccaggtgcaa 240

aaagcaaatt gtctctttgg aaggctgatc ttgataaaga ggggagtttt gatgaagcaa 300

ttaaagggtg cacaggagtt tttcatgttg ctacaccaat ggattttgag tccaaggacc 360

ctgagaatga agtgataaag cctacaataa acqqattaat agacatactg aaagcatgcg 420

aaaaggcaaa aacagttaga aaattqqttt tcacatcatc qqctqqaact qtqqacqtta 480

ctgaacatcc aaagtctatt attgatgaaa catgctggag tgacgttgac ttttgccgta 540

gagtcaaaat gaccggttgg atgtatttt

<210> 172 <211> 493

<212> DNA

<213> Trifolium repens

<220>

<221> misc feature

<222> (2). (2)

<223> Anv nucleotide

<220>

<221> misc\_feature

<222> (13)..(13)

## WO 03/031622 PCT/AU02/01345 189/390

<223>	Any nucleotide
<220> <221> <222> <223>	misc_feature (19)(19) Any nucleotide
<220> <221> <222> <223>	misc_feature (22)(22) Any nucleotide
<220> <221> <222> <223>	misc_feature (50)(52) Any nucleotides
<220> <221> <222> <223>	misc_feature (54)(55) Any nucleotides
<220> <221> <222> <223>	misc_feature (69)(69) Any nucleotide
<220> <221> <222> <223>	misc_feature (102)(102) Any nucleotide
<220> <221> <222> <223>	misc_feature (123)(123) Any nucleotide
<220> <221> <222> <223>	misc_feature (154)(154) Any nucleotide
<220> <221> <222> <223>	misc_feature (161)(161) Any nucleotide
<220> <221> <222> <223>	misc_feature (322)(322) Any nucleotide

<220>
<221> misc\_feature
<222> (418)..(418)

<223> Any nucleotide

<220> <221> misc feature

<222> (464)..(464) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (493)..(493) <223> Any nucleotide

<400> 172

gngtcttccg ttnaatttna gnctatattg aaaaagaaaa aaagagtagn nnanngaagt

gaagtgaana catacatggg ttccgaatca gaaatagttt gngttaccgg agcttcatgt 120

ttnatcqqat cqtqqcttqt tatqaqactt atanaqcgtg nctacacgqc tcgagccacc

qttcqcqacc caqataacat qaaqaaqqtq aaqcatttqq tggaactgcc ggqtqcaaaa

aqcaaattqt ctctttggaa qgctgatctt qataaagagg ggagttttga tgaagcaatt 300

aaagggtgca caggagtttt tnatgttgct acaccaatgg attttgaatc caaggaccct

gagaatgaag tgataaagcc tacaataaat ggattaatag acatactgaa agcatgcnaa

aaggcaaaaa cagttaaaaa attggttttc acatcatcgg ctgnaactgt ggacgttact 480

gaacatccaa agn 493

<210> 173 <211> 580 <212> DNA

<213> Trifolium repens

<220>

<221> misc feature

<222> (2)..(2) <223> Any nucleotide

<220>

<221> misc feature <222> (13)..(13) <223> Any nucleotide

<220>

<221> misc\_feature <222> (19)..(19) <223> Any nucleotide

<220> <221> misc feature <222> (22)..(22) <223> Any nucleotide <220> <221> misc\_feature <222> (54)..(55) <223> Any nucleotides <220> <221> misc\_feature <222> (57)..(59) <223> Any nucleotides <220> <221> misc feature <222> (539)..(539) <223> Any nucleotide <220> <221> misc\_feature <222> (546)..(546) <223> Any nucleotide <220> <221> misc\_feature
<222> (576)..(576)
<223> Any nucleotide <400> 173 gngtcttccg ttnaatttna gnctatattg aaaaagaaaa aaagagtaga gaanngnnnt gaagtgaaaa catacatggg ttccgaatca gaaatagttt gtgttaccgg agcttcatgt 120 ttcatcggat cgtggcttgt tatgagactt atagagcgtg gctacacggt tcgagccacc gttcgcgacc cagataacat gaagaaggtg aagcatttgg tggaactgcc gggtgcaaaa 240 agcaaattgt ctctttggaa ggctgatctt gataaagagg ggagttttga tgaagcaatt 300 aaagggtgca caggagtttt tcatgttgct acaccaatgg attttgaatc caaggaccct gagaatgaag tgataaagcc tacaataaat ggattaatag acatactgaa agcatgcgaa aaggcaaaaa caqttaaaaa attqqttttc acatcatcqq ctqqaactqt qqacqttact

gaacatccaa agtotattat tgatgaaaca tgctggagtg acgttgactt ttgccgtana

gtcaanatga ccggctggat gtattttgtt tcaaanaccc

480

540

580 <210> 174

<211> 581 <212> DNA

<213> Trifolium repens

<220>

<221> misc feature

<222> (2)..(2)

<223> Any nucleotide

<220> <221> misc\_feature

<222> (13)..(13) <223> Any nucleotide

<220>

<221> misc\_feature <222> (22)..(22) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (36)..(36) <223> Any nucleotide

<220>

<221> misc\_feature <222> (50)..(52)

<223> Any nucleotides

<220>

<221> misc\_feature <222> (54)..(55)

<223> Any nucleotides

<400> 174 gngtcttccg ttnaatttaa gnctatattg aaaagnaaaa aaagagtagn nnanngaagt

gaagtgaaaa catacatggg ttccgaatca gaaatagttt gtgttaccgg agcttcaggt

ttcatcggat cgtggcttgt tatgagactt atagagcgtg gctacacggt tcqagccacc

gttcgcgacc cagataacat gaagaaggtg aagcatttgg tggaactgcc gggtgcaaaa 240

agcaaattgt ctctttggaa ggctgatctt gataaagagg ggagttttga tgaagcaatt 300

aaagggtgca caggagtttt tcatgttgct acaccaatgg attttgaatc caaggaccct 360

gagaatgaag tgataaagcc tacaataaat ggattaatag acatactgaa agcatgcgaa

193/390 aaggcaaaaa cagttagaaa attggttttc acatcatcgg ctggaactgt ggacgttact gaacatccaa agtctattat tgatgaaaca tgctggagtg acgttgactt ttgccgtaga 540 gtcaagatga ceggttggat gtattttgtt tcaaaqaccc t 581 <210> 175 <211> 592 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc\_feature <222> (13)..(13) <223> Any nucleotide <220> <221> misc\_feature <222> (16)..(16) <223> Any nucleotide <220> <221> misc\_feature <222> (22)..(22) <223> Any nucleotide <220> <221> misc\_feature
<222> (36)..(36)
<223> Any nucleotide <220> <221> misc\_feature
<222> (50)..(52)
<223> Any nucleotides <220> <221> misc\_feature <222> (54) .. (55) <223> Any nucleotides <400> 175 gngtcttccg ttnaanttaa gnctatattg aaaagnaaaa aaagagtagn nnanngaagt

gaagtgaaaa catacatggg ttccgaatca gaaatagttt gtgttaccgg agcttcaggt 120

ttcatcggat cgtggcttgt tatgagactt atagagcgtg gctacacggt tcgagccacc 180

gttcgcgacc cagataacat gaagaaggtg aagcatttgg tggaactgcc gggtgcaaaa 240 agcaaattgt ctctttggaa ggctgatctt gataaagagg ggagttttga tgaagcaatt aaagggtgca caggagtttt tcatgttgct acaccaatgg attttgaatc caaggaccct gagaatgaag tgataaagcc tacaataaat ggattaatag acatactgaa agcatgcgaa 420 aaggcaaaaa cagttagaaa attggttttc acatcatcgg ctggaactgt ggacgttact gaacatccaa agtctattat tgatgaaaca tgctggagtg acgttgactt ttgccgtaga 540 gtcaagatga ccggttggat gtattttgtt tcaaagaccc tagcagagca ag 592 <210> 176 <211> 598 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc\_feature <222> (13)..(13) <223> Any nucleotide <220> <221> misc feature <222> (19)..(19) <223> Any nucleotide <220> <221> misc feature <222> (22)..(22) <223> Any nucleotide <400> 176 gngtcttccg ttnaatttna gnctatattg aaaaagaaaa aaagagtaga gaagtgaagt 60 gaagtgaaaa catacatggg ttctgaatca gaaatagttt gtgttaccgg agcatcaqgt 120 ttcatcggat cgtggcttgt tatgagactt atagagcgtg gctacacggt tcgagccact gttcgcgacc cagataacat gaagaaggtg aagcatttgg tggaactgcc gggtgcaaaa 240

agcaaattgt ctctttggaa ggctgatctt gataaagagg ggagttttga tgaagcaatt

aaagggtgca caggagtttt tcatgttgct acaccaatgg attttgaatc caaggaccct 360

gagaatgaag tgataaagcc tacaataaat ggattaatag acatactgaa agcatgcgaa

aaggcaaaaa cagttaaaaa attggttttc acatcatcgg ctggaactgt ggacgttact  $480\,$ 

gaacatccaa agtctattat tgatgaaaca tgctggagtg acgttgactt ttgccgtaga  $540\,$ 

gtcaagatga ceggttggat gtattttgtt tcaaagaccc tagcagagca agaagctt

<210> 177

<211> 576 <212> DNA

<213> Trifolium repens

<220>

300

<221> misc\_feature

<222> (9)..(9) <223> Any nucleotide

<220>
<221> misc\_feature

<222> (12)..(12)

<223> Any nucleotide

<220×

<221> misc\_feature

<222> (18)..(18) <223> Any nucleotide

<220>

<221> misc feature

<222> (21)..(21) <223> Any nucleotide

<400> 177

ggtetteent tnaattenag negaaattga aaaggaaaaa aagaggagag aagtgaactg 60

aagtgaaaat atacatgggt toogaatogg aaatagtttg tgttacogga gottoaggtt  $120\,$ 

teategggte gtggettgtt atgagaetta tggagegegg etacaeggtt egagecaetg  $180\,$ 

ttcgcgaccc agataacatg aagaaggtga agcatttgat ggaactgccg ggtgcaaaaa 240

gcaaattgtc tetttggaag getgatettg ataaagaggg gagttttgat gaagcaatta 300

aagggtgcac aggagttttt catgttgcta caccaatgga ttttgaatcc aaggaccctg 360

agaacgaagt gataaagcct acaataaatg gactaataga catactgaga gcatgtgaaa

aggcaaaaac aattagaaga ttggttttca catcatcagc tggaactgtg gacgtaactg 480

aacactcaaa atcaattgtt gatgaaacat gttggagtga cgttgacttt tgccgtagag 540

tcaaaatgac cggttggatg tattttgttt caaaga

<210> 178

<211> 587

<212> DNA

<213> Trifolium repens

<220>

<221> misc feature

<222> (12)..(12) <223> Any nucleotide

<220>

<221> misc\_feature <222> (21) ... (21)

<223> Any nucleotide

<400> 178

ggtcttccgt tnaatttaag nctatattga aaaagaaaaa aagagtagag aagtgaagtg

aagtgaaaac atacatgggt totgaatcag aaatagtttg tgttaccgga gcatcaggtt

tcatcggatc gtggcttgtt atgagactta tagagcgtgg ctacacggtt cgagccactg 180

ttcgcgaccc agataacatg aagaaggtga agcatttggt ggaactgccg ggtqcaaaaa 240

gcaaattgtc tctttggaag gctgatcttg ataaagaggg gagttttgat gaagcaatta 300

aagggtgcac aggagttttt catgttgcta caccaatgga ttttgaatcc aaggaccctg 360

agaatgaagt gataaagcct acaataaatg gattaataga catactgaaa gcatgcgaaa

aggcaaaaac agttaaaaaa ttggttttca catcatcggc tggaactgtg gacgttactg

aacatccaaa gtctattatt gatgaaacat gctggagtga cqttqacttt tqccqtaqaq 540

tcaagatgac cggttggatg tattttgttt caaagaccct agcagag 587

<210> 179

<211> 630

<212> DNA

<213> Trifolium repens

<220> <221> misc feature <222> (12)..(13) <223> Any nucleotides <220> <221> misc feature <222> (21)..(21) <223> Any nucleotide <400> 179 qqtcttccgt tnnatttaag nctatattga aaaagaaaaa aagagtagag aagtgaagtg aagtgaaaac atacatgggt totgaatcag aaatagtttg tgttaccqqa qcatcaqqtt tcatcggatc gtggcttgtt atgagactta tagagcgtgg ctacacggtt cgagccactg ttcgcgaccc agataacatg aagaaggtga agcatttggt ggaactgccg ggtgcaaaaa 240 gcaaattgtc tctttggaag gctgatcttg ataaagaggg gagttttgat gaagcaatta 300 aagggtgcac aggagttttt catgttgcta caccaatgga ttttgaatcc aaggaccctg agaatgaagt gataaagcct acaataaatg gattaataga catactgaaa gcatgcgaaa aggcaaaaac agttaaaaaa ttggttttca catcatcggc tggaactgtg gacgttactg 480 aacatccaaa gtctattatt gatgaaacat gctggagtga cgttgacttt tgccgtagag tcaagatgac cggttggatg tattttgttt caaagaccct agcagagcaa gaagcttgga 600 agtattctaa agagcacaac atagattttg 630 <210> 180 <211> 579 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (7)..(8) <223> Any nucleotides

<220>

<221> misc\_feature <222> (11)..(11) <223> Any nucleotide <221> misc feature

<222> (17)..(17) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (20)..(20) <223> Any nucleotide

<400> 180

gtottonntt naattonagn ogaaattgaa aaggaaaaaa agaggagaga agtgaactga

agtgaaaata tacatgggtt ccgaatcgga aatagtttgt gttaccggag cttcaggttt

categggteg tggettgtta tgagaettat ggagegegge tacaeggtte gagecaetgt 180

tegegaceca gataacatga agaaggtgaa geatttgatg gaactgeegg gtgcaaaaag

caaattgtct ctttggaagg ctgatcttga taaagagggg agttttgatg aagcaattaa 300

agggtgcaca ggagtttttc atgttgctac accaatggat tttgaatcca aggaccctga

gaacgaagtg ataaagccta caataaatgg actaatagac atactgagag catqtgaaaa 420

ggcaaaaaca attagaagat tggttttcac atcatcagct ggaactgtgg acgtaactga 480

acactcaaaa tcaattgttg atgaaacatg ttggagtgac gttgactttt gccgtagagt

caaaatgacc ggttggatgt attttgtttc aaagaccct 579

<210> 181

<211> 604 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (12) ... (12)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (17)..(17) <223> Any nucleotide

<220>

<221> misc feature

<222> (20)..(20)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (34)..(34) <223> Any nucleotide

<220> <221> misc feature

<222> (52)...(53) <223> Any nucleotides

<220>

<221> misc\_feature <222> (55)..(57)

<223> Any nucleotides

<400> 181

gtcttccgtt cnatttnagn ctatattgaa aagnaaaaaa agagtagaga anngnnntga

agtgaaaaca tacatgggtt ccgaatcaga aatagtttgt gttaccggag cttcaggttt 120

categgateg tggcttgtta tgagaettat agagegtgge tacaeggtte gagecaeegt 180

tcgcgaccca gataacatga agaaggtgaa gcatttggtg gaactgccgg gtgcaaaaag $^{240}$ 

caaattgtot otttggaagg otgatottga taaagagggg agttttgatg aagcaattaa 300

agggtgcaca ggagtttttc atgttgctac accaatggat tttgaatcca aggaccctga  $360\,$ 

gaatgaagtg ataaagccta caataaatgg attaatagac atactgaaag catgcgaaaa 420

ggcaaaaaca gttagaaaat tggttttcac atcatcggct ggaactgtgg acgttactga  $480\,$ 

acatccaaag totattattg atgaaacatg ctggagtgac gttgactttt gccgtagagt  $540\,$ 

caagatgacc ggttggatgt attttgtttc aaagacccta gcagagcaag aagcttggaa 600

gtat 604

<210> 182 <211> 586

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (10)..(10)

<223> Any nucleotide

<400'> 182

ggtcttcttn aatccagcta aattgaaaag gaaaaaaaga ggagagaagt gaactggagt

gaaaatatac atgggttctg aatcggaaat agtttgtgtt accggagctt caggtttcat  $120\,$ 

cgggtcgtgg cttgttatga gacttatgga gcgtggctac actgttcgag ccaccgttcg

tgacccagat aacatgaaga aggtgaagca tttgctggaa ctgccgggtg caaaaagcaa 240

attgtetett tggaaggetg atettgataa agaggggagt tttgatgaag caattaaagg 300

gtgcacagga gtttttcatg ttgctacacc aatggatttt gaatccaagg accctgagaa 360

tgaagtgata aagcctacaa taaacggatt aatagacata ctgaaagcat gcgaaaaggc

aaaaacagtt agaaaattgg ttttcacatc atcggctgga actgtggacg ttactgaaca  $480\,$ 

to caaaagtot attattgatg aaacatgotg gagtgacgtt gacttttgcc gtagagtcaa 540

aatgaccggt tggatgtatt ttgtttcaaa gaccctagca gagcag 586

<210> 183

60

<211> 586

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (2)..(2)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (11)..(11)

<223> Any nucleotide

<400> 183

gnagagaagt nacctggagt gaaaatatac atgggttctg aatcggaaat agtttgtgtt 60

accggagett caggitteat egggiegigg ettgitatga gaettatgga gegieggetae 120

actg<br/>ttcgag ccaccgttcg tgacccagat aacatgaaga aggtgaagca t<br/>ttgctggaa  $180\,$ 

ctgccgggtg caaaaagcaa attgtctctt tggaaggctg atcttgataa agaggggagt

tttgatgaag caattaaagg gtgcacagga gtttttcatg ttgctacacc aatggatttt

gagtccaagg accctgagaa tgaagtgata aagcctacaa taaacggatt aatagacata 360

ctgaaagcat gcgaaaaggc aaaaacagtt agaaaattgg ttttcacatc atcgctgga

actgtggacg ttactgaaca tccaaagtct attattgatg aaacatgctg gagtgacgtt 480

gacttttgcc gtagagtcaa aatgaccggt tggatgtatt ttgtttcaaa gaccctagca 540

gagcaagaag cttggaagta ttcgaaagag cacaacatag actttg

- <210> 184
- <211> 570 <212> DNA
- <213> Trifolium repens
- <220>
- <221> misc\_feature
- <222> (10)..(11)
- <223> Any nucleotides
- <220>
- <221> misc\_feature
- <222> (23)..(23)
- <223> Any nucleotide
- <400> 184

tactgaaagn ntgcgaaaag gcnaaaacag ttagaaaatt ggttttcaca tcatcggctg

gaactgtgga cgttactgaa catccaaagt ctattattga tgaaacatgc tggagtgacq

ttgacttttg ccgtagagtc aaaatgaccg gttggatgta ttttgtttca aagaccctag 180

cagagcaaga agcttggaag tattcgaaag agcacaacat agactttgtc tccatcattc

cacctettgt tgttggcccc tttcttatgg cctcaatgcc acctagtcta atcactgctc

tttctcttat cacaggaaat gaggcccatt actcaatcat aaagcaaggg caatacgtcc 360

atttagatga cctttgtctt gctcatatat ttctgtatga gaatccaaaa gctcaaqqqa

gatacatttg ctgttcacat gaagcaacca ttcatcaagt tgcaaaactt attaaaqaaa

aatacccaga gttcaatgtc ccaacaaaat tcaatgatat cccagatgaa ttqqaaatta 540

ttaaattttc taaaaagaag atcacagact 570

- <210> 185
- <211> 833
- <212> DNA
- <213> Trifolium repens

PCT/AU02/01345

<220>
<221> misc\_feature
<222> (3)...(3)
<223> Any nucleotide

<220>
<221> misc\_feature
<220>
<221> (3)...(3)

<223> Any nucleotide

<400> 185

ggncataaaa actgcactag tgtgtataag tttnttagtg aaaaaagagt gtgtaaatta 60

acatcatgge tagtatcaaa caaattggaa acaagaaage atgtgtgatt ggtggcactg 120

gttttgttgc atctatgttg atcaaacagt tacttgaaaa gggttatgct gttaatacta 180

ctgttagaga cccagatagt cctaagaaaa tatctcacct agtggcactg caaagtttgg 240

gggaactgaa tetatttaga geagaettaa eagttgaaga agattttgat geteetatag 300

caggatgtga gcttgttttt caacttgcta cacctgtgaa ctttgcttct caagatcctg 360

agaatgacat gataaagcca gcaatcaaag gtgtgttgaa tgtgttgaaa gcaagtgcaa 420

gagcaaaaga agtcaaaaga gttatettaa eatettegge ageegeggtg aetataaatg 480

aactcaaagg gacaggtcat gttatggatg aaaccaactg gtcagatgtt gaatttctga 540

acactgcaaa gccacccact tggggttatc ctgcttcaaa aatgctagct gaaaaggctg 600

catggaaatt tgctgaagaa aatgacattg atctaatcac tgtgatacct agtttaacaa 660

ctggtccttc tetcacacca gatateccat ctagtgttgg cttggcaatg tetetaataa 720

caggeaatga ttteeteata aatgetetga aaggaatgea atttetgteg ggttegttat 780

ccatcactca tgttgaggat atttgccgag ctcatatatt tctggcagag aag 833

<210> 186 <211> 256 <212> PRT

<213> Trifolium repens

<400> 186

Met Ala Ser Ile Lys Gln Ile Gly Asn Lys Lys Ala Cys Val Ile Gly
1 5 10 15

Gly Thr Gly Phe Val Ala Ser Met Leu Ile Lys Gln Leu Leu Glu Lys Gly Tyr Ala Val Asn Thr Thr Val Arg Asp Pro Asp Ser Pro Lys Lys

Ile Ser His Leu Val Ala Leu Gln Ser Leu Gly Glu Leu Asn Leu Phe 55

Arg Ala Asp Leu Thr Val Glu Glu Asp Phe Asp Ala Pro Ile Ala Gly

Cys Glu Leu Val Phe Gln Leu Ala Thr Pro Val Asn Phe Ala Ser Gln

Asp Pro Glu Asn Asp Met Ile Lys Pro Ala Ile Lys Gly Val Leu Asn 100

Val Leu Lys Ala Ser Ala Arg Ala Lys Glu Val Lys Arg Val Ile Leu 120

Thr Ser Ser Ala Ala Ala Val Thr Ile Asn Glu Leu Lys Gly Thr Gly

His Val Met Asp Glu Thr Asn Trp Ser Asp Val Glu Phe Leu Asn Thr 155

Ala Lys Pro Pro Thr Trp Gly Tyr Pro Ala Ser Lys Met Leu Ala Glu

Lys Ala Ala Trp Lys Phe Ala Glu Glu Asn Asp Ile Asp Leu Ile Thr

Val Ile Pro Ser Leu Thr Thr Gly Pro Ser Leu Thr Pro Asp Ile Pro

Ser Ser Val Gly Leu Ala Met Ser Leu Ile Thr Gly Asn Asp Phe Leu

Ile Asn Ala Leu Lys Gly Met Gln Phe Leu Ser Gly Ser Leu Ser Ile

Thr His Val Glu Asp Ile Cys Arg Ala His Ile Phe Leu Ala Glu Lys 245 250

<sup>&</sup>lt;210> 187 <211> 576 <212> DNA

<sup>&</sup>lt;213> Trifolium repens

<220> <221> misc\_feature <222> (3)..(3) <223> Any nucleotide <220> <221> misc feature <222> (34)..(34) <223> Any nucleotide <400> 187

ggncataaaa actgcactag tgtgtataag tttnatagtg aaaaaagagt gtgtaaatta

acatcatggc tagtatcaaa caaattggaa acaagaaagc atgtgtgatt ggtggcactg

gttttgttgc atctatgttg atcaaacagt tacttgaaaa gggttatgct gttaatacta 180

ctgttagaga cccagatagt cctaagaaaa tatctcacct agtggcactg caaagtttgg 240

gggaactgaa totatttaga gcaqacttaa caqttgaaqa aqattttqat qctcctataq

caggatgtga gcttgttttt caacttgcta cacctgtgaa ctttgcttct caagatcctg

agaatgacat gataaagcca gcaatcaaag gtgtgttgaa tgtgttgaaa gcaagtgcaa 420

gagcaaaaga agtcaaaaga gttatcttaa catcttcggc agccgcqqtg actataaatg

aactcaaagg gacaggtcat gttatggatg aaaccaactg gtcagatgtt gaatttctga 540

acactgcaaa gccacccact tqqqqttatc ctqctt 576

<210> 188 <211> 580 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (3)..(3) <223> Any nucleotide

<220> <221> misc\_feature

<222> (5)..(5) <223> Anv nucleotide

<220>

<221> misc feature <222> (34)..(35) <223> Any nucleotides <220>
<221> misc\_feature
<222> (580)..(580)
<223> Any nucleotide

<400> 188 ggncntaaaa actgcactag tgtgtataag tttnntagtg aaaaaagagt gtgtaaatta 60

acatcatggc tagtatcaaa caaattggaa acaagaaagc atgtgtgatt ggtggcactg  $120\,$ 

gttttgttgc atctatgttg atcaaacagt tacttgaaaa gggttatgct gttaatacta

ctgttagaga cccagatagt cctaagaaaa tatctcacct agtggcactg caaagtttgg  $240\,$ 

gggaactgaa totatttaga gcagacttaa cagttgaaga agattttgat gctcctatag

caggatgtga gcttgttttt caacttgcta cacctgtgaa ctttgcttct caagatcctg 360

agaatgacat gataaagcca gcaatcaaag gtgtgttgaa tgtgttgaaa gcaagtgcaa 420

gagcaaaaga agtcaaaaga gttatottaa catottoggo agcogoggtg actataaatg  $480\,$ 

aactcaaagg gacaggtcat gttatggatg aaaccaactg gtcagatgtt gaatttctga 540

acactgcaaa gccacccact tggggttatc ctgcttcaan 580

<210> 189 <211> 578 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (14)..(14) <223> Any nucleotide

<220>

<221> misc\_feature <222> (29)..(30)

<223> Any nucleotides

<400> 189

taaaaactgt actngtgtgt ataagtttnn tagtgaaaaa agagtgtgta aattaacatc60

atggctagta tcaaacaaat tggaaacaag aaagcatgtg tgattggtgg cactggtttt

gttgcatcta tgttgatcaa acagttactt gaaaagggtt atgctgttaa tactactgtt 180

agagacccag atagteetaa gaaaatatet cacctagtgg cactgcaaag tttgggggaa 240

ctgaatctat ttagagcaga cttaacagtt gaagaagatt ttgatgctcc tatagcagga

tgtgagcttg tttttcaact tgctacacct gtgaactttg cttctcaaga tcctgagaat

gacatgataa agccagcaat caaaggtgtg ttgaatgtgt tgaaagcaag tgcaagagca

aaagaagtca aaagagttat cttaacatct teggcageeg eggtgactat aaatgaacte

aaagggacag g<br/>tcatgttat ggatgaaacc aactggtcag atgttgaatt tctgaacact<br/>  $540\,$ 

gcaaagccac ccacttgggg ttatcctgct tcaaaaat 578

<210> 190

<211> 619

<212> DNA

<213> Trifolium repens

<400> 190

taaaaactgc actagtgtgt ataagtttct tggtgaaaaa agagtttgta aattaacatc

atggctagta tcaaacaaat tggaaacaag aaagcatgtg tgattggtgg cactggtttt

gttgcatcta tgttgatcaa gcagttactt gaaaagggtt atgctgttaa tactaccgtt 180

agagacccag atagccctaa gaaaatatct cacctagtgg cactgcaaag tttgggggaa 240

ctgaatctat ttagagcaga cttaacagtt gaagaagatt ttgatgctcc tatagcagga

tgtgaacttg tttttcaact tgctacacct gtgaactttg cttctcaaga tcctgagaat 360

gacatgataa agccagcaat caaaggtgtg ttgaatgtgt tgaaagcaat tgcaagagca 420

aaagaagtta aaagagttat cttaacatct tcggcagccg cggtgactat aaatgaactc 480

aaagggacag gtcatgttat ggatgaaacc aactggtctg atgttgaatt tctcaacact 540

gcaaaaccac ccacttgggg ttatcctgcc tcaaaaatgc tagctgaaaa ggctgcatgg

aaatttgctg aagaaaatg

619

<210> 191

<211> 619

<212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (12)..(12) <223> Any nucleotide

<220>

<221> misc feature <222> (14)..(14)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (45)..(45) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (53)..(53) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (59)..(59) <223> Any nucleotide

<220>

<221> misc\_feature <222> (614)..(614)

<223> Any nucleotide

<400> 191

gacctcgtgt gnantagttt cttggtgaaa aaaqaqtttg taaantaaca tcntggctng

tatcaaacaa attggaaaca agaaagcatg tgtgattggt ggcactggtt ttgttgcatc

tatgttgatc aagcagttac ttgaaaaggg ttatgctgtt aatactaccg ttagagaccc 180

agatagccct aagaaaatat ctcacctagt ggcactgcaa agtttggggg aactgaatct 240

atttagagca gacttaacag ttgaagaaga ttttgatgct cctatagcag gatgtgaact

tgtttttcaa cttgctacac ctgtgaactt tgcttctcaa gatcctgaga atgacatgat

aaagccagca atcaaaggtg tgttgaatgt gttgaaagca attgcaagag caaaagaagt 420

taaaagagtt atcttaacat cttcggcagc cgcggtgact ataaatgaac tcaaagggac 480

aggicatgit atggatgaaa ccaactggic tgatgitgaa titcicaaca ctgcaaaacc 540

```
208/390
acceaettgg ggttateetg ceteaaaaat getagetgaa aaggetgeat ggaaatttge
tgaagaaaat gacnttgat
619
<210> 192
<2115 586
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (4)..(4)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (23) ... (23)
<223> Any nucleotide
<400> 192
gngnacctga atctatttag agnagactta acagttgaag aagattttga tgctcctata
gcaggatgtg agcttgtttt tcaacttgct acacctgtga cctttgcttc tcaagatcct
gagaatgaca tgataaagcc agcaatcaaa ggtgtgttga atgtgttgaa agcaagtgca
180
agagcaaaag aagtcaaaag agttatotta acatottogg cagcogoggt gactataaat
240
gaactcaaag ggacaggtca tgttatggat gaaaccaact ggtcaggtgt tgaatttctg
300
aacactgcaa agccacccac ttggggttat cctgcttcaa aaatgctagc tgaaaaggct
gcatgqaaat ttgctqaaqa aaatgacatt gatctaatca ctgtgatacc tagtttaaca
actggtcctt ctctcacacc agatatccca tctagtgttg gcttggcaat gtctctaata
480
acaggcaatg atttoctcat aaatgctctg aaaggaatgc aatttctgtc gggttcgtta
tocatcactc atgttgagga tatttgccga gctcatatat ttctgg
586
<210> 193
<211> 567
<212> DNA
```

<213> Trifolium repens

<220> <221> misc\_feature <222> (55)..(55) <223> Any nucleotide <400> 193 ttaacaqttq aaqaaqattt tqatqctcct ataqcaqqat qtqaqcttqt ttttnaactt gctacacctg tgacctttgc ttctcaagat cctgagaatg acatgataaa gccagcaatc 120 aaaqqtqtqt tqaatqtqtt qaaaqcaaqt qcaaqaqcaa aaqaaqtcaa aaqaqttatc 180 ttaacatctt cggcagccgc ggtgactata aatgaactca aagggacagg tcatgttatg qatgaaacca actggtcaga tgttgaattt ctgaacactg caaagccacc cacttgqqqt tatcctgctt caaaaatgct agctgaaaag gctgcatgga aatttgctga agaaaatgac 360 attgatctaa tcactgtgat acctagttta acaactggtc cttctctcac accagatatc 420 ccatctagtg ttggcttggc aatgteteta ataacaggca atgattteet cataaatget ctgaaaggaa tgcaatttct gtcgggttcg ttatccatca ctcatgttga ggatatttgc 540 cgagctcata tatttctggc agagaag 567 <210> 194 <211> 597 <212> DNA <213> Trifolium repens <400> 194 ggaaccaatt tgtcggactt ttttcccggg ttggcccgat tcgatttgca gggtgtggtg aaaqaqatqq atqtcttqqt tccacqtttt qataqcatat ttqaaaaaat qattqqtqaa 120 cgtaagaaga aggaagtgga ggggaaagaa aatgaaagta aggattttct gcagtttttg ttgaatttga aggatgaggg tgattctaag actccattca caattaccca tgttaaggct 240 ctactcatqq acatqqttqt qqqtqqatca qacacatcct ccaacacaat tqaqtttqca 300

ttggcagaaa tgatgaacaa cccagaagta atgaggaagg ttcaagagga attagaagat gtagttggga aagataactt agtagaagag teteacatte ataagetace etacttgcat

360

gcagtgatga aagaaacact tcgtttacac ccagcacttc cacttttagt ccctcactgt

ccaagtgaaa ccaccaatgt tggaggctac acaattccaa agggatctcg tgtgtttgtg 540

aacgtttggg ctattcatag agacccttcc atttgggaga aaccactaga atttgat 597

<210> 195 <211> 199

<211> 199 <212> PRT

<213> Trifolium repens

<400> 195

Gly Thr Asn Leu Ser Asp Phe Phe Pro Gly Leu Ala Arg Phe Asp Leu 1 5 10 15

Gln Gly Val Val Lys Glu Met Asp Val Leu Val Pro Arg Phe Asp Ser 20 25 30

Ile Phe Glu Lys Met Ile Gly Glu Arg Lys Lys Lys Glu Val Glu Gly 35  $\phantom{-}40\phantom{0}$  45

Lys Glu Asn Glu Ser Lys Asp Phe Leu Gln Phe Leu Leu Asn Leu Lys 50 60

Leu Leu Met Asp Met Val Val Gly Gly Ser Asp Thr Ser Ser Asn Thr 85 90 95

Ile Glu Phe Ala Leu Ala Glu Met Met Asn Asn Pro Glu Val Met Arg

Lys Val Gln Glu Glu Leu Glu Asp Val Val Gly Lys Asp Asn Leu Val 115 \$120\$

Glu Slu Ser His Ile His Lys Leu Pro Tyr Leu His Ala Val Met Lys 130 140

Glu Thr Leu Arg Leu His Pro Ala Leu Pro Leu Leu Val Pro His Cys 145 150 155 160

Pro Ser Glu Thr Thr Asn Val Gly Gly Tyr Thr Ile Pro Lys Gly Ser 165 170 175

Arg Val Phe Val Asn Val Trp Ala Ile His Arg Asp Pro Ser Ile Trp
180 185 190

Glu Lys Pro Leu Glu Phe Asp

WO 03/031622 PCT/AU02/01345 211/390

<210> 196 <211> 700

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature

195

<222> (2)..(2) <223> Any nucleotide

<220> <221> misc\_feature

<222> (10)..(10) <223> Any nucleotide

<220>

<221> misc feature <222> (22)..(22)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (698)..(698)

<223> Any nucleotide

<400> 196

quaatccacn aatctcttqa antaatacca tttctttaca aqaacttaac catqqtcatq

atcactcaat accaaacctt cctttacaaa gaactttcta tatccttttt cattttcttg 120

ataacccatt tcatcataag ttttctcttc aaaaaaaatc tcaaaaaaact tccaccaggc 180

ccaaaaaggtt ttccagttgt tggtgcactc ccactaatgg gatccatgcc tcatgttacc 240

ctattcaaaa tgtcacaaaa atatggtccc ataatgtacc taaaaatggg atcaaataac 300

atggttgtag catcaactcc ttcttcagcc aaagcatttc tcaaaacact tgacctaaat

ttctccaata gaccgccgaa cgctggcgca actcacctag cttatgattc acaagacttg

qttttccccq actatqqatc taqqtqqaaa ttacttaqqa aactaaqtaa cttqcacatq 480

ctcggcggaa aagccctcga aaattggtcg aaagttcgtg agattgaaat gggtcacatg

attogtacaa tgtacgattg tagcaagaaa gacgaatccg ttgttgtggc cgaaatgttg 600

acatatgeta tggccaatat gataggtcaa gttatattga gtcgtcgcgt gttcgagaca 660

aaaggtagtg actcaaatga atttaaggat atggttgntg

<210> 197

<211> 216 <212> PRT <213> Trifolium repens

<220>

<221> MISC FEATURE
<222> (216)..(216)
<223> Any amino acid

<400> 197

Met Val Met Ile Thr Gln Tyr Gln Thr Phe Leu Tyr Lys Glu Leu Ser

Ile Ser Phe Phe Ile Phe Leu Ile Thr His Phe Ile Ile Ser Phe Leu

Phe Lys Lys Asn Leu Lys Lys Leu Pro Pro Gly Pro Lys Gly Phe Pro

Val Val Gly Ala Leu Pro Leu Met Gly Ser Met Pro His Val Thr Leu

Phe Lys Met Ser Gln Lys Tyr Gly Pro Ile Met Tyr Leu Lys Met Gly

Ser Asn Asn Met Val Val Ala Ser Thr Pro Ser Ser Ala Lys Ala Phe 85 90

Leu Lys Thr Leu Asp Leu Asn Phe Ser Asn Arg Pro Pro Asn Ala Gly 100

Ala Thr His Leu Ala Tyr Asp Ser Gln Asp Leu Val Phe Ala Asp Tyr 115

Gly Ser Arg Trp Lys Leu Leu Arg Lys Leu Ser Asn Leu His Met Leu

Gly Gly Lys Ala Leu Glu Asn Trp Ser Lys Val Arg Glu Ile Glu Met 145

Gly His Met Ile Arg Thr Met Tyr Asp Cys Ser Lys Lys Asp Glu Ser

Val Val Val Ala Glu Met Leu Thr Tyr Ala Met Ala Asn Met Ile Gly

Gln Val Ile Leu Ser Arg Arg Val Phe Glu Thr Lys Gly Ser Asp Ser

WO 03/031622 PCT/AU02/01345

213/390 195 200 205 Asn Glu Phe Lvs Asp Met Val Xaa 210 215 <210> 198 <211> 584 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc\_feature <222> (10)..(10) <223> Any nucleotide <220> <221> misc\_feature <222> (27) ... (27) <223> Any nucleotide <400> 198 gnaatccacn aatctcttga attaatncca tttctttaca agaacttaac catggtgatg atcactcaat accaaacctt ccttttcaaa qaactttcta tctccttttt cattttcttg ataacccgtt tcatcataag ttttctcttc aaaaaaaaatc tcaaaaaaact tccaccaggc 180 ccaaagggtt ttccagttgt tggtgcactc ccactaatgg gatccatgcc tcatgttacc ctattcaaaa tgtcacaaaa atatggtccc ataatgtacc taaaaaatggg atcaaatagc 300 atggttgtag catcaactcc ttcttcagcc aaagcatttc tcaaaacact tgacctaaat ttctccaata gaccgccgaa cgctggcgcg actcacctag cttatgattc acaagacttq gttttcgccg actatggatc taggtggaaa ttacttagga aactaagtaa cttgcacatg 480 ctcggcggaa aagccctcga agattggtcg aaagttcgtg agattgaaat gggtcacatg 540 attogtacaa tgtatgattg tagcaagaaa gacgaatccg ttgt 584 <210> 199

<211> 694 <212> DNA <213> Trifolium repens

214/390 <220> <221> misc feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc feature <222> (16)..(16) <223> Any nucleotide <220> <221> misc\_feature <222> (20)..(21) <223> Any nucleotides <220> <221> misc\_feature <222> (692)..(692) <223> Any nucleotide <400> 199 gncaaatctc ttqcantaan nccatttctt tacaagaact taaccatggt gatgatcact caacaccaaa cottoottta caaagaactt totatatoot ttttcatttt ottgataacc 120 catttcatca ttagttttct cttcaaaaa aatctcaaaa aacttccacc aggcccaaaa ggttttccag ttgttggtgc actcccacta atgggatcca tgcctcatgt taccctattc 240 aaaatgtcac aaaaatatgg tootataatg tacctaaaaa tgggatcaaa taacatggtt gtagcatcaa ctccttcttc agccaaagca tttctcaaaa cacttgacct aaatttctcc 360 aataggccgg cgaacgctgg cgcaactcac ctagcttatg atccacaaga cttggttttc 420 gccgactatg gatctaggtg gaaattactt aggaaactaa gtaacttgca catgctcggc ggaaaagccc ttgaaaattg gtcgaaagtt cgtgagattg aaatgggtca catgattcgt 540 acaatgtacg attgtagcaa gaaagacgaa tccgttgttg tggccgaaat gttgacatat 500 gctatggcca atatgatagg tcaagttata ttgagtcgtc gcgtgttcga gacaaaaggt 660

<210> 200 <211> 580 <212> DNA

694

agtgactcaa atgaatttaa ggatatggtt gntg

<213> Trifolium repens

<220> <221> misc\_feature

<222> (2)..(2) <223> Any nucleotide

<220>

<221> misc\_feature <222> (14)..(14) <223> Any nucleotide

2232 ANY NUCLE

<220>
<221> misc\_feature
<222> (16)..(16)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (44)..(44) <223> Any nucleotide

<220>

<221> misc\_feature <222> (55)..(56) <223> Any nucleotides

<400> 200

chaatotott gaantnatac catttottta caagaactta acontggtga tgatnnotca 60

ataccaaacc ttccttttca aagaactttc tatctccttt ttcattttct tgataacccg

tttcatcata agtcttctct tcaaaaaaa tctcaaaaaa cttccaccag gcccaaaggg 180

ttttccagtt gttggtgcac tcccactaat gggatccatg cctcatgtta ccctattcaa

aatgtcacaa aaatatggtc ccataatgta cctaaaaatg ggatcaaata acatggttgt 300

agcatcaact cottottcag ccaaagcatt totcaaaaca ottgacctaa atttotccaa 360

tagaccgccg aacgctggcg cgactcacct agcttatgat tcacaagact tggttttcgc

cgactatgga totaggtgga aattgottag gaaactaagt aacttgcaca tgotcggcgg

aaaagccctc gaagattggt cgaaagttcg cgagattgag atgggtcaca tgattcgtac

aatgtacgat tgtagcaaga aagacgaata tgttgttgtg

---

480

<210> 201 <211> 574

216/390 <212> DNA <213> Trifolium repens <220× <221> misc\_feature <222> (8)..(8) <223> Any nucleotide <220> <221> misc\_feature <222> (12)..(12) <223> Any nucleotide <220> <221> misc feature <222> (40)..(40) <223> Any nucleotide <220> <221> misc feature <222> (51)..(52) <223> Any nucleotides <220> <221> misc\_feature <222> (56)..(56) <223> Any nucleotide <220> <221> misc\_feature <222> (569)..(569) <223> Any nucleotide <220> <221> misc feature <222> (572)..(572) <223> Any nucleotide <400> 201 totottqnaa tnataccatt totttacaag aacttaaccn tggtgatgat nnctcnatac caaaccttcc tttacaaaga actttctata tcctttttca ttttcttgat aacccatttc atcattagtt ttctcttcaa aaaaaatctc aaaaaacttc caccaggccc aaaaqqtttt 180 ccagttgttg gtgcactccc actaatggga tccatgcctc atgttaccct attcaaaatg

tcacaaaaat atggtcctat aatgtaccta aaaatgggat caaataacat ggttgtagca

tcaactcctt cttcagccaa agcatttctc aaaacacttg acctaaattt ctccaatagg

ccggcgaacg ctggcgcaac tcacctaget tatgattcac aagacttggt tttcgccgac

300

360

420

tatggatcta ggtggaaatt acttaggaaa ctaagtaact tgcacatgct cggcggaaaa 480 gcccttgaaa attggtcgaa agttcgtgag attgaaatgg gtcacatgat tcgtacaatg 540 tacgattgta gcaagaaaga cgaatccgnt gntg <210> 202 <211> 1261 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (7)..(7) <223> Any nucleotide <220> <221> misc feature <222> (31)..(31) <223> Any nucleotide <220> <221> misc\_feature <222> (43)..(43) <223> Any nucleotide <220> <221> misc\_feature <222> (92)..(93) <223> Any nucleotides <220> <221> misc feature <222> (96)..(96) <223> Any nucleotide <220> <221> misc\_feature <222> (957)..(957) <223> Any nucleotide <400> 202 quacacntct atttatttct acttaaacct nacaaaaaat aanacccaca aaacacaaac accacaaaca ccaaaaccga gtccqtttcc tnntcnaaca tggcaccaag ccaaactcta 120 agttatctct cacaacaaaa cactcttgag tcaagtttcg ttagggaaga agatgagcgt ccaaaagttg cctacaataa cttcagcaac gagattccaa tcatttctct tgctggaatt 240

gatqaqqttq atqqtcqtaq aacaqaqata tqtaacaaqa ttqttqaaqc ttqtqaqaat

300

tggggtattt ttcaqqttqt tqatcatqqt qttqatacaa aacttqtttc tqaqatqacc cgttttgcta gagagttttt tgctttgcca ccqqaaqaqa aqctccqqtt tqacatqtcc 420 ggtggtaaaa agggtggttt cattgtctct agtcatctcc aaggagaagc agtgaaggat tggagagagc tagtgacata tttttcatac ccaattaaac aaagagatta ttcaaggtgg ccagacaagc cagaaggatg gaaagaggta acaqaaaaat acagtgaaaa cctaatgaat 600 ttagcttgca aactattgga agttttatca gaagcaatgg gtttagaaaa agaagctcta acaaaagcat gtgttgatat ggatcaaaaa gttgttataa attattaccc aaaatgccct 720 gaacctgacc tcacacttgg ccttaaacgt cacactgacc ctggcacaat tactcttttg cttcaagatc aagttggtgg ccttcaagct accaaagata atggtaagac gtggattaca 840 gttcaaccag ttgaaggtgc ttttgttgtt aatcttggag accatggtca ctatctaagt aatggacggt tcaaaaatgc tgaccaccaa gcagtggtga attcgaacta cagccgntta tcaatagcaa catttcaaaa tccagctccc qatqcaactq tatacccttt qaaqattaga 1020 gagggtgaaa aatctgtgtt ggaagaacca atcacttttg ctgaaatgta tagaaggaag 1080 atgaccaaag accttgaaat tgctaggatg aagaagttgg ctaaggaaca acaacttagg 1140 gacttggagg agaacaagac taaatatgag gccaaacctt tgaatgagat ctttqcttaa ttaattagtc ttaatttaaa taattaataa attttagact taatttacat ataataattt 1260 1261 <210> 203 <211> 366 <212> PRT <213> Trifolium repens <220> <221> MISC FEATURE <222> (286)..(286)

<400> 203

<223> Any amino acid

Met Ala Pro Ser Gln Thr Leu Ser Tyr Leu Ser Gln Gln Asn Thr Leu Glu Ser Ser Phe Val Arg Glu Glu Asp Glu Arg Pro Lys Val Ala Tyr Asn Asn Phe Ser Asn Glu Ile Pro Ile Ile Ser Leu Ala Gly Ile Asp Glu Val Asp Gly Arg Arg Thr Glu Ile Cys Asn Lys Ile Val Glu Ala Cys Glu Asn Trp Gly Ile Phe Gln Val Val Asp His Gly Val Asp Thr Lys Leu Val Ser Glu Met Thr Arg Phe Ala Arg Glu Phe Phe Ala Leu Pro Pro Glu Glu Lys Leu Arg Phe Asp Met Ser Gly Gly Lys Lys Gly Gly Phe Ile Val Ser Ser His Leu Gln Gly Glu Ala Val Lys Asp Trp Arg Glu Leu Val Thr Tyr Phe Ser Tyr Pro Ile Lys Gln Arg Asp Tyr Ser Arg Trp Pro Asp Lys Pro Glu Gly Trp Lys Glu Val Thr Glu Lys 145 150 155 Tyr Ser Glu Asn Leu Met Asn Leu Ala Cys Lys Leu Leu Glu Val Leu Ser Glu Ala Met Gly Leu Glu Lys Glu Ala Leu Thr Lys Ala Cys Val 180 Asp Met Asp Gln Lys Val Val Ile Asn Tyr Tyr Pro Lys Cys Pro Glu Pro Asp Leu Thr Leu Gly Leu Lys Arg His Thr Asp Pro Gly Thr Ile 210 215 Thr Leu Leu Cln Asp Gln Val Gly Gly Leu Gln Ala Thr Lys Asp 230 Asn Gly Lys Thr Trp Ile Thr Val Gln Pro Val Glu Gly Ala Phe Val 245

Val Asn Leu Gly Asp His Gly His Tyr Leu Ser Asn Gly Arg Phe Lys

270

220/390

Asn Ala Asp His Gln Ala Val Val Asn Ser Asn Tyr Ser Xaa Leu Ser 275 280 285

Ile Ala Thr Phe Gln Asn Pro Ala Pro Asp Ala Thr Val Tvr Pro Leu 290 295

Lys Ile Arg Glu Gly Glu Lys Ser Val Leu Glu Glu Pro Ile Thr Phe 310 315

Ala Glu Met Tyr Arg Arg Lys Met Thr Lys Asp Leu Glu Ile Ala Arg

Met Lys Lys Leu Ala Lys Glu Gln Gln Leu Arg Asp Leu Glu Glu Asn 340 345

Lys Thr Lys Tyr Glu Ala Lys Pro Leu Asn Glu Ile Phe Ala 360

<210> 204

<211> 586 <212> DNA

<213> Trifolium repens

260

<220>

<221> misc feature

<222> (7)...(7)

<223> Any nucleotide

<400> 204

gcacacntct atttatttct acttaaacct cacaaaaaat aaacccacaa cacacaaaca

ccaaaaacag agcaccgttt ccatcatcaa acatggcacc aagccaaact ctaagttatc

totcacaaca aaacactoto gagtcaagtt togttaggga agaagatgag ogtocaaaag 180

ttgcctacaa taacttcagc aacgagattc caatcatttc tcttgctgga attgatgagg 240

ttgatggtcg tagaacagag atatgtaaca agattgttga agcttgtgag aattggggta

ttttttcaggt tqttqatcat qqtqttqata caaaacttqt ttctqaqatq acccqttttq 360

ctagagagtt ttttgctttg ccaccggaag agaagctccg gtttgacatg tccggtggta

assagggtgg tttcattgtc tctaqtcatc ttcaaqqaqa aqcaqtqaaq qattqqaqaq

agctagtgac atatttttca tacccaatta aacaaaqaqa ttattcaaqq tqqccaqaca 540

agccagaagg atggaaagag gtaacagaaa aatacagtga aaacct <210> 205 <211> 597 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc\_feature <222> (5) .. (5) <223> Any nucleotide <220> <221> misc feature <222> (7)..(7) <223> Anv nucleotide <220× <221> misc\_feature <222> (31)..(31) <223> Any nucleotide <400> 205 gcacngntct atttattct acttaaacct naaaaataaa cccacaacac aaaccaaaaa cagageaceg tttccateat caaacatgge accaagecaa accetaagtt atctctcaca 120 acaaaagact cttgagtcaa gtttcgttag ggaagaagat gagcgtccaa aagttgccta 180 castaacttc agcaacgaga ttccaatcat ttctcttgct ggaattgatg aggttgatgg 240 togcagaaca gagatatgta acaagattgt tgaagottgt gagaattggg gtatttttca ggttgttgat catggtgttg atacaaagct tgtttctgag atgactcgtt ttgctagaga gttttttgct ttgccgccgg aagagaagct ccggtttgac atgtccggtg gtaaaaaggg 420 tggtttcatt gtctctagtc atctccaagg agaagcagtg aaagattgga gagagctagt 480 gacatatttt tcatacccaa ttaaacaaag agattattca aggtggccag acaagccaga 540 agaatggaaa gaagtaacag aaaaatacag tgaaaaccta atgaatttag cttgcag

<210> 206

<211> 605 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (6)..(6) <223> Any nucleotide <220> <221> misc\_feature <222> (30) .. (30) <223> Any nucleotide <220> <221> misc\_feature <222> (42)..(42) <223> Any nucleotide <220> <221> misc\_feature
<222> (71)..(71)
<223> Any nucleotide <220> <221> misc feature <222> (90)..(92) <223> Any nucleotides -22N-<221> misc feature <222> (94)..(95) <223> Any nucleotides <400> 206 cacacntota tttatttcta cttaaacctn acaaaaaata anacccacaa cacacaaaca ccaaaaacag nagcaccgtt tccatcatcn nnannaacat ggcaccaagc caaactctaa gttatototo acaacaaaac actotogagt caagtttogt tagggaagaa gatgagogto caaaagttgc ctacaataac ttcagcaacg agattccaat catttctctt gctggaattg 240 atgaggttga tggtcgtaga acagagatat gtaacaagat tgttgaagct tgtgagaatt 300 ggggtatttt tcaggttgtt gatcatggtg ttgatacaaa acttgtttct gagatgaccc gttttgctag agagtttttt gctttgccac cggaagagaa gctccggttt gacatgtccg 420

gtggtaaaaa gggtggtttc attgtctcta gtcatcttca aggagaagca gtgaaggatt 480 ggagagagct agtgacatat ttttcatacc caattaaaca aagagattat tcaaggtggc

540 cagacaagcc agaaggatgg aaagaggtaa cagaaaaata cagtgaaaac ctaatgaatt taget 605 <210> 207 <211> 492 <212> DNA <213> Trifolium repens <220> <221> misc\_feature
<222> (10)..(10)
<223> Any nucleotide <220> <221> misc\_feature <222> (19)..(19) <223> Any nucleotide <220> <221> misc\_feature
<222> (29)..(30)
<223> Any nucleotides <220> <221> misc\_feature
<222> (38)..(38)
<223> Any nucleotide <220> <221> misc\_feature <222> (40)..(41) <223> Any nucleotides <220> <221> misc\_feature
<222> (55)..(55)
<223> Any nucleotide <220> <221> misc\_feature
<222> (58)..(58)
<223> Any nucleotide <220> <221> misc\_feature <222> (60)..(60) <223> Any nucleotide

<220> <221> misc\_feature <222> (68)..(68) <223> Any nucleotide

<220> <221> <222> <223>	misc_feature (70)(70) Any nucleotide
<220> <221> <222> <223>	misc_feature (75)(75) Any nucleotide
<220> <221> <222> <223>	misc_feature (436)(436) Any nucleotide
<220> <221> <222> <223>	misc_feature (439)(439) Any nucleotide
<220> <221> <222> <223>	misc_feature (450)(450) Any nucleotide
<220> <221> <222> <223>	misc_feature (452)(452) Any nucleotide
<220> <221> <222> <223>	misc_feature (455)(455) Any nucleotide
<220> <221> <222> <223>	misc_feature (459)(459) Any nucleotide
<220> <221> <222> <223>	misc_feature (469)(469) Any nucleotide
<220> <221> <222> <223>	misc_feature (471)(471) Any nucleotide
<220> <221> <222> <223>	misc_feature (473)(473) Any nucleotide

<2205 <221> misc feature <222> (490)..(492) <223> Any nucleotides

<400> 207 toccetctan ttatttctnc ttaaacctnn caaaaatnan nacccacaac acacnaanan

caccaaanan acagnagtac cgtttccatc atcaaacatg gcaccaagcc aaactctaag

ttatetetea caacaaaaca etetegagte aagtttegtt agggaagaag atgagegtee

aaaagttgcc tacaataact tcagcaacga gattccaatc atttctcttg ctggaattga 240

tgaggttgat ggtcgtagaa cagagatatg taacaagatt gttgaagctt gtgagaattg 300

gggtattttt caggttgttg atcatggtgt tgatacaaaa cttgtttctg agatgacccg

ttttgctaga gagttttttg ctttgccacc ggaagagaag ctccggtttg acatgtccgg 420

tggtaaaaag ggtggnttna ttgtctgtan tngtntccna ggacaaccng ngnaggattg 480

cagagagetn nn 492

<210> 208 <211> 690 <212> DNA

<213> Trifolium repens

<220> <221> misc\_feature

<222> (11)..(11) <223> Any nucleotide

<220>

<221> misc\_feature <222> (34)..(34) <223> Any nucleotide

<220> <221> misc\_feature <222> (36)..(36) <223> Any nucleotide

<220>

<221> misc feature <222> (49) ... (49)

<223> Any nucleotide

<222> (43), (43) <223> Any nucleotide

<400> 208 gttaacacac nccaacacaa acaccaaaaa caqnancacc qtttccatnc atcaaacatq 60 qcaccaaqcc aaactctaag ttatctctca caacaaaaca ctctcgaqtc aagtttcqtt 120 agggaagaag atgagcgtcc aaaagttgcc tacaataact tcagcaacga gattccaatc atttctcttg ctggaattga tgaggttgat ggtcgtagaa cagagatatg taacaagatt gttgaagett gtgagaattg gggtattttt caggttgttg atcatggtgt tgatacaaaa 300 cttgtttctg agatgacccg ttttgctaga gagttttttg ctttgccacc ggaagagaag 360 ctccggtttg acatgtccgg tggtaaaaag ggtggtttca ttgtctctag tcatctccaa 420 qqaqaaqcaq tqaaqqattq qaqaqaqcta qtqacatatt tttcataccc aattaaacaa 480 agagattatt caaggtggcc agacaagcca gaaggatgga aagaggtaac agaaaaatac agtgaaaacc taatgaattt agcttgcaaa ctattggaag ttttatcaga agcaatgggt ttagaaaaag aagetetaac aaaageatgt gttgatatgg atcaaaaagt tgttataaat 660 tattacccaa aatgccctga acctgacctt 690 <210> 209 <211> 573 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc\_feature <222> (33)..(33) <223> Any nucleotide <220> <221> misc\_feature <222> (41) ... (41) <223> Any nucleotide <220> <221> misc feature

<221> misc\_feature <222> (43)..(43) <223> Any nucleotide

<400> 209 gnaacccaca acacacaaac accaaaacag agnccgtttc ntnatcaaac atggcaccaa gccaaactct aagttatctc tcacaacaaa acactctcga gtcaagtttc gttagggaag aagatgagcg tccaaaagtt gcctacaata acttcagcaa cgagattcca atcatttctc ttgctggaat tgatgaggtt gatggtcgta gaacagagat atgtaacaag attgttgaag cttgtgagaa ttggggtatt tttcaggttg ttgatcatgg tgttgataca aaacttgttt 300 ctgagatgac ccgttttgct agagagtttt ttgctttgcc accggaagag aagctccqqt ttgacatgtc cggtggtaaa aagggtggtt tcattgtctc tagtcatctc caaggagaag cagtgaagga ttggagagag ctagtgacat atttttcata cccaattaaa caaagagatt 480 attcaaggtg gccagacaag ccagaaggat ggaaagaggt aacagaaaaa tacagtgaaa acctaatgaa tttagcttgc aagctattgg aag <210> 210 <211> 716 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (6)..(6) <223> Any nucleotide <220> <221> misc\_feature <222> (10)..(10) <223> Any nucleotide <220> <221> misc feature <222> (28)..(28) <223> Any nucleotide <220> <221> misc\_feature <222> (30)..(30) <223> Any nucleotide <220>

<220> <221> misc\_feature <222> (47)..(47) <223> Any nucleotide <220> <221> misc feature <222> (576)..(576) <223> Any nucleotide <220> <221> misc\_feature <222> (619)..(619) <223> Any nucleotide <220> <221> misc\_feature <222> (702)..(702) <223> Any nucleotide <220> <221> misc feature <222> (714)..(714) <223> Any nucleotide <400> 210 cacacnaacn ccaaacacca aaaacagnan caccgtttcc atncatncaa acatggcacc 60 aagccaaact ctaagttatc tctcacaaca aaacactctt gagtcaagtt tcgttaggga agaagatgag cgtccaaaag ttgcctacaa taacttcagc aacgagattc caatcatttc tcttgctgga attgatgagg ttgatggtcg tagaacagag atatgtaaca agattgttga 240 agcttgtgag aattggggta tttttcaggt tgttgatcat ggtgttgata caaaacttgt 300 ttctgagatg accogntttg ctagagagtt ttttgctttg ccaccggaag agaagctccg 360 gtttgacatg tccggtggta aaaagggtgg tttcattqtc tctagtcatc tccaaqqaqa agcagtgaag gattggagag agctagtgac atatttttca tacccaatta aacaaaqaqa 480 ttattcaagg tggccagaca agccagaagg atggaaagag gtaacagaaa aatacagtga aaacctaatg aatttagett geaaactatt ggaagnttta teagaageaa tgggtttaga

aaaagaagct ctaacaaang catgtgttga tatggatcaa aaagttgtta taaattatta

660

229/390 cccasaatgc cetgaacetg accteccact tgccctaaac gncacaetga ccenga <210> 211 <211> 721 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (4)..(4) <223> Any nucleotide <220> <221> misc\_feature <222> (7) ... (7) <223> Any nucleotide <220> <221> misc\_feature <222> (28) ... (28) <223> Any nucleotide <220> <221> misc\_feature <222> (30)..(30) <223> Any nucleotide <220> <221> misc\_feature <222> (43)..(43) <223> Any nucleotide <220> <221> misc\_feature <222> (721)..(721) <223> Any nucleotide <400> 211 cacnacnacc acaaacacca aaaacagnan caccgtttcc atncatcaaa catggcacca 60 agccaaactc taagttatct ctcacaacaa aacactcttg agtcaagttt cgttagggaa gaagatgagc gtccaaaagt tgcctacaat aacttcagca acgagattcc aatcatttct 180 cttgctggaa ttgatgaggt tgatggtcgt agaacagaga tatgtaacaa gattgttgaa 240 gcttgtgaga attggggtat ttttcaggtt gttgatcatg gtgttgatac aaaacttgtt tttgacatgt ccggtggtaa aaagggtggt ttcattgtct ctagtcatct ccaaggagaa 420

230/390 gcagtgaagg attggagaga gctagtgaca tattttcat acccaattaa acaaagagat tattcaaggt ggccagacaa gccagaagga tggaaagagg taacagaaaa atacagtgaa 540 aacctaatga atttagcttg caaactattg gaagttttat cagaagcaat gggtttagaa aaagaagctc taacaaaagc atgtgttgat atggatcaaa aagttgttat aaattattac 660 ccaaaatgcc ctgaacctga cctcacactt ggccttaaac gtcacactga ccctggcaca 720 721 <210> 212 <211> 453 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (6)..(6) <223> Any nucleotide <220> <221> misc feature <222> (79)..(79) <223> Any nucleotide <220> <221> misc\_feature <222> (173)..(173) <223> Any nucleotide <220> <221> misc\_feature <222> (215)..(215) <223> Any nucleotide <220> <221> misc\_feature

<222> (220)..(220) <223> Any nucleotide

<220>

<221> misc feature

<222> (235)..(235) <223> Any nucleotide

<220>

<221> misc\_feature <222> (245)..(245)

<223> Any nucleotide

WO 03/031622 PCT/AU02/01345

231/390

<220> <221> <222> <223>	misc_feature (257)(257) Any nucleotide
<220> <221> <222> <223>	misc_feature (283)(284) Any nucleotides
<220> <221> <222> <223>	misc_feature (303)(303) Any nucleotide
<220> <221> <222> <223>	misc_feature (307)(307) Any nucleotide
<220> <221> <222> <223>	misc_feature (311)(311) Any nucleotide
<220> <221> <222> <223>	misc_feature (317)(317) Any nucleotide
<220> <221> <222> <223>	misc_feature (322)(322) Any nucleotide
<220> <221> <222> <223>	misc_feature (336)(336) Any nucleotide
<220> <221> <222> <223>	misc_feature (346)(346) Any nucleotide
<220> <221> <222> <223>	misc_feature {361)(361) Any nucleotide
<220> <221> <222> <223>	misc_feature (366)(367) Any nucleotides

<220>	
-221	mice feature
-2222	misc_feature (375)(375) Any nucleotide
-222	Any nucleotide
(2237	Any nucleocide
<220>	
<221>	misc_feature
<222>	(393)(393)
<222>	Any nucleotide
44437	Any nucleocide
<220>	
-220>	wise forture
<222>	misc_feature (397)(397)
<222>	Any nucleotide
<423>	Any nucleotide
<220>	
<221>	
<221>	misc_feature (399)(399)
<222> <223>	Any nucleotide
<223>	Any nucleotide
222	
<220>	
<221>	misc_feature (401)(401)
<222>	(401)(401)
<223>	Any nucleotide
<220>	
<221>	misc_feature
<222>	(407)(407) Any nucleotide
<223>	Any nucleotide
<220>	misc feature
<221>	
<222>	(411) (411)
<223>	Any nucleotide
<220>	
<220> <221>	miss footuvo
	misc_feature (422)(422)
<222>	(#44) (#44)
<223>	Any nucleotide
<b>-220</b> -	
<220>	misc_feature
<2221>	
<222>	
4443>	Any increorine
<220>	
-221	miss forture
<221>	misc_feature (430)(432)
	Any nucleotides
<443>	why increorines
<220>	
<220>	mica forture
<221> <222>	misc_feature (437)(437)
<222>	Any nucleotide
<443>	with uncreating

<220> <221> misc\_feature <222> (445)..(445) <223> Any nucleotide <220> <221> misc feature <222> (447)..(448) <223> Any nucleotides <220> <221> misc feature <222> (450)..(453) <223> Any nucleotides <400> 212 ccacancaca caaacaccaa aaacaqaaqc accqtttcca tcatcaaaca tggcaccaag ccaaactcta agttatctng gacaacaaaa cactctcgag tcaagtttcg ttagggaaga agatgaccgt ccaaaagttg cctacaatac cttcagcacc gagattccaa tcntttctct toctogaatt gatgaggttg atggccgaaa aacanaaatn tttaccaaga ttggnggggc ttqtnaaaat tqqqqtnttt ttcagqttgq tgatcatggg gtnnaacaaa acttgtttcc canaaanccc nttttgntaa anagtttttt gctttncccc cggaanaaaa cctccggttt 360 nacttnnccg ggggnaaaaa agggggggt ttnattngnc nttaagnccc nccccaaggg anaancccan nnaaggnttt ggaanannen nnn <210> 213 <211> 267 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (4)..(4) <223> Any nucleotide <220> <221> misc\_feature
<222> (10)..(10)
<223> Any nucleotide <220> <221> misc\_feature <222> (15)..(15)

<223> Any nucleotide

<220> <221> <222> <223>	misc feature (23)(23) Any nucleotide
<220> <221> <222> <223>	misc_feature (30)(30) Any nucleotide
<220> <221> <222> <223>	misc_feature (45)(46) Any nucleotides
<220> <221> <222> <223>	misc_feature (48)(49) Any nucleotides
<220> <221> <222> <223>	misc_feature (208)(208) Any nucleotide
<220> <221> <222> <223>	misc_feature (210)(210) Any nucleotide
<220> <221> <222> <223>	misc_feature (215)(215) Any nucleotide
<220> <221> <222> <223>	misc_feature (226)(227) Any nucleotides
<220> <221> <222> <223>	misc_feature (231)(231) Any nucleotide
<220> <221> <222> <223>	misc_feature (245)(245) Any nucleotide
<220> <221> <222> <223>	misc_feature (250)(250) Any nucleotide

WO 03/031622 PCT/AU02/01345

```
<220>
<221> misc_feature
<222> (253)..(253)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (260)..(260)
<223> Any nucleotide
<220>
<221> misc feature
<222> (265)..(265)
<223> Any nucleotide
<220>
<221> misc feature
<222> (267)..(267)
<223> Any nucleotide
<400> 213
gaancccacn aacancaaac acncaaaaan agagaccgtt tectnntnna acatggcacc
aagccaaact ctaagttatc tctcacaaca aaacactctt gagtcaagtt tcgttaggga
120
agaaqatqaq cqtccaaaaq ttqcctacaa taacttcaqc aacqaqattc caatcatttc
180
tottqctqqa attqatqaqq ttqatqqncn cacancacac atctgnncca nattgctgga
acctngcgan agnogccctn cctcncn
<210> 214
<211> 580
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (38)..(38)
<223> Any nucleotide
<400> 214
```

gnaccacaca ascacccaaa acagagcacc gtttcctnat caacaatggc accaagccaa

actictaagtt atctctcaca acaaaacact ctcqaqtcaa qtttcqttaq qqaagaagat 120

gagcgtccaa aagttgccta caataacttc agcaacgaga ttccaatcat ttctcttgct 180

ggaattgatg aggttgatgg togtagaaca gagatatgta acaagattgt tgaagottgt

gagaattggg gtatttttca ggttgttgat catggtgttg atacaaaact tgtttctgag

atgaccogtt ttgctagaga gttttttgct ttgccaccgg aagagaagct ccggtttgac 360

atgtccggtg gtaaaaaggg tggtttcatt gtctctagtc atcttcaagg agaagcagtg 420

aaggattgga gagagctagt gacatatttt tcatacccaa ttaaacaaag agattattca

aggtggccag acaagccaga aggatggaaa gaggtaacag aaaaatacag tgaaaaccta

atgaatttag cttgcaagct attggaagtt ttatcagaag 580

<210> 215

<211> 586 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (31)..(31)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (33)..(33)

<223> Anv nucleotide

<220>

<221> misc\_feature

<222> (586)..(586) <223> Any nucleotide

<400> 215

ggcacacaaa ccaaaacgag cccgtttcct ntnaacatgg caccaagcca aaccctaagt

tatototoca acaaaagact ottgagtcaa gtttcgttag ggaagaagat gagcgtccaa

aagttgecta caataacttc agcaacgaga ttccaatcat ttctcttgct ggaattgatg

aggttgatgg tcgcagaaca gagatatgta acaagattgt tgaagcttgt gagaattggg 240

gtatttttca ggttgttgat catggtgttg atacaaagct tgtttctgag atgactcgtt

ttgctagaga gttttttgct ttgccgccgg aagagaagct ccggtttgac atgtccggtg

gtaaaaaggg tggtttcatt gtctctagtc atctccaagg agaagcagtg aaagattgga

gggagctagt gacatatttt tcatacccaa ttaaacaaag agattattca aggtggccag

acaagccaga aggatggaaa gaagtaacag aaaaatacag tgaaaaccta atgaatttag

cttgcaagct attggaagtt ttatcagaag caatgggatt agaaan 586

<210> 216

<211> 450

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (26)..(26)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (37)..(37) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (96) ... (96)

<223> Any nucleotide

<220>

<221> misc feature

<222> (363)..(363)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (390)..(390) <223> Any nucleotide

<220>

<221> misc\_feature <222> (403)..(403) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (410)..(410)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (416)..(417) <223> Any nucleotides

<220> <221> misc feature <222> (421)..(421) <223> Any nucleotide <220> <221> misc feature <222> (436)..(436) <223> Any nucleotide <220> <221> misc\_feature
<222> (438)..(438)
<223> Any nucleotide <220> <221> misc\_feature <222> (450)..(450) <223> Any nucleotide <400> 216 totaacacaa acacccaaaa cagagnaccg tttcctntcc aacatggcac caagccaaac tctaagttat ctctcaccac aaaacactct tgagtnaagt ttcgttaggg aagaagatga gcgtccaaaa gttgcctaca ataacttcag caacgagatt ccaatcattt ctcttgctgg 180 aattgatgag gttgatggtc gtagaacaga gatatgtaac aagattgttg aagcttgtga 240 gaattggggt atttttcagg ttgttgatca tggtgttgat acaaaacttg tttctgagat gacccgtttt gctagagagt tttttgcttt gccaccggaa gagaagctcc ggtttgacat gtnoggtggt aaaaagggtg gtttcattgn ctctagtcat ctncaaggan aagcanngaa 420 ngattggaga gagctngnga catattttn 450 <210> 217 <211> 681 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (2)..(2) <223> Any nucleotide <220>

<220>
<221> misc\_feature
<222> (24)..(24)

PCT/AU02/01345

<223> Any nucleotide

<220>

<221> misc\_feature <222> (26)..(26)

<222> (26)..(26) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (39)..(39) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (43)..(43) <223> Any nucleotide

<220> <221> mis

<221> misc\_feature <222> (644)..(644)

<223> Any nucleotide

<400> 217

cncaacacaa acaccaaaaa cagnancacc gtttccatnc atncaaacat ggcaccaagc 60

caaactctaa gttatctctc acaacaaaac actcttgagt caagtttegt tagggaagaa 120

gatgagegte caaaagttge etacaataae tteageaaeg agatteeaat catttetett 180

gotggaattg atgaggttga tggtcgtaga acagagatat gtaacaagat tgttgaagct 240

tgtgagaatt ggggtatttt toaggttgtt gatcatggtg ttgatacaaa acttgtttct 300

gagatgaccc gttttgctag agagtttttt gctttgccac cggaagagaa gctccggttt

gacatgtccg gtggtaaaaa gggtggtttc attgtctcta gtcatctcca aggagaagca 420

gtgaaggatt ggagagaget agtgacatat ttttcatacc caattaaaca aagagattat 480

tcaaggtggc cagacaagcc agaaggatgg aaagaggtaa cagaaaaata cagtgaaaac 540

ctaatgaatt tagottgoaa actattggaa gttttatoag aagcaatggg tttagaaaaa 600

gaagctctaa caaaagcatg tgttgatatg gatcaaaaag ttgntataaa ttattaccca

aaatgccctg aacctgacct c

240/390 <211> 582 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (2)..(3) <223> Any nucleotide <220> <221> misc feature <222> (15)..(15) <223> Any nucleotide <220> <221> misc feature <222> (21) .. (21) <223> Any nucleotide <220> <221> misc\_feature <222> (25)..(25) <223> Any nucleotide <220> <221> misc\_feature <222> (43)..(43) <223> Any nucleotide <220> <221> misc\_feature <222> (47)..(47) <223> Any nucleotide

<400> 218 gnnaatccac aacancaaac nccanaaacg agcccgtttc ctnctcnaac atggcaccaa

qccaaactct aagttatctc tcacaacaaa acactctcqa qtcaaqtttc qttaqqqaaq 120

aagatgageg tecaaaagtt geetacaata aetteageaa egagatteea ateatttete

ttgctggaat tgatgaggtt gatggtcgaa gaacagagat atgtaacaag attgttgaag

240

cttqtqaqaa ttqqqqtatt tttcaqqttq ttqatcatqq tqttqataca aaacttqttt

ctgagatgac ccgttttgct agagagtttt ttgctttgcc accggaagag aagctccggt

ttgacatgtc cggtggtaaa aagggtggtt tcattgtctc tagtcatctc caaggagaag

cagtgaagga ttggagagag ctagtgagat atttttcata cccaattaaa caaagagatt 480

attcaaggtg gccagacaag ccagaaggat ggaaagaggt aacagaaaaa tacagtgaaa

540

acctaatgaa tttagcttgc aaactattgg aagttttatc ag 582

<210> 219

<211> 610 <212> DNA

<213> Trifolium repens

<220>

<221> misc feature

<222> (31) ... (31)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (41)...(41) <223> Any nucleotide

<400> 219

gaaccccaca acacccaaac ccaaaacgag neegttteet ntcaacatgg caccaagcca

aactetaagt tateteteac aacaaaacae tetegagtea agtttegtta gggaagaaga 120

tgagcgtcca aaagttgcct acaataactt cagcaacgag attccaatca tttctcttgc

tggaattgat gaggitgatg gtcgtagaac agagatatgt aacaagattg ttgaagcttg 240

tgagaattgg ggtatttttc aggttgttga tcatggtgtt gatacaaaac ttgtttctga 300

gatgacccgt tttgctagag agttttttgc tttgccaccg gaagagaagc tccggtttga 360

catgiceggt ggiaaaaagg giggitticat tgictctagt catciccaag gagaagcagt 420

gaaggattgg agagagctag tgacatattt ttcataccca attaaacaaa gagattattc

aaggtggcca gacaagccag aaggatggaa agaggtaaca gaaaaataca gtgaaaacct 540

aatgaattta gettgeaage tattggaagt tttateagaa geaatgggtt tagaaaaaga 600

agctctaaca

610

<210> 220 <211> 593

<212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (16)..(16) <223> Any nucleotide

<220>

<221> misc feature <222> (23)..(23) <223> Any nucleotide

<220>

<221> misc feature

<222> (41)..(42) <223> Any nucleotides

<220>

<221> misc feature

<222> (45)..(45) <223> Any nucleotide

<220> <221> misc\_feature

<222> (593)..(593) <223> Any nucleotide

<400> 220

aaccccacga caccanaacc canaaacgag cccgtttcct nntcnaacat ggcaccaagc

caaactctaa gttatctctc acaacaaaac actctcgagt caagtttcgt tagggaagaa

gatgageqte caaaagttqc ctacaataac ttcagcaacg agattccaat catttctctt

gctggaattg atgaggttga tqqtcqtaqa acaqaqatat qtaacaaqat tqttqaaqct 240

tgtgagaatt ggggtatttt tcaggttgtt gatcatggtg ttgatacaaa acttgtttct

gagatgacco gttttgctag agagtttttt gctttgccac cggaaqaqaa qctccqqttt

gacatgtccg gtggtaaaaa gggtggtttc attgtctcta gtcatcttca aggaqaaqca

gtgaaggatt ggagagagct agtgacatat ttttcatacc caattaaaca aagagattat

tcaaggtggc cagacaagcc agaaggatgg aaagaggtaa cagaaaaata cagtgaaaac

ctaatgaatt tagcttgcaa gctattggaa gttttatcag aagcaatggg ttn 593

<210> 221

<211> 236 <212> DNA

<213> Trifolium repens

<220>

<221> misc feature

WO 03/031622 PCT/AU02/01345 243/390

<222> <223>	(5)(5) Any nucleotide
<220> <221> <222> <223>	misc_feature (10)(10) Any nucleotide
<220> <221> <222> <223>	misc_feature (18)(18) Any nucleotide
<220> <221> <222> <223>	misc_feature (26)(26) Any nucleotide
<220> <221> <222> <223>	misc_feature (41)(41) Any nucleotide
<220> <221> <222> <223>	misc_feature (43)(43) Any nucleotide
<220><221><222><222><223>	misc_feature (203)(206) Any nucleotides
<220> <221> <222> <223>	misc feature (209)(209) Any nucleotide
<220> <221> <222> <223>	misc_feature (213)(213) Any nucleotide
<220> <221> <222> <223>	misc_feature (216)(217) Any nucleotides
<220> <221> <222> <223>	misc_feature (224)(225) Any nucleotides

<220> <221> misc\_feature

## WO 03/031622 PCT/AU02/01345 244/390

<222> (234)..(236) <223> Any nucleotides

<400> 221 gcacnaacan cacaaacnee caaaangaga cegttteete ntnaaacatg gcaccaagee

aaactctaag ttatctctca caacaaaaca ctctcgagtc aagtttcgtt agggaagaag 120

atgagegtee aaaagttgee tacaataact teageaaega gatteeaate atttetettg

ctggaattga tgaggttgat ggnnnnggna ccnggnnatg tggnnagagg acgnnn 236

<210> 222 <211> 273 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature
<222> (4)..(4)
<223> Any nucleotide

<220>

<221> misc\_feature

<222> (9)...(10) <223> Any nucleotides

<220>

<221> misc\_feature

<222> (13)..(13) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (34)..(34) <223> Any nucleotide

<220>

<221> misc feature

<222> (36)..(36) <223> Any nucleotide

<220>

<221> misc\_featuré
<222> (151)..(151)
<223> Any nucleotide

<220>

<221> misc feature
<222> (198)..(198)
<223> Any nucleotide

<220>

WO 03/031622 PCT/AU02/01345

245/390 <221> misc\_feature <222> (205)..(205) <223> Any nucleotide <220> <221> misc feature <222> (255)..(255) <223> Any nucleotide <220> <221> misc feature <222> (270)..(270) <223> Any nucleotide <220> <221> misc\_feature <222> (273)..(273) <223> Any nucleotide <400> 222 acancaccnn acnccaaaac gagtccgttc cctntnaaca tggcaccaag ccaaactcta agttatetet cacaacaaaa cactetegag teaagttteg ttagggaaga agatgagegt ccaaaagttg cctacaataa cttcagcaac nagattccaa tcatttctct tgctggaatt gatgaggttg atggtcgnag aacanagata tgtaacaaga ttgttgaagc ttgtgagaat 240 tggggtattt ttcangttgt tgatcatggn gtn 273 <210> 223 <211> 572 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (3)..(4) <223> Any nucleotides <220> <221> misc\_feature <222> (8)..(8) <223> Any nucleotide <220>

<221> misc\_feature <222> (16)..(16)

<223> Any nucleotide

<220> <221> misc\_feature <222> (18)..(18)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (39)..(39) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (41)..(42) <223> Any nucleotides

<400> 223

genneaanca caaacnenaa aacgageace gttteetant nnaacatgge accaagecaa

actictaagtt atcticticaca acaaaaaacc gtcgagtcaa gtttcgttag ggaagaagat 120

gagegtecaa aagttgeeta caataaette agcaacgaga ttecaateat ttetettget

ggaattgatg aggttgatgg tcgcagaaca gagatatgta acaagattgt tgaagcttgt

gagaattggg gtatttttca ggttgttgat catggtgttg atacaaagct tgtttctgag

atgactcgtt ttgctagaga gttttttgct ttgccgccgg aagagaagct ccggtttgac

atgtccggtg gtaaaaaggq tgqtttcatt qtctctaqtc atctccaaqq aqaaccaqtq

aaagattqga gagagctagt gacatatttt tcatacccaa ttaaacaaag agattattca 480

aggtggccag acaagccaga aggatggaaa gaagtaacag aaaaatacag tgaasaccta

atgaatttag cttgcaagct attggaagtt tt

<210> 224

<211> 575 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (2)..(2) <223> Any nucleotide

<220>

<221> misc feature

<222> (10)..(10) <223> Any nucleotide

<220>

<221> misc feature

247/390 <222> (12)..(12) <223> Any nucleotide <220> <221> misc feature <222> (16)..(16) <223> Any nucleotide <220> <221> misc\_feature <222> (20)..(20) <223> Any nucleotide <220> <221> misc\_feature <222> (38)..(38) <223> Any nucleotide <220> <221> misc\_feature <222> (41)..(42) <223> Any nucleotides <220> <221> misc\_feature <222> (54)..(54) <223> Any nucleotide <220> <221> misc\_feature <222> (77)..(78) <223> Any nucleotides <220> <221> misc\_feature <222> (99)..(99) <223> Any nucleotide <400> 224 gnacccacan cnaacnccan aaacgagccc gtttcctnct nnaacatggc accnagccaa actetaagtt atetetnnca acaaaacact ettgagtena gtttegttag ggaagaagat 120

gagogtocaa aagttgoota caataactto agcaacgaga ttocaatcat ttotottgot 180

ggaattgatg aggttgatgg tcgtagaaca gagatatgta acaagattgt tgaagcttgt 240

gagaattggg gtatttttca ggttgttgat catggtgttg atacaaaact tgtttctgag

atgacccgtt ttgctagaga gttttttgct ttgccaccgg aagagaagct ccggtttgac 360

atgtccggtg gtaaaaaggg tggtttcatt gtctctagtc atctccaagg agaagcagtg

aaggattgga gagagctagt gacatatttt tcatacccaa ttaaacaaaag agattattca

aggtggccag acaagccaga aggatggaaa gaggtaacag aaaaatacag tgaaaaccta

atgaatttag cttgcaaact attggaagtt ttatc

<210> 225 <211> 596

<212> DNA <213> Trifolium repens

<220>

420

<221> misc\_feature

<222> (10)..(11) <223> Any nucleotides

<220>

<221> misc\_feature

<222> (15)..(15) <223> Any nucleotide

2232 Any nucleotid

<220>

<221> misc\_feature

<222> (26)..(26)

<223> Any nucleotide

<400> 225

ccacaacacn naacnccaaa acgagnccgt ttcctctcaa catggcacca agccaaactc 60

taagttatot otoacaacaa aacaototog agtcaagttt ogttagggaa gaagatgago 120

gtccaaaagt tgcctacaat aacttcagca acgagattcc aatcatttct cttgctggaa

ttgatgaggt tgatggtcgt agaacagaga tatgtaacaa gattgttgaa gcttgtgaga 240

attggggtat ttttcaggtt gttgatcatg gtgttgatac aaaacttgtt tctgagatga 300

cccgttttgc tagagagttt tttgctttgc caccggaaga gaagctccgg tttgacatgt 360

ccggtggtaa aaagggtggt ttcattgtct ctagtcatct ccaaggagaa gcagtgaagg

attggagaga gctagtgaca tatttttcat acccaattaa acaaagagat tattcaaggt

ggccagacaa gccagaagga tggaaagagg taacagaaaa atacagtgaa aacctaatga 540

atttagettg caaactattg gaagttttat cagaagcaat gggtttagaa aaagag 596

249/390 <210> 226 <211> 612 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (9)..(9) <223> Any nucleotide <220> <221> misc\_feature <222> (13)..(13) <223> Any nucleotide <220> <221> misc feature <222> (36)..(36) <223> Any nucleotide <400> 226 cacaacacno acnocaaaac gagecegttt cetetnaaca tggcaccaag ccaaactota agttatetet ecaacaaaac aetettgagt caagtttegt tagggaagaa gatgagegte caaaagttgc ctacaataac ttcagcaacg agattccaat catttctctt gctggaattg 180 atgaggttga tggtcgtaga acagagatat gtaacaagat tgttgaagct tgtgagaatt ggggtatttt tcaggttgtt gatcatggtg ttgatacaaa acttgtttct gagatgaccc 300 gttttgctag agagtttttt gctttgccac cggaagagaa gctccggttt gacatgtccq gtggtaaaaa gggtggtttc attgtctcta gtcatctcca aggagaagca gtgaaggatt ggagagaget agtgacatat ttttcatacc caattaaaca aagagattat tcaaggtgge cagacaagcc agaaggatgg aaagaggtaa cagaaaaata cagtgaaaac ctaatgaatt 540 tagettgeaa actattggaa gttttatcag aagcaatggg tttagaaaaa gaagetetaa 600 caaaagcatq tq 612 <210> 227 <211> 535

<212> DNA

<213> Trifolium repens

<220> <221> misc\_feature

```
250/390
<222> (32)..(32)
<223> Any nucleotide
<220>
<221> misc feature
<222> (69), (69)
<223> Any nucleotide
<400> 227
acaacacaaa cccaaaacga gcccgtttcc tntcaacatg gcaccaagcc aaactctaag
ttatctctnc aacaaaacac tcttgagtca agtttcgtta gggaagaaga tgagcgtcca
aaagttgcct acaataactt cagcaacgag attccaatca tttctcttgc tggaattgat
gaggttgatg gtcgtagaac agagatatgt aacaagattg ttgaagcttg tgagaattgg
240
ggtatttttc aggttgttga tcatggtgtt gatacaaaac ttgtttctga gatgacccgt
300
tttgctagag agttttttgc tttgccaccg gaagagaagc tccggtttga catgtccggt
360
ggtaaaaagg gtggtttcat tgtctctagt catctccaag gagaagcagt gaaggattgg
agagagctag tgacatattt ttcataccca attaaacaaa gagattattc aaggtggcca
gacaagccag aaggatggaa agaggtaaca gaaaaataca gtgaaaacct aatgc
535
<210> 228
<211> 559
<212> DNA
<213> Trifolium repens
<220>
<221> misc feature
<222> (23)..(23)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (33)..(33)
<223> Any nucleotide
<220>
```

<221> misc feature

<222> (559)..(559) <223> Any nucleotide

<400> 228

gcaacacaaa caccaaaacg agneegttte ctntcaacat ggcaccaagc caaactctaa 60

gitatetete ccacaaaaca etettgagte aagtttegtt agggaagaag atgagegtee

aaaagttgcc tacaataact tcagcaacga gattccaatc atttctcttg ctggaattga

tgaggttgat ggtcgtagaa cagagatatg taacaagatt gttgaagctt gtgagaattg 240

gggtattttt caggttgttg atcatggtgt tgatacaaaa cttgtttctg agatgacccq

ttttgctaga gagttttttg ctttgccacc ggaagagaag ctccggtttg acatgtccgg

tggtaaaaag ggtggtttca ttgtctctag tcatctccaa ggagaagcag tgaaggattg gagagageta gtgacatatt tttcataccc aattaaacaa agagattatt caaggtggcc

480 agacaagcca gaaggatgga aagaggtaac agaaaaatac agtgaaaacc taatgaattt

agcttgcaaa ctattggan 559

<210> 229

180

<211> 565 <212> DNA

<213> Trifolium repens

<220> <221> misc\_feature

<222> (3)..(3) <223> Any nucleotide

<400> 229

geneaacaca aaccaaaacg agecegttte etateaacat ggeaccaage caaaccetaa

gttatetete acaacaaaag actettgagt caagtttegt tagggaagaa gatgagegte

caaaagttgc ctacaataac ttcagcaacg agattccaat catttctctt gctggaattg

atgaggttga tggtcgcaga acagagatat gtaacaagat tgttgaagct tgtgagaatt 240

ggggtatttt tcaggttgtt gatcatggtg ttgatacaaa gcttgtttct gagatgactc

gttttgctag agagtttttt gctttgccgc cggaagagaa gctccggttt gacatgtccg

gtggtaaaaa gggtggtttc attgtctcta gtcatctcca aggagaagca gtgaaagatt

ggagagagct agtgacatat ttttcatacc caattaaaca aagagattat tcaaggtggc

cagacaagcc agaaggatgg aaagaagtaa cagaaaaata cagtgaaaac ctaatgaatt 540

```
tagettgcaa getattggaa gtttt
  <210> 230
  <211> 591
  <212> DNA
  <213> Trifolium repens
  <220>
  <221> misc_feature
  <222> (6)..(6)
<223> Any nucleotide
  <220>
  <221> misc_feature
<222> (12)..(12)
<223> Any nucleotide
  <220>
 <221> misc_feature
<222> (16)..(16)
<223> Any nucleotide
  <220>
  <221> misc_feature
 <222> (32)..(32)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (34)..(34)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (38)..(38)
<223> Any nucleotide
 <220>
<221> misc_feature
<222> (74)..(74)
<223> Any nucleotide
<220>
 <221> misc_feature
<222> (591)..(591)
<223> Any nucleotide
<400> 230
caacancaaa cnccanaaac gagcccgttt cntnctcnaa catggcacca agccaaactc
taagttatet eteneaacaa aacaeteteg agteaagttt egttagggaa gaagatgage
gtccaaaagt tgcctacaat aacttcagca acgagattcc aatcatttct cttgctggaa
```

ttgatgaggt tgatggtcga agaacagaga tatgtaacaa gattgttgaa gcttgtgaga

attggggtat ttttcaggtt gttgatcatg gtgttgatac aaaacttgtt tctgagatga 300

cccgttttgc tagagagttt tttgctttgc caccggaaga gaagctccgg tttgacatgt

ccggtggtaa aaagggtggt ttcattgtct ctagtcatct ccaaggagaa gcagtgaagg

attggagaga gctagtgaca tatttttcat acccaattaa acaaagagat tattcaaggt 480

ggccagacaa gccagaagga tggaaagagg taacagaaaa atacagtgaa aacctaatga 540

atttagcttg caaactattg gaagttttat cagaagcaat gggtttagaa n 591

<210> 231 <211> 609

<212> DNA

<213> Trifolium repens

<220>

180

<221> misc\_feature

<222> (14)..(14) <223> Any nucleotide

<220>

<221> misc\_feature <222> (66)..(66) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (76)..(76)
<223> Any nucleotide

<220>

<221> misc\_feature

<222> (84)..(84) <223> Any nucleotide

<220>

<221> misc\_feature <222> (94)..(95) <223> Any nucleotides

<220>

<221> misc feature

<222> (98)..(98) <223> Any nucleotide

<400> 231

254/390 gcagttatet eteneaacaa aacaeteteg agteaagttt egttagggaa gaagatgage gtacancaaa caccanaaac gagncegttt cetnntenaa catggcacca agccaaactc taccaaaagt tgcctacaat aacttcagca acgagattcc aatcatttct cttgctggaa ttgatgaggt tgatggtegt agaacagaga tatgtaacaa gattgttgaa gettgtgaga attggggtat ttttcaggtt gttgatcatg gtgttgatac aaaacttgtt tctgagatga cccgttttgc tagagagttt tttgctttgc caccggaaga gaagctccgg tttgacatgt ccggtggtaa aaagggtggt ttcattgtct ctagtcatct tcaaggagaa gcagtgaagg 420 attggagaga gctagtgaca tatttttcat acccaattaa acaaagagat tattcaaggt 480 ggccagacaa gccagaagga tggaaagagg taacagaaaa atacagtgaa aacctaatga atttagcttg caagctattg gaagttttat cagaagcaat gggtttagaa aaagaagctc taacaaaaq 609 <210> 232 <211> 597 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (11)..(11) <223> Any nucleotide <220> <221> misc\_feature <222> (15)..(16) <223> Any nucleotides <220> <221> misc\_feature <222> (24)..(24) <223> Any nucleotide <220> <221> misc\_feature <222> (26)..(27) <223> Any nucleotides

<220> <221> misc feature <222> (29)..(29)

<223> Anv nucleotide

<400> 232

aacccaaaac ngagnnccgt ttentnntna acatggccca gccaaactct aagttatete

tccaacaaaa cactctcgag tcaagtttcg ttagggaaga agatgagcgt ccaaaagttg

cctacaataa cttcagcaac gagattccaa tcatttctct tgctggaatt gatqaqqttg

atggtcgtag aacagagata tgtaacaaga ttgttgaagc ttgtgagaat tggggtattt

ttcaggttgt tgatcatggt gttgatacaa aacttgtttc tgagatgacc cgttttgcta 300

gagagttttt tgctttgcca ccggaagaga agctccggtt tgacatgtcc ggtggtaaaa

agggtggttt cattgtctct agtcatctcc aaggagaagc agtgaaggat tggagagag 420

tagtgacata tttttcatac ccaattaaac aaagagatta ttcaaggtgg ccagacaagc 480

cagaaggatg gaaagaggta acagaaaaat acagtgaaaa cctaatgaat ttagcttgca

agctattgga agttttatca gaagcaatgg gtttagaaaa agaagctcta acaaaag 597

<210> 233

<211> 418 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (10)..(10) <223> Any nucleotide

<220> <221> misc\_feature

<222> (25)..(25) <223> Any nucleotide

<220> <221> misc feature

<222> (29)..(29)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (31) .. (31)

<223> Any nucleotide

<220>

<221> misc feature

WO 03/031622 PCT/AU02/01345

			256/.	390		
<222> <223>		.(354) scleotide				
<220> <221> <222> <223>	misc_f (361). Any nu	eature .(361) cleotide				
<222>	misc_f (369). Any nu					
<222>	(378)	Teature (378) ucleotide				
<222>	(387)	feature (387) ucleotide				
<222>	(410)	feature (410) ucleotide				
<220> <221> <222> <223>	misc_: (412) Any n	feature (412) ucleotide				
<222>	(415)	feature (415) ucleotide				
<220> <221> <222> <223>	misc_ (418) Any n	feature (418) ucleotide				
<400> acccca	233 cctn a	aaccgagac	cgttncctnt	naacatggca	ccaagccaaa	ctctaagtta
tetete 120	acaa c	aaaacactc	ttgagtcaag	tttcgttagg	gaagaagatg	agegteeaaa
agttgo 180	ctac a	ataacttca	gcaacgagat	tccaatcatt	tetettgetg	gaattgatga
ggttga 240	itggt c	gtagaacag	agatatgtaa	caagattgtt	gaagcttgtg	agaattgggg

tatttttcag gttgttgatc atggtgttga tacaaaactt gtttctgaga tgacccgttt

tgctagagag ttttttgctt tgccaccgga agagaagete eggtttgaca tgtncggtgg

naaaaaaggnt ggctccantq cctqtancca tctccaagga gaaccacccn anganton 418

<210> 234

<211> 570 <212> DNA

<213> Trifolium repens

<220>

300

<221> misc feature

<222> (3)..(4) <223> Any nucleotides

<220>

<221> misc\_feature <222> (13)..(13)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (31)..(32) <223> Any nucleotides

<400> 234

gennaaacac canaaacgag cocgttteet nntegaacat ggcaccaage caaactetaa 60

gttatctctc acaacaaaac actcttgagt caagtttcgt tagggaagaa gatgagcgtc

caaaagttgc ctacaataac ttcagcaacg agattccaat catttctctt qctqqaattq 180

atgaggttga tggtcgtaga acagagatat gtaacaagat tgttgaagct tgtgagaatt

ggggtatttt tcaggttgtt gatcatggtg ttgatacaaa acttgtttct gagatgaccc

gttttgctag agagtttttt gctttgccac cggaagagaa gctccggttt gacatgtccg 360

gtggtaaaaa gggtggtttc attgtctcta gtcatctcca aggagaagca gtgaaqqatt

ggagagaget agtgacatat ttttcatacc caattaaaca aagagattat tcaaggtggc 480

cagacaagcc agaaggatgg aaagaggtaa cagaaaaata cagtgaaaac ctaatgaatt 540

tagettgcaa actattggaa gttttatcag 570

<210> 235

<211> 608

WO 03/031622 PCT/AU02/01345

258/390 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (30)..(30) <223> Any nucleotide <400> 235 caacaccacc caaaacgagc ccgtttcctn tcaacatggc accaagccaa actctaagtt atototoaca acaaaacact ottgagtoaa gtttogttag ggaagaagat gagogtocaa 120 aagttgocta caataactto agcaacgaga ttocaatcat ttotottgot ggaattgatg 180 aggitgatgg tcgtagaaca gagatatgta acaagattgt tgaaqcitgt gagaattggg gtatttttca ggttgttgat catggtgttg atacaaaact tgtttctgag atgacccgtt 300 ttgctagaga gttttttgct ttgccaccgg aagagaagct ccggtttgac atgtccqgtq gtaaaaaggg tggtttcatt gtctctagtc atctccaagg agaagcagtg aaggattgga gagagctagt gacatatttt tcatacccaa ttaaataaag agattattca aggtggccag 480 acaagccaga aggatgqaaa gaqqtaacaq aaaaatacaq tqaaaaccta atgaatttag cttgcaaact attggaagtt ttatcagaag caatqqqttt agaaaaaqaa qctctaacaa aagcatgt 608

<210> 236 <211> 602 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (12).,(12)

<220> <221> misc\_feature <222> (16)..(16) <223> Any nucleotide

<223> Any nucleotide

<220> <221> misc\_feature <222> (28)..(28) <223> Any nucleotide WO 03/031622 PCT/AU02/01345

```
<220>
<221> misc feature
<222> (506)..(506)
<223> Any nucleotide
<220>
<221> misc feature
<222> (536)..(536)
<223> Any nucleotide
<220>
<221> misc feature
<222> (569)..(569)
<223> Any nucleotide
<220>
<221> misc feature
<222> (597)..(597)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (599)..(599)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (601)..(601)
<223> Any nucleotide
<400> 236
caaaccaaaa cngagnccgt ttcctatnaa catggcacca agccaaactc taagttatct
ctcacaacaa aaaaccgtcg agtcaagttt cgttagggaa gaagatgagc gtccaaaagt
120
tgcctacaat aacttcagca acgagattcc aatcatttct cttgctggaa ttgatgaggt
180
tgatggtcgc agaacagaga tatgtaacaa gattgttgaa gcttgtgaga attgggggtat
ttttcaggtt gttgatcatg gtgttgatac aaagcttgtt tctgagatga ctcgttttgc
300
tagagagttt tttgctttgc cgccggaaga gaagctccgg tttgacatgt ccggtggtaa
aaagggtggt ttcattgtct ctagtcgtct ccaaggagaa gcagtgaaag attggagaga
420
gctagtgaca tatttttcat acccaattaa acaaagagat tattcaaggt ggccagacaa
480
gccagaagga tggaaagaag taacanaaaa atacagtgaa aacctaatga atttancttg
540
caagctattg gaagttttat cacaagcant gggattacaa aaagaagctg ttacaananc
```

nt 602

<210> 237 <211> 536 <212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (1)..(1) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (14)..(14)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (22)..(22)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (24)..(24)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (155)..(155)
<223> Any nucleotide

<220>

<221> misc feature <222> (271)...(271) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (314)..(314)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (388)..(388)
<223> Any nucleotide

<220>

<220>
<221> misc\_feature
<222> (395)..(395)
<223> Any nucleotide

<220>

WO 03/031622 PCT/AU02/01345

261/390 <221> misc\_feature <222> (401)..(401) <223> Any nucleotide <220> <221> misc\_feature <222> (499)..(499) <223> Any nucleotide <220> <221> misc\_feature <222> (533)..(533) <223> Any nucleotide <220> <221> misc\_feature <222> (536)..(536) <223> Any nucleotide <400> 237 nacccaaaac gagnccgttt cntnctcaac atggctccta gccaaactct aagttatctc teccacaaaa caetettgag teagtttegt tagggaagaa gatgagegte caaaagttge ctacaataac ttcagcaacg agattccaat cattnctctt gctggaattg atgaggttga tggtcgcaga acagagatat gtaacaagat tgttgaagct tgtgagaatt ggggtatttt 240 tcaggttgtt gatcatggtg ttgatacaaa ncttgtttct gagatgaccc gttttgctag agagtttttt gctntgccac cggaagagaa gctccggttt gacatgtccg gtggtaaaaa gggtggtttc attgtctcta gtcatctnca agganaagca ntgaaggatt ggagagagct agtgacatat ttttcatacc caattaaaca aagagattat tcaaggtggc cagacaagcc agaaggatgg aaagaggtna cagaaaaata cagcgaaaac ctaatgaatt tanctn <210> 238 <211> 572 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (12)..(12) <223> Any nucleotide

<220> <221> misc\_feature <222> (21) .. (21)

WO 03/031622 PCT/AU02/01345 262/390 <223> Anv nucleotide

<220>

<221> misc feature <222> (25)..(26) <223> Any nucleotides

<220> <221> misc\_feature

<222> (28)..(28) <223> Any nucleotide

<220> <221> misc\_feature <222> (30)..(30) <223> Any nucleotide

<220> <221> misc\_feature <222> (39)..(39) <223> Any nucleotide

<220> <221> misc feature <222> (87).. (87)

<223> Any nucleotide <400> 238

caaaccaaaa cngagcccgt nttcnntntn aacatqgcna ccaqccaaac cctaaqttat

ctctcacaac aaaagactct tgagtcnagt ttcgttaggg aagaagatga gcgtccaaaa 120

gttgcctaca ataacttcag caacgagatt ccaatcattt ctcttgctqg aattgatgag

gttgatggtc gcagaacaga gatatgtaac aagattgttg aagcttgtga gaattgqgqt 240

atttttcagg ttgttgatca tggtgttgat acaaagcttg tttctgagat gactcgtttt 300

gctagagagt tttttgcttt gccgccggaa gagaagctcc ggtttgacat gtccggtggt

aaaaagggtg gtttcattgt ctctagtcat ctccaaggag aagcagtgaa agattggagg 420

gagetagtga catattttte atacccaatt aaacaaagag attattcaag gtggccagac

aagccaqaag qatqqaaaqa aqtaacaqaa aaatacagtq aaaacctaat qaatttagct

tgcaagctat tggaagtttt atcagaagca at

<210> 239

WO 03/031622 PCT/AU02/01345 263/390 <211> 573 <212> DNA <213> Trifolium repens <220> <221> misc\_feature
<222> (7)..(7)
<223> Any nucleotide <220> <221> misc\_feature <222> (15)..(15) <223> Any nucleotide <220> <221> misc\_feature
<222> (23)..(23)
<223> Any nucleotide <220> <221> misc\_feature
<222> (25)..(26)
<223> Any nucleotides <220> <221> misc\_feature <222> (28)..(29) <223> Any nucleotides <220> <221> misc\_feature <222> (38)..(38) <223> Any nucleotide <220> <221> misc\_feature <222> (41)..(41) <223> Any nucleotide <220> <221> misc\_feature <222> (65)..(65) <223> Any nucleotide <400> 239 aacaccnaca cgagnccgtt tontnntnna acatggoncc nagccaaact ctaagttatc totoncaaca aaacactoto gagtoaagtt togttaggga agaagatgag ogtocaaaag

ttgcctacaa taacttcagc aacgagattc caatcatttc tcttgctgga attgatgagg

ttgatggtcg aagaacagag atatgtaaca agattgttga agcttgtgag aattggggta 240

tttttcaggt tgttgatcat ggtgttgata caaaacttgt ttctgagatg acccgttttg

ctagagagtt ttttgctttg ccaccggaag agaagctccg gtttgacatg tccggtggta

aaaagggtgg tttcattgtc tctagtcatc tccaaggaga agcagtgaag gattggagag

agctagtgac atatttttca tacccaatta aacaaagaga ttattcaagg tggccagaca

agccagaagg atggaaagag gtaacagaaa aatacagtga aaacctaatg aatttagctt

gcaaactatt ggaagtttta tcagaagcaa tgg 573

<210> 240

<211> 573 <212> DNA

<213> Trifolium repens

<220>

<221> misc feature <222> (8)..(8)

<223> Any nucleotide

<220>

<221> misc\_feature
<222> (14)..(14)
<223> Any nucleotide

<220>

<221> misc\_feature <222> (23)..(24) <223> Any nucleotides

<220>

<221> misc\_feature

<222> (26) ... (26) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (28)..(28) <223> Any nucleotide

<220>

<221> misc feature

<222> (37)..(37) <223> Any nucleotide

<400> 240

aaccaaancc gagnccgttt conntntnaa catggeneca agccaaaccc taagttatet

ctcacaacaa aagactcttg agtcaagttt cgttagggaa gaagatgagc gtccaaaagt 120

WO 03/031622 PCT/AU02/01345

265/390

tgcctacaat aacttcagca acgagattcc aatcatttct cttgctggaa ttgatgaggt

tgatggtcgc agaacagaga tatgtaacaa gattgttgaa gcttgtgaga attggggtat 240

ttttcaggtt gttgatcatg gtgttgatac aaagcttgtt tctgagatga ctcgttttgc 300

tagagagttt tttgctttgc cgccggaaga gaagctccgg tttgacatgt ccggtggtaa

aaagggtggt ttcattgtct ctagtcatct ccaaggagaa gcagtgaaag attggaggga

gctagtgaca tatttttcat acccaattaa acaaagagat tattcaaggt ggccagacaa 480

gccagaagga tggaaagaag taacagaaaa atacagtgaa aacctaatga atttagcttg 540

caagctattg gaagttttat cagaagcaat ggg

```
<210> 241
```

<211> 584

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature

<222> (9)..(9)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (14)..(14) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (19)..(19) <223> Any nucleotide

<220>

<221> misc\_feature <222> (23)..(24)

<223> Any nucleotides

<220>

<221> misc\_feature

<222> (28)..(28) <223> Any nucleotide

<220>

<221> misc\_feature <222> (37)..(37)

<223> Any nucleotide

WO 03/031622 PCT/AU02/01345

266/390 <220>

<221> misc\_feature <222> (40)..(40) <223> Any nucleotide

<400> 241

aaccaaaanc gagneegtnt tenntatnaa catggeneen agecaaaeee taagttatet 60

ctcacaacaa aagactettg agtcaagttt egttagggaa gaagatgage gtecaaaagt 120

tgcctacaat aacttcagca acgagattcc aatcatttct cttgctggaa ttgatgaggt

tgatggtcgc agaacagaga tatgtaacaa gattgttgaa gcttgtgaga attggggtat 240

ttttcaggtt gttgatcatg gtgttgatac aaagcttgtt tctgagatga ctcgttttgc 300

tagagagttt titgctitgc cgccggaaga gaagctccgg titgacatgt ccggtggtaa 360

aaagggtggt ttcattgtct ctagtcatct ccaaggagaa gcagtgaaag attggagaga

gctagtgaca tatttttcat acccaattaa acaaagagat tattcaaggt ggccagacaa 480

gccagaagga tggaaagaag taacagaaaa atacagtgaa aacctaatga atttagcttg 540

caagctattg gaagttttat cagaagcaat gggattagaa aaag 584

<210> 242

<211> 529 <212> DNA

<213> Trifolium repens

<220>

<221> misc feature

<222> (2)..(2) <223> Any nucleotide

<220> <221> misc feature

<222> (6)..(6)

<223> Any nucleotide

<220>

<221> misc feature

<222> (8)..(8)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (12)..(15)

<223> Any nucleotides

<220> <221> misc feature <222> (18)..(18) <223> Any nucleotide <220> <221> misc feature <222> (23)..(23) <223> Any nucleotide <220> <221> misc\_feature <222> (27)..(27) <223> Any nucleotide <220> <221> misc\_feature
<222> (33)..(33)
<223> Any nucleotide <220> <221> misc\_feature <222> (35)..(35) <223> Any nucleotide <220> <220>
<221> misc feature
<222> (49)..(49)
<223> Any nucleotide <220> <221> misc\_feature
<222> (103)..(103)
<223> Any nucleotide <220> <221> misc feature
<222> (332)..(333)
<223> Any nucleotides <220> <220>
<221> misc\_feature
<222> (354)..(354)
<223> Any nucleotide

<220> <221> misc\_feature
<222> (368)..(368)
<223> Any nucleotide

<220> <221> misc\_feature <222> (385)..(385) <223> Any nucleotide

268/390 <220> <221> misc\_feature <222> (413)..(413) <223> Any nucleotide <220> <221> misc feature <222> (425)..(425) <223> Any nucleotide <220> <221> misc feature <222> (428)..(428) <223> Any nucleotide <220> <221> misc\_feature <222> (488)..(488) <223> Any nucleotide <220> <221> misc feature <222> (515)..(515) <223> Any nucleotide <220> <220>
<221> 'misc\_feature
<222> (517)..(517)
<223> Any nucleotide <220> <221> misc\_feature <222> (522)..(522) <223> Any nucleotide <400> 242 tngatntntc tnnnnacnaa agnetentea gtnangtttc gttgggaang aagatgageg tccaaaagtt gcctacaata acttcagcaa cgagattcca atnatttctc ttgctggaat 120 tgatgaggtt gatggtcgca gaacagagat atgtaacaag attgttgaag cttgtgagaa ttggggtatt tttcaggttg ctgatcatgg tgttgataca aagcttgttt ctgagatgac tegttttget agagagtttt ttgetttgee geeggaagag aageteeggt ttgacatgte 300 cggtggtaaa aagggtggtt tcattgtctc tnntcatctc caaggagaag cagngaaaga

ttggaganag ctagtgacat atttntcata cccaattaaa caaagagatt atncaaggtg 420 gtcanacnag ccagaaggat ggaaagaagt aacagaaaaa tacagtgaaa acctaatgaa

PCT/AU02/01345

480

480 tttaccingc aagctatigg aagttitata ataancnatg gnattaaga <210> 243 <211> 698 <212> DNA <213> Trifolium repens <220> <221> misc feature <222> (3)..(3) <223> Anv nucleotide <220> <221> misc\_feature <222> (9)..(10) <223> Any nucleotides <220> <221> misc feature <222> (17)..(17) <223> Any nucleotide <220> <221> misc feature <222> (26)..(26) <223> Any nucleotide <220> <221> misc\_feature <222> (685)..(685) <223> Any nucleotide <400> 243 gtnaccagnn tgttganctt gtgagnattg gggtattttt caggttgttg atcatggtgt tgatacaaga cttgtttctg agatgacccg ttttgctaga gagttttttg ctttgccacc ggaagagaag ctccggtttg acatgtccgg tggtaaaaag ggtggtttca ttgtctctag 180 tcatctccaa ggagaagcag tgaaggattg gagagagcta gtgacatatt tttcataccc aattaaacaa agagattatt caaggtggcc agacaagcca gaaggatgga aagaggtaac 300 agaaaaatac agtgaaaacc taatgaattt agcttgcaaa ctattggaag ttttatcaga agcaatgggt ttagaaaaag aagctctaac aaaagcatgt gttgatatgg atcaaaaagt

tgttataaat tattacccaa aatgccctga acctgacctc acacttggcc ttaaacgtca

cactgacct ggcacaatta ctettttget teaagateaa gttggtggte ttcaagetae

caaagataat ggtaagacgt ggattacagt tcaaccagtt gaaggtgctt ttgttgttaa

tettggagae catggteact atctaagtaa tggacggtte aaaaatgetg accatcaage

agtggtgaat tegaactaca geegnttate aatageaa

<210> 244

579 <211> <212> DNA

<213> Trifolium repens

<220> <221> misc feature

<222> (4) ... (4) <223> Any nucleotide

<220>

<221> misc\_feature <222> (20)..(20) <223> Any nucleotide

<220>

<221> misc\_feature <222> (29)..(29)

<223> Any nucleotide

<220> <221> misc\_feature <222> (83)..(83) <223> Anv nucleotide

<400> 244

atchaaaaqt tqtqataaan tattacccna aatgccctga acctgacctc acacttggcc

ttaaacqcca cactgaccct ggnacaatta ctcttttgct tcaagatcaa gttggtggcc

ttcaagctac caaagataat ggtaagacgt ggattacagt tcaaccagtt gaaggtgctt

ttgttgttaa tettggagac catggteatt atetaagtaa tggaeggtte aaaaatgetg 240

accaccaage agtggtgaat tegaactaca geegtttate aatagcaaca ttteaaaate

cageteeega tgcaactgta taccetttga agattagaga gggtgaaaaa tetgtgttgg

aagaaccaat cacttttgct gaaatgtata gaaggaagat gaccaaagac cttgaaattg

ctaggatgaa gaagttggct aaggaacaac aacttaggga cttggaggag aacaagacta 480

aatatgaggc caaacctttg aatgagatct ttgcttaatt aattagtctt aatttaaata 540 attaataaat tttagactta atttacatat aataatttt <210> 245 <211> 601 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc feature <222> (22)..(22) <223> Any nucleotide <220> <221> misc\_feature <222> (30)..(30) <223> Any nucleotide <400> 245 gnagcataac ataaaccctg tncccgattn atgtaacaca atctcccctt ttcttattac aagtaaaata ccataacaca ataatatgaa taccataatc ttgaatcata caaacaacct 120 tggatcaaac aaaacaacaa ccatggttga tctagaaaca gaaccaagtt caccatttat tcaatcccca gaacacagac caaaatcctc aataatcatt gctgaaggta tccctctaat tgatctcact cctataaact acaaagatga aatcatcacc aacccacttt ccattgaaga 300 cttagtcaaa gaaataggca aagcatgtaa agaatggggt ttctttcaag tgattaatca caaagttoot ttggataaac gtgaaaggat tgaagaatot tcaaagaagt tttttgaact 420

tagtttggag gaaaaactta aggtgagaag agatgaagtt aatttgcttg gttattttga agctgagcat acaaaaaatg ttagggactg gaaggaaatt tatgatttta atgtqcaaca

540 accaactttt ataccacctt cggatgacca aagttttcag tttcaatggg aaaatcgatg

600

601

<210> 246

<211> 172 <212> PRT

<213> Trifolium repens

<400> 246

Met Asn Thr Ile Ile Leu Asn His Thr Asn Asn Leu Gly Ser Asn Lys

Thr Thr Thr Met Val Asp Leu Glu Thr Glu Pro Ser Ser Pro Phe Ile

Gln Ser Pro Glu His Arg Pro Lys Ser Ser Ile Ile Ile Ala Glu Gly 35 40

Ile Pro Leu Ile Asp Leu Thr Pro Ile Asn Tyr Lys Asp Glu Ile Ile 55

Thr Asn Pro Leu Ser Ile Glu Asp Leu Val Lys Glu Ile Gly Lys Ala 70

Cys Lys Glu Trp Gly Phe Phe Gln Val Ile Asn His Lys Val Pro Leu

Asp Lys Arg Glu Arg Ile Glu Glu Ser Ser Lys Lys Phe Phe Glu Leu 100 105

Ser Leu Glu Glu Lys Leu Lys Val Arg Arg Asp Glu Val Asn Leu Leu

Gly Tyr Phe Glu Ala Glu His Thr Lys Asn Val Arg Asp Trp Lys Glu

Ile Tyr Asp Phe Asn Val Gln Gln Pro Thr Phe Ile Pro Pro Ser Asp

Asp Gln Ser Phe Gln Phe Gln Trp Glu Asn Arg Trp

<210> 247

<211> 585 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (13)..(13) <223> Any nucleotide

<400> 247

ttacccaaca atnatgtgtg actgatgtta gtgtaccagg aaagatggga gaggtggatc

cagetttett caaatecaga aaataggeca aaaettteea taatecaage tgaaggaatt

cotgtaatca atototococ attaattoac cacacagtto aagactocto tgocattgaa

agettagtca aagaaatagg aaatgettge aaggaatggg gtttetteea agtaacaaac  $240\,$ 

catggtgtcc ctctaaatct aaggctcaga ctcgaggaag ctaccaaagt tttctttgca 300

cagagtttgg aggagaagag gaagettace gtagatgata acagtttgcc tggttatcat

gatacagage acaccaagaa tgtcagagae tggaaagaag tgtttgattt tttatccaaa 420

gaccocactt tgattcctct gaattctgat gaacatgatg atcgagtcac tcaatggact 480

aatccatccc ctcaatatcc tccaaacttc aaagttattt tggaagagta tattaaagag

atggaaaagc taggctttaa gttgctagag cttatagctt tgagc 585

<210> 248 <211> 187

<211> 187 <212> PRT

<213> Trifolium repens

<400> 248

Met Leu Val Tyr Gln Glu Arg Trp Glu Arg Trp Ile Gln Leu Ser Ser 1 10 15

Asn Pro Glu Asn Arg Pro Lys Leu Ser Ile Ile Gln Ala Glu Gly Ile 20 \$25\$

Pro Val Ile Asn Leu Ser Pro Leu Ile His His Thr Val Gln Asp Ser 35 40 45

Ser Ala Ile Glu Ser Leu Val Lys Glu Ile Gly Asn Ala Cys Lys Glu 50 60

Trp Gly Phe Phe Gln Val Thr Asn His Gly Val Pro Leu Asn Leu Arg  $65 \hspace{1cm} 70 \hspace{1cm} 75 \hspace{1cm} 75$ 

Leu Arg Leu Glu Glu Ala Thr Lys Val Phe Phe Ala Gln Ser Leu Glu 85 90 95

Asp Thr Glu His Thr Lys Asn Val Arg Asp Trp Lys Glu Val Phe Asp 115 120 125

Phe Leu Ser Lys Asp Pro Thr Leu Ile Pro Leu Asn Ser Asp Glu His 130 135

Asp Asp Arg Val Thr Gln Trp Thr Asn Pro Ser Pro Gln Tyr Pro Pro 145 150 150 160

Gly Phe Lys Leu Leu Glu Leu Ile Ala Leu Ser 180 185

<210> 249

<211> 604 <212> DNA

<213> Trifolium repens

<400> 249

gggaatggtg gaggcgaatg tgaccctagg gctgatgaat tagtaatggt agttgagctt

atggcgttag ctggagtttt caatattggt gattttgttc ctgctttgga atggttagat  $120\,$ 

attcaaggtg tacaaggaaa aatgaagaaa ttacataaaa gatttgatgc atttttaact

agcattattg aagatcacat gatttccaag agtgagaagc ataatgactt attgagtacg 240

ttgttatoac taaaagaaaa agttgatgag gatggtgaca aacttaatga tactgagatc 300

aaagcattac tettgaacat gtteacaget ggaacagaca catcatcaag cacaacagag 360

tgggctattg ctgaactaat aaaaaatcca aaactaatga ttcgtgttca aaatgagttg  $420\,$ 

gacactgttg tgggccgaga caagettgta actgaacaag acttggccca tetteettac

ttagaggetg taataaagga gacatttegt etecateeat caacceetet tteteteeca  $540\,$ 

cgtgttgcaa caaatagttg tgaaatcctc gactatcaca ttcccaaagg tgcaactctc 600

tt**g**g 604

<210> 250 <211> 201 <212> PRT

<213> Trifolium repens

<400> 250

Gly Asn Gly Gly Gly Glu Cys Asp Pro Arg Ala Asp Glu Leu Val Met  $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$ 

Val Val Glu Leu Met Ala Leu Ala Gly Val Phe Asn Ile Gly Asp Phe

Val Pro Ala Leu Glu Trp Leu Asp Ile Gln Gly Val Gln Gly Lys Met

Lys Lys Leu His Lys Arg Phe Asp Ala Phe Leu Thr Ser Ile Ile Glu

Asp His Met Ile Ser Lys Ser Glu Lys His Asn Asp Leu Leu Ser Thr 65 70 75 B0

Leu Leu Ser Leu Lys Glu Lys Val Asp Glu Asp Gly Asp Lys Leu Asn 85 90 95

Asp Thr Glu Ile Lys Ala Leu Leu Leu Asn Met Phe Thr Ala Gly Thr 100 \$100\$

Asp Thr Ser Ser Ser Thr Thr Glu Trp Ala Ile Ala Glu Leu Ile Lys \$125\$

Asn Pro Lys Leu Met Ile Arg Val Gln Asn Glu Leu Asp Thr Val Val 130 135 140

Gly Arg Asp Lys Leu Val Thr Glu Gln Asp Leu Ala His Leu Pro Tyr 145 150 150 155

Leu Glu Ala Val Ile Lys Glu Thr Phe Arg Leu His Pro Ser Thr Pro 165 170 175

Leu Ser Leu Pro Arg Val Ala Thr Asn Ser Cys Glu Ile Leu Asp Tyr 180 180 190

His Ile Pro Lys Gly Ala Thr Leu Leu 195 200

<210> 251

<211> 581 <212> DNA

<213> Trifolium repens

<400> 251

gggaatggtg gaggcgaatg tgaccctagg gctgatgaat ttaagtaatg gtagttgagc

ttatggcgtt agctggagtt ttcaatattg gtgattttgt tcctgctttg gaatggttag 120

atattcaagg tgtacaagga aaaatgaaga aattacataa aagatttgat gcatttttaa 180

ctagcattat tgaagatcac atgatttcca agagtgagaa gcataatgac ttattgagta

240

cgttgttatc actaaaagaa aaagttgatg aggatggtga caaacttaat gatactgaga

tcaaagcatt actottgaac atgttcacag ctggaacaga cacatcatca agcacaacag 360

agtgggctat tgctgaacta ataaaaaatc caaaactaat gattcgtgtt caaaatgagt 420

tggacactgt tgtgggccga gacaagcttg taactgaaca agacttggcc catctteett  $480\,$ 

acttagaggc tgtaataaag gagacatttc gtctccatcc atcaacccct ctttctctcc

cacgtgttgc aacaaatagt tgtgaaatcc tcgactatca c 581

<210> 252

<211> 603 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (44)..(44) <223> Any nucleotide

<400> 252

aatggtggag gtgaatgtga ccctagggct gatgaattta agtnatggta gttgagctta

tggcgttagc tggagttttc aatattggtg attttgttcc tgctttggaa tggttagata 120

ttcaaggtgt acaaggaaaa atgaagaaat tacataaaag atttgatgca tttttaacta 180

gcattattga agatcacatg atttccaaga gtgagaagca taatgactta ttgagtacgt 240

tgttatcact aaaagaaaaa gttgatgagg atggtgacaa acttaatgat actgagatca 300

aagcattact ottgaacatg t<br/>tcacagetg gaacagacac atcatcaagc acaacagag<br/>t $360\,$ 

gggctattgc tgaactaata aaaaatccaa aactaatgat tcgtgttcaa aatgagttgg 420

acactgttgt gggccgagac aagcttgtaa ctgaacaaga cttggcccat cttccttact 480

tagaggetgt aataaaggag acatttegte teeatecate aacceetett teteteecac 540

gtgttgcaac aaatagttgt gaaatcotog actatoacat toccaaaggt gcaactotot

tgg

603

<210> 253 <211> 621 <212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (2)..(2) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (38)..(38)
<223> Any nucleotide

<220>

<221> misc\_feature <222> (40)..(40) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (44)..(44)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (47)..(47)
<223> Any nucleotide

<220>

<221> misc\_feature <222> (58)..(58) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (91)..(91) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (104)..(105) <223> Any nucleotides

<220>

<220>
<221> misc\_feature
<222> (120)..(120)
<223> Any nucleotide

<220>

<221> misc feature

<222> (124)..(124) <223> Any nucleotide

278/390 <220> <221> misc feature <222> (566)..(566) <223> Any nucleotide <220> <221> misc feature <222> (598)..(598) <223> Any nucleotide <400> 253 gnaggaaatt tcaactaaat attgccttta attctttntn atanatnttt gaatttcntt ctccctaaaa attctatagc taccacatca ncacaacata acannaatta agaaatattn 120 tatntactat tttaagatat ggaagtagta gcagcagcaa tcacaaaaaa caatggcaag 180 attgattcat tttgcttgaa tcatgctaat gctaataaca tgaaagtgaa tggtgctgat cctttgaatt ggggtgtggc tgctgaggca atgaagggaa gtcacttgga tgaggtgaag cgtatggtgg aggaataccg gaaaccggtt gtccgtcttg gtggcgagac actgacgatt tctcaggtgg ctgccattgc tgcacacgat ggtgcaacgg tggagctatc ggaatctgct agagooggog ttaaggogag cagtgactgg gttatggaga gtatgaacaa aggtacagac 480 agttatggtg tcactacagg gttcggcgct acctcgcacc gccqaaccaa acaaggtggt getttgeaga aagageteat aaggintitt gaatgeagga atatttggaa atggaaentg 600 agacaaagcc acacactacc c 621 <210> 254

<210> 254 <211> 159 <212> PRT

<213> Trifolium repens

<400> 254

Met Glu Val Val Ala Ala Ala Ile Thr Lys Asn Asn Gly Lys Ile Asp 1 10 15

Ser Phe Cys Leu Asn His Ala Asn Ala Asn Asn Met Lys Val Asn Gly  $20 \hspace{1cm} 25 \hspace{1cm} 30 \hspace{1cm}$ 

Ala Asp Pro Leu Asn Trp Gly Val Ala Ala Glu Ala Met Lys Gly Ser 35 40 45

His Leu Asp Glu Val Lys Arg Met Val Glu Glu Tyr Arg Lys Pro Val 50 55

Val Arg Leu Gly Gly Glu Thr Leu Thr Ile Ser Gln Val Ala Ala Ile

Ala Ala His Asp Gly Ala Thr Val Glu Leu Ser Glu Ser Ala Arg Ala

Gly Val Lys Ala Ser Ser Asp Trp Val Met Glu Ser Met Asn Lys Gly

Thr Asp Ser Tyr Gly Val Thr Thr Gly Phe Gly Ala Thr Ser His Arg

Arg Thr Lys Gln Gly Gly Ala Leu Gln Lys Glu Leu Ile Arg Phe Glu

Cys Arg Asn Ile Trp Lys Trp Asn Arg Gln Ser His Thr Leu Pro

<210> 255

<211> 582

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (2)..(3) <223> Any nucleotides

<220>

<221> misc\_feature

<222> (11)..(11) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (38)..(38) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (40)..(40)
<223> Any nucleotide

<220>

<221> misc feature

<222> (44)..(44) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (47)..(47)

<223> Any nucleotide <220> <221> misc\_feature <222> (91)..(91) <223> Any nucleotide <220> <221> misc\_feature <222> (104)..(105) <223> Any nucleotides <220> <221> misc\_feature
<222> (120)..(120)
<223> Any nucleotide <220> <221> misc\_feature <222> (124)..(124) <223> Any nucleotide <220> <221> misc\_feature <222> (154)..(154) <223> Any nucleotide <220> <221> misc\_feature <222> (405)..(405) <223> Any nucleotide <220> <221> misc\_feature <222> (516)..(516) <223> Any nucleotide <220> <221> misc\_feature <222> (549)..(549) <223> Any nucleotide <400> 255 gnnggaaatt ncaactaaat attgeettta attettinin atanaintit gaattieett ctccctaaaa attctataqc taccacatca ncacaacata acannaatta agaaatattn 120 tatntactat tttaagatat qqaaqtagta qcancagcaa tcacaaaaaa caatggcaag 180 attgattcat tttgcttgaa tcatgctaat gctaataaca tgaaagtgaa tggtgctgat

cctttgaatt ggggtgtggc tgctgaggca atgaagggaa gtcacttgga tgaggtgaag

300

cgtatggtgg aggaataccg gaaaccggtt gtccgtcttg gtggcgagac gctgacgatt 360

totcaggtgg etgecattge tgcacacgat ggtgcaacgg tgganctate ggaatetget

agagccggcg ttaaggcgag cagtgactgg gttatggaga gcatgaacaa aggtacagac 480

agttatggtg tcactacggg gttcggcgct acctencacc gccgaaccaa acaaggtggt

octttocana aagageteat aagetaattt gettotote at 582

```
<210> 256
```

<211> 621 <212> DNA

<213> Trifolium repens

<220>

<221> misc feature <222> (2)..(2)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (24)..(24) <223> Any nucleotide

<220> <221> misc\_feature

<222> (40)..(40) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (44) ... (44) <223> Any nucleotide

<220> <221> misc\_feature

<222> (47) .. (47)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (58)..(58) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (91)..(91) <223> Any nucleotide

<220> <221> misc feature WO 03/031622 PCT/AU02/01345

<222> (104)..(105) <223> Any nucleotides <220> <221> misc\_feature <222> (120)..(120) <223> Any nucleotide <220> <221> misc\_feature <222> (124)..(124) <223> Any nucleotide <220> <221> misc\_feature <222> (131)..(131) <223> Any nucleotide <220> <221> misc\_feature <222> (566)..(566) <223> Any nucleotide <220> <221> misc\_feature
<222> (598)..(598)
<223> Any nucleotide <220> <221> misc\_feature <222> (605)..(605) <223> Any nucleotide <400> 256 gnaggaaatt acaactaaat attnocttta attotttatn atanatnttt gaatttontt ctccctaaaa attctatagc taccacatca ncacaacata acannaatta aqaaatattn tatntactat nttaagatat ggaagtagta gcagcagcaa tcacaaaaaa caatggcaag attgattcat tttgcttgaa tcatgctaat gctaataaca tgaaagtgaa tggtgctgat 240 cctttgaatt ggggtgtggc tgctgaggca atgaagggaa gtcacttgga tgaggtgaag cgtatggtgg aggaataccg gaaaccggtt gtccgtcttg gtggcgagac actaaccatt 360 totcaggtgg ctgccattgc tgcacacgat ggtgcaacgg tggagctatc ggaatctgct

agagooggog ttaaggoaag cagtgactgg gttatggaga gtatgaacaa aggtaccgac

agetacggtg teccaacagg gtteggeget acetegeace geegaaceaa acaaggtggt

480

540

gctttgcaga aagagctcat aaggtntttt gaatgctgga atatttggaa atggaacntg

agtenaagee acacactace c

<210> 257

<211> 600 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature
<222> (20)..(21)
<223> Any nucleotides

<220>

<221> misc\_feature
<221> (28)..(28)
<223> Any nucleotide

<220>

<221> misc feature

<222> (33)..(33) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (42)..(42)
<223> Any nucleotide

<220>

<221> misc\_feature

<222> (48)..(48) <223> Any nucleotide

<220>

<221> misc\_feature <222> (57)..(57) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (127)..(128)
<223> Any nucleotides

<220>

<220>
<221> misc\_feature
<222> (556)..(556)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (592)..(592)
<223> Any nucleotide

<400> 257 tcaagaaatt acactetttn nttetttnta atntttgttt tnatttentt etetetneaa atactatagt taccaaaaca taacaaagta acacttatta ctagctatta tttgtatcaa tttaagnnat ggaagtagta gcagcagcaa tcacaaaaaa caacggaaag attgattcat 180 tttgcttgaa tcatgctaat gctaataaca tgaaagtgaa tggtgctgat cctttgaatt 240 ggggtgtggc tgctgaggca atgaaaggaa gtcacttgga tgaggtgaag tgtatggtgg 300 aggagtatcg aaaaccggtt gtccgtcttg gtggcgagac actgacgatt tctcaagtgg ctgccattgc tgcacacgat ggtgcgacgg tggagctatc ggaatctgct agagccggcg 420 ttaaggcgag cagtgactgg gttatggaaa gtatgaacaa aggtactgac agttatggtg 480 tcactacagg gttcggcgct acctcgcacc gccgaaccaa acaaggtggt gctttgcaga aagagctcat aaggtntttt gaatgcagga atatttggaa atggaacttg anacaaatcc 600 <210> 258 <211> 693 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (2)..(2) <223> Any nucleotide <220> <221> misc\_feature <222> (9)..(9) <223> Any nucleotide <220> <221> misc\_feature <222> (14)..(14) <223> Any nucleotide <220> <221> misc\_feature <222> (47)..(47)

<220>
<221> misc\_feature
<222> (52)..(52)

<223> Any nucleotide

<223> Any nucleotide <220> <221> misc feature <222> (60)..(60) <223> Any nucleotide <220> <221> misc\_feature <222> (86)..(86) <223> Any nucleotide <220> <221> misc\_feature <222> (95)..(95) <223> Any nucleotide <400> 258 gnaggaaana attntattgt tattatttcc ccccacacaa cggaaanaat tntattgttn cttatttccc cccacacaac ataacnaata cattntcctc tcctctcatc acaattatta 120 180 gccatgctga agcaactttt tgcgtgacca aaagtgttgg tgatccactc aactggggtg cagccgcgga gtcgttgatg gggagtcatt tggatgaggt gaagcgtatg gtggaggaat 300 accgtaatcc attggttaaa attggcggcg agacgcttac cattgctcag gtggctggaa 360 ttgcttctca tgatagtggt gtgagggtgg agctgtctga gtccgccagg gccggcgtta 420 aggcgagtag tgattgggtg atggacagca tgaacaatgg gactgatagt tatggtgtta ccaccggttt cggcgccacc tctcaccgga gaaccaagca gggtggtgcc ttgcagaagg agctaattag gtttttgaat gctggaatat ttggcaatgg tacagaatct aactgtacac 600 taccacaca agcaaccaga gctgcaatgc ttgtgagaat caacactctt cttcaagagg aatatttctt gaatggcctt tgtaaatttt tgg 693 <210> 259

<210> 259 <211> 177 <212> PRT

<213> Trifolium repens

<400> 259

Met Glu Gly Ile Thr Asn Gly His Ala Glu Ala Thr Phe Cys Val Thr

Lys Ser Val Gly Asp Pro Leu Asn Trp Gly Ala Ala Ala Glu Ser Leu

Met Gly Ser His Leu Asp Glu Val Lys Arg Met Val Glu Glu Tyr Arg

Asn Pro Leu Val Lys Ile Gly Gly Glu Thr Leu Thr Ile Ala Gln Val

Ala Gly Ile Ala Ser His Asp Ser Gly Val Arg Val Glu Leu Ser Glu

Ser Ala Arg Ala Gly Val Lys Ala Ser Ser Asp Trp Val Met Asp Ser

Met Asn Asn Gly Thr Asp Ser Tyr Gly Val Thr Thr Gly Phe Gly Ala 105

Thr Ser His Arg Arg Thr Lys Gln Gly Gly Ala Leu Gln Lys Glu Leu

Ile Arg Phe Leu Asn Ala Gly Ile Phe Gly Asn Gly Thr Glu Ser Asn 130 135 140

Cys Thr Leu Pro His Thr Ala Thr Arg Ala Ala Met Leu Val Arg Ile 145

Asn Thr Leu Leu Gln Glu Glu Tyr Phe Leu Asn Gly Leu Cys Lys Phe 165 170

Leu

<210> 260 <211> 592

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature

<222> (2)..(2) <223> Any nucleotide

<220>

<221> misc feature

<222> (9)..(9) <223> Any nucleotide

<220>

<221> misc\_feature <222> (14)..(14) <223> Any nucleotide <220> <221> misc\_feature <222> (53)..(53) <223> Any nucleotide <220> <221> misc\_feature
<222> (60)..(60)
<223> Any nucleotide <220> <221> misc\_feature
<222> (77)..(77)
<223> Any nucleotide <220> <221> misc\_feature
<222> (86)..(87)
<223> Any nucleotides <220> <221> misc\_feature <222> (92)..(92) <223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (96)..(96)
<223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (99)..(99)
<223> Any nucleotide <220> <221> misc\_feature
<222> (101)..(102)
<223> Any nucleotides <220> <220>
<221> misc\_feature
<222> (105)..(106)
<223> Any nucleotides <220> <221> misc\_feature <222> (128)..(128) <223> Any nucleotide

<221> misc\_feature <222> (592)..(592)

<223> Any nucleotide

<400> 260

gnaggaaana attntattgt tattatttcc ccccacacaa cataacaaat acnattattn

ctctcctctc atcacanatt attacnnttt cntacnacnc nnctnncctc tcaactatta

ttaactangc ataatggagg gaattaccaa tggccagctg ctttcaaaaa aaaaccaatg

gccatgctga aacaactttt tgcgtgacca aaagtgttgg tgatccactc aactggggtg 240

cagcegegga gtegttgacg ggtagteatt tggatgaggt gaagegtatg gtggaggagt

acceptaatice gttqqttaaa attqqcqqcq aqacqcttac cattqctcaq qtqqctqqaa 360

ttgcttctca tgatagtggt gtgagggtgg agctgtccga gtccgcaagg gccggcgtta

aggogagtag tgattgggtg atggatagca tgaacaatgg gactgatagt tacggtgtta

ccaccggttt tggtgccacc tctcaccgga gaaccaagca gggtggtgcc ttgcagaagg 540

agctaattag gtttttgaat gctggaatat ttggcaatgg tacagaatct an 592

<210> 261 <211> 618

<212> DNA <213> Trifolium repens

<220> <221> misc\_feature

<222> (8)..(8) <223> Any nucloetide

<220>

<221> misc\_feature <222> (13)..(13) <223> Any nucloetide

<220>

<221> misc\_feature

<222> (21)..(22) <223> Any nucloetides

<220>

<221> misc feature

<222> (56), (56)

<223> Any nucloetide

<220>

<221> misc feature

<220> <221> misc feature <222> (91)..(92) <223> Any nucloetides <400> 261 gaggaaanaa tintatigit nnttitteet acceacacaa cataacaaat acatinteet ctcctctcat cacaattatt actttctaca nncccccctc tcaaqtatta ttaactaaca taatggaggg aattaccaat ggccatgctg aagcaacttt ttgcgtgacc aaaagtgttg 180 gtgatccact caactggggt gcagccgcgg agtcgttgat ggggagtcat ttggatgagg tgaagcgtat ggtggaggaa taccqtaatc cattgqttaa aattgqcqqc qaqacqctta ccattgctca ggtggctgga attgcttctc atgatagtgg tgtgagggtg gagctgtctg 360 agtccgcgag ggccggcgtt aaggcgagta gtgattgggt gatggacagc atgaacaatg ggactgatag ttatggtgtt accaccggtt tcggtgccac ctctcaccgg agaaccaagc 480 aaggtggtgc cttgcagaag gagctaatta ggtttttgaa tgctggaata tttgqcaatq 540 gtacagaatc taactgtaca ctaccacaca cagcaaccag agctgcaatg cttgtgagaa 600 tcaacactct tcttcaag <210> 262 <211> 654 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (9)..(9) <223> Any nucleotide <220> <221> misc\_feature <222> (14)...(14) <223> Any nucleotide <220> <221> misc feature <222> (19)..(19) <223> Any nucleotide

VO 03/031622		
<222> <223>	(21)(21) Any nucleotide	
<220> <221> <222> <223>	misc_feature (38)(38) Any nucleotide	
<220> <221> <222> <223>	misc_feature (47)(47) Any nucleotide	
<220> <221> <222> <223>	misc_feature (58)(58) Any nucleotide	
<220> <221> <222> <223>	misc_feature (60)(60) Any nucleotide	
<220> <221> <222> <223>	misc_feature (66)(66) Any nucleotide	
<220> <221> <222> <223>	misc_feature (89)(90) Any nucleotides	
<220> <221> <222> <223>	misc_feature (167)(167) Any nucleotide	
<220> <221> <222> <223>	misc_feature (216)(216) Any nucleotide	
<220> <221> <222> <223>	misc_feature (228)(228) Any nucleotide	

<220>

<220> <221> misc\_feature

<220>
<221> misc\_feature
<222> (245)..(245)
<223> Any nucleotide

<222> (338)..(338) <223> Any nucleotide <220> <221> misc\_feature <222> (340)..(340) <223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (364)..(364)
<223> Any nucleotide <220> <221> misc\_feature
<222> (383)..(383)
<223> Any nucleotide <220> <221> misc feature <222> (398)..(398) <223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (410)..(410)
<223> Any nucleotide <220> <221> misc\_feature
<222> (437)..(437)
<223> Any nucleotide <220> <221> misc\_feature <222> (440)..(440) <223> Any nucleotide <220> <221> misc\_feature
<222> (565)..(565)
<223> Any nucleotide <220> <221> misc\_feature
<222> (580)..(580)
<223> Any nucleotide

<220>
<221> misc\_feature
<222> (583)..(583)
<223> Any nucleotide

<220> <221> misc\_feature

<223> Any nucleotide

```
<222> (601)..(602)
<223> Any nucleotides
<220>
<221> misc feature
<222> (608)..(608)
<223> Any nucleotide
<220>
<221> misc_feature 
<222> (617)..(618)
<223> Any nucleotides
<400> 262
ccttgaatna ttgntttgnc ncacccaaca caacatanac aaatacnatt tcttgctncn
ctactngcat cacaattatt actttctann caccccctc tcaactatta ttaactaaca
taatggaggg aattactaat ggccatgctg aagcaacttt ttgcgtnacc aaaagtgttg
180
gtgatccact caactggggt gcagccgcgg agtcgntgat ggggagtnat ttggatgagg
tgaancgtat ggtggaggaa taccgtaatc cattggttaa aattggcggc gagacgctta
ccattgctca ggtggctgga attgcttctc atgatagngn tgtgagggtg gagctgtctg
360
agtnogcoag ggccggcgtt aangcgagta gtgattgngt gatggacagn atgaacaatg
420
ggactgatag ttatggngtn accaccggtt tcggcgccac ctctcaccgg agaaccaagc
agggtggtgc cttgcaaaag gagctaatta tgtttttgaa tgctggaata tttggcaatg
gtacagaatc taactgtaca cttcnacaca cagcaaccan agntgcattg ctttggtgca
nnatcacnct tottotnnag gaatatttot tgaatggcot ttgtaaattt ttgg
654
<210> 263
<211> 590
<212> DNA
<213> Trifolium repens
<220>
<221> misc feature
<222> (6) ... (6)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (13)..(13)
```

```
<220×
<221> misc_feature
<222> (19)..(21)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (37)..(37)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (45)..(45)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (54)..(54)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (66)..(66)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (66) .. (66)
<223>
<220>
<221> misc_feature
<222> (89)..(90)
<223> Any nucleotides
<400> 263
ggaaanaatt atnttqttnn ntttttcccc ccacacnaca taacnaatac attntcttct
cctctnatca caattattac tttctacann cccccctctc aactattatt aactaacata
atggagggaa ttactaatgg ccatgctgaa gcaacttttt qcqtqaccaa aaqtqttqqt
180
gatccactca actggggtgc agccgcggag tcgttgatgg ggagtcattt ggatgaggtg
240
aagogtatgg tggaggaata cogtaatoca ttggttaaaa ttggcggcga gacgettacc
300
attgctcagg tggctggaat tgcttctcat gatagtggtg tgagggtgga gctgtctgag
tccgccaggg ccggcgttaa ggcgagtagt gattgggtga tggacagcat gaacaatggg
420
```

actgatagtt atggtgttac caccggtttc ggcgccacct ctcaccggag aaccaagcag 480 ggtggtgcct tgcagaagga gctaattagg tttttgaatg ctggaatatt tggcaatggt

acagaatcta actgtacact accacacacg gcaaccagag ctgcaatgct

<210> 264 <211> 616

<212> DNA <213> Trifolium repens

<220>

590

<221> misc\_feature <222> (6)..(6)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (29)..(29)

<223> Any nucleotide

<220>

<221> misc\_feature

<222> (54)..(54) <223> Any nucleotide

.2239 Any nucleotine

<400> 264

ggaaanaatt atattgttcc ttatttccnc ccacacaaca taacaaatac attntcctct 60

coteteatea caattattac tttetacace eccecetete aactattatt aactaacata 120  $\,$ 

atggagggaa ttaccaatgg ccatgctgaa gcaacttttt gcgtgaccaa aagtgttggt 180

gatccactca actggggtgc agccgcggag tcgttgatgg ggagtcattt ggatgaggtg 240

aagcgtatgg tggaggaata ccgtaatcca ttggttaaaa ttggcggcga gacgcttacc 300

attgctcagg tggctggaat tgcttctcat gatagtggtg tgagggtgga gctgtctgag 360

tccgccaggg ccggcgttaa ggcgagtagt ggttgggtga tggacagcat gaacaatggg  $420\,$ 

actgatagtt atggtgttac cactggtttc ggcgccacct ctcaccggag aaccaagcag 480

ggtggtgcct tgcagaagga gctaattagg tttttgaatg ccggaatatt tggcaatggt

acagaatcta actgtacact accacacaca gcaaccagag ctgcaatgct tgtgagaatc  $600\,$ 

aacactcttc ttcaag

611

<210> 265 <211> 441 <212> DNA

<213> Trifolium repens

<221> misc\_feature
<222> (5)..(5)
<223> Any nucleotide

<220>

<220>
<221> misc\_feature
<222> (10)..(10)
<223> Any nucleotide

<220>

<221> misc\_feature <222> (12)..(12) <223> Any nucleotide

<220>

<221> misc\_feature <222> (18)..(18) <223> Any nucleotide

<220>

<221> misc\_feature <222> (28)..(28) <223> Any nucleotide

<220>

<221> misc\_feature <222> (44)..(44) <223> Any nucleotide

<220>

<221> misc\_feature <222> (86)..(87) <223> Any nucleotides

<220>

<221> misc\_feature <222> (354)..(355) <223> Any nucleotides

<220>

<221> misc\_feature <222> (402)..(402) <223> Any nucleotide

<220>

<221> misc\_feature <222> (426)..(426) <223> Any nucleotide

PCT/AU02/01345 296/390

```
<220>
<221> misc_feature
<222> (430)..(430)
<223> Any nucleotide
<220>
<221> misc feature
<222> (434) .. (434)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (437)..(437)
<223> Any nucleotide
<220>
<221> misc feature
<222> (440)..(441)
<223> Any nucleotides
<400> 265
gaaanaattn thttgttnat tatttccncc cacacaacat aacnaataca ttattctctc
ctctcatcac aattattact ttctanncac cctcctctca actattatta actagcataa
tggagggaat taccaatggc catgctgaaa caactttttg cgtgaccaaa agtgttggtg
180
atccactcaa ctggggtgca gccgcggagt cgttgacggg gagtcatttg gatgaggtga
agogtatggt ggaggagtac ogtaatoogt tggotaaaat tggoggogag acqottacca
ttgctcaggt ggctggaatt gcttctcatg atagtggtgt gagggtggag ctgnncgagt
ccgcaagggc cggcgttaag gcgagtactg attgggtgat gnataacatg aacaatggga
420
ctgatnggtn cggngcnacn n
441
<210> 266
<211> 567
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (5)..(5)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (10)..(10)
```

<223> Any nucleotide

<222> (8) .. (8)

```
<220>
<221> misc feature
<222> (12)..(12)
<223> Any nucleotide
<220>
<221> misc feature
<222> (53)..(53)
<223> Any nucleotide
<400> 266
gaaanaattn tnttgttcct tatttccccc cacacaacat aacaaataca ttntcctctc
ctctcatcac aattattact ttctacaccc ccccctctca actattatta actaacataa
120
tggagggaat taccaatggc catgctgaag caactttttg cqtqaccaaa agtqttqqtq
atccactcaa ctggggtgca gccgcggagt cgttgatggg gagtcatttg gatgaggtga
agcgtatggt ggaggaatac cgtaatccat tggttaaaat tggcggcgag acgcttacca
ttgctcaggt ggctggaatt gcttctcatg atagtggtgt gagggtggag ctgtctgagt
360
ccgccagggc cggcgttaag gcgagtagtg gttgggtgat ggacagcatg aacaatggga
420
ctgatagtta tggtgttacc actggtttcg gcgccacctc tcaccggaga accaagcagg
480
gtggtgcctt gcagaaggag ctaattaggt ttttgaatgc cggaatattt ggcaatggta
cagaatetaa etgtaeaeta ecacace
567
<210> 267
<211> 532
<212> DNA
<213> Trifolium repens
<220>
<221> misc_feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<220>
<221> misc_feature
<222> (6)..(6)
<223> Any nucleotide
<220>
<221> misc feature
```

<223> Any nucleotide <220> <221> misc\_feature <222> (13)..(13) <223> Any nucleotide <220> <221> misc\_feature <222> (17)..(17) <223> Any nucleotide <220> <221> misc\_feature
<222> (30)..(30)
<223> Any nucleotide <220> <221> misc\_feature
<222> (35)..(35)
<223> Any nucleotide <220> <221> misc feature <222> (38)..(39) <223> Any nucleotides <220> <220>
<221> misc\_feature
<222> (41)..(42)
<223> Any nucleotides <220> <220>
<221> misc\_feature
<222> (48)..(51)
<223> Any nucleotides <220> <221> misc\_feature
<222> (53)..(53)
<223> Any nucleotide

<220>

<220>
<221> misc\_feature
<222> (63)..(63)
<223> Any nucleotide

<220> <221> misc\_feature
<222> (72)..(72)
<223> Any nucleotide

<220> <221> misc\_feature <222> (78)..(78)

<223> Any nucleotide

<220> <221> misc\_feature

<222> (94)..(94) <223> Any nucleotide

<400> 267

anatananaa tentatntte teteetetan taaenatnnt nnetttennn neneeeteet 60

ctnaactatt antaactngc ataatggagg gaantaccaa tggccatgct gaaacaactt 120

tttgcgtgac caaaagtgtt ggtgatccac tcaactgggg tgcagccgcg gagtcgtcga

cggggagtca tttggatgag gtgaagcgta tggtggagga gtaccgtaat ccgttggtta 240

aaattggcgg cgagacgctt accattgctc aggtggctgg aattgcttct catgatagtg

gtgtgagggt ggagctgtcc gagtccgcaa gggccggcgt taaggcgagt agtgattggg

tgatggatag catgaacaat gggactgata gttacggtgt taccaccggt tttggtgcca

cctctcaccg gagaaccaag cagggtggtg ccttgcagaa ggagctaatt aggtttttga 480

atgotggaat atttggcaat ggtacagaat ctaactttac actaccacac ac 532

<210> 268

<211> 579 <212> DNA

<213> Trifolium repens

<400> 268

aacaagatog ttatgootta gaacttoaco toaatggott ggtootttga ttgaagtgat 60

aagattttca accaaatcaa ttgaaagaga aattaacteg gtcaacgaca accetttgat 120

cgatgtttca aggaacaagg ccattcatgg tggtaacttt caaggaacac ctattggagt 180

ttcaatggat aacacacgtt tagctcttgc ttcaattggt aaactcatgt ttgctcaatt

ctctgaactt gttaatgatt tttacaacaa cgggttgcct tcgaatctta ctgctagtag

gaacccgage ttggactatg gtttcaaggg atcggaaatt gccatggett cgtattgttc 360

cgagttacaa tatcttgcta atcctgtcac cacccatgtc caaagtgccg agcaacacaa

ccaagatgtt aactotttgg gtttgatttc atctagaaaa acaaatgaag ctattgagat

480

totcaagote atgtottoca otttottgat tgcattatgt caagcaatcg acttaaggca

cttggaggaa aatctcagga acaccgtcaa gaacacggt

<210> 259 <211> 192 <212> PRT <213> Trifolium repens

<400> 269

Thr Arg Ser Leu Cys Leu Arg Thr Ser Pro Gln Trp Leu Gly Pro Leu

Ile Glu Val Ile Arg Phe Ser Thr Lys Ser Ile Glu Arg Glu Ile Asn

Ser Val Asn Asp Asn Pro Leu Ile Asp Val Ser Arg Asn Lys Ala Ile

His Gly Gly Asn Phe Gln Gly Thr Pro Ile Gly Val Ser Met Asp Asn

Thr Arg Leu Ala Leu Ala Ser Ile Gly Lys Leu Met Phe Ala Gln Phe 75

Ser Glu Leu Val Asn Asp Phe Tyr Asn Asn Gly Leu Pro Ser Asn Leu

Thr Ala Ser Arg Asn Pro Ser Leu Asp Tyr Gly Phe Lys Gly Ser Glu 100 105

Ile Ala Met Ala Ser Tyr Cys Ser Glu Leu Gln Tyr Leu Ala Asn Pro

Val Thr Thr His Val Gln Ser Ala Glu Gln His Asn Gln Asp Val Asn 130 135 140

Ser Leu Gly Leu Ile Ser Ser Arg Lys Thr Asn Glu Ala Ile Glu Ile 145 150 155

Leu Lys Leu Met Ser Ser Thr Phe Leu Ile Ala Leu Cys Gln Ala Ile

Asp Leu Arg His Leu Glu Glu Asn Leu Arg Asn Thr Val Lys Asn Thr

<210> 270 <211> 591

301/390 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (8) .. (8) <223> Any nucleotide <220> <221> misc\_feature <222> (15)..(15) <223> Any nucleotide <220> <221> misc\_feature
<222> (41)..(41)
<223> Any nucleotide <220> <221> misc\_feature <222> (66)..(66) <223> Any nucleotide <400> 270 ggtcaatnca gettnggaga tetagteece etttettaet ntgetggttt actaactgga agaccnaatt ctaaagctca tgggcctaca ggagaagtac ttaatgcaaa agaagctttt caattggctg gaatcaatac cgagttcttt gaattacaac caaaagaagg tcttgcactt 180 gitaatggaa cigcigitgg ticiggitta gettetatig ticititiga ggetaacata 240 ttggcggtgt tgtctgaagt tctatcggca attttcgctg aagttatgca agggaagccc gaatttactg atcatttgac acataagttg aagcaccacc ctggtcaaat tgaggctgct 360 gctattatgg aacacatttt ggatgggagt gcttatgtta aagacgcgaa gaagttgcat 420 gagatggacc ctttacagaa gccaaagcaa gatagatatg cacttagaac ttcaccacaa 480 tggcttggtc ctttgattga agtgattaga ttttcaacca agtcaattga gagagagatc 540 aactotgtca atgacaacco tttgattgat gtttcgagaa acaaggottt g

<210> 271 <211> 197 <212> PRT <213> Trifolium repens <220> <221> MISC\_FEATURE

591

WO 03/031622 PCT/AU02/01345

<222> (3)..(3) <223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (5)..(5) <223> Any amino acid

<220>

<221> MISC FEATURE

<222> (14)..(14)

<223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (22)..(22) <223> Any amino acid

<400> 271

Gly Gln Xaa Ser Xaa Gly Asp Leu Val Pro Leu Ser Tyr Xaa Ala Gly

Leu Leu Thr Gly Arg Xaa Asn Ser Lys Ala His Gly Pro Thr Gly Glu

Val Leu Asn Ala Lys Glu Ala Phe Gln Leu Ala Gly Ile Asn Thr Glu 35

Phe Phe Glu Leu Gln Pro Lys Glu Gly Leu Ala Leu Val Asn Gly Thr 50 55

Ala Val Gly Ser Gly Leu Ala Ser Ile Val Leu Phe Glu Ala Asn Ile

Leu Ala Val Leu Ser Glu Val Leu Ser Ala Ile Phe Ala Glu Val Met 90

Gln Gly Lys Pro Glu Phe Thr Asp His Leu Thr His Lys Leu Lys His

His Pro Gly Gln Ile Glu Ala Ala Ile Met Glu His Ile Leu Asp 120

Gly Ser Ala Tyr Val Lys Asp Ala Lys Lys Leu His Glu Met Asp Pro

Leu Gln Lys Pro Lys Gln Asp Arg Tyr Ala Leu Arg Thr Ser Pro Gln 150

Trp Leu Gly Pro Leu Ile Glu Val Ile Arg Phe Ser Thr Lys Ser Ile

Glu Arg Glu Ile Asn Ser Val Asn Asp Asn Pro Leu Ile Asp Val Ser 180 185 190

Arg Asn Lys Ala Leu 195 <210> 272 <211> 592 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (2)..(3) <223> Any nucleotides <220> <221> misc\_feature
<222> (11)..(11)
<223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (18)..(18)
<223> Any nucleotide <220> <221> misc\_feature <222> (22)..(22) <223> Any nucleotide <220> <221> misc\_feature
<222> (30)..(30)
<223> Any nucleotide <220> <220>
<221> misc\_feature
<222> (37)..(37)
<223> Any nucleotide <220> <221> misc\_feature <222> (508)..(508) <223> Any nucleotide <220> <221> misc\_feature <222> (579)..(579) <223> Any nucleotide <220> <221> misc\_feature <222> (585)..(585)

<223> Any nucleotide

. <220>

<221> misc\_feature <222> (592)..(592)

<223> Any nucleotide

<400> 272

gnnggaaatt ncaactonat thitteettin tataatnitt gaattieett eteteteaaa 60

ttotatagot actotaccac atcacacaac ataacaaatt aagaaatatt cattactata 120

ctattaagat atggaagtag tagcagcagc aatcacaaaa aacaacggca agattgattc  $180\,$ 

attttgcttg aatcatgcta atgctaataa catgaaagtg aatgatgctg atcctttgaa 240

ttggggtgtg gctgctgagg caatgaaggg aagtcacttg gatgaggtga aacgtatggt 300

ggaggagtac oggaagcoga ttgtccgtct tggtggcgag acgctgacga tttctcaggt 360

ggctgccatt gctgcacacg atggtgcgat ggttgagctg tcggaatctg ctagagccgg 420

cgittaaggca agcagtgatt gggttatgga gagtatgaac aaaggtactg acagttatgg 480

tgtcaccaca gggttoggeg ctacctonca cegecgaace aaacaaggtg gtgctttaca 540

gaaagggete ataaggtttt tgaatgetgg aatatttgna aatgnaactg an

<210> 273

<211> 154 <212> PRT

<213> Trifolium repens

<220>

<221> MISC\_FEATURE <222> (126)..(126)

<222> (126)..(126) <223> Any amino acid

<220>

<221> MISC\_FEATURE <222> (150)..(150)

<223> Any amino acid

<220>

<221> MISC\_FEATURE <222> (152)..(152) <223> Any amino acid

-220-

<220> <221> MISC FEATURE

<222> (154)..(154) <223> Any amino acid

<400> 273

Met Glu Val Val Ala Ala Ala Ile Thr Lys Asn Asn Gly Lys Ile Asp

Ser Phe Cys Leu Asn His Ala Asn Ala Asn Asn Met Lys Val Asn Asp

Ala Asp Pro Leu Asn Trp Gly Val Ala Ala Glu Ala Met Lys Gly Ser

His Leu Asp Glu Val Lys Arg Met Val Glu Glu Tyr Arg Lys Pro Ile

Val Arg Leu Gly Gly Glu Thr Leu Thr Ile Ser Gln Val Ala Ala Ile

Ala Ala His Asp Gly Ala Met Val Glu Leu Ser Glu Ser Ala Arg Ala

Gly Val Lys Ala Ser Ser Asp Trp Val Met Glu Ser Met Asn Lys Gly 100 105

Thr Asp Ser Tyr Gly Val Thr Thr Gly Phe Gly Ala Thr Xaa His Arg 115 120

Arg Thr Lys Gln Gly Gly Ala Leu Gln Lys Gly Leu Ile Arg Phe Leu 130 135

Asn Ala Gly Ile Phe Xaa Asn Xaa Thr Xaa 145 150

<210> 274 <211> 566 <212> DNA <213> Trifolium repens

<220> <221> misc\_feature

<222> (2)..(2) <223> Any nucleotide

<220>

<221> misc\_feature

<222> (12)..(12) <223> Any nucleotide

<220>

<221> misc\_feature <222> (19)..(19)

<223>	Any	nucleoti	de
<220> <221> <222> <223>	miso (164 Any	c_feature 1)(165) nucleoti	des
<220> <221> <222> <223>	(168	_feature )(168) nucleoti	
<220> <221> <222> <223>	(186	_feature )(186) nucleoti	
<220> <221> <222> <223>	(239	_feature )(239) nucleoti	
<220> <221> <222> <223>	misc (259 Any	_feature )(259) nucleoti	đe
<220> <221> <222> <223>	(295	_feature )(296) nucleoti	
<220> <221> <222> <223>	misc (301 Any	_feature )(301) nucleoti	de
<220> <221> <222> <223>	misc (384 Any	_feature )(384) nucleotio	de
<220> <221> <222> <223>	misc (435) Any	_feature )(435) nucleotio	de
<220> <221> <222> <223>	misc (469) Any r	_feature  (469)  ucleotic	le

<220> <221> misc\_feature <222> (498)..(499)

<223> Any nucleotides <220> <221> misc\_feature
<222> (511)..(511)
<223> Any nucleotide <220> <221> misc\_feature <222> (517)..(517) <223> Any nucleotide <220> <221> misc\_feature <222> (522)..(522) <223> Any nucleotide <220> <221> misc\_feature <222> (529)..(530) <223> Any nucleotides <220> <221> misc feature <222> (545)..(545) <223> Any nucleotide <220> <221> misc\_feature <222> (553)..(553) <223> Any nucleotide <400> 274 cnattgttag tngtttccnc ccacccacat aacaaataca taattctctc ctctgatcac aattattact ttactacacc ctcctctcaa ctattattaa ctagcataat ggagggaatt 120 accaatggcc atgctgaaac aacttttagc gtgaccaaaa gtgnnggnga tccactcaac 180 tggcgngcag ccgcggagtc gtcgacgggg agtcatttgg atgaggtgaa gcgtatggng 240 gaggagtacc gtaatccgnt ggttaaaatt ggcggcgaga cgcttaccat tgctnnggta

nctggaattg cttctcatga tagtggagtg agggtggagc tgtccgagtt cgcaagggcc

ggcgttaagg cgagtagtga ttgngtgatg gatagcatga acaatgggac tgatagttac

ggtgttacca ccgcntttgg tgccacctgt caccggagaa ccaagccang gtggtgcctt

gcagaaggag ctaaattnng gtgttttgaa ngctggnaat antttggcnn tggttcagaa 540

atctmaactt gtmcacttac cacacc 566 <210> 275 <211> 152 <212> PRT <213> Trifolium repens <220> <221> MISC\_FEATURE <222> (19)..(20) <223> Any amino acids <220> <221> MISC FEATURE <222> (26)..(26) <223> Any amino acid <220> <221> MISC\_FEATURE <222> (44)..(44) <223> Any amino acid <220> <221> MISC\_FEATURE <222> (51)..(51) <223> Any amino acid <220> <221> MISC\_FEATURE <222> (63)..(63) <223> Any amino acid

<220> <221> MISC FEATURE

<222> (65)..(65) <223> Any amino acid

<220>

<221> MISC\_FEATURE <222> (92)..(92) <223> Any amino acid

<220>

<220>
<221> MISC\_FEATURE
<222> (109)..(109)
<223> Any amino acid

<220>

<221> MISC\_FEATURE <222> (121)..(121) <223> Any amino acid

<221> MISC FEATURE

WO 03/031622 PCT/AU02/01345

<222> (130)..(131) <223> Any amino acids

<220>

<221> MISC FEATURE

<222> (135)..(135) <223> Any amino acid

<220>

<220>
<221> MISC\_FEATURE
<222> (137)..(138)
<223> Any amino acids

<220>

<221> MISC\_FEATURE <222> (141)..(141) <223> Any amino acid

<220>

<221> MISC\_FEATURE

<222> (146)..(146) <223> Any amino acid

<220>

<221> MISC\_FEATURE <222> (149)..(149)

<223> Any amino acid

<400> 275

Met Glu Gly Ile Thr Asn Gly His Ala Glu Thr Thr Phe Ser Val Thr 5

Lys Ser Xaa Xaa Asp Pro Leu Asn Trp Xaa Ala Ala Ala Glu Ser Ser 20 25

Thr Gly Ser His Leu Asp Glu Val Lys Arg Met Xaa Glu Glu Tyr Arg 35 40

Asn Pro Xaa Val Lys Ile Gly Gly Glu Thr Leu Thr Ile Ala Xaa Val

Xaa Gly Ile Ala Ser His Asp Ser Gly Val Arg Val Glu Leu Ser Glu 70

Phe Ala Arg Ala Gly Val Lys Ala Ser Ser Asp Xaa Val Met Asp Ser

Met Asn Asn Gly Thr Asp Ser Tyr Gly Val Thr Thr Xaa Phe Gly Ala

Thr Cys His Arg Arg Thr Lys Pro Xaa Trp Cys Leu Ala Glu Gly Ala 120 115

<220>

<221> misc\_feature <222> (165)..(165)

```
Lys Xaa Xaa Cys Phe Glu Xaa Trp Xaa Xaa Phe Gly Xaa Gly Ser Glu
                                              140
     130
                                135
Ile Xaa Thr Cys Xaa Leu Thr Thr
                           150
145
<210> 276
<211> 188
<212> DNA
<213> Trifolium repens
<220>
<221> misc feature
<222> (2)..(2)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (12)..(12)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (19)..(19)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (26)..(26)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (34)..(34)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (40)..(40)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (43)..(43)
<223> Any nucleotide
<220>
<220>
<221> misc_feature
<222> (73)..(73)
<223> Any nucleotide
```

```
<223> Any nucleotide
<220>
```

<221> misc\_feature
<222> (168)..(168)
<223> Any nucleotide

<220> <221> misc\_feature

<222> (172)..(173) <223> Any nucleotides

<220>

<221> misc\_feature <222> (175)..(175) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (178)..(179)
<223> Any nucleotides

<220>

<221> misc\_feature <222> (186)..(186) <223> Any nucleotide

<220>

<221> misc\_feature <222> (188)..(188) <223> Any nucleotide

<400> 276

cnattgttag tngtttccnc ccaccnacat aacnaatacn tanttctctc ctctgatcac

aattattact ttnctacacc ctcctctcaa ctattattaa ctagcataat ggagggaatt

accaatggcc atgctgaaac aactttttgc gtgaccaaaa gtgtnggnga tnnantgnnc 180

tgtcgngn 188

<210> 277 <211> 541 <212> DNA <213> Trifolium repens

<221> misc\_feature <222> (139) .. (139)

<223> Any nucleotide

<220>

<220>

<221> misc feature

<222>. <223>	(214)(214) Any nucleotide
<220> <221> <222> <223>	misc_feature (234)(234) Any nucleotide
<220> <221> <222> <223>	misc_feature (270)(271) Any nucleotides
<220> <221> <222> <223>	misc_feature (276)(276) Any nucleotide
<220> <221> <222> <223>	misc_feature (359)(359) Any nucleotide
<220> <221> <222> <223>	misc_feature (410)(410) Any nucleotide
<220> <221> <222> <223>	misc_feature (444)(444) Any nucleotide
<220> <221> <222> <223>	misc_feature (473)(474) Any nucleotides
<220> <221> <222> <223>	misc_feature (486)(486) Any nucleotide
<220> <221> <222> <223>	misc_feature (492)(492) Any nucleotide
<220> <221> <222> <223>	misc_feature (497)(497) Any nucleotide
<220> <221>	misc_feature

```
<222> (504)..(505)
 <223> Any nucleotides
 <220>
 <221> misc_feature
 <222> (520)..(520)
<223> Any nucleotide
 <220>
 <221> misc_feature
<222> (528)..(528)
<223> Any nucleotide
 <400> 277
 ctcaactatt attaactagc ataatggagg gaattaccaa tggccatgct gaaacaactt
 120
  ttatcqtqac caaaaqtqnt qqtqatccac tcaactqqqq tqcaqccqcq qaqtcqtcqa
  180
  cqqqqaqtca tttqqatqaq qtqaaqcqta tqqnqqaqqa qtaccqtaat ccqntqqtta
  aaattggcgg cgagacgctt accattgctn nggtanctgg aattgcttct catgatagtg
  300
  gagtgagggt ggagctgtcc gagttcgcaa gggccggcgt taaggcgagt agtgattqng
tgatggatag catgaacaat gggactgata gttacggtgt taccaccgcn tttggtgcca
  cctqtcaccq qaqaaccaaq ccanqqtqqt qccttqcaqa aqqaqctaaa ttnnqqtqtt
  480
  ttgaangctg gnaatanttt ggcnntggtt cagaaatctn aacttgtnca cttaccacac
  540
  541
  <210> 278
  <211> 1185
  <212> DNA
  <213> Trifolium repens
  <220>
  <221> misc_feature
  <222> (19)..(19)
<223> Any nucleotide
 <220>
  <221> misc feature
  <222> (35)..(35)
  <223> Any nucleotide
```

<220>

<221> misc\_feature <222> (40)..(40) <223> Any nucleotide <220× <221> misc feature <222> (444) ... (444) <223> Any nucleotide <220> <221> misc feature <222> (482)..(483) <223> Any nucleotides <220> <221> misc feature <222> (485)..(485) <223> Any nucleotide <220> <221> misc\_feature <222> (552)..(552) <223> Any nucleotide <220> <221> misc\_feature <222> (596)..(596) <223> Anv nucleotide <400> 278 gtaagagttg agaaaaaana ccaataaagt aaacnctatn tagaaagaga gtcaaaaaatg gctgaaggaa aaggaagggt ttgtgttact ggaggaacag gttttcttgg ttcatggatc atcaagagtc ttcttgaaaa tggatactct gttaatacca ctattagagc tgatccaqaa cgtaagaggg atgtaagctt cctaacaaat ctacccggcg catccgaaag gctacatttc 240 ttcaacgccg atctagacga cccagagagt ttcaacgaag caattgaagg ttgtgtcggg atattccaca cogottcaco aatogattto googtgagtg agocagaaga aatagtgaca aaaaqaacaq tqqatqqaqc attaqqaatt ttaaaaqcat qtqtqaattc aaaqacaqtq aagagattta tttacacttc aagnggttct gctgtttcat tcaatggaaa aaacaaagat 480 gnntnggatg agagtgattg gagtgatgtt gatttgctta gaagtgttaa accatttggt

tggagttatg gngtgttcaa gactttggct gagaaagcag tgcttgaatt tggtcnacaa

600

aatgggattg atgttgttac tttgattctt ccttttattg ttggaggttt tgtttgtccc

aagetteetg attetgttga gaaagetett gttttggtac taggcaaaaa ggaacaaatt

ggtattataa giitccacat ggtacatgta gatgatgtgg ctagagcaca tatctatcta

cttgagaatc ctgttccagg aggtagatat aattgttcac cattctttgt atctattgaa 840

gaaatgtcac agcttctctc agccaaatat ccagaatatc aaatactatc aqtaqatqaq

ttgaaggaaa ttaaaggggc aagattgcca gatttgaact cgaagaagct cqtggacqct

qqttttqagt ttaaqtataq tqtcgatgat atgttcqatg atgcgattca atgctqcaaq 1020

gaaaaaaggot atototaago atgtatttga aaattocatg aagttgagaa aacaataatg 1080

tgcctaaaat caatgatggc taatgagatg tacaagttta tgcattaagt tatttgtgat

caatcaaata atgaaataat ctgttcattt ttccgaaaaa aaaaa 1185

<210> 279 <211> 326

<212> PRT <213> Trifolium repens

<220>

660

<221> MISC FEATURE <222> (129)..(129)

<223> Any amino acid

<220>

<221> MISC\_FEATURE <222> (142)..(143)

<223> Any amino acids

<220>

<221> MISC FEATURE

<222> (165)..(165) <223> Any amino acid

<220>

<221> MISC FEATURE <222> (180)..(180)

<223> Any amino acid

<400> 279

Met Ala Glu Gly Lys Gly Arg Val Cys Val Thr Gly Gly Thr Gly Phe 10

316/390 Leu Gly Ser Trp Ile Ile Lys Ser Leu Leu Glu Asn Gly Tyr Ser Val 20 25 Asn Thr Thr Ile Arg Ala Asp Pro Glu Arg Lys Arg Asp Val Ser Phe Leu Thr Asn Leu Pro Gly Ala Ser Glu Arg Leu His Phe Phe Asn Ala Asp Leu Asp Asp Pro Glu Ser Phe Asn Glu Ala Ile Glu Gly Cys Val Gly Ile Phe His Thr Ala Ser Pro Ile Asp Phe Ala Val Ser Glu Pro Glu Glu Ile Val Thr Lys Arg Thr Val Asp Gly Ala Leu Gly Ile Leu 100 105 Lys Ala Cys Val Asn Ser Lys Thr Val Lys Arg Phe Ile Tyr Thr Ser Xaa Gly Ser Ala Val Ser Phe Asn Gly Lys Asn Lys Asp Xaa Xaa Asp Glu Ser Asp Trp Ser Asp Val Asp Leu Leu Arg Ser Val Lys Pro Phe Gly Trp Ser Tyr Xaa Val Phe Lys Thr Leu Ala Glu Lys Ala Val Leu 165 170 Glu Phe Gly Xaa Gln Asn Gly Ile Asp Val Val Thr Leu Ile Leu Pro 180 Phe Ile Val Gly Gly Phe Val Cys Pro Lys Leu Pro Asp Ser Val Glu 195 200 Lys Ala Leu Val Leu Val Leu Gly Lys Lys Glu Gln Ile Gly Ile Ile Ser Phe His Met Val His Val Asp Asp Val Ala Arg Ala His Ile Tyr 225 230 Leu Leu Glu Asn Pro Val Pro Gly Gly Arg Tyr Asn Cys Ser Pro Phe 250 Phe Val Ser Ile Glu Glu Met Ser Gln Leu Leu Ser Ala Lys Tyr Pro

Glu Tyr Gln Ile Leu Ser Val Asp Glu Leu Lys Glu Ile Lys Gly Ala 280

285

Arg Leu Pro Asp Leu Asn Ser Lys Lys Leu Val Asp Ala Gly Phe Glu 290 295 300

Phe Lys Tyr Ser Val Asp Asp Met Phe Asp Asp Ala Ile Gln Cys Cys

Lys Glu Lys Gly Tyr Leu 325

<210> 280

<211> 493 <212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (22)..(22) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (35)..(35)
<223> Any nucleotide

<220>

<220>
<221> misc\_feature
<222> (40)..(40)
<223> Any nucleotide

<220>

<221> misc\_feature
<222> (444)..(444)
<223> Any nucleotide

<220>

<220>
<221> misc\_feature
<222> (467)..(467)
<223> Any nucleotide

<220>

<221> misc\_feature <222> (473)..(473) <223> Any nucleotide

<220> <221> misc feature

<222> (482)..(483) <223> Any nucleotides

<220>

<221> misc\_feature <222> (485)..(487)

<223> Any nucleotides

<220>
<221> misc\_feature
<222> (492)..(492)
<223> Any nucleotide

<400> 280

gtagtagttg agaaaaaata cnaataaagt aaacnctatn tagaaagaga gtcaaaaatg 60

gctgaaggaa aaggaagggt ttgtgttact ggaggaacag gttttcttgg ttcatggatc 120

atcaagagtc ttcttgaaaa tggatactct gttaatacca ctattagagc tgatccagaa 180

 ${\tt cgtaagaggg}$  atgtaagctt cctaacaaat ctacccggcg catccgaaag gctacatttc 240

ttcaacgccg atctagacga cccagagagt ttcaacgaag caattgaagg ttgtgtcggg 300

atattecaca eegetteace aategattte geegtgagtg ageeagaaga aatagtgaca 360

aaaagaacag tggatggagc attaggaatt ttaaaagcat gtgtgaattc aaagacagtg 420

aagagattta tttacacttc aagnggttct gctgtttcat tcaatgnaaa aancaaagat 480

gnntnnnatg ana 493

<210> 281 <211> 601 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (16)..(17) <223> Any nucleotides

<220>

<221> misc\_feature <222> (32)..(32)

<223> Any nucleotide

<220>

<221> misc\_feature
<222> (37)..(37)
<223> Any nucleotide

<220>

<221> misc\_feature

<222> (50)..(51) <223> Any nucleotides WO 03/031622 PCT/AU02/01345 319/390

<221> misc\_feature <222> (552)..(552) <223> Any nucleotide

<400> 281

agagttgaga aaaaanncca ataaagtaaa cnctatntag aaagagagtn naaaatggct

gaaggaaaag gaagggtttg tgttactgga ggaacaggtt ttcttggttc atggatcatc 120

aagagtette ttgaaaatgg atactetgtt aataccacta ttagagetga tecagaacgt

aagagggatg taagetteet aacaaateta eeeggegeat eegaaagget acatttette  $240\,$ 

aacgccgatc tagacgaccc agagagtttc aacgaagcaa ttgaaggttg tgtcgggata  $300\,$ 

ttccacaccg cttcaccaat cgatttcgcc gtgagtgagc cagaagaaat agtgacaaaa 360

agaacagtgg atggagcatt aggaatttta aaagcatgtg tgaattcaaa gacagtgaag

agatttattt acacttcaag tggttctgct gtttcattca atggaaaaaa caaagatgtt

ttggatgaga gtgattggag tgatgttgat ttgcttagaa gtgttaaacc atttggttgg 540

agttatggtg tnttcaagac tttggctgag aaagcagtgc ttgaatttgg tcaacaaaat 600

601

<210> 282 <211> 613 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature <222> (2)..(2)

<223> Any nucleotide

<220>

<221> misc\_feature <222> (45)..(46)

<223> Any nucleotides

<400> 282

gngtgtttaa gactttagct gagaaagcag tgcttgaatt tggtnnacaa aatgggattg

atgitightac titigation continuing tiggaggith tightighteet aagotheetig 120

attotgttga gaaagotott gttttggtac taggcaaaaa ggaacaaatt ggtattataa 180

gtttccacat ggtacatgtg gatgatgtgg ctagagcaca tatctatcta cttgagaatc 240 ctgttccagg aggtagatat aattgttcac cattctttgt atctattgaa gaaatgtcac 300 agettettte agecaaatat eeagaatate aaataetate tgtagatgag ttgaaggaaa 360 ttaaaggggc aaggttgcca gatttgaact cgaagaagct cgtggacgct ggttttgagt ttaagtatag tgtcgatgat atgttcgatg atgcgattca atgctgcaag gaaaaaggct 480 atctctaagc atgtgtttga aaattccatg aagttgagaa aacaatactg tgcctaaaat 540 caatgatggc taatgagatg tacaagttta tgcattaagt tatttgtgat caatcaaata 600 atqaaataat ctq 613 <210> 283 <211> 602 <212> DNA <213> Trifolium repens <220> <221> misc\_feature <222> (8)..(8) <223> Any nucleotide <220> <221> misc\_feature <222> (20)..(20) <223> Any nucleotide <220> <221> misc\_feature <222> (37)..(37) <223> Any nucleotide <400> 283 agacettnge tgagaaagen gtgettgaat ttggtenaca aaatgggatt qatgttgtta ctttgattet teettttatt gttggaggtt ttgtttgtee taagetteet gattetgttg 120 agaaagctct tgttttggta ctaggcaaaa aggaacaaat tggtattata agtttccaca tggtacatgt ggatgatgtg gctagagcac atatctatct acttgagaat cctgttccag gaggtagata taattgttca ccattctttg tatctattga agaaatgtca cagcttcttt 300 cagccaaata tccagaatat caaatactat ctgtagatga gttgaaggaa attaaagggg

360

caaggttgcc agatttgaac tcgaagaagc tcgtggacgc tggttttgag tttaagtata

gtgtcgatga tatgttcgat gatgcgattc aatgctgcaa ggaaaaaggc tatctctaag

catgtgtttg aaaattccat gaagttgaga aaacaatact gtgcctaaaa tcaatgatgg 540

ctaatgagat gtacaagttt atgcattaag ttatttgtga tcaatcaaat aatgaaataa 600

tc 602

<210> 284 <211> 575

<212> DNA <213> Trifolium repens

<220>

<221> misc\_feature <222> (1)..(2)

<223> Anv nucleotides

<220>

<221> misc\_feature
<222> (13)..(13)
<223> Any nucleotide

<220>

<221> misc\_feature <222> (15)..(15) <223> Any nucleotide

<220>

<221> misc\_feature <222> (56)..(56) <223> Any nucleotide

<220>

<221> misc\_feature <222> (575)..(575) <223> Any nucleotide

<400> 284

nnttgaattt ggncnacaaa atgggattga tg<br/>ttgttact ttgattcttc cttttnttgt  $60\,$ 

tggaggtttt gtttgtccca agcttcctga ttctgttgag aaagctcttg ttttggtact  $120\,$ 

aggcaaaaag gaacaaattg gtattataag tttccacatg gtacatgtag atgatgtggc 180

tagag<br/>cacat atetatetae ttgagaatee tgtteeagga gg<br/>tagatata attgtteace  $240\,$ 

attetttgta tetattgaag aaatgteaca gettetetea gecaaatate cagaatatca

aatactatca gtagatgagt tgaaggaaat taaaggtgca agattgccag atttgaactc

gaagaagete gtggacgetg gttttgagtt taagtatagt gtegatgata tgtttgatga

tgcgattcaa tgctgcaagg aaaaaggcta tctctaagca tgtatttgaa aattccatga 480

agttgagaaa acaataatgt gcctaaaatc aatgatggct aatgagatgt acaagtttat 540

gcattaagtt atttgtgatc aatcaaataa tgaan

<210> 285 <211> 604 <212> DNA

<213> Trifolium repens

<220>

<221> misc\_feature

<222> (1)..(2) <223> Anv nucleotides

<220>

<221> misc\_feature

<222> (14)..(15) <223> Any nucleotides

<220>

<221> misc\_feature

<222> (56)..(56) <223> Any nucleotide

<400> 285

nnttgaattt ggtnnacaaa atgggattga tgttgttact ttgattcttc cttttnttgt

tggaggtttt gtttgtccca agcttcctga ttctgttgag aaagctcttg ttttggtact

aggcaaaaag gaacaaattg gtattataag tttccacatg gtacatgtag atgatgtggc

tagagcacat atctatctac ttgagaatcc tgttccagga ggtagatata attgttcacc 240

attotttgta totattgaag aaatgtoaca gottototoa gocaaatato cagaatatca 300

aatactatca gtagatgagt tgaaggaaat taaaggtgca agattgccag atttgaactc 360

gaagaagctc gtggacgctg gttttgagtt taagtatagt gtcgatgata tgtttgatga 420

tgcgattcaa tgctgcaagg aaaaaggcta tctctaagca tgtatttgaa aattccatga

agttgagaaa acaataatgt gootaaaato aatqatqqot aatqagatqt acaagtttat 540 gcattaagtt atttgtgatc aatcaaataa tgaaataatc tgttcatttt tccgaaaaaa 600 2222 604 <210> 286 <211> 695 <212> DNA <213> Lolium perenne <400> 286 gtsywttega gtttgagaga atggetteca gggeaaggtg tgtgttactg gggeetetgg ctttgttgct tcttggcttg tcaaaagact actcgagtcc ggttataatg ttctagggac 120 agtcagagac ccaggcaatc agaagaaggt agcacacctc tggaacttag caggggccaa ggaaaggttg gagcttgtca aagctgacct cttggaagaa gggagcttcg atgatgctgt gatggcctgt gagggtgtct tccacactgc atcacctatc atcaccaaat ctgataccaa 300 ggaagaaatg cttgattctg caattaacgg cactctaaac gtgctgagat cgtgcaaqaa 360 gaatcetttt etcaaaaggg ttgtteteac gteateateg teaacegtga ggetgaggga tgaagctgaa ttcccaccca acgtgttgct ggatgaaaca tcatggagct ccgtggagtt 480 ctgtgaaagt atccaggtat ggtatggtgt cgcgaagatc cttgctgaga aatcagcttg ggagttcgcc aaggagaaca acatcgacct agtggctgtt cttccaacgt tcgtgattgg acctaatoto togtotgaat taggacccac tgttttagat gtccttggct tatttaaagg 660 agagacagag aagttcacca tgtttkggaa ggatg 695 <210> 287 <211> 231 <212> PRT <213> Lolium perenne <400> 287 Val Phe Ser Ser Leu Arg Glu Trp Leu Pro Gly Gln Val Cys Val Thr

Gly Ala Ser Gly Phe Val Ala Ser Trp Leu Val Lys Arg Leu Leu Glu

30

324/390

20

25 Ser Gly Tyr Asn Val Leu Gly Thr Val Arg Asp Pro Gly Asn Gln Lys

Lys Val Ala His Leu Trp Asn Leu Ala Gly Ala Lys Glu Arg Leu Glu

Leu Val Lys Ala Asp Leu Leu Glu Glu Gly Ser Phe Asp Asp Ala Val

Met Ala Cys Glu Gly Val Phe His Thr Ala Ser Pro Ile Ile Thr Lys

Ser Asp Thr Lys Glu Glu Met Leu Asp Ser Ala Ile Asn Gly Thr Leu 105

Asn Val Leu Arg Ser Cys Lys Lys Asn Pro Phe Leu Lys Arg Val Val 120

Leu Thr Ser Ser Ser Thr Val Arg Leu Arg Asp Glu Ala Glu Phe 135

Pro Pro Asn Val Leu Leu Asp Glu Thr Ser Trp Ser Ser Val Glu Phe

Cys Glu Ser Ile Gln Val Trp Tyr Gly Val Ala Lys Ile Leu Ala Glu

Lys Ser Ala Trp Glu Phe Ala Lys Glu Asn Asn Ile Asp Leu Val Ala

Val Leu Pro Thr Phe Val Ile Gly Pro Asn Leu Ser Ser Glu Leu Gly 200

Pro Thr Val Leu Asp Val Leu Gly Leu Phe Lys Gly Glu Thr Glu Lys

Phe Thr Met Phe Gly Lys Asp 230

<210> 288 <211> 667 <212> DNA <213> Lolium perenne

<220>

<221> misc\_feature <222> (19)..(19)

<223> Any nucleotide

WO 03/031622 PCT/AU02/01345

<400> 288 gtttgagaga atggcttcna gggcaggtgt gtgttactgg ggcctctggc tttgttgctt 60

cttggcttgt caaaagacta ctcgagtccg gttataatgt tctagggaca gtcagagacc 120

caggcaatca gaagaaggta gcacacctct ggaacttagc aggggccaag gaaaggttgg

agcttgtcaa agctgacctc ttggaagaag ggagcttcga tgatgctgtg atggcctgtg

agggtgtctt ccacactgca tcacctatca tcaccaaatc tgataccaag gaagaaatgc 300

ttgattctgc aattaacggc actctaaacg tgctgagatc gtgcaagaag aatccttttc

tcaaaagggt tgttctcacg tcatcatcgt caaccgtgag gctgagggat gaagctgaat 420

tcccacccaa cgtgttgctg gatgaaacat catggagctc cgtggagttc tgtgaaagta

tocaggtatg gtatggtgtc gcgaaqatcc ttgctqaqaa atcaqcttqq qaqttcgcca

aggagaacaa catcgaccta gtggctgttc ttccaacgtt cqtgattqga cctaatctct 600

cgtctgaatt aggacccact gttttagatg tccttggctt atttaaagga gagacagaga 660

agttcac 667

<210> 289

<211> 688 <212> DNA

<213> Lolium perenne

<220>

<221> misc\_feature <222> (23)..(23)

<223> Any nucleotide

<220>

<221> misc feature <222> (651)..(651) <223> Anv nucleotide

<400> 289

togagtttga gagaatggot tonagggoag gtgtgtgtta otggggooto tggotttgtt

gcttcttggc ttgtcaaaag actactcgag tccggttata atgttctagg gacagtcaga 120

gacccaggca atcagaagaa qqtaqcacac ctctqqaact taqcaqqqc caaqqaaaqq 180

ttggagettg tcaaagetga cetettggaa gaagggaget tcgatgatge tgtgatggee

240

tgtgagggtg tcttccacac tgcatcacct atcatcacca aatctgatac caaggaagaa 300

atgottgatt otgoaattaa oggoactota aacqtqotqa gatogtgoaa qaagaatoot 360

tttctcaaaa qqqttqttct cacqtcatca tcqtcaaccq tqaqqctqaq qqatqaaqct 420

gaattoccac ccaacqtgtt qctggatgaa acatcatqqa gctccgtgga qttctqtqaa 480

agtatccagg tatggtatgq tgtcgcqaaq atccttqctq aqaaatcaqc ttqqqaqttc

gccaaggaga acaacatcga cctagtggct gttcttccaa cgttcgtgat tggacctaat 600

ctctcqtctq aattaggacc cactqtttta gatqtccttq gcttatttaa nggagagaca

gagaagttca ccatgttttg gaaggatg 688

<210> 290

<211> 425 <212> DNA

<213> Lolium perenne

<220>

<221> misc\_feature

<222> (3)..(3) <223> Any nucleotide

<220>

<221> misc\_feature <222> (62)..(62) <223> Any nucleotide

<220>

<221> misc\_feature <222> (321)..(321) <223> Any nucleotide

<220> <221> misc feature

<222> (332)..(332)

<223> Any nucleotide

<220>

<221> misc\_feature
<222> (344)..(344)
<223> Any nucleotide

<220>

<221> misc feature

<222> (352)..(352)

<223> Any nucleotide

```
<220>
<220>
<221> misc_feature
<222> (360)..(360)
<223> Any nucleotide
<220>
<221> misc feature
<222> (363)..(363)
<223> Any nucleotide
<220>
<221> misc feature
<222> (387)..(387)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (390)..(390)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (396)..(396)
<223> Any nucleotide
<220>
<221> misc feature
<222> (404)..(404)
<223> Any nucleotide
<220>
<221> misc feature
<222> (409)..(409)
<223> Any nucleotide
<220>
<221> misc_feature
<222> (423)..(423)
<223> Any nucleotide
<220>
<221> misc feature
<222> (425)..(425)
<223> Any nucleotide
<400> 290
```

gtnggcttcc agggccggtg tgtgttactg gggcctctgg ctttgttgct tcttggcttg

tnaaagacta ctcgagtccg gttataatgt tctagggaca gtcagagacc caggcaatca

gaagaaggta gcacacctct ggaacttagc aggggccaag gaaaggttgg agcttgtcaa 180

agctgacctc ttggaagaag ggagcttcga tgatgctgtg atggcctgtg agggtgtctt

ccacactgca tcacctatca tcaccaaatc tgataccaag gaagaaatgc ttgattctgc 300

aattaacggc actctaaacg ngctgagatc gngcaagaag aatnotttte tnaaaagggn 360

tgntetcacg teatcatege caccegngan getganggat gaanetgant teccacceaa 420

cgngn 425

<210> 291

<210> 291 <211> 691

<212> DNA <213> Lolium perenne

<220>

<221> misc\_feature

<222> (691)..(691) <223> Anv nucleotide

<400> 291

gcattcgagt ttgagagaat ggcttccagg gcaggtgtgt gttactgggg cctctggctt

tgttgcttcc tggcttgtca aaagacttct cgagtccggt tataatgttc tagggacagt 120

cagagaccca ggcaatcaga agaaggtagc acacctctgg agcttagcag gggccaagga 180

aaggotggag ottgtoagag otgacotott ggaagaaggg agottogatg atgoogtgat 240

ggcctgtgag ggtgtcttcc acactgcatc acctatcatc accaaatctg ataccaagga 300

agaaatgott gattotgoaa taaacggoac totaaacgtg otgagatogt goaagaagaa 360

tccttttctc aaaagggttg ttctcacgtc atcatcgtca accgtgaggc tgagggatga 420

agctgaattc ccacccaacg tgttgctgga tgaaacatca tggagctccg tggagttctg 480

tgaaagtatc caggtatggt acggtgtcgc aaagatcctt gccgagaaat cagcctggga 540

gtttgccaag gagaacaaca tcgacctagt ggotgttctt ccaacattcg tgattggacc 600

taatctctcg totgaattag gacccactgt tttagatgtc cttggcttat ttaaaggaga

gacagagaag ttcaccatgt ttgggaagga n

329/390 <211> 365 <212> DNA <213> Lolium perenne <220> <221> misc\_feature <222> (29)..(29) <223> Any nucleotide <220> <221> misc\_feature <222> (331)..(331) <223> Any nucleotide <220> <221> misc\_feature <222> (346)..(347) <223> Any nucleotides <220> <221> misc\_feature
<222> (356)..(356)
<223> Any nucleotide <220> <221> misc\_feature <222> (365)..(365) <223> Any nucleotide <400> 292 gtotttcgag tttgagcaga atggottcna gggcaggtgt gtgttactgg ggcotctggc tttgttgctt cctggcttgt caaaagactt ctcgagtccg gttataatgt tctagggaca gtcagagacc caggcaatca gaagaaggta gcacacctct ggagcttagc aggggccaag gaaaggetgg agettgteag agetgaeete ttggaagaag ggagettega tgatgeegtg 240 atggcctgtg agggtgtctt ccacactgca tcacctatca tcaccaaatc tgataccaag 300 gaagaaatgc ttgattctgc aataaacggc nctctaaacg tgctgnnatc cgggtnaaaa 360 aaaan 365 <210> 293 <211> 524 <212> DNA <213> Lolium perenne

<220>
<221> misc\_feature
<222> (169)..(169)
<223> Any nucleotide

5500

<400> 293 greetegeet aegagegeee egaegeeege ggeegetaee tetgeategg ggeegtgetg

caccgogogo acttoctaaa gottotoaag gacctottoo ogoagtaeto ottoacogoo

aagtgegaag acgaeggeaa geecatggeg aageegtaca agtteteena ecagaggete 180

agggacctgg gattaaaatt cactccgctg gcggaaagtt tgtacgagac cgtgacgtgc 240

ctgcaaaaaa atggccacct gcctctgccc gctcccatgg cgccaaagcg tgcataccta

taatactaca aagacacggc cgggatcgac aagccaagaa acagaggatt ctcccgaggt 360

tcaccatgga attgtgtatt tcacaaagtt tgaattetta ttttttttat tatgaagaaa 420

tacggaaaac caatactgta taccagaggc aagtgtaaca atgtaaatag tcgtgtaaat

<210> 294

<211> 100 <212> PRT

<213> Lolium perenne

<220> <221> MISC\_FEATURE

<222> (57)..(57) <223> Any amino acid

<400> 294

Val Leu Ala Tyr Glu Arg Pro Asp Ala Arg Gly Arg Tyr Leu Cys Ile 1  $\phantom{-}$  15

Gly Ala Val Leu His Arg Ala His Phe Leu Lys Leu Leu Lys Asp Leu 20 25 30

Phe Pro Gln Tyr Ser Phe Thr Ala Lys Cys Glu Asp Asp Gly Lys Pro 35 40 45

Met Ala Lys Pro Tyr Lys Phe Ser Xaa Gln Arg Leu Arg Asp Leu Gly 50 55 60

Leu Lys Phe Thr Pro Leu Ala Glu Ser Leu Tyr Glu Thr Val Thr Cys 65 70 75 80

Leu Gln Lys Asn Gly His Leu Pro Leu Pro Ala Pro Met Ala Pro Lys

Arg Ala Tyr Leu 100

<210> 295 <211> 524 <212> DNA

<213> Lolium perenne

<220>

<221> misc\_feature
<222> (306)..(306)
<223> Any nucleotide

<220>

<221> misc\_feature <222> (482)..(482) <223> Any nucleotide

<220>

<221> misc\_feature <222> (519)..(519) <223> Any nucleotide

<400> 295

gtcctcgcct acgagcgccc cgacgcccgc ggccgctacc tctgcatcgg ggccgtgctg

caccgogogo acttectaaa getteteaag gacetettee egeagtaete etteacegee 120

aagtgogaag acgacggcaa goccatggog aagcogtaca agttotocaa coagaggoto

agggacctgg gattaaaatt cactccgctg geggaaagtt tgtacgagac egtgacgtgc  $240\,$ 

ctgcaaaaaa atggccacct gcctctgccc gctcccgtgg cgccaaagcg tgcataccta

taatantacc aagacacggc cgggatcgac aagccaagaa acagaggatt ctcccgaggt

tcaccatgga attgtgtatt tcagaaagtt tgaattctta ttttttttat tatgaaggaa 420

tacggataac caatactgta taccagaggc aagtgtaaca atgtaaatag tcgtgtaaat  $480\,$ 

cntgttcaag attgaatgat aaagtatttt ttgcaaaana aaaa 524

<210> 296 <211> 374

<212> DNA <213> Lolium perenne

<220>

<221> misc\_feature <222> (19)..(19)

```
<223> Any nucleotide
<220>
<221> misc feature
<222> (25)..(26)
<223> Any nucleotides
<400> 296
aagccqtaca aqttctccna ccaqnnqctc aqqqacctgg gattaaaatt cactccgctg
gcggaaagtt tgtacgagac cgtgacgtgc ctgcaaaaaa atggccacct gcctctgccc
gctcccatgg cgccaaagcg tgcataccta taatactaca aagacacggc cgggatcgac
180
aagccaagaa acagaggatt ctcccgaggt tcaccatgga attgtgtatt tcacaaagtt
tgaattotta tttttttat tatgaagaaa tacggaaaac caatactgta taccagaggo
aagtgtaaca atgtaaatag tcgtgtaaat cttgttcaag aatgaatgat aaagtatttt
ttqcaaaaaa aaaa
374
<210> 297
<211> 363
<212> DNA
<213> Lolium perenne
<220>
<221> misc feature
<222> (7)..(8)
<223> Any nucleotides
<220>
<221> misc_feature
<222> (363)..(363)
<223> Any nucleotide
 <400> 297
 gttctcnnac cagaggctca gggacctggg attaaaattc actccgctgg cggaaaqttt
 gtacgagacc gtgacgtgcc tgcaaaaaaa tggccacctg cctctgcccg ctcccatggc
 gccaaagcgt gcatacctat aatactacaa agacacggcc gggatcgaca agccaagaaa
 cagaggattc tcccgaggtt caccatggaa ttgtgtattt cacaaagttt gaattcttat
 240
 tttttttatt atqaaqaaat acggaaaacc aatactgtat accagaggca agtgtaacaa
 300
 tgtaaatagt cgtgtaaatc ttgttcaaga atgaatgata aagtattttt tgcaaaaaaa
```

360 aan 363 <210> 298 <211> 1381 <212> DNA <213> Lolium perenne <220> <221> misc feature <222> (5)..(5) <223> Any nucleotide <220> <221> misc\_feature <222> (1280)..(1280) <223> Any nucleotide <220> <221> misc feature <222> (1338) .. (1338) <223> Any nucleotide <400> 298 tetenagaca caetgtgtaa ecaeggtage gagtggeaag aetageagaa agtaeggaca teagetaace attecteaac tagaataage atggeteegg egatgteeaa ceeteteete 120 agtgatcggg tggcacgctc caagaaagtc ccatctagcc acgttagagc ggtgggagac egeceagace tegecaatgt egaceaegag teeggegegg geatteeget categacetg 240 aagcagctcg aaggtccagg gcgccgcagg gtcgtcgagg ccatcggctc cgcgtgcgag 300 aacgatgggt tittcatggt gacgaatcat ggcatcccag aggcggtcgt ggaggggatg ctgagcgtgg cgagggagtt cttccacctg ccggagtcgg agcggctcaa gtgctactcc 420 gacgacccca agaaggcggt ccggctgtcg acgagcttca acgtgcgcac ggagaaggtg agcaactggc gcgacttcct ccggctgcat tgctaccctc ttgagagctt cgtcgaccag 540 tggccgtcga acccgcccgc cttcaggcaa gtcgtcggca cctactcgac ggaagcgaga 600 gegetggege tgaggeteet ggaggegata teggagagee tagggetgga gagaggeeac

atggtgaagg ccatggggcg gcacgcgcag cacatggcgg tgaactacta cccgccgtgc

720

cegeageegg ageteaceta eggtetgeca gggcacaegg accecaaege ceteaceate

ctcctcatgg atccccacgt ctccggcctc caggtcctca gggacggcgc caagtggatc 840

geogtecace caegececaa egecetggte ateaacetag gegaceaget acaggegetg

agcaacggcg cgtacaagag cgtgtggcac cgggcagtgg tgaacgcgga gcaggagcgt 960

ctgtcggtgg catctttcct gtgcccgtgc aacagcgcgg ttatctgccc cgcgccgagg

ctcgtcggcg acggggagga ccccgtctac cggagctaca cctacgacga gtactacaag 1080

agg<br/>ttttgga gcaggaacct ggatcaggag cactgcctcg agctcttcag gagtcagcac 1140

tgatgcttga accttgagtt actagctagc tctccttaac agtgcaaatc catggcccaa 1200

gagggccccg attgcatggt tacttatgtt gtttgaactg gtattgctta agtgcctaat 1260

aacattgeta cattetactn ctatettgte egittaaaat tataagatgg cetaacettt 1320

ttcttaattg tatgcatnct gaacatattt aagtgtg<br/>tgt gttcagacag tttagtctgc  $\ensuremath{\texttt{1380}}$ 

a 1381

<210> 299

<211> 346 <212> PRT

<213> Lolium perenne

<400> 299

Met Ser Asn Pro Leu Leu Ser Asp Arg Val Ala Arg Ser Lys Lys Val

Pro Ser Ser His Val Arg Ala Val Gly Asp Arg Pro Asp Leu Ala Asn 20 25 30

Val Asp His Glu Ser Gly Ala Gly Ile Pro Leu Ile Asp Leu Lys Gln 35 40 45

Leu Glu Gly Pro Gly Arg Arg Arg Val Val Glu Ala Ile Gly Ser Ala 50 55 60

Cys Glu Asn Asp Gly Phe Phe Met Val Thr Asn His Gly Ile Pro Glu 65 70 75 80

Ala Val Val Glu Gly Met Leu Ser Val Ala Arg Glu Phe Phe His Leu 85 . 90 95 Pro Glu Ser Glu Arg Leu Lys Cys Tyr Ser Asp Asp Pro Lys Lys Ala 105 Val Arg Leu Ser Thr Ser Phe Asn Val Arg Thr Glu Lys Val Ser Asn 115 120 Trp Arg Asp Phe Leu Arg Leu His Cys Tyr Pro Leu Glu Ser Phe Val Asp Gln Trp Pro Ser Asn Pro Pro Ala Phe Arg Gln Val Val Gly Thr 150 1.55 Tyr Ser Thr Glu Ala Arg Ala Leu Ala Leu Arg Leu Leu Glu Ala Ile Ser Glu Ser Leu Gly Leu Glu Arg Gly His Met Val Lys Ala Met Gly Arg His Ala Gln His Met Ala Val Asn Tyr Tyr Pro Pro Cys Pro Gln Pro Glu Leu Thr Tyr Gly Leu Pro Gly His Thr Asp Pro Asn Ala Leu Thr Ile Leu Leu Met Asp Pro His Val Ser Gly Leu Gln Val Leu Arg Asp Gly Ala Lys Trp Ile Ala Val His Pro Arg Pro Asn Ala Leu Val 245 Ile Asn Leu Gly Asp Gln Leu Gln Ala Leu Ser Asn Gly Ala Tyr Lys 260 Ser Val Trp His Arg Ala Val Val Asn Ala Glu Gln Glu Arg Leu Ser

Val Ala Ser Phe Leu Cys Pro Cys Asn Ser Ala Val Ile Cys Pro Ala 290 295

Pro Arg Leu Val Gly Asp Gly Glu Asp Pro Val Tyr Arg Ser Tyr Thr 305  $\phantom{\bigg|}$  310  $\phantom{\bigg|}$  315  $\phantom{\bigg|}$  320

Tyr Asp Glu Tyr Tyr Lys Arg Phe Trp Ser Arg Asn Leu Asp Gln Glu 325 330 335

His Cys Leu Glu Leu Phe Arg Ser Gln His 340 345

336/390 <210> 300 <2115 755 <212> DNA <213> Lolium perenne <220> <221> misc feature <222> (5)..(5) <223> Any nucleotide <400> 300 tetenagaca cactgtgtaa ccaeggtage gagtggcaag actagcagaa agtaeggaca teagetaace attecteaac taqaataaqe atqqeteeqq eqatqteeaa eceteteete 120 agtgatcggg tggcacgctc caagaaagtc ccatctagcc acgttagagc ggtgggagac ogcocagaco togcoaatgt ogacoacgag tooggogogg goattoogot catogacotg 240 aagcagctog aaggtocagg gogoogcagg gtogtogagg coatoggeto ogogtgogag aacgatgggt ttttcatggt gacgaatcat ggcatcccag aggcggtcgt ggaggggatg ctgagcgtgg cgagggagtt cttccacctg ccggagtcgg agcggctcaa gtgctactcc 420 gacgacccca agaaggcggt ccggctgtcg acgagcttca acgtgcgcac ggagaaggtg agcaactggc gcgacttcct ccggctgcat tgctaccctc ttgagagctt cgtcgaccag 540 tggccgtcga acccgcccgc cttcaggcaa gtcgtcggca cctactcgac ggaagcgaga gegetggege tgaggeteet ggaggegata teggagagee tagggetgga gagaggeeae atggtgaagg ccatggggcg gcacgcgcag cacatggcgg tgaactacta cccgccgtgc cegeageegg ageteaceta eggtetgeea gggea 755 <210> 301 <211 S 780 <212> DNA <213> Lolium perenne

<220>
<221> misc\_feature

<222> (21)..(21) <223> Any nucleotide

<220>

<221> misc\_feature
<222> (778)..(778)

<223> Any nucleotide

<400> 301

totagacaca otgtgtaaco neggtagega gtggcaagac tagcagaaag tacggacate

agctaaccat tootcaacta gaataagcat ggotooggog atgtocaacc ctotootcag

tgatcgggtg gcacgctcca agaaagtccc atctagccac gttagagcgg tgggagaccg 180

cccagacete gecaatgteg accaegagte eggegeggge atteegetea tegacetgaa

gcagctcgaa ggtccagggc gccgcagggt cgtcgaggcc atcggctccg cgtgcgagaa 300

cgatgggttt ttcatggtga cgaatcatgg catcccagag gcggtcgtgg aggggatgct

gagogtggcg agggagttot tocacotgco ggagtoggag oggotoaagt gotactooga

cgaccccaag aaggcggtcc ggctgtcgac gagcttcaac gtgcgcacgg agaaggtgag

caactggcgc gacttectcc ggctgcattg ctaccetett gagagetteg tegaccagtg

geogtegaac cegecegeet teaggeaagt egteggeace tactegaegg aagegagage 600

gctggcgctg aggctcctgg aggcgatatc ggagagccta gggctggaga gaggccacat

ggtgaaggec atggggeggc acgegeagea catggeggtg aactactace egeegtgeec

gcagceggag etcacetacg gtetgccagg gcacacggac cecaatgece teaccatnet 780

<210> 302 <211> 793

<212> DNA <213> Lolium perenne

<220> <221> misc feature

<222> (64)..(64) <223> Any nucleotide

<220> <221> misc feature

<222> (692)..(692) <223> Any nucleotide

<220>

<221> misc\_feature <222> (750)..(750)

<223> Any nucleotide

<400> 302

ggggaagtee ggetgetggg getteggett etgggegega tetegetggg getggggetg

gagngagggt atgtggagaa ggtgctgggc gagcaggagc agcacatggc cgtgaactac

taccogoggt goccogagec ggacctcacc tacggcctgc ccaagcacac ggaccccaac

gccctcacca tectectcat ggatececae gteteeggee tecaggteet cagggaegge

gccaagtgga tcgccgtcca cccacgcccc aacgccctgg tcatcaacct aggcgaccag 300

ctacaggcgc tgagcaacgg cgcgtacaag agcgtgtggc accgggcagt ggtgaacgcg

gagcaggage gtctgteggt ggcatctttc ctgtgcccgt gcaacagege ggttatctgc 420

ccegegecga ggetegtegg cgaeggggag gaeccegtet aceggageta caectaegae 480

gagtactaca agaggttttg gagcaggaac ctggatcagg agcactgcct cgagctcttc

aggagtcagc actgatgctt gaaccttgag ttactagcta gctctcctta acagtgcaaa 600

tccatggccc aagagggccc cgattgcatg gttacttatg ttgtttgaac tggtattgct

taagtgccta ataacattgc tacattctac tnctatcttg tccgtttaaa attataagat 720

ggcctaacct ttttcttaat tgtatgcatn ctgaacatat ttaagtgtgt gtgttcagac 780

agtttagtct gca 793

<210> 303

<211> 1395 <212> DNA

<213> Lolium perenne

<400> 303

gaattegatt aageagtggt aacaaegeag agtaegeggg gaeteteaga acaeaetgtg 60

taaccacggt agcgagtggc aagactagca gaaagtacgg acatcagcta accattcctc 120

aactagaata agcatggctc cggcgatgtc caaccctctc ctcagtgatc gggtggcacg

ctccaagaaa gtcccatcta gccacgttag agcggtggga gaccgcccag acctcgccaa 240 .

tgtcgaccac gagtccggcg cgggcattcc gctcatcgac ctgaagcagc tcgaaggtcc 300

agggcgccgc agggtcgtcg aggccatcgg ctccgcgtgc gagaacgatg ggtttttcat

ggtgacgaat catggcatcc cagaggcggt cgtggagggg atgctgagcg tggcgaggga

gttottecac etgeeggagt eggagegget caagtgetae teegaegaee ecaagaagge 480

ggtccggctg tcgacgagct tcaacgtgcg cacggagaag gtgagcaact ggcgcgactt

ceteeggetg cattgetace etettgagag ettegtegae cagtggeegt egaaceegee 600

egeetteagg caagtegteg geacetacte gaeggaageg agagegetgg egetgagget

cctggaggcg atatcggaga gcctagggct ggagagaggc cacatggtga aggccatggg

geggeacgeg eageaeatgg eggtgaacta ctaccegeeg tgecegeage eggageteac 780

ctacqqtctq ccaqggcaca aggaccccaa tgccatcacg ctcctcctgc aggacggcgt 840

ctccggcctg caggtccagc gcgacggccg gtgggtggcc gtcaacccgg tgcccaacgc

cetegteate aacateggeg ateagttaca ggegetgage aacgacegat acaagagegt

gaaccacaga gtgatcgtca acagegegag egagaggatt teggtgeega egttetaetg 1020

cocgtogoog gacacggtgg togogoogge cgacgogotg gtggacgacg cccaccoteg

ggcctaccag cccttcacgt accaggagta ctacgaggag ttctggaaga tgggccttca

gtcagcaagt tgcctcgaca ggttccgacg gatcgagtga tggacaagac gtgggccgtt 1200

qttatctcct gggccatgag cgttgccgca gccgatgtgt cgccatatgg tggagacgtt 1260

tectecetee ggaaaagaaa aataaaacag agtggagace actagaaceg teagatagca 1320

toccaaaaaa aaaaaaaaa aaaaaaaaaa aaaagtacto tgogttgtta ccactgotta 1380

atcactagtg aattc 1395

<210> 304

<211> 348 <212> PRT

<213> Lolium perenne

<400> 304

Met Ala Pro Ala Met Ser Asn Pro Leu Leu Ser Asp Arg Val Ala Arg

10

15

340/390

5

Ser Lys Lys Val Pro Ser Ser His Val Arq Ala Val Gly Asp Arg Pro

Asp Leu Ala Asn Val Asp His Glu Ser Gly Ala Gly Ile Pro Leu Ile

Asp Leu Lys Gln Leu Glu Gly Pro Gly Arg Arg Arg Val Val Glu Ala

Ile Gly Ser Ala Cys Glu Asn Asp Gly Phe Phe Met Val Thr Asn His

Gly Ile Pro Glu Ala Val Val Glu Gly Met Leu Ser Val Ala Arg Glu

Phe Phe His Leu Pro Glu Ser Glu Arg Leu Lys Cys Tyr Ser Asp Asp 105

Pro Lys Lys Ala Val Arg Leu Ser Thr Ser Phe Asn Val Arg Thr Glu 115 120

Lys Val Ser Asn Trp Arg Asp Phe Leu Arg Leu His Cys Tyr Pro Leu

Glu Ser Phe Val Asp Gln Trp Pro Ser Asn Pro Pro Ala Phe Arg Gln 150 145

Val Val Gly Thr Tyr Ser Thr Glu Ala Arg Ala Leu Ala Leu Arg Leu

Leu Glu Ala Ile Ser Glu Ser Leu Gly Leu Glu Arg Gly His Met Val 180

Lys Ala Met Gly Arg His Ala Gln His Met Ala Val Asn Tyr Tyr Pro

Pro Cys Pro Gln Pro Glu Leu Thr Tyr Gly Leu Pro Gly His Lys Asp

Pro Asn Ala Ile Thr Leu Leu Gln Asp Gly Val Ser Gly Leu Gln

Val Gln Arg Asp Gly Arg Trp Val Ala Val Asn Pro Val Pro Asn Ala 250 245

Leu Val Ile Asn Ile Gly Asp Gln Leu Gln Ala Leu Ser Asn Asp Arg 260 265

Tyr Lys Ser Val Asn His Arg Val Ile Val Asn Ser Ala Ser Glu Arg 275 280 285

Ile Ser Val Pro Thr Phe Tyr Cys Pro Ser Pro Asp Thr Val Val Ala 290 295 300

Pro Ala Asp Ala Leu Val Asp Asp Ala His Pro Arg Ala Tyr Gln Pro 305 310 315

Phe Thr Tyr Gln Gln Tyr Tyr Glu Glu Phe Trp Lys Met Gly Leu Gln 325 330 335

Ser Ala Ser Cys Leu Asp Arg Phe Arg Arg Ile Glu 340 345

<210> 305

<211> 1309 <212> DNA

<213> Trifolium repens

<400> 305

gaattogatt aagcagtggt aacaacgcag agtacgcggg ataaaaactg cactagtgtg 60

tataagtttc ttggtgaaaa aagagtttgt aaattaacat catggctagt atcaaacaaa  $120\,$ 

ttggaaacaa gaaagcatgt gtgattggtg gcactggttt tgttgcatct atgttgatca  $180\,$ 

agcagttact tgaaaagggt tatgctgtta atactaccgt tagagaccca gatagcccta 240

agaaaatatc tcacctagtg gcactgcaaa gtttggggga actgaatcta tttagagcag 300

acttaacagt tgaagaagat tttgatgctc ctatagcagg atgtgaactt gtttttcaac 360

ttgctacacc tgtgaacttt gcttctcaag atcctgagaa tgacatgata aagccagcaa 420

tcaaaaggtgt gttgaatgtg ttgaaagcaa ttgcaagagc aaaagaagtt aaaagagtta  $480\,$ 

tottaacato t<br/>toggcagoo goggtgacta taaatgaact caaagggaca ggtcatgtta<br/>  $540\,$ 

tggatgaaac caactggtet gatgttgaat ttetcaacac tgcaaaacca cecaettggg

gttatcctgc ctcaaaaatg ctagctgaaa aggctgcatg gaaatttgct gaagaaaatg

acattgatet aatcactgtg atacctagtt taacaactgg teettetete acaecagata 720

teccatetag tgttggettg geaatgtete taataacagg caatgatttt eteataaatg

ctttgaaagg aatgcagttt ctgtcgggtt cgttatccat cactcatgtt gaggatattt

840 gccgagctca tatatttctt gcagagaaag aatcagcttc tggtagatac atttgctgtg

ctcacaatac tagtgttccc gagcttgcaa agtttctcaa caaacgatat cctcagtata

aagttccaac tgaatttgat gattgcccca gcaaggcaaa gttgataatc tottctgaaa 1020

agettateaa agaagggtte agttteaage atggtattge egaaacttte gaccagactg 1080

tcgagtattt taagactaag ggggcactga agaattagat tttgatattt ctaattcaat 1140

agcaaactct aagcttgtta tgtgtttgtg aagttcagag tgaaatatca aatgaataag 1200

aaaaaaaagt actotgogtt gttaccactg cttaatcact agtgaattc

<210> 306

<211> 338 <212> PRT

<213> Trifolium repens

<400> 306

Met Ala Ser Ile Lys Gln Ile Gly Asn Lys Lys Ala Cys Val Ile Gly 1 5 10 15

Gly Thr Gly Phe Val Ala Ser Met Leu Ile Lys Gln Leu Leu Glu Lys 20 25 30

Gly Tyr Ala Val Asn Thr Thr Val Arg Asp Pro Asp Ser Pro Lys Lys 35 40 45

Ile Ser His Leu Val Ala Leu Gln Ser Leu Gly Glu Leu Asn Leu Phe 50 60

Arg Ala Asp Leu Thr Val Glu Glu Asp Phe Asp Ala Pro Ile Ala Gly 65 70 75

Cys Glu Leu Val Phe Gln Leu Ala Thr Pro Val Asn Phe Ala Ser Gln 85 90 95

Asp Pro Glu Asn Asp Met Ile Lys Pro Ala Ile Lys Gly Val Leu Asn 100 105 110

Val Leu Lys Ala Ile Ala Arg Ala Lys Glu Val Lys Arg Val Ile Leu 115 120 125

Thr Ser Ser Ala Ala Ala Val Thr Ile Asn Glu Leu Lys Gly Thr Gly

His Val Met Asp Glu Thr Asn Trp Ser Asp Val Glu Phe Leu Asn Thr 145 150 155

Ala Lys Pro Pro Thr Trp Gly Tyr Pro Ala Ser Lys Met Leu Ala Glu 170

Lys Ala Ala Trp Lys Phe Ala Glu Glu Asn Asp Ile Asp Leu Ile Thr

Val Ile Pro Ser Leu Thr Thr Gly Pro Ser Leu Thr Pro Asp Ile Pro

Ser Ser Val Gly Leu Ala Met Ser Leu Ile Thr Gly Asn Asp Phe Leu 215

Ile Asn Ala Leu Lys Gly Met Gln Phe Leu Ser Gly Ser Leu Ser Ile 230 235

Thr His Val Glu Asp Ile Cys Arg Ala His Ile Phe Leu Ala Glu Lys 245

Glu Ser Ala Ser Gly Arg Tyr Ile Cys Cys Ala His Asn Thr Ser Val 265

Pro Glu Leu Ala Lys Phe Leu Asn Lys Arg Tyr Pro Gln Tyr Lys Val

Pro Thr Glu Phe Asp Asp Cys Pro Ser Lys Ala Lys Leu Ile Ile Ser 295

Ser Glu Lys Leu Ile Lys Glu Gly Phe Ser Phe Lys His Gly Ile Ala

Glu Thr Phe Asp Gln Thr Val Glu Tyr Phe Lys Thr Lys Gly Ala Leu 330

Lys Asn

<210> 307 <211> 1005 <212> DNA

<213> Trifolium repens

<400> 307

gaattegatt aagcagtggt aacaacgcag agtacgcggg gacttaaaca ttgacacaag

tcccaaataa aaaagatctg aaacaacata gtcaccccat tttttaacat taaactaaaa 120

atatgtegge catcacegea atecaagteg agaacettga attteegget gtggttactt

ctccggccac cggtaagtca tattttcttg gtggtgcagg ggagagaggt ttgactattg

aaggaaactt catcaagttc actgccatag gagtatattt ggaagatgta gcagtggctt 300

cacttgccac taaatggaag ggtaaatcct ctgaggagtt gcttgagact cttgacttct 360

atagagacat catttcagga ccctttgaaa agttgattcg aggatcgaag attagggaat

tgagtggtcc tgagtactca aggaaggtta atgaaaactg cgtggcacac ttaaaatctg

ttgggactta tggagatgct gaagctgaag ctatgcaaaa atttgttgaa gccttcaagc  $540\,$ 

ctattaattt tccacctggt gcctctgttt tttacaggca atcacctgat ggaatattag

ggcttagttt ctctcaagat gcaagtatac cagaaaagga ggctgcagta atagagaaca

aggcagette ateggcagtg ttagaaacta tgattggtga acatgetgtt teteetgatt 720

taaagogttg tttggctgca agattacctg ccttgttgaa cgagggtact ttcaagattg 780

aatgaaaact gattattatt atctccaaaa gcattgcagc acaagattga gtcatttatg 840

agcatggaca tittiatgic cacacatgit taactitigt atcictcitt agattcicat 900

aaaagtactc tgcgttgtta ccactgctta atcactagtg aattc 1005

<210> 308

<211> 220 <212> PRT

<213> Trifolium repens

<400> 308

Met Ser Ala Ile Thr Ala Ile Gln Val Glu Asn Leu Glu Phe Pro Ala 1  $\phantom{\bigg|}$  10  $\phantom{\bigg|}$  15

Val Val Thr Ser Pro Ala Thr Gly Lys Ser Tyr Phe Leu Gly Gly Ala 20 25 30

Gly Glu Arg Gly Leu Thr Ile Glu Gly Asn Phe Ile Lys Phe Thr Ala 35 40 45

Ile Gly Val Tyr Leu Glu Asp Val Ala Val Ala Ser Leu Ala Thr Lys 55

Trp Lys Gly Lys Ser Ser Glu Glu Leu Leu Glu Thr Leu Asp Phe Tyr 70

Arg Asp Ile Ile Ser Gly Pro Phe Glu Lys Leu Ile Arg Gly Ser Lys

Ile Arg Glu Leu Ser Gly Pro Glu Tyr Ser Arg Lys Val Asn Glu Asn

Cys Val Ala His Leu Lys Ser Val Gly Thr Tyr Gly Asp Ala Glu Ala

Glu Ala Met Gln Lys Phe Val Glu Ala Phe Lys Pro Ile Asn Phe Pro

Pro Gly Ala Ser Val Phe Tyr Arg Gln Ser Pro Asp Gly Ile Leu Gly 145

Leu Ser Phe Ser Gln Asp Ala Ser Ile Pro Glu Lys Glu Ala Ala Val

Ile Glu Asn Lys Ala Ala Ser Ser Ala Val Leu Glu Thr Met Ile Gly

Glu His Ala Val Ser Pro Asp Leu Lys Arg Cys Leu Ala Ala Arg Leu 200

Pro Ala Leu Leu Asn Glu Gly Thr Phe Lys Ile Glu 210 215

<210> 309

<211> 1105

<212> DNA <213> Trifolium repens

<400> 309

gaattcacta gtgattaagc agtggtaaca acgcagagta cgcggggaca ttacaactca

caacacette tecattacea tetatettet actaagttea acgagateaa tggcaettee

ttctqtcacc qctttqaata tcqaqaacaa tctattccct cctaccgtca caccaccggg

atccaccaac aatttettee teggeggtge aggagagegg ggtetteaaa ttcaagacaa

atttqtcaaa ttcaccgcta ttggtgttta tctacaggac attgctgttc cttacctcgc 300

cactaaatgg aagggtaaga ctgctcaaga gctaacggaa actgttcctt tcttcaggga

categttaca ggtccatttg agaaatttat gcaggtgaca atgatcttgc cattgactgg 420

gcaacaatac tcagagaaag tgtcagaaaa ttgtgtagct atttggaagt ctcttgggat 480

ttataccgac gaagaagcca aagcaattga gaagtttgtt tetgtettea aagatgaaac 540

attoccacca ggetecteta teetttteac agtattaece aaaggattag gateactaac 600

gataagtttc tctaaagatg gatccattcc agagaccgag tctgcagtta tagagaataa

gctactetca caagetgtge ttgagtegat gataggggeg caeggtgtet eccetgeage 720

aaaacagagt ttggccacca ggttatccga gttattcaac gaggttggtg atgctagcaa 780

ctgattatat caacaaaacg aaaatgaaag tootttotgo aataaagaco aagoggaaat

tttattttag gtgcactttg aaatgacctc tttggcgact ttttcttgta ctaataataa 900

agagtgtgtt tgtatcatgt tgtaatttta ttttagaaaa agtgaggtaa gaaaggagtc 960

cttatgttta tttcaattat tgaaaaatta tttgcatgta taattgattt caactgatgt 1020  $\,$ 

ttgttaccac tgcttaatcg aattc 1105

<210> 310

<211> 224 <212> PRT

<213> Trifolium repens

<400> 310

Met Ala Leu Pro Ser Val Thr Ala Leu Asn Ile Glu Asn Asn Leu Phe 1 5 10 15

Pro Pro Thr Val Thr Pro Pro Gly Ser Thr Asn Asn Phe Phe Leu Gly 20 25 30

Gly Ala Gly Glu Arg Gly Leu Gln Ile Gln Asp Lys Phe Val Lys Phe 35 40 45

Thr Ala Ile Gly Val Tyr Leu Gln Asp Ile Ala Val Pro Tyr Leu Ala
50 55 60

Thr Lys Trp Lys Gly Lys Thr Ala Gln Glu Leu Thr Glu Thr Val Pro

Phe Phe Arg Asp Ile Val Thr Gly Pro Phe Glu Lys Phe Met Gln Val

Thr Met Ile Leu Pro Leu Thr Gly Gln Gln Tyr Ser Glu Lys Val Ser

Glu Asn Cys Val Ala Ile Trp Lys Ser Leu Gly Ile Tyr Thr Asp Glu 115 120 125

Glu Ala Lys Ala Ile Glu Lys Phe Val Ser Val Phe Lys Asp Glu Thr 130 . 135 140

Phe Pro Pro Gly Ser Ser Ile Leu Phe Thr Val Leu Pro Lys Gly Leu 145 150 150

Gly Ser Leu Thr Ile Ser Phe Ser Lys Asp Gly Ser Ile Pro Glu Thr 165 170 170

Glu Ser Ala Val Ile Glu Asn Lys Leu Leu Ser Gln Ala Val Leu Glu 180 \$185\$

Ser Met Ile Gly Ala His Gly Val Ser Pro Ala Ala Lys Gln Ser Leu 195 200 205

Ala Thr Arg Leu Ser Glu Leu Phe Asn Glu Val Gly Asp Ala Ser Asn 210 215 220

<210> 311

<211> 1272 <212> DNA

<213> Trifolium repens

<400> 311

gaattegatt aagcagtggt aacaacgcag agtacgcggg gattcaaaca tagctcaaag

aacatgggta gtgttgaaat tecaacaaag gttettaeta acagttetag teaagtgaaa 180

atgcctgtgg ttggaatggg atcagcacct gatttcacat gtaagaaaga cacaaaagat 240

gcaatcattg aagccatcaa acagggttat agacactttg atactgctgc tgcttatggc 300

tcagaacaag ctcttggtga aggtttgaaa gaagcaattg aacttggtct tgtcactaga 360

gaagaccttt ttgttacttc taaactttgg gtcactgaaa atcatcctca tcttgttgtt

420

cctgctcttc aaaaatctct caagactctt caattggagt acttggactt gtatttgatc 480

cattggccac thagttetea geetggaaag tttteattte caattgatgt ggeagatete 540

ttgccatttg atgtgaaggg tgtttgggaa tccatggaag aaggcttgaa acttggactc

actaaagcta ttggtgttag taacttctct gtcaagaaac ttcaaaatct tgtctcagtt

gccactgttc ttcctgctgt caatcaagtg gagatgaacc ttgcatggca acaaaagaag 720

cttagagaat tttgcaatgc aaatggaata gtgttaactg cattttcacc attgagaaaa 780

ggtgcaagca ggggaccaaa tgaagttatg gaaaatgata tgcttaaaga gattgcagat

gctcatggaa agtctgttgc acaaatttca ttgagatggt tatatgaaca aggagtcact  $900\,$ 

tttgttccca agagctatga taaggaaaga atgggtcaaa atttggctat ctttgattgg 960

acattggcaa aagaagatca tgagaaaatt gatcaaatta agcagaaccg tttgatccct 1020  $\,$ 

ggaccaacca agccaggact cagtgaccta tgggatgatg aaatataaag tggaagatgt 1080

taaaagtccc ttaagctcac tcaatatcta tetattgtgt aetttttgca tttggggttt 1140

gaaattgagt caccettgtt tetgtatega tttaaaattt aaataateaa ttttteatta 1200

caaaaaaaaa aaaaaaaaaa aaaaaaaaaa agtactctgc gttgttacca ctgcttaatc 1260

actagtgaat to 1272

<210> 312

<211> 314 <212> PRT

<213> Trifolium repens

<400> 312

Met Gly Ser Val Glu The Pro Thr Lys Val Leu Thr Asn Ser Ser Ser 1 10 15

Gln Val Lys Met Pro Val Val Gly Met Gly Ser Ala Pro Asp Phe Thr 20 25 30

Cys Lys Lys Asp Thr Lys Asp Ala Ile Ile Glu Ala Ile Lys Gln Gly
35 40 45

Tyr Arg His Phe Asp Thr Ala Ala Ala Tyr Gly Ser Glu Gln Ala Leu 50 55 60

50 55 60

Gly Glu Gly Leu Lys Glu Ala Ile Glu Leu Gly Leu Val Thr Arg Glu 65 70 75 80

Asp Leu Phe Val Thr Ser Lys Leu Trp Val Thr Glu Asn His Pro His 90 95

Leu Val Val Pro Ala Leu Gln Lys Ser Leu Lys Thr Leu Gln Leu Glu 100 105 110

Tyr Leu Asp Leu Tyr Leu Ile His Trp Pro Leu Ser Ser Gln Pro Gly 115 120 125

Lys Phe Ser Phe Pro Ile Asp Val Ala Asp Leu Leu Pro Phe Asp Val 130 135 140

Lys Gly Val Trp Glu Ser Met Glu Glu Gly Leu Lys Leu Gly Leu Thr 145 150 150 160

Lys Ala Ile Gly Val Ser Asn Phe Ser Val Lys Lys Leu Gln Asn Leu 165 170 175

Val Ser Val Ala Thr Val Leu Pro Ala Val Asn Gln Val Glu Met Asn 180 185 190

Leu Ala Trp Gln Gln Lys Lys Leu Arg Glu Phe Cys Asn Ala Asn Gly 195 200 205

Ile Val Leu Thr Ala Phe Ser Pro Leu Arg Lys Gly Ala Ser Arg Gly 210 215 220

Pro Asn Glu Val Met Glu Asn Asp Met Leu Lys Glu Ile Ala Asp Ala 225 230 235 240

His Gly Lys Ser Val Ala Gln Ile Ser Leu Arg Trp Leu Tyr Glu Gln 245 250 255

Gly Val Thr Phe Val Pro Lys Ser Tyr Asp Lys Glu Arg Met Gly Gln

Asn Leu Ala Ile Phe Asp Trp Thr Leu Ala Lys Glu Asp His Glu Lys

Ile Asp Gln Ile Lys Gln Asn Arg Leu Ile Pro Gly Pro Thr Lys Pro 290 295 300

Gly Leu Ser Asp Leu Trp Asp Asp Glu Ile

305

. 310

<210> 313 <211> 1548

<211> 1548 <212> DNA

<213> Trifolium repens

<400> 313

gaattcgatt aagcagtggt atcaacgcag agtacgcggg gacaacaact ataacttcct 60

gttattaacc aattgagttc aaattacata catagcagga actatactaa agatatcaac

atggttagtg tttctgaaat tcgcaaggct caaagggctg aaggccctgc aactattttg

gccattggta ctgcaaatcc agcaaatcgt gttgaccaga gtacatatcc tgatttctac 240

ttcaaaatca ctaacagtga gcataaggtt gagcttaaag agaaatttca gcgcatgtgt 300

gataaatcta tgatcaagag cagatacatg tatctaacag aagagatttt gaaagaaaat 360

cctagtettt gtgaatacat ggcacettca ttggatgeta ggcaagacat ggtggtggtt 420

gaggtaccta gacttgggaa ggaggctgca gtgaaagcta tcaaagaatg gggtcaacca 480

aagtcaaaga ttactcactt aatcttttgc accacaagtg gtgttgacat gcctggtgcc 540

gattaccaac tcacaaaact cttaggtctt cgcccatatg tgaagaggta catgatgtac

caacaagggt gctttgcagg tgggacggtt cttcgtttgg ccaaggattt ggccgagaac 660

aacaaaggtg ctcgtgtgtt ggttgtttgc tctgaagtaa ccgcagtcac attccgcggc 720

cccagtgaca ctcatttgga cagtcttgtt ggacaagcac tattcggaga tggagctgct 780

gcactcattg ttggctcaga cccagtacca gaaattgaga agccaatatt tgagatggtt 840

tggaccgcac agacaattgc tccagatagt gaaggtgcca ttgatggtca tcttcgtgaa 900

gctggactaa catttcatct tcttaaagat gttcctggga ttgtctcaaa gaacattgat 960

aaggcattgg ttgaggcatt ccaaccatta aacatctctg attacaattc aatcttttgg 1020

attgeteate caggtggtee tgeaatteta gaccaagttg agataaagtt gggettaaaa 1080

cctgaaaaaa tgaaggccac cagagatgta cttagtgaat atggtaacat gtcaagtgca 1140 Egtgtattgt tcatcttaga tgagatgaga aagaaatcgg ctgaaaatgg acttaaaacc

acaqqaqaaq qacttqactq qqqtqtqttq tttqqatttq qqcccqqact taccattqaa

actgttgttc tacatagtgt ggctatatga gaatgagaga cttgatttgt ttttattgta

ttgtattgta ttactttaaa tcttggttga acctccattt taagaataaa tatggagttc

aatatggacc atcctgttaa aataatatat cgttaatagc tattatttta gtgtctgttt 1440

aaaaaaagta ctctgcgttg ttaccactgc ttaatcacta gtgaattc

<210> 314

1260

<211> 389

<212> PRT <213> Trifolium repens

<400> 314

Met Val Ser Val Ser Glu Ile Arg Lys Ala Gln Arg Ala Glu Gly Pro 1 10 15

Ala Thr Ile Leu Ala Ile Gly Thr Ala Asn Pro Ala Asn Arg Val Asp 20 25 30

Gln Ser Thr Tyr Pro Asp Phe Tyr Phe Lys Ile Thr Asn Ser Glu His 35 40 45

Lys Val Glu Leu Lys Glu Lys Phe Gln Arg Met Cys Asp Lys Ser Met 50 55 60

Ile Lys Ser Arg Tyr Met Tyr Leu Thr Glu Glu Ile Leu Lys Glu Asn 65 70 75 80

Pro Ser Leu Cys Glu Tyr Met Ala Pro Ser Leu Asp Ala Arg Gln Asp 85 90 95

Met Val Val Val Glu Val Pro Arg Leu Gly Lys Glu Ala Ala Val Lys 100 . 105 110

Ala Ile Lys Glu Trp Gly Gln Pro Lys Ser Lys Ile Thr His Leu Ile 115 120 125

Phe Cys Thr Thr Ser Gly Val Asp Met Pro Gly Ala Asp Tyr Gln Leu 130 140

Thr Lys Leu Leu Gly Leu Arg Pro Tyr Val Lys Arg Tyr Met Met Tyr

WO 03/031622 PCT/AU02/01345

155

160

352/390

150

145

Gln Gln Gly Cys Phe Ala Gly Gly Thr Val Leu Arg Leu Ala Lys Asp

Leu Ala Glu Asn Asn Lys Gly Ala Arg Val Leu Val Val Cys Ser Glu

Val Thr Ala Val Thr Phe Arg Gly Pro Ser Asp Thr His Leu Asp Ser

Leu Val Gly Gln Ala Leu Phe Gly Asp Gly Ala Ala Ala Leu Ile Val 210 215 220

Gly Ser Asp Pro Val Pro Glu Ile Glu Lys Pro Ile Phe Glu Met Val 225 230 235 240

Trp Thr Ala Gln Thr Ile Ala Pro Asp Ser Glu Gly Ala Ile Asp Gly 245 250 255

His Leu Arg Glu Ala Gly Leu Thr Phe His Leu Leu Lys Asp Val Pro 260 265 270

Gly Ile Val Ser Lys Asn Ile Asp Lys Ala Leu Val Glu Ala Phe Gln 275 280 285

Pro Leu Asn Ile Ser Asp Tyr Asn Ser Ile Phe Trp Ile Ala His Pro 290 295 300

Gly Gly Pro Ala Ile Leu Asp Gln Val Glu Ile Lys Leu Gly Leu Lys 305 310 315

Pro Glu Lys Met Lys Ala Thr Arg Asp Val Leu Ser Glu Tyr Gly Asn 325 330 335

Met Ser Ser Ala Cys Val Leu Phe Ile Leu Asp Glu Met Arg Lys Lys 340 345 350

Ser Ala Glu Asn Gly Leu Lys Thr Thr Gly Glu Gly Leu Asp Trp Gly 355 360 365

Val Leu Phe Gly Phe Gly Pro Gly Leu Thr Ile Glu Thr Val Val Leu 370 375 380

His Ser Val Ala Ile 385

<210> 315 <211> 1447 <212> DNA <213> Trifolium repens

<400> 315

960

gaattcacta gtgattaagc agtggtaaca acgcagagta cgcggggaac aaaaacaact

acgcatatta tatatatata tatatagtot ataattgaaa gaaactgota aagatattat 120

taagatatgg tgagtgtagc tgaaattcgc aaggetcaga gggetgaagg ceetgcaacc 180

attttggcca ttggcactgc aaatccacca aaccgtgttg agcagagcac atatcctgat 240

ttctacttca aaattacaaa cagtgagcac aagactgagc tcaaagagaa gttccaacgc 300

atgtgtgaca aatccatgat caagagcaga tacatgtatc taacagaaga gattttgaaa 360

gaaaatccta gtctttgtga atacatggca ccttcattgg atgctaggca agacatggtg 420

gtggttgagg tacctagact tgggaaggag gctgcagtca aggccattaa agaatggggt

caaccaaagt caaagattac tcacttaatc ttttgcacca caagtggtgt tgacatgcct 540

ggtgctgatt accaactcac aaaactctta ggtcttcgcc catatgtgaa aaggtatatg 600

atgtaccaac aaggttgttt tgcaggaggc acggtgcttc gtttggcaaa agatttggcc 660

gagaacaaca aaggtgeteg tgtgetagtt gtttgttetg aagteaeege agteaeattt 720

egeggececa gtgataetea ettggacagt ettgttggac aageattgtt tggagatgga 780

gccgctgcac taattgttgg ttctgatcca gtgcctgaaa ttgagaaacc aatatttgag 840 atggtttgga ctgcacaaac aattgctcca gacagtgaag gtgccattga tggtcatctt

egtgaagetg ggctaacatt teatettett aaagatgtte etgggattgt ateaaagaac

attaataaag cattggttga ggctttccaa ccattaggaa tttctgacta caactcaatc

ttttggattg cacacccggg tggacctgca attcttgatc aagtagaaca aaagctagcc

ttgaagcccg aaaagatgag ggccacgagg gaagttctaa gtgaatatgg aaacatgtca

agogoatgtg tattgttoat ottagatgag atgoggaaga aatoggotoa aaatggaott 1200

aagacaactg gagaaggact tgattggggt gtgttgttcg gcttcggacc aggacttacc 1260

attgaaaccg ttgttcttcg tagcgtggct atataagatg tgtgattgtt tttattttaa

tgtattactt ttaatcttgc tgccttgaat ttcgatttaa gaataaataa atatatcttt

tgataaaaaa aaaaaaaaa aaaaaaaaaa aagtactctg cgttgttacc actgcttaat 1440

cgaattc 1447

<210> 316 <211> 389 <212> PRT <213> Trifolium repens

<400> 316

Met Val Ser Val Ala Glu Ile Arg Lys Ala Gln Arg Ala Glu Gly Pro

Ala Thr Ile Leu Ala Ile Gly Thr Ala Asn Pro Pro Asn Arg Val Glu 25

Gln Ser Thr Tyr Pro Asp Phe Tyr Phe Lys Ile Thr Asn Ser Glu His

Lys Thr Glu Leu Lys Glu Lys Phe Gln Arg Met Cys Asp Lys Ser Met

Ile Lys Ser Arg Tyr Met Tyr Leu Thr Glu Glu Ile Leu Lys Glu Asn 70

Pro Ser Leu Cys Glu Tyr Met Ala Pro Ser Leu Asp Ala Arg Gln Asp

Met Val Val Val Glu Val Pro Arg Leu Gly Lys Glu Ala Ala Val Lys 100 105

Ala Ile Lys Glu Trp Gly Gln Pro Lys Ser Lys Ile Thr His Leu Ile

Phe Cys Thr Thr Ser Gly Val Asp Met Pro Gly Ala Asp Tyr Gln Leu 135

Thr Lys Leu Leu Gly Leu Arg Pro Tyr Val Lys Arg Tyr Met Met Tyr 150 145

Gln Gln Gly Cys Phe Ala Gly Gly Thr Val Leu Arg Leu Ala Lys Asp

Leu Ala Glu Asn Asn Lys Gly Ala Arg Val Leu Val Val Cys Ser Glu 185 180

Val Thr Ala Val Thr Phe Arg Gly Pro Ser Asp Thr His Leu Asp Ser 195 200 205

Leu Val Gly Gln Ala Leu Phe Gly Asp Gly Ala Ala Ala Leu Ile Val 210 215 220

Gly Ser Asp Pro Val Pro Glu Ile Glu Lys Pro Ile Phe Glu Met Val 225 230 235

Trp Thr Ala Gln Thr Ile Ala Pro Asp Ser Glu Gly Ala Ile Asp Gly 245 250 255

His Leu Arg Glu Ala Gly Leu Thr Phe His Leu Leu Lys Asp Val Pro

Gly Ile Val Ser Lys Asn Ile Asn Lys Ala Leu Val Glu Ala Phe Gln 275 280 285

Pro Leu Gly Ile Ser Asp Tyr Asn Ser Ile Phe Trp Ile Ala His Pro 290 295 300

Gly Gly Pro Ala Ile Leu Asp Gln Val Glu Gln Lys Leu Ala Leu Lys 305 310 315 320

Pro Glu Lys Met Arg Ala Thr Arg Glu Val Leu Ser Glu Tyr Gly Asn 325  $\phantom{\bigg|}$  330  $\phantom{\bigg|}$  335

Met Ser Ser Ala Cys Val Leu Phe Ile Leu Asp Glu Met Arg Lys Lys 340 345

Ser Ala Gln Asn Gly Leu Lys Thr Thr Gly Glu Gly Leu Asp Trp Gly 355 360 365

Val Leu Phe Gly Phe Gly Pro Gly Leu Thr Ile Glu Thr Val Val Leu 370 380

Arg Ser Val Ala Ile 385

<210> 317

<211> 2394 <212> DNA

<213> Trifolium repens

<400> 317 gaattegatt aagcagtggt aacaacgcag agtacgcggg gattcaatct gttgtgcata

aaattcactc attgcataga aaaccataca catttgatct tgcaaagaag aaatatggga 120

gacgaaggta tagtgagagg tgtcacaaag cagacaaccc ctgggaaggc tactatattg

getettggea aggeatteee teaceaactt gtgatgeaag agtgtttagt tgatggttat

tttagggaca ctaattgtga caatcctgaa cttaagcaga aacttgctag actttgtaag

acaaccacgg taaaaacaag gtatgttgtt atgaatgagg agatactaaa gaaatatcca 360

gaacttgttg tcgaaggcgc ctcaactgta aaacaacgtt tagagatatg taatgaggca

gtaacacaaa tggcaattga agcttcccaa gtttgcctaa agaattgggg tagatcctta 480

toggacataa otoatgtggt ttatgtttca totagtgaag otagattaco oggtggtgac 540

ctatacttgt caaaaggact aggactaaac cctaaaattc aaagaaccat gctctatttc 600

tctggatgct cgggaggcgt agccggcctt cgcgttgcga aagacgtagc tgagaacaac

cctggaagta gagttttgct tgctacttcg gaaactacaa ttattggatt caagccacca

agtgttgata gaccttatga tettgttggt gtggcaetet ttggagatgg tgetggtgca 780

atgataattg geteagacce ggtatttgaa actgagacae cattgtttga getgeataet 840

tragetragg agtttatace agacacegag aagaaaattg atgggegget gaeggaggag 900

ggcataagtt tcacactagc aagggaactt ccgcagataa tcgaagacaa tgttgaggga 960

ttctgtaata aactaattga tgttgttggg ttggagaata aggagtacaa taagttgttt 1020

tgggctgtgc atccaggtgg gcctgcgata ttgaatcgcg tggagaagcg gcttgagttg

tegeegeaga agetgaatge tagtagaaaa getetaatgg attatggaaa tgetageage 1140

aatactattg tttatgtgct ggaatatatg ctagaagagg aaaagaagat taaaaaggcg 1200

ggtggaggag attctgaatg gggattgata cttgcttttg gacctggaat tacttttgag

gggattctag caaggaactt gtgtgcatga agtcttatac aattgtgatg catgacttat

actottattt otaotaatta ttatattaag caaattoaga acttttaagt aatgatttaa 1380

tgaagaatac ttatagtata ttgactttat tcactttcaa agcaagttta tgatcctaag

acatggtaga acttgagcat gtggaatagt tgtaacaaaa actctaagca aatagagact

ttatgtagta taaagcattt ccagacatga taaataatgg tacctcagaa cataaaatat 1560

atttagctat ctttcatccc caactttaca catccaccaa ggtacagaat aagcatatgt 1620

caacacaaaa tgtactctaa gtctaacatg agtaaccaaa catgatgcct gattaagtta

aaagaaaaga aaatetgagg geatagatet teaateacae eacteeagag ggaaggegta 1740

gaacaagctg teegeegaaa acaetgeaat teaataaata teattaggae aacagtgeag

agtcatgcgg gaaatgtott aagtcactgt actaaaaata taggattata ttatgaacta 1860

tactaacctt ttcacataat agtaacagaa atcagctaag atgaatgtot ggacaatttc

tgagataaga accatgacgg ccataagcca taccccaagg caaccaataa atgtccacgg

gtatctaaca cotgttgcaa gaaatagtaa gttattagga gatgtgcggt tacgaaattc 2040

aagctacaca acaaaaggag gccagaacaa cagcaatctt gtaaccagat gacaacaata 2100

aaatgtaaac ttaaagagac cgaacacaca aacattgcaa ctcagatgga attgctgcca 2160

tgtaactagt aggagatttg ggacgtcaaa tcagtatatt atgcaaatac aaggtatgac 2220

cgccttgtct attgtagcat acaacaaacg tacagtgggt ttgtccctct caaaatggca 2280

ggatotttac agcacaatat ttggttttgt catacttata ccataaaaaa aaaaaaaaa 2340

aaaaaaaaaa aaagtactot gogttgttac cactgottaa toactagtga atto

<210> 318

<211> 391 <212> PRT

<213> Trifolium repens

<400> 318

Met Gly Asp Glu Gly Ile Val Arg Gly Val Thr Lys Gln Thr Thr Pro 1 10 15

Gly Lys Ala Thr Ile Leu Ala Leu Gly Lys Ala Phe Pro His Gln Leu 20 25 30

Val Met Gln Glu Cys Leu Val Asp Gly Tyr Phe Arg Asp Thr Asn Cys

Asp Asn Pro Glu Leu Lys Gln Lys Leu Ala Arg Leu Cys Lys Thr Thr

Thr Val Lys Thr Arg Tyr Val Val Met Asn Glu Glu Ile Leu Lys Lys 65 70 75 80

Tyr Pro Glu Leu Val Val Glu Gly Ala Ser Thr Val Lys Gln Arg Leu 85 90 95

Glu Ile Cys Asn Glu Ala Val Thr Gln Met Ala Ile Glu Ala Ser Gln 100 105 110

Val Cys Leu Lys Asn Trp Gly Arg Ser Leu Ser Asp Ile Thr His Val

Val Tyr Val Ser Ser Ser Glu Ala Arg Leu Pro Gly Gly Asp Leu Tyr 130 135 140

Leu Ser Lys Gly Leu Gly Leu Asn Pro Lys Ile Gln Arg Thr Met Leu 145 150 150 160

Tyr Phe Ser Gly Cys Ser Gly Gly Val Ala Gly Leu Arg Val Ala Lys 165 170 170 175

Asp Val Ala Glu Asn Asn Pro Gly Ser Arg Val Leu Leu Ala Thr Ser 180 185 190

Glu Thr Thr Ile Ile Gly Phe Lys Pro Pro Ser Val Asp Arg Pro Tyr 195 200 205

Asp Leu Val Gly Val Ala Leu Phe Gly Asp Gly Ala Gly Ala Met Ile 210 215 220

Ile Gly Ser Asp Pro Val Phe Glu Thr Glu Thr Pro Leu Phe Glu Leu 225 230 235

His Thr Ser Ala Gln Glu Phe Ile Pro Asp Thr Glu Lys Lys Ile Asp 245 250 255

Gly Arg Leu Thr Glu Glu Gly Ile Ser Phe Thr Leu Ala Arg Glu Leu 260 265 270

Pro Gln Ile Ile Glu Asp Asn Val Glu Gly Phe Cys Asn Lys Leu Ile

Asp Val Val Gly Leu Glu Asn Lys Glu Tyr Asn Lys Leu Phe Trp Ala

WO 05/051022 FC 1/AC

Val His Pro Gly Gly Pro Ala Ile Leu Asn Arg Val Glu Lys Arg Leu 305 310 315 320

Glu Leu Ser Pro Gln Lys Leu Asn Ala Ser Arg Lys Ala Leu Met Asp 325 330 335

Tyr Gly Asn Ala Ser Ser Asn Thr Ile Val Tyr Val Leu Glu Tyr Met

Trp Gly Leu Ile Leu Ala Phe Gly Pro Gly Ile Thr Phe Glu Gly Ile 370 375 380

Leu Ala Arg Asn Leu Cys Ala 385 390

<210> 319

<211> 1663 <212> DNA

<213> Trifolium repens

<400> 319

gaattcgatt aagcagtggt aacaacgcag agtacgcggg gatagcaaca cacactttga

tttotttttg agtoottgot acgtggottt accaaaaac gttgctaagt catcaaccat 120

tccaattcct taatataacc tatcagtact caccatcttt tcttcctccc tgctaacttt

agactcagag aagatggtga atgttaatga gatccgccag gcacagagag ctgaaggccc 240

tgccaccgtg ttggcaatcg gcactgcaac tcctccaaac tgtgtcgatc agagtacata

cccagactac tacttccgca tcacaaacag tgagcacaag acagagctca aagaaaaatt 360  $\,$ 

ccagcgcatg tgtgacaaat ctatgattaa gaagagatac atgcatttga cagaagagat 420

catggtggtt gtggaagtac caaggctagg aaaagaggct gcaacaaagg ctatcaagga 540

atggggtcaa cctaagtcca agattactca cctcatcttt tgcaccacaa gtggtgtgga $6\,0\,0$ 

catgcotggc geogactate agettacaaa gettttagge ettegteege atgtgaageg 660

ttatatgatg taccaacaag gttgtttcgc tggtggtacg gtgcttcgtt tggctaaaga

cttggctgaa aacaacaaag gtgcccgtgt gttggtggtt tgttcagaga tcactgcggt

tacttteegt ggacceagtg acacteatet tgatageett gtggggcaag cattgtttgg 840

agatggtgca gcagctgtga ttgtaggttc agacccatta ccacaagttg agaagccctt 900  $\,$ 

gtttgaattg gtatggactg ctcaaacaat ccttccagac agtgaaggag ccattgatgg

geaccttcgt gaagtcgggc tgacattcca tetectcaag gatgttcctg gactcatete 1020

aaagaacatt gagaaagete ttgttgagge ettteaacet ttaggtatet etgattacaa

ttctatattt tggatcgcac atcctggtgg acctgcaatt ctggaccaag tggaagccaa 1140

attaagetta aagecagaga aaatgcaage cacceggcat gtgettageg agtatggtaa

catgtcaagt gcatgtgtgt tatttatctt ggatgagatg aggaggaagt caaaagaaga

tggacttgcc acaacaggcg aggggctgga atggggtgta ctattcggtt ttggacccgg 1320

actcactgtt gagactgtat tgctccatag tgttgccact taaattgcct agatatgcta

taactatatg ottatttaat totttgttto tgggggattt tatottoact tacttoactg  $1440\,$ 

agcatttgaa taaagtttgt tttaattatt cataatgtaa tatggtgttg cttaatgtac 1500

ccatccatat aatatttgta atacatatat taatcaactt gcaatttcat gaaaaaaaa 1560

aagtactctg cgttgttacc actgcttaat cactagtgaa ttc 1663

<210> 320

<211> 389 <212> PRT

<213> Trifolium repens

<400> 320

Met Val Asn Val Asn Glu Ile Arg Gln Ala Gln Arg Ala Glu Gly Pro 1 5 10 15

Ala Thr Val Leu Ala Ile Gly Thr Ala Thr Pro Pro Asn Cys Val Asp 20 25 30

Gln Ser Thr Tyr Pro Asp Tyr Tyr Phe Arg Ile Thr Asn Ser Glu His

Lys	Thr 50	Glu	Leu	Lys	Glu	Lys 55	Phe	Gln	Arg	Met	Cys 60	Asp	Lys	Ser	Met
Ile 65	Lys	Lys	Arg	Tyr	Met 70	His	Leu	Thr	Glu	Glu 75	Ile	Leu	Lys	Glu	Asn 80
Pro	Ser	Leu	Cys	Glu 85	Tyr	Met	Ala	Pro	Ser 90	Leu	Asp	Ala	Arg	Gln 95	Asp
Met	Val	Val	Val 100	Glu	Val	Pro	Arg	Leu 105	Gly	Lys	Glu	Ala	Ala 110	Thr	Lys
Ala	Ile	Lys 115	Glu	Trp	Gly	Gln	Pro 120	Lys	Ser	Lys	Ile	Thr 125	His	Leu	Ile
Phe	Сув 130	Thr	Thr	Ser	Gly	Val 135	Asp	Met	Pro	Gly	Ala 140	Asp	Tyr	Gln	Leu
Thr 145	Lys	Leu	Leu	Gly	Leu 150	Arg	Pro	His	Val	Lys 155	Arg	Tyr	Met	Met	Tyr 160
Gln	Gln	Gly	Cys	Phe 165	Ala	Gly	Gly	Thr	Val 170	Leu	Arg	Leu	Ala	Lys 175	Asp
Leu	Ala	Glu	Asn 180	Asn	Lys	Gly	Ala	Arg 185	Val	Leu	Val	Val	Cys 190	Ser	Glu
Ile	Thr	Ala 195	Val	Thr	Phe	Arg	Gly 200	Pro	Ser	Asp	Thr	His 205	Leu	Asp	Ser
Leu	Val 210		Gln	Ala	Leu	Phe 215	Gly	Asp	Gly	Ala	Ala 220	Ala	Val	Ile	Val
Gly 225	Ser	Asp	Pro	Leu	Pro 230	Gln	Val	Glu	Lys	Pro 235	Leu	Phe	Glu	Leu	Val 240
Trp	Thr	Ala	Gln	Thr 245		Leu	Pro	Asp	Ser 250	Glu	Gly	Ala	Ile	Asp 255	
His	Leu	Arg	Glu 260	Val	Gly	Leu	Thr	Phe 265	His	Leu	Leu	Lys	Asp 270		Pro
Gly	Leu	11e 275		Lys	Asn	Ile	Glu 280		Ala	Leu	Val	Glu 285	Ala	Phe	Gln
Pro	Leu 290		Ile	Ser	Asp	Tyr 295	Asn	Ser	Ile	Phe	Trp		Ala	His	Pro

Gly Gly Pro Ala Ile Leu Asp Gln Val Glu Ala Lys Leu Ser Leu Lys 305 310 315 320

Pro Glu Lys Met Gln Ala Thr Arg His Val Leu Ser Glu Tyr Gly Asn 325 330 335

Met Ser Ser Ala Cys Val Leu Phe Ile Leu Asp Glu Met Arg Arg Lys 340 345 350

Ser Lys Glu Asp Gly Leu Ala Thr Thr Gly Glu Gly Leu Glu Trp Gly 355 360 365

Val Leu Phe Gly Phe Gly Pro Gly Leu Thr Val Glu Thr Val Leu Leu 370 375 380

His Ser Val Ala Thr 385

<210> 321

<211> 1653 <212> DNA

<213> Trifolium repens

<400> 321

gaattegatt aageagtggt aacaaegeag agtaegeggg actaageett gatteattgt 60

ttgtttccat aacacaagaa ctagtgtttg cttgaatctt aagaaaaaat gcctcaaggt 120

gatttgaatg gaagtteete ggtgaatgga geaegtgeta gaegtgetee tacteaggga 180

aaggcaacga tacttgcatt aggaaaggct ttccccgccc aggtcctccc tcaagagtgc 240

ttggtggaag gattcattcg cgacactaag tgtgacgata cttatattaa ggagaaattg

gagcgtcttt gcaaaaacac aactgtgaaa acaagataca cagtaatgtc aaaggagatc 360

ttagacaact atccagagct agccatagat ggaacaccaa caataaggca aaagcttgaa 420

atagcaaatc cagcagtagt tgaaatggca acaagagcaa gcaaagattg catcaaagaa

tggggaaggt cacctcaaga tatcacacac atagtetatg tttcctcgag cgaaattcgt

ctacccggtg gtgaccttta tcttgcaaat gaactcggct taaacagcga tgttaatcgc

gtaatgetet attteetegg ttgetaegge ggtgteaetg gettaegtgt egecaaagae 660

atogoogaaa ataacootgg tagtagggtg ttactcacaa catoogagac cactattoto 720

ggttttegac caccgagtaa agctagacct tatgacctcg ttggcgctgc acttttcggt

gatggcgccg ctgctgcaat aattggaaca gaccctatat tgaatcaaga atcacctttc \$40

atggaattga accatgcagt ccaaaaattc ttgcctgata cacaaaatgt gattgatggt 900

agaatcactg aagagggtat taattitaag cttggaagag accttcctca aaaaattgaa 960

gacaatattg aagaattttg caagaaaatt atggctaaaa gtgatgttaa ggaatttaat 1020

gacttatttt gggctgttca tcctggtggg ccagctatac tcaataagct agaaaatata 1080

ctcaaattga aaagtgataa attggattgt agtaggaagg cattaatgga ttatggaaat 1140

ggaagtgaag aatggggatt aggattggct titggaccag ggattaciit tgaaggggtt 1260

ctcctccgta gcctttaatc ttgaaataat aattcatatg aaattacttg tcttaagatt 1320

gtgataggaa gatgaatatg tattggatta atattgatat ggtgttattt taagttgatt 1380

ttaaaaaaag tttattaata aagtatgatg taacaattg<br/>t tgtttgaatg ttaaaaaggga  $1440\,$ 

agtatactat t<br/>ttaagttct tgaccatact gatt<br/>ttttct ttacacattt tcatatctaa  $1500\,$ 

aattgttcta tgatatcttc attgttgata ctgtaataat ataatatcta atttggctgg 1560

cgttgttacc actgcttaat cactagtgaa ttc 1653

<210> 322

<211> 389 <212> PRT

<213> Trifolium repens

<400> 322

Met Pro Gln Gly Asp Leu Asn Gly Ser Ser Ser Val Asn Gly Ala Arg 1 5 10 15

Ala Arg Arg Ala Pro Thr Gln Gly Lys Ala Thr Ile Leu Ala Leu Gly
20 25 30

Lys Ala Phe Pro Ala Gln Val Leu Pro Gln Glu Cys Leu Val Glu Gly
35 40 45

Phe Ile Arg Asp Thr Lys Cys Asp Asp Thr Tyr Ile Lys Glu Lys Leu

Glu Arg Leu Cys Lys Asn Thr Thr Val Lys Thr Arg Tyr Thr Val Met

Ser Lys Glu Ile Leu Asp Asn Tyr Pro Glu Leu Ala Ile Asp Gly Thr

Pro Thr Ile Arg Gln Lys Leu Glu Ile Ala Asn Pro Ala Val Val Glu

Met Ala Thr Arg Ala Ser Lys Asp Cys Ile Lys Glu Trp Gly Arg Ser

Pro Gln Asp Ile Thr His Ile Val Tyr Val Ser Ser Ser Glu Ile Arg 135 130

Leu Pro Gly Gly Asp Leu Tyr Leu Ala Asn Glu Leu Gly Leu Asn Ser 150

Asp Val Asn Arg Val Met Leu Tyr Phe Leu Gly Cys Tyr Gly Gly Val 165

Thr Gly Leu Arg Val Ala Lys Asp Ile Ala Glu Asn Asn Pro Gly Ser

Arg Val Leu Leu Thr Thr Ser Glu Thr Thr Ile Leu Gly Phe Arg Pro 195

Pro Ser Lys Ala Arg Pro Tyr Asp Leu Val Gly Ala Ala Leu Phe Gly

Asp Gly Ala Ala Ala Ile Ile Gly Thr Asp Pro Ile Leu Asn Gln

Glu Ser Pro Phe Met Glu Leu Asn His Ala Val Gln Lys Phe Leu Pro

Asp Thr Gln Asn Val Ile Asp Gly Arg Ile Thr Glu Glu Gly Ile Asn 265

Phe Lys Leu Gly Arg Asp Leu Pro Gln Lys Ile Glu Asp Asn Ile Glu 280

Glu Phe Cys Lys Lys Ile Met Ala Lys Ser Asp Val Lys Glu Phe Asn 290 295 300

Asp Leu Phe Trp Ala Val His Pro Gly Gly Pro Ala Ile Leu Asn Lys 305 310 315 320

320

Leu Glu Asn Ile Leu Lys Leu Lys Ser Asp Lys Leu Asp Cys Ser Arg 325 330 335

Lys Ala Leu Met Asp Tyr Gly Asn Val Ser Ser Asn Thr Ile Phe Tyr 340 345 350

Val Met Glu Tyr Met Arg Asp Tyr Leu Lys Glu Asp Gly Ser Glu Glu 355 360 365

Trp Gly Leu Gly Leu Ala Phe Gly Pro Gly Ile Thr Phe Glu Gly Val  $_{\rm 370}$   $_{\rm 375}$ 

Leu Leu Arg Ser Leu 385

<210> 323

<211> 1600 <212> DNA

<213> Trifolium repens

<400> 323

gaattcacta gtgattaagc agtggtaaca acgcagagta cgcgggggaa tccaccaaat 60

caacaccatt aataaccttc caaattctcg ttacctcacc aaatctcatt tttcattata

tatctttgggt acatcttttg ttacctccaa caaaaaaatg gtgaccgtag aagagattcg

taacgcccaa cgttcaaatg gccctgccac tatcttagct tttggcacag ccactccttc 240  $^{\circ}$ 

taactgtgtc actcaagctg attatcctga ttactacttt cgtatcacca acagcgaaca

tatgactgat cttaaggaaa aattcaagcg gatgtgtgat agatcaatga taaagaaacg 360

ttacatgcac ctaacagaag actttctgaa ggagaatcca aatatgtgtg aatacatggc 420

accatcacta gatgtaagac gagacatagt ggttgttgaa gtaccaaagc taggtaaaga 480

agcagcaaaa aaagccatat gtgaatgggg acaaccaaaa tccaaaatca cacatcttgt  $540\,$ 

tttctgcacc acttccggtg ttgacatgcc gggagccgat taccaactca ccaaactttt

aggettaaaa eettetgtea agegteteat gatgtateaa caaggttgtt tegetggegg 660

cacagttoto ogottagoaa aagacottgt tgagaataac aaaaatgoaa gagttottgt 720

tgtttgttct gaaattactg cggttacttt tcgtggacca tcggatactc atcttgattc

gctcgtggga caggcgcttt ttggtgatgg agccgcagca atgattattg gtgcggatcc 840

tgatttaacc gtggagcgtc cgattttcga gattgtttcg gctgctcaga ctattcttcc 900

tgattetgat ggegeaattg atggaeatet tegtgaagtg gggeteaett tteatttatt 960

gaaagatgtt ccggggatta tttcaaagaa cattgaaaaa agtttagttg aagcttttgc

gcctattggg attaatgatt ggaactcaat attttgggtt gcacatccag gtggaccggc 1080

tattttagac caggttgaag agaaactcca tettaaagag gagaaactce ggtecaceeg 1140

gcatgtgctt agtgaatatg gaaatatgtc aagtgcatgt gttttattta ttttggatga

aatgagaaag aggtctaaag aggaagggat gattacaact ggtgaagggt tggaatgggg 1260

tgtgttgttt gggtttggac cgggtttaac tgttgaaacc gttgtgcttc atagtgttcc 1320

ggttcagggt tgaatttatt atacatagat tggaaaataa aatttgcctg ccgagagatg 1380

tgaactaact ttgtaggcaa gctcaaatta aagtttgaga taatattgtg ctttagttat 1440

tatggtatgt aatgtaatgt tittactitt titegaaatte atgtaatitg atatgtaaag 1500

aaaaagtact ctgcgttgtt accactgctt aatcgaattc 1600

- <210> 324
- <211> 391 <212> PRT
- <212> PRT <213> Trifolium repens
- <400> 324

Met Val Thr Val Glu Glu Ile Arg Asn Ala Gln Arg Ser Asn Gly Pro

Ala Thr Ile Leu Ala Phe Gly Thr Ala Thr Pro Ser Asn Cys Val Thr 20 25 30

Gln Ala Asp Tyr Pro Asp Tyr Tyr Phe Arg Ile Thr Asn Ser Glu His

Met Thr Asp Leu Lys Glu Lys Phe Lys Arg Met Cys Asp Arg Ser Met

50 55 60 Ile Lys Lys Arg Tyr Met His Leu Thr Glu Asp Phe Leu Lys Glu Asn 70 75 Pro Asn Met Cys Glu Tyr Met Ala Pro Ser Leu Asp Val Arg Arg Asp 90 Ile Val Val Glu Val Pro Lys Leu Gly Lys Glu Ala Ala Lys Lys Ala Ile Cys Glu Trp Gly Gln Pro Lys Ser Lys Ile Thr His Leu Val Phe Cys Thr Thr Ser Gly Val Asp Met Pro Gly Ala Asp Tyr Gln Leu Thr Lys Leu Leu Gly Leu Lys Pro Ser Val Lys Arg Leu Met Met Tyr 145 Gln Gln Gly Cys Phe Ala Gly Gly Thr Val Leu Arg Leu Ala Lys Asp Leu Val Glu Asn Asn Lys Asn Ala Arg Val Leu Val Val Cys Ser Glu Ile Thr Ala Val Thr Phe Arg Gly Pro Ser Asp Thr His Leu Asp Ser 200 Leu Val Gly Gln Ala Leu Phe Gly Asp Gly Ala Ala Ala Met Ile Ile 210 215 Gly Ala Asp Pro Asp Leu Thr Val Glu Arg Pro Ile Phe Glu Ile Val 230 Ser Ala Ala Gln Thr Ile Leu Pro Asp Ser Asp Gly Ala Ile Asp Gly 245 His Leu Arg Glu Val Gly Leu Thr Phe His Leu Leu Lys Asp Val Pro 260 265 Gly Ile Ile Ser Lys Asn Ile Glu Lys Ser Leu Val Glu Ala Phe Ala 275 280 Pro Ile Gly Ile Asn Asp Trp Asn Ser Ile Phe Trp Val Ala His Pro 295

Gly Gly Pro Ala Ile Leu Asp Gln Val Glu Glu Lys Leu His Leu Lys

315

310

Glu Glu Lys Leu Arg Ser Thr Arg His Val Leu Ser Glu Tyr Gly Asn 325 330 335

Met Ser Ser Ala Cys Val Leu Phe Ile Leu Asp Glu Met Arg Lys Arg 340 345 350

Ser Lys Glu Glu Gly Met Ile Thr Thr Gly Glu Gly Leu Glu Trp Gly 355 360 365

Val Leu Phe Gly Phe Gly Pro Gly Leu Thr Val Glu Thr Val Val Leu 370 375 380

His Ser Val Pro Val Gln Gly 385 390

<210> 325

<211> 1333 <212> DNA

<213> Trifolium repens

<400> 325

gaattcacta gtgattaagc agtggtaaca acgcagagta cgcgggggtg acttgatcta 60

gcagttatca aacacaacag tettecaett gagetetgtt tetecacatg tegaagetag

tttgcgtcac cggcggcagc ggatgcatcg gttcatggct agtccatctc cttctcctcc 180

geggetacae tgttcaegee acegtecaaa atetcaatga tgagaaegaa aegaageate 240

tagaagetet egaaggagea caaactaate teegtetett eeagategat eteettaact 300

acgacacaat cotogotgot gtoogoggtt gogtoggaat tittocacoto gottoacott

gcactgtaga caaagttcat gatcctcaga aggagctttt ggatcctgca attaaaggga

ctttgaatgt gettactgca getaaggaag taggggtgaa gegtgtggtt gttacetegt

ctgtctcggc gattactcct agtcctgatt ggccttctga tgttgttaaa agagaggatt 540

gttggactga tgttgaatat tgcaagaaaa aagagttgtg gtatccgttg tccaaaacat

tggctgagaa agctgcgtgg gatttttcca aagaaaatgg tttggatgtt gttgtggtga

atcoccggtac tgtgatgggt cctgttattc caccacggca taatgcaagc atgctcatgc 720

ttgtgagact tottgaaggo tgogotgaaa catttgaaga ctattttatg ggattggtoo

acttcaaaga tgtagcattg gcgcatattt tggtgtatga gaacaaagaa gcatctggta

gacatgtgtg tgttgaaact atctctcact acggtgattt tgtggcaaaa gttgctgaac

tttatccaga atatagtgtt cctaggatgc agcgagatac gcaacctgga ttgttgagag 960

cgaatgatgg atcaaagaag ctcatagatt tgggtttgga attcattcca atggagcaaa 1020

ttatcaagga tgctgtagag agtttga**aga** acaaaggatt catttcttga atgatgttac 1080

tgttctttgg agaaccctat agttaccaga gtatagacta aataatatat aggtgatggg 1140

tcagagaatg agtacttatg tcatgagttg tgtctgtata atatgttttc tcaattctta

tatgttaaat tgctaatgtt aacttcaata tttatcagcc agtattgttt ttttaataaa

atattgaagc aaaaaaaaa aaaaaaaaaa aaaaaaaagt actctgcgtt gttaccactg

cttaatcgaa ttc 1333

\_\_\_\_

<210> 326

<211> 320 <212> PRT

<213> Trifolium repens

<400> 326

Met Ser Lys Leu Val Cys Val Thr Gly Gly Ser Gly Cys Ile Gly Ser 1 5 10 15

Trp Leu Val His Leu Leu Leu Arg Gly Tyr Thr Val His Ala Thr

Val Gln Asn Leu Asn Asp Glu Asn Glu Thr Lys His Leu Glu Ala Leu 35 40 45

Glu Gly Ala Gln Thr Asn Leu Arg Leu Phe Gln Ile Asp Leu Leu Asn  $50 \hspace{1.5cm} 55 \hspace{1.5cm} 60 \hspace{1.5cm}$ 

Tyr Asp Thr Ile Leu Ala Ala Val Arg Gly Cys Val Gly Ile Phe His 65 70 75 80

Leu Ala Ser Pro Cys Thr Val Asp Lys Val His Asp Pro Gln Lys Glu 85 90 95

Leu Leu Asp Pro Ala Ile Lys Gly Thr Leu Asn Val Leu Thr Ala Ala 100 105 110 Lys Glu Val Gly Val Lys Arg Val Val Val Thr Ser Ser Val Ser Ala

115 120 , 125

Ile Thr Pro Ser Pro Asp Trp Pro Ser Asp Val Lys Arg Glu Asp 130 \$135\$

Cys Trp Thr Asp Val Glu Tyr Cys Lys Lys Lys Glu Leu Trp Tyr Pro 145 150 155 160

Leu Ser Lys Thr Leu Ala Glu Lys Ala Ala Trp Asp Phe Ser Lys Glu 165 170 175

Asn Gly Leu Asp Val Val Val Val Asn Pro Gly Thr Val Met Gly Pro 180 185 190

Val Ile Pro Pro Arg His Asn Ala Ser Met Leu Met Leu Val Arg Leu 195 200 205

Leu Glu Gly Cys Ala Glu Thr Phe Glu Asp Tyr Phe Met Gly Leu Val 210 215 220

His Phe Lys Asp Val Ala Leu Ala His Ile Leu Val Tyr Glu Asn Lys 225 230 240

Glu Ala Ser Gly Arg His Val Cys Val Glu Thr Ile Ser His Tyr Gly 245 250 255

Asp Phe Val Ala Lys Val Ala Glu Leu Tyr Pro Glu Tyr Ser Val Pro 260 265 270

Arg Met Gln Arg Asp Thr Gln Pro Gly Leu Leu Arg Ala Asn Asp Gly 275 280 285

Ser Lys Leu Ile Asp Leu Gly Leu Glu Phe Ile Pro Met Glu Gln 290 295 300

Ile Ile Lys Asp Ala Val Glu Ser Leu Lys Asn Lys Gly Phe Ile Ser 305 \$310\$

<210> 327

<211> 1470

<212> DNA <213> Trifolium repens

<400> 327 gaattcgatt aagcagtggt aacaacgcag agtacgcggg gaccactcta tttatttcta 60

cttaaacctc acaaaaata aaccacacaa cacacaaaca ccaaaaacag agcaccgttt 120

ccatcatcaa acaatggcac cagccaaaac totaagttat ototcacaac aaaacactot

cgagtcaagt ttcgttaggg aagaagatga gcgtccaaaa gttgcctaca ataacttcag

caacgagatt ccaatcattt ctcttgctgg aattgatgag gttgatggtc gtagaacaga

gatatgtaac aagattgttg aagcttgtga gaattggggt atttttcagg ttgttgatca 360

tggtgttgat acaaaacttg tttctgagat gacccgtttt gctagagagt ttttttgcttt 420

gccaccggaa gagaagctcc ggtttgacat gtccggtggt aaaaagggtg gtttcattgt 480

ctctagtcat cttcaaggag aagcagtgaa ggattggaga gagctagtga catatttttc 540

atacccaatt aaacaaagag attattcaag gtggccagac aagccagaag gatggaaaga

ggtaacagaa aaatacagtg aaaacctaat gaatttagct tgcaagctat tggaagtttt

atcagaagca atgggtttag aaaaagaagc tctaacaaaa gcatgtgttg atatggatca 720

aaaagttgtt ataaattatt acccaaaatg ccctgaacct gacctcacac ttggccttaa

acgtcacact gaccetggca caattactet tttgetteaa gatcaagttg gtggtettea 840

agctaccaaa gataatggta agacgtggat tacagttcaa ccagttgaag gtgcttttgt 900

tgttaatett ggagaccatg gteactatet aagtaatgga eggtteaaaa atgetgacea 960

tcaagcagtg gtgaattcga actacagccg tttatcaata gcaacatttc aaaatccagc 1020

tccagatgca actgtgtacc ctttgaagat tagagatggt gaaaaatctg tgttggaaga

accaatcact tttgctgaaa tgtatagaag gaagatgacc aaagaccttg aaattgctag 1140

gatgaagaag ttggctaagg aacaacaact tagggacttg gaggagaaca agactaaata

tgaggccaaa cotttgaatg agatotttgo ttaattaatt agtottaatt taaataataa 1260

atttttagact taatttacat ataataattt taatttttttg ttcaattaat ctatgtttaa 1320

tttgtcgtta ttgtccacgt gtattaagct gcttggttgt gtgtgccttg gagaataatc

aataatatta catctatgtt taattataaa aaaaaaaaa aaaaaaaaa gtatctgcgt 1440

tgttaccact gcttaatcac tagtgaattc 1470

WO 03/031622 PCT/AU02/01345 372/390

<210> 328 <211> 366 <212> PRT <213> Trifolium repens

<400> 328

Met Ala Pro Ala Lys Thr Leu Ser Tyr Leu Ser Gln Gln Asn Thr Leu

Glu Ser Ser Phe Val Arg Glu Glu Asp Glu Arg Pro Lys Val Ala Tyr

Asn Asn Phe Ser Asn Glu Ile Pro Ile Ile Ser Leu Ala Gly Ile Asp

Glu Val Asp Gly Arg Arg Thr Glu Ile Cys Asn Lys Ile Val Glu Ala

Cys Glu Asn Trp Gly Ile Phe Gln Val Val Asp His Gly Val Asp Thr

Lys Leu Val Ser Glu Met Thr Arg Phe Ala Arg Glu Phe Phe Ala Leu 90

Pro Pro Glu Glu Lys Leu Arg Phe Asp Met Ser Gly Gly Lys Lys Gly

Gly Phe Ile Val Ser Ser His Leu Gln Gly Glu Ala Val Lys Asp Trp 120

Arg Glu Leu Val Thr Tyr Phe Ser Tyr Pro Ile Lys Gln Arg Asp Tyr

Ser Arg Trp Pro Asp Lys Pro Glu Gly Trp Lys Glu Val Thr Glu Lys

Tyr Ser Glu Asn Leu Met Asn Leu Ala Cys Lys Leu Leu Glu Val Leu

Ser Glu Ala Met Gly Leu Glu Lys Glu Ala Leu Thr Lys Ala Cys Val

Asp Met Asp Gln Lys Val Val Ile Asn Tyr Tyr Pro Lys Cys Pro Glu 195

Pro Asp Leu Thr Leu Gly Leu Lys Arg His Thr Asp Pro Gly Thr Ile 215 220 210

Thr Leu Leu Gln Asp Gln Val Gly Gly Leu Gln Ala Thr Lys Asp

PCT/AU02/01345 373/390

235

240

225

Asn Gly Lys Thr Trp Ile Thr Val Gln Pro Val Glu Gly Ala Phe Val 245 250

Val Asn Leu Gly Asp His Gly His Tyr Leu Ser Asn Gly Arg Phe Lys 265

Asn Ala Asp His Gln Ala Val Val Asn Ser Asn Tyr Ser Arg Leu Ser

Ile Ala Thr Phe Gln Asn Pro Ala Pro Asp Ala Thr Val Tyr Pro Leu 290

Lys Ile Arg Asp Gly Glu Lys Ser Val Leu Glu Glu Pro Ile Thr Phe 310 320 305

Ala Glu Met Tyr Arg Arg Lys Met Thr Lys Asp Leu Glu Ile Ala Arg 330 325

Met Lys Lys Leu Ala Lys Glu Gln Gln Leu Arg Asp Leu Glu Glu Asn 345 340

Lys Thr Lys Tyr Glu Ala Lys Pro Leu Asn Glu Ile Phe Ala 360

<210> 329

<211> 2515 <212> DNA

<213> Trifolium repens

<400> 329

gaattcgatt aagcagtggt aacaacgcag agtacgcggg gaggaaattc acaactcaaa

tattccttta attctttcat ataatcattt gaatttccat tctccctaaa aattctatag 120

ctaccacatc acacaacata acaaattaaq aaatatttat tactatatta agatatggaa

qtagtagcag cagcaatcac aaaaaacaat ggcaagattg attcattttg cttgaatcat

gctaatgcta ataacatgaa agtgaatggt gctgatcctt tgaattgggg tgtggctgct

gaggcaatga agggaagtca cttggatgag gtgaagcgta tggtggagga ataccggaaa

coggttgtcc gtcttggtgg cgagacacta accatttctc aggtggctgc cattgctgca 420

cacgatggtg caacggtgga gctatcggaa tctgctagag ccggcgttaa ggcaagcagt

gactgggtta tggagagtat gaacaaaggt accgacagct acggtgtccc aacagggttc

E40

ggcgctacct cgcaccgccg aaccaaacaa ggtggtgctt tgcagaaaga gctcataagg

tttttgaatg ctggaatatt tggaaatgga actgagtcaa gccacacact accacacaca 660

gccacaagag ctgccatgct agtgagaatc aacacacttc tccaaggcta ttcaggaatt 720

agatttgaaa tottagaago tatoaccaag ottottaaca acaatgtoac occatgttta 780

ccgcttcgcg gtacaatcac agcttcagga gatttagtcc ctctttctta cattgctggt  $840\,$ 

ttactaaccg gacgaccaaa ttccaaggct catggacctt ctggagaagt acttaatgca 900

aaacaagott ttcaatcago tggaatcgat googagttot ttgaattaca accaaaagaa 960

ggccttgccc ttgttaacgg aaccgctgtt ggttctggtt tagcttctat tgttcttttt 1020

gaggotaata tattggoggt gttgtotgaa gttotatotg caattttogo tgaagttatg 1080

caagggaagc ccgaatttac cgatcatttg acacataagt tgaaacatca ccctggtcaa 1140

attgaggctg ctgctattat ggaacacatt ttggatggga gtgcttatgt taaagacgct 1200

aagaagttgc atgagatgga tootttacag aagccaaaac aagatagata tgcacttagg

acttegecae aatggettgg teetttgatt gaagtgatta gattetetae caagteaatt 1320

gagagagaga tcaactctgt caatgacaat cetttgattg atgtttcaag gaacaagget 1380

ttgcatggtg gaaattttca aggaacacct atcggagtat ccatggataa tacacgtttg 1440

gctcttgcat caattggcaa acttatgttt gctcaattct ctgagcttgt caatgatttt 1500

tacaacaatg gattgccatc aaatctctct gctagtagaa atccgagctt ggattatggg 1560

ttcaagggat ccgaaattgc catggcttct tattgttccg agttgcaata tcttgcaaat 1620

ceggttacaa ctcatgtcca aagtgeggaa caacacaacc aagatgtcaa ctctttgggt 1680

ttgatttctt ctagaaaaac ttatgaagca attgagatcc ttcaattgat gtcttccaca 1740

ttcttgattg cactttgtca agcaattgat ttaagacatt tggaggagaa tttgaaaaac 1800

tcggtcaaaa ataccgtaag ccaagtggcc aaaaagacac taaccatagg tgtcaatgga

1860

gaacttcatc cttcaagatt ttgtgaaaaa gacttattga aagtggttga tagggaacat 1920

gtctttgcct acattgatga tccttgtagt gctacatacc cattgatgca aaaactcagg

caagtactag tggatcatgc attagttaat ggagaaagtg agaagaattt gaacacatca 2040

atottocaaa agattgcaac ttttgaggaa gagttgaaaa acotttgcca aaagaggttg 2100

aaagtgcaag gattgcatat gaaagtggaa attcaacaat tccaaacaag atcaatggat 2160

gcagatotta tocactotac aattitgtga gaaaggagtt gggaactggt tigctaactg 2220

gagaaaatgt catttcaccg ggtgaagagt gtgacaaact attcacagct atgtgtcaag 2280

gaaaaatcat tgatcctctt cttgaatgct tgggagagtg gaacggtgct cctcttccaa 2340

tttgttaact ttgattgtta gttcataaaa tgttttattt gtatttatca tttgtattta 2400

tgcgagtgta gtaataatga ttaggtgttt tgtgccttta atgaaaaaaa aaaaaaaaa 2460

aaaaaaaaa aaaagtactc tgcgttgtta ccactgctta atcactagtg aattc 2515

<210> 330 <211> 671

<212> PRT <213> Trifolium repens

<400> 330

Met Glu Val Val Ala Ala Ala Ile Thr Lys Asn Asn Gly Lys Ile Asp 1 5 10 15

Ser Phe Cys Leu Asn His Ala Asn Ala Asn Asn Met Lys Val Asn Gly 20 25 30

Ala Asp Pro Leu Asn Trp Gly Val Ala Ala Glu Ala Met Lys Gly Ser 35 40 45

His Leu Asp Glu Val Lys Arg Met Val Glu Glu Tyr Arg Lys Pro Val

Val Arg Leu Gly Gly Glu Thr Leu Thr Ile Ser Gln Val Ala Ala Ile 65 70 75 80

Ala Ala His Asp Gly Ala Thr Val Glu Leu Ser Glu Ser Ala Arg Ala 85 90 95

Gly Val Lys Ala Ser Ser Asp Trp Val Met Glu Ser Met Asn Lys Gly

100 105 110

Thr Asp Ser Tyr Gly Val Pro Thr Gly Phe Gly Ala Thr Ser His Arg  $115 \\ 120 \\ 125$ 

Arg Thr Lys Gln Gly Gly Ala Leu Gln Lys Glu Leu Ile Arg Phe Leu 130 135 140

Asn Ala Gly Ile Phe Gly Asn Gly Thr Glu Ser Ser His Thr Leu Pro 145 150 155 160

His Thr Ala Thr Arg Ala Ala Met Leu Val Arg Ile Asn Thr Leu Leu 165 170 175

Gln Gly Tyr Ser Gly Ile Arg Phe Glu Ile Leu Glu Ala Ile Thr Lys 180 185 190

Leu Leu Asn Asn Asn Val Thr Pro Cys Leu Pro Leu Arg Gly Thr Ile 195 200 205

Thr Ala Ser Gly Asp Leu Val Pro Leu Ser Tyr Ile Ala Gly Leu Leu 210 215

Thr Gly Arg Pro Asn Ser Lys Ala His Gly Pro Ser Gly Glu Val Leu 225 230 235

Asn Ala Lys Gln Ala Phe Gln Ser Ala Gly Ile Asp Ala Glu Phe Phe 245 250 255

Glu Leu Gln Pro Lys Glu Gly Leu Ala Leu Val Asn Gly Thr Ala Val

Gly Ser Gly Leu Ala Ser Ile Val Leu Phe Glu Ala As<br/>n Ile Leu Ala 275 280 285

Val Leu Ser Glu Val Leu Ser Ala Ile Phe Ala Glu Val Met Gln Gly 290 295 300

Lys Pro Glu Phe Thr Asp His Leu Thr His Lys Leu Lys His His Pro 305 310 315

Gly Gln Ile Glu Ala Ala Ala Ile Met Glu His Ile Leu Asp Gly Ser 325 330 335

Ala Tyr Val Lys Asp Ala Lys Lys Leu His Glu Met Asp Pro Leu Gln 340 345

Lys Pro Lys Gln Asp Arg Tyr Ala Leu Arg Thr Ser Pro Gln Trp Leu

360 365 355 Gly Pro Leu Ile Glu Val Ile Arg Phe Ser Thr Lys Ser Ile Glu Arg 375 380 Glu Ile Asn Ser Val Asn Asp Asn Pro Leu Ile Asp Val Ser Arg Asn Lys Ala Leu His Gly Gly Asn Phe Gln Gly Thr Pro Ile Gly Val Ser Met Asp Asn Thr Arg Leu Ala Leu Ala Ser Ile Gly Lys Leu Met Phe Ala Gln Phe Ser Glu Leu Val Asn Asp Phe Tyr Asn Asn Gly Leu Pro 445 435 440 Ser Asn Leu Ser Ala Ser Arg Asn Pro Ser Leu Asp Tyr Gly Phe Lys 450 455 460 Gly Ser Glu Ile Ala Met Ala Ser Tyr Cys Ser Glu Leu Gln Tyr Leu 475 465 470 Ala Asn Pro Val Thr Thr His Val Gln Ser Ala Glu Gln His Asn Gln Asp Val Asn Ser Leu Gly Leu Ile Ser Ser Arg Lys Thr Tyr Glu Ala 500 505 Ile Glu Ile Leu Gln Leu Met Ser Ser Thr Phe Leu Ile Ala Leu Cys Gln Ala Ile Asp Leu Arg His Leu Glu Glu Asn Leu Lys Asn Ser Val 535 Lys Asn Thr Val Ser Gln Val Ala Lys Lys Thr Leu Thr Ile Gly Val Asn Gly Glu Leu His Pro Ser Arg Phe Cys Glu Lys Asp Leu Leu Lys 575 565 570 Val Val Asp Arg Glu His Val Phe Ala Tyr Ile Asp Asp Pro Cys Ser 580 Ala Thr Tyr Pro Leu Met Gln Lys Leu Arg Gln Val Leu Val Asp His 595

Ala Leu Val Asn Gly Glu Ser Glu Lys Asn Leu Asn Thr Ser Ile Phe 615

610

Gln Lys Ile Ala Thr Phe Glu Glu Glu Leu Lys Asn Leu Cys Gln Lys

Arg Leu Lys Val Gln Gly Leu His Met Lys Val Glu Ile Gln Gln Phe 645  $\,$  650  $\,$  655

Gln Thr Arg Ser Met Asp Ala Asp Leu Ile His Ser Thr Ile Leu 660 665 670

<210> 331

<211> 2667 <212> DNA

<213> Trifolium repens

<400> 331

gaattcgatt aagcagtggt aacaacgcag agtacgcggg aggaaataaa ttcatcattg

ttoottattt cccacccaac acaacataac aaatacattt cctctcctct catcacaatt 120

attactttct acacccccc ctctcaacta ttattaacta acataatgga gggaattacc 180

aatggccatg ctgaagcaac tttttgcgtg accaaaagtg ttggtgatcc actcaactgg

ggtgcagccg cggagtcgtt gatggggagt catttggatg aggtgaagcg tatggtggag

gaataccgta atccattggt taaaattggc ggcgagacgc ttaccattgc tcaggtggct 360

ggaattgctt ctcatgatag tggtgtgagg gtggagctgt ctgagtccgc cagggccggc

gttaaggcga gtagtggttg ggtgatggac agcatgaaca atgggactga tagttatggt

gttaccactg gtttcggcgc cacctctcac cggagaacca agcagggtgg tgccttgcag

aaggagetaa ttaggttttt gaatgeegga atatttggea atggtacaga atetaactgt

acactaccac acacagcaac cagagetgca atgettgtga gaatcaacac tettetteaa

ggatattctg gaattagatt tgaaattttg gaagctatca caaagcttct aaacaacaac

attaccccat gtttaccact tegtggtaca atcaeggett ceggtgatet egtteegett 780

tectacattg ceggtttgtt aaceggtaga cegaacteca aageegttgg acceteegga

gaaattetea atgeaaaaga agetttteaa ettgeeggea ttggttetga gttttttgaa

ttgcagccaa aagaaggtet tgetettgtt aatggtaetg etgttggtte tggtttaget 960 tctattgttc tgtttgaagc aaatgtacta gctgttttgt ctgaagttat gtcggcgatt

ttcgctgaag ttatgcaagg gaaaccagaa ttcactgatc atttgactca taagttgaaa 1080

catcaccctg gtcaaattga agctgctgca attatggaac atattttgga tggaagtgct 1140

tatgttaaag cagctaagaa attacacgaa accgateett tacaaaagee gaaacaagat 1200

cgttatgcac ttagaacttc acctcaatgg cttggtcctt tgattgaagt gataagattt 1260

tcaactaagt caattgagag agaaattaac tctgtcaatg ataacccttt gattgatgtt

tcaaggaaca aggccattca cggtggtaat tttcaaggaa cacctattgg agtttcaatg

gataacacac gtttagctct tgcttcaatt ggtaaactca tgtttgctca attctctgaa 1440

cttgttaatg atttttacaa caacgggtta ccttcgaatc ttactgctag taggaaccca 1500

agcttggatt acggtttcaa gggatcggaa attgccatgg cttcttattg ttctgagtta

caatatettg ctaateetgt caccacccat gtccaaagtg cggagcaaca caatcaagat 1620

gttaactett tgggtttgat ttetteaaga aaaacaaatg aagetattga gateetaaag 1680

ctcatgtctt cgacatttct gattgcactt tgtcaagcaa ttgatttaag gcatttggag 1740

gaaaatctga ggaacactgt caagaacacg gtaagccaag tagcgaagag aacactcacc 1800

accggtgtta atggagaact tcatccttct agattttgtg agaaagattt gctcaaagtt 1860

gttgataggg agtatgtatt tgcctatgtc gacgatcctt gtctagctac ataccctttg

atgcaaaagt tgagacaagt gcttgtggat catgcattgg taaatgctga tggagagaag

aatttgaaca catcaatctt tcaaaagatt gcaacttttg aggatgaatt gaaagctatc 2040

ttgccaaagg aagttgaaag tacaagaact gcatatgaaa atggacaatg tggaatttca 2100

aacaagatta aggaatgcag gtcttatcca ttgtacaagt ttgttagaga ggagttagga 2160

accgcgttgc taaccggaga aaaaacgata tcgctgggcg aagagtgtga caaattgttc 2220

acagctatgt gccaaggtaa aattgttgat cetettttgg aatgeettgg agagtggaat 2280

ggtgctcctc taccaatatg ttaattagca gaattaatat gtttctttga gaagtgattt

ctttatatat ttgtagtata ctatagtagt tgcattgaga agcaattggt ttgtctataa 2400

gcctatggaa aatggcaaaa caattttctg ctcaaagcat cgtttattaa gttttcctta

aagtgttaag gaacttttaa ttgtttttgt aatagaattt catttgtttg ccacaacttt 2520

gggtgcaaat atcacgtgat acatgtggtg tttgatgtaa atggtgtttt ctcaattaat 2580

taccactgct taatcactag tgaattc 2667

<210> 332

<211> 712 <212> PRT

<213> Trifolium repens

<400> 332

Met Glu Gly Ile Thr Asn Gly His Ala Glu Ala Thr Phe Cys Val Thr 1 5 10

Lys Ser Val Gly Asp Pro Leu Asn Trp Gly Ala Ala Ala Glu Ser Leu 20 25 30

Met Gly Ser His Leu Asp Glu Val Lys Arg Met Val Glu Glu Tyr Arg 35 40 45

Asn Pro Leu Val Lys Ile Gly Gly Glu Thr Leu Thr Ile Ala Gln Val

Ala Gly Ile Ala Ser His Asp Ser Gly Val Arg Val Glu Leu Ser Glu 65 70 75 80

Ser Ala Arg Ala Gly Val Lys Ala Ser Ser Gly Trp Val Met Asp Ser 85 90 95

Met Asn Asn Gly Thr Asp Ser Tyr Gly Val Thr Thr Gly Phe Gly Ala 100 105 110

Thr Ser His Arg Arg Thr Lys Gln Gly Gly Ala Leu Gln Lys Glu Leu

Ile Arg Phe Leu Asn Ala Gly Ile Phe Gly Asn Gly Thr Glu Ser Asn 130 135 140

381/390															
Cys 145	Thr	Leu	Pro	His	Thr 150	Ala	Thr	Arg	Ala	Ala 155	Met	Leu	Val	Arg	Ile 160
Asn	Thr	Leu	Leu	Gln 165	Gly	Tyr	Ser	Gly	Ile 170	Arg	Phe	Glu	Ile	Leu 175	Glu
Ala	Ile	Thr	Lys 180	Leu	Leu	Asn	Asn	Asn 185	Ile	Thr	Pro	Cys	Leu 190	Pro	Leu
Arg	Gly	Thr 195	Ile	Thr	Ala	Ser	Gly 200	Asp	Leu	Val	Pro	Leu 205	Ser	Tyr	Ile
Ala	Gly 210	Leu	Leu	Thr	Gly	Arg 215	Pro	Asn	Ser	Lys	Ala 220	Val	Gly	Pro	Ser
Gly 225	Glu	Ile	Leu	Asn	Ala 230	Lys	Glu	Ala	Phe	Gln 235	Leu	Ala	Gly	Ile	Gly 240
Ser	Glu	Phe	Phe	Glu 245	Leu	Gln	Pro	Lys	Glu 250	Gly	Leu	Ala	Leu	Val 255	Asn
Gly	Thr	Ala	Val 260		Ser	Gly	Leu	Ala 265	Ser	Ile	Val	Leu	Phe 270	Glu	Ala
Asn	Val	Leu 275	Ala	Val	Leu	Ser	Glu 280	Val	Met	Ser	Ala	Ile 285	Phe	Ala	Glu
Val	Met 290		Gly	Lys	Pro	Glu 295	Phe	Thr	Asp	His	100 300	Thr	His	Lys	Leu
Lys 305		His	Pro	Gly	Gln 310	Ile	Glu	Ala	Ala	315	Ile	Met	Glu	His	Ile 320
Lev	Asp	Gly	Ser	325	Tyr	Val	Lys	Ala	Ala 330	Lys	Lys	Leu	His	335	Thr
Asp	Pro	Let	340	Lys	Pro	Lys	Glr	345	Arg	у Тух	: Ala	Leu	350	Thr	Ser
Pro	Gli	Tri 355		ı Gly	Pro	Leu	360	Glu	ı Val	l Ile	a Arg	Phe 365	Sez	Thr	Lys
Se	: Ile 370		ı Arç	g Glı	ı Ile	375		: Val	Ası	n Asp	38		Let	ı Ile	. Asp
Va. 38	l Se	r Arg	g Ası	а Буя	390	lle	Hi:	Gly	Gl:	y Ası 395	ı Ph	e Glı	ı Gly	Thi	Pro 400

Ile Gly Val Ser Met Asp Asn Thr Arg Leu Ala Leu Ala Ser Ile Gly 405  $\phantom{-}405$ 

Lys Leu Met Phe Ala Gln Phe Ser Glu Leu Val Asn Asp Phe Tyr Asn 420 425 430

Asn Gly Leu Pro Ser Asn Leu Thr Ala Ser Arg Asn Pro Ser Leu Asp

Tyr Gly Phe Lys Gly Ser Glu Ile Ala Met Ala Ser Tyr Cys Ser Glu

Leu Gln Tyr Leu Ala Asn Pro Val Thr Thr His Val Gln Ser Ala Glu 465 470 475 480

Gln His Asn Gln Asp Val Asn Ser Leu Gly Leu Ile Ser Ser Arg Lys 485 490 495

Thr Asn Glu Ala Ile Glu Ile Leu Lys Leu Met Ser Ser Thr Phe Leu 500 505 510

Ile Ala Leu Cys Gln Ala Ile Asp Leu Arg His Leu Glu Glu Asn Leu 515 520 525

Arg Asn Thr Val Lys Asn Thr Val Ser Gln Val Ala Lys Arg Thr Leu 530 540

Thr Thr Gly Val Asn Gly Glu Leu His Pro Ser Arg Phe Cys Glu Lys 545 550 Fro Ser Arg Phe Cys Glu Lys 560

Asp Leu Leu Lys Val Val Asp Arg Glu Tyr Val Phe Ala Tyr Val Asp 565 570 575

Asp Pro Cys Leu Ala Thr Tyr Pro Leu Met Gln Lys Leu Arg Gln Val 580 585 590

Leu Val Asp His Ala Leu Val Asn Ala Asp Gly Glu Lys Asn Leu Asn 595 600 605

Thr Ser Ile Phe Gln Lys Ile Ala Thr Phe Glu Asp Glu Leu Lys Ala 610 620

Ile Leu Pro Lys Glu Val Glu Ser Thr Arg Thr Ala Tyr Glu Asn Gly 625 630 635

Gln Cys Gly Ile Ser Asn Lys Ile Lys Glu Cys Arg Ser Tyr Pro Leu 645 650 655

Tyr Lys Phe Val Arg Glu Glu Leu Gly Thr Ala Leu Leu Thr Gly Glu

Lys Thr Ile Ser Leu Gly Glu Glu Cys Asp Lys Leu Phe Thr Ala Met 675 680 685

Cys Gln Gly Lys Ile Val Asp Pro Leu Leu Glu Cys Leu Gly Glu Trp 690 700

Asn Gly Ala Pro Leu Pro Ile Cys 705 710

<210> 333

<211> 2664 <212> DNA

<212> DNA <213> Trifolium repens

<400> 333

gaattcacta gtgattaago agtggtaaca acgcagagta cgcggggagg aaataaattc 60

atcattgttc attatttccc acccaacaca acataacaaa tacattattc tctcctctga

tcacaattat tactttctac accetectet caactattat taactageat aatggaggga

attaccaatg gccatgctga aacaactttt tgcgtgacca aaagtgttgg tgatccactc

aactggggtg cagccgcgga gtcgttgacg gggagtcatt tggatgaggt gaagcgtatg 300

gtggaggagt accgtaatcc gttggctaaa attggcggcg agacgcttac cattgctcag

gtggctggaa ttgcttctca tgatagtggt gtgagggtgg agctgtccga gtccgcaagg 420

gccggcgtta aggcgagtag tgattgggtg atggatagca tgaacaatgg gactgatagt 480

tacggtgtta ccaccggttt tggtgccacc tctcaccgga gaaccaagca gggtggtgct

ttgcagaagg agctaattag gtttttgaat gctggaatat ttggcaatgg tacagaatct

aactgtacac taccacacac agcaactaga gctgcaatgc ttgtgagaat caacactctt 660

cttcaagggt actctggtat tagatttgaa attttggaag ctatcacaaa gcttccaaac 720

aacaacatta ccccatgttt accacttcgt ggtacaatca cggcttccgg tgatcttgtt 780

ccgctttcct acattgccgg tttgttaacc ggaagaccca actccaaagc agttggacct

tccggagaaa ttttgagtgc taaagaagct tttcaactcg ccggcattgg ttctgagttt

tttgaattgc aaccaaaaga aggtottgct ottgttaatg gtactgctgt tggototggt 960 ttagcttcta ttgttctgtt tgaagcaaat gtactagctg ttttatccga agttatgtcg

gcgattttcg ctgaagttat gcaagggaaa ccggaattta ccgatcattt gactcataag

ttgaaacatc accetggtca aattgaagct getgeaatta tggaacatat tttggatgga

agtgettatg ttaaageage taagaagtta caegaaaceg ateetttaca aaaacegaaa 1200

caagatcgtt atgcacttag aacttcacct caatggcttg gtcctttgat tgaagtgata

agattttcaa ccaaatcgat tgaaagagaa attaactcgg tcaacgacaa ccctttgatc

gatgtttcaa ggaacaaggc cattcatggt ggtaactttc aaggaacacc tattggagtt 1380

tcaatggata acacacgttt agctcttgct tcaattggta aactcatgtt tgctcaattc

totgaacttg ttaatgattt ttacaacaac gggttgcctt cgtatcttac tgctagtagg

aacccgagct tggactatgg tttcaaggga tcggaaattg ccatggcttc gtattgttcc

gagttacaat atcttgctaa tcctgtcacc acccatgtcc aaagtgccga gcaacacaac 1620

caagatgtta actotttggg tttgatttot totagaaaaa caaatgaago tattgagatt 1680

ctcaagctca tgtcttccac tttcttgatt gcattatgtc aagcaatcga cttaaggcac 1740

ttggaggaaa atctcaggaa caccgtcaag aacacggtaa gccaagtagc gaagagaaca

ctcaccaccg gcgtcaacgg agaacttcat tcttctagat tttgtgagaa agatttgctt 1860

aaagttgttg atagggagta tgtatttgcc tatgccgacg atccttgtct agctacatac 1920

cctttgatgc aaaagttgag acaagtgctt gtggatcatg cattggtaaa tgttgatgga

gagaagaatt tgaacacatc aatctttcaa aagattgcaa cttttgagga tgagttgaaa 2040

gctattttgc caaaggaggt tgaaagtaca agaactgcat atgaaaatgg acaatgtgga 2100

atttcaaaca agattaagga atgcaggtct tatccattgt acaagtttgt tagagaggag 2160

ttaggaaccg ogttgctaac cggagaaaaa actatatcgc cgggcgaaga gtgcgataaa

ttgttcacag ctatgtgcca aggtaaaatt gttgatcctc ttatggaatg cctcggagag

tggaatggtg ctcctctacc aatatgttaa ttagcataat atgttttctt tgagaagtga 2340

ttactttata tatttgtagt atactatagt agttgcattg agaagaaatt ggtttgttta

taagcctatg gaaaatggca aatcaatttt ctgctcaaag catcgtttat taagttttcc

ttaaagtgtt aaggaacttt taattgtttt tgtaatagaa tttcatttgt ttgccacaac 2520

tttgggtgca aatatcacat gatacatgtg gtgtttgatg taaatggtgt tttttcaata

tgttaccact gcttaatcga attc 2664

<210> 334

<211> 712

<212> PRT <213> Trifolium repens

<400> 334

Met Glu Gly Ile Thr Asn Gly His Ala Glu Thr Thr Phe Cys Val Thr 1 5 10 15

Lys Ser Val Gly Asp Pro Leu Asn Trp Gly Ala Ala Ala Glu Ser Leu 20 25 30

Thr Gly Ser His Leu Asp Glu Val Lys Arg Met Val Glu Glu Tyr Arg 35 40 45

Asn Pro Leu Ala Lys Ile Gly Gly Glu Thr Leu Thr Ile Ala Gln Val 50 60

Ala Gly Ile Ala Ser His Asp Ser Gly Val Arg Val Glu Leu Ser Glu 65 70 75 80

Ser Ala Arg Ala Gly Val Lys Ala Ser Ser Asp Trp Val Met Asp Ser 85 90 95

Met Asn Asn Gly Thr Asp Ser Tyr Gly Val Thr Thr Gly Phe Gly Ala

Thr Ser His Arg Arg Thr Lys Gln Gly Gly Ala Leu Gln Lys Glu Leu 115 120 125

Ile Arg Phe Leu Asn Ala Gly Ile Phe Gly Asn Gly Thr Glu Ser Asn 130 135

Cys Thr Leu Pro His Thr Ala Thr Arg Ala Ala Met Leu Val Arg Ile

WO 03/031622 PCT/AU02/01345

WO 0	3/031	622												PC	T/AU02/0
							3	86/39	0						
145					150					155					160
Asn	Thr	Leu	Leu	Gln 165	Gly	Tyr	Ser	Gly	Ile 170	Arg	Phe	Glu	Ile	Leu 175	Glu
Ala	Ile	Thr	Lys 180	Leu	Pro	Asn	Asn	Asn 185	Ile	Thr	Pro	Cys	Leu 190	Pro	Leu
Arg	Gly	Thr 195	Ile	Thr	Ala	Ser	Gly 200	Asp	Leu	Val	Pro	Leu 205	Ser	Tyr	Ile
Ala	Gly 210	Leu	Leu	Thr	Glу	Arg 215	Pro	Asn	Ser	Lys	Ala 220	Val	Gly	Pro	Ser
Gly 225	Glu	Ile	Leu	Ser	Ala 230	Lys	Glu	Ala	Phe	Gln 235	Leu	Ala	Gly	Ile	Gly 240
Ser	Glu	Phe	Phe	Glu 245	Leu	Gln	Pro	Lys	Glu 250	Gly	Leu	Ala	Leu	Val 255	Asn
Gly	Thr	Ala	Val 260		Ser	Gly	Leu	Ala 265	Ser	Ile	Val	Leu	Phe 270	Glu	Ala
Asn	Val	Leu 275		Val	Leu	Ser	Glu 280	Val	Met	Ser	Ala	Ile 285	Phe	Ala	Glu
Val	Met 290		Gly	Lys	Pro	Glu 295	Phe	Thr	Asp	His	Leu 300	Thr	His	Lys	Leu
Lys 305		His	Pro	Gly	Gln 310	Ile	Glu	Ala	Ala	Ala 315	Ile	Met	Glu	His	Ile 320
Leu	Asp	Gly	Sex	Ala 325		Val	Lys	Ala	Ala 330		Lys	Leu	His	Glu 335	Thr
Asp	Pro	Lev	340	Lys	Pro	Lys	Gln	Asp 345	Arg	y Tyr	Ala	Leu	Arg 350	Thr	Ser
Pro	Glr	Trg 355		ı Gly	Pro	Leu	Ile 360		ı Val	l Ile	Arg	Phe 365	Sex	Thr	Lys
Sei	: Ile		ı Arç	g Glu	ı Ile	Asn 375	Ser	Val	. Ası	n Asp	Asr 380	n Pro	Leu	ılle	Asp
Val		r Arg	g Ası	ı Lys	390		His	Gly	r Gly	y Asr 395	n Phe	e Glr	Gly	Thi	Pro 400

Ile Gly Val Ser Met Asp Asn Thr Arg Leu Ala Leu Ala Ser Ile Gly  $405 \hspace{1.5cm} 405 \hspace{1.5cm} 410 \hspace{1.5cm} 410$ 

Lys Leu Met Phe Ala Gln Phe Ser Glu Leu Val Asn Asp Phe Tyr Asn 420 Asn Gly Leu Pro Ser Tyr Leu Thr Ala Ser Arg Asn Pro Ser Leu Asp 440 Tyr Gly Phe Lys Gly Ser Glu Ile Ala Met Ala Ser Tyr Cys Ser Glu 455 Leu Gln Tyr Leu Ala Asn Pro Val Thr Thr His Val Gln Ser Ala Glu 480 470 Gln His Asn Gln Asp Val Asn Ser Leu Gly Leu Ile Ser Ser Arg Lys 485 490 Thr Asn Glu Ala Ile Glu Ile Leu Lys Leu Met Ser Ser Thr Phe Leu 505 500 Ile Ala Leu Cys Gln Ala Ile Asp Leu Arg His Leu Glu Glu Asn Leu 515 Arg Asn Thr Val Lys Asn Thr Val Ser Gln Val Ala Lys Arg Thr Leu 530 Thr Thr Gly Val Asn Gly Glu Leu His Ser Ser Arg Phe Cys Glu Lys 555 Asp Leu Leu Lys Val Val Asp Arg Glu Tyr Val Phe Ala Tyr Ala Asp 570 Asp Pro Cys Leu Ala Thr Tyr Pro Leu Met Gln Lys Leu Arg Gln Val Leu Val Asp His Ala Leu Val Asn Val Asp Gly Glu Lys Asn Leu Asn Thr Ser Ile Phe Gln Lys Ile Ala Thr Phe Glu Asp Glu Leu Lys Ala 615 620 Ile Leu Pro Lys Glu Val Glu Ser Thr Arg Thr Ala Tyr Glu Asn Gly 630 625 Gln Cys Gly Ile Ser Asn Lys Ile Lys Glu Cys Arg Ser Tyr Pro Leu 645

Tyr Lys Phe Val Arg Glu Glu Leu Gly Thr Ala Leu Leu Thr Gly Glu 660 665 670

Lys Thr Ile Ser Pro Gly Glu Glu Cys Asp Lys Leu Phe Thr Ala Met

675 680 685

Cys Gln Gly Lys Ile Val Asp Pro Leu Met Glu Cys Leu Gly Glu Trp

Asn Gly Ala Pro Leu Pro Ile Cys

<210> 335

<211> 1296

<212> DNA

<213> Trifolium repens

<400> 335

gaattcgatt aagcagtggt aacaacgcag agtacgcggg atagtagtag ttgagaaaaa 60

atacacaaat aaagtaaaca ctatcataga aagagagtca aaaatggctg aaggaaaagg 120

aagggtttgt gttactggag gaacaggttt tettggttea tggateatea agagtettet

tgaaaatgga tactotgtta ataccactat tagagetgat ccagaacgta agagggatgt  $240\,$ 

aagetteeta acaaatetae eeggegeate egaaaggeta catttettea aegeegatet 300

agacgaccca gagagtttca acgaagcaat tgaaggttgt gtcgggatat tccacaccgc 360

ttcaccaatc gatttcgccg tgagtgagcc agaagaaata gtgacaaaaa gaacagtgga 420

tggagcatta ggaattttaa aagcatgtgt gaattcaaag acagtgaaga gatttattta

cacticaagt ggttctgctg tttcattcaa tggaaaaaac aaagatgttt tggatgagag 540

tgattggagt gatgttgatt tgcttagaag tgttaaacca tttggttgga gttatggtgt  $600\,$ 

ttcaaagact ttggctgaga aagcagtgct tgaatttggt caacaaaatg ggattgatgt

tgttactttg attetteett ttattgttgg aagttttgtt tgteetaage tteetgatte

tgttgagaaa gctcttgttt tggtactagg caaaaaggaa caaattggta ttataagttt 780

ccacatggta catgtggatg atgtggctag agcacatatt tatctacttg agaatcctgt 840

tccaggaggt agatataatt gttcaccatt ctttgtatct attgaagaaa tgtcacaact

tettteagee aaatateeag aatateaaat actateagta gatgagttga aggaaateaa 960

aggtgcaagg ttgccagatt tgaactcgaa aaagctcgtg gacgctggtt ttgagtttaa

389/390

1020

gtatagtgtc ggtgatatgt tcgatgatgc gattcaatgc tgcaaggaaa aaggctatct 1080

ctaagtatgt gtttgaaaaa aattccatga agctgagaaa acaataatat gcctaaaatc 1140

aatgatggct aatgaaatgt acaagtttat gcataaagtt atttgtgatg aatcaaataa

tgaaataatc ggttcatttt tccgaaaaaa aaaaaaaaa aaaaaaaaa aaaaagtact 1260

ctgcgttgtt accactgctt aatcactagt gaattc

<210> 336

<211> 326 <212> PRT

<213> Trifolium repens

<400> 336

Met Ala Glu Gly Lys Gly Arg Val Cys Val Thr Gly Gly Thr Gly Phe 1 5 10 15

Leu Gly Ser Trp Ile Ile Lys Ser Leu Leu Glu Asn Gly Tyr Ser Val

Asn Thr Thr Ile Arg Ala Asp Pro Glu Arg Lys Arg Asp Val Ser Phe 35 40 45

Leu Thr Asn Leu Pro Gly Ala Ser Glu Arg Leu His Phe Phe Asn Ala 50 60

Asp Leu Asp Asp Pro Glu Ser Phe Asn Glu Ala Ile Glu Gly Cys Val 65 70 75 80

Gly Ile Phe His Thr Ala Ser Pro Ile Asp Phe Ala Val Ser Glu Pro 85 90 95

Glu Glu Ile Val Thr Lys Arg Thr Val Asp Gly Ala Leu Gly Ile Leu 100 105 110

Lys Ala Cys Val Asn Ser Lys Thr Val Lys Arg Phe Ile Tyr Thr Ser 115 \$120\$

Ser Gly Ser Ala Val Ser Phe Asn Gly Lys Asn Lys Asp Val Leu Asp 130 135 140

Glu Ser Asp Trp Ser Asp Val Asp Leu Leu Arg Ser Val Lys Pro Phe 145 150 155 160

Gly Trp Ser Tyr Gly Val Ser Lys Thr Leu Ala Glu Lys Ala Val Leu

390/390 165 170 175

Glu Phe Gly Gln Gln Asn Gly Ile Asp Val Val Thr Leu Ile Leu Pro  $180\,$ 

Phe Ile Val Gly Ser Phe Val Cys Pro Lys Leu Pro Asp Ser Val Glu 195 200 205

Lys Ala Leu Val Leu Val Leu Gly Lys Lys Glu Gln Ile Gly Ile Ile 210  $\phantom{\bigg|}215$ 

Ser Phe His Met Val His Val Asp Asp Val Ala Arg Ala His Ile Tyr 225 230 235 240

Phe Val Ser Ile Glu Glu Met Ser Gln Leu Leu Ser Ala Lys Tyr Pro 260 265 270

Glu Tyr Gln Ile Leu Ser Val Asp Glu Leu Lys Glu Ile Lys Gly Ala 275 280 285

Arg Leu Pro Asp Leu Asn Ser Lys Lys Leu Val Asp Ala Gly Phe Glu 290 295 300

Phe Lys Tyr Ser Val Gly Asp Met Phe Asp Asp Ala Ile Gln Cys Cys 305  $\phantom{\bigg|}310\phantom{\bigg|}315\phantom{\bigg|}315\phantom{\bigg|}$ 

Lys Glu Lys Gly Tyr Leu

International application No. PCT/AU02/01345

#### CLASSIFICATION OF SUBJECT MATTER

Int. Cl. 7: C12N 15/29, 15/52, 15/53, 15/55, 15/60, 15/61; A01H 5/00

According to International Patent Classification (IPC) or to both national classification and IPC

#### FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

SEE ELECTRONIC DATABASE BOX BELOW

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SEE ELECTRONIC DATABASE BOX BELOW

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

PEPTIDE DATABASES (SWISSPROT, GENBANK, EMBL, PIR) DGENE: SEQ ID NOS

2.9,14,18,24,65,70,79,92,96,109,111,118,136,148,154,156,160,162,164,169,186,195,197,203,246,248,250,279,287,29 4.299.304.308.310.312.314.318.320.322.324.326.328.334

#### DOCUMENTS CONSIDERED TO BE RELEVANT C.

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
	WO 02 18604 A (THE SALK INSTITUTE FOR BIOLOGICAL STUDIES) 7 March 2002	
PX	Fig 1D shares ~92% identity with SEQ ID NOS 2, 9, 14, 308	1-3, 13-19, 25, 27
	US 6 054 636 A (FADER GM) 25 April 2000	
X	Fig 2 shares ~81% identity with SEQ ID NOS 2, 9, 14, 308	1-3, 13-27

#### Further documents are listed in the continuation of Box C X See patent family annex

Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular

relevance

28 November 2002

- earlier application or patent but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use,
- exhibition or other means
- document published prior to the international filing date but later than the priority date claimed Date of the actual completion of the international search

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be

considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be

considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of mailing of the international search report 0.5 DEC 2002

Name and mailing address of the ISA/AU AUSTRALIAN PATENT OFFICE

PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaustralia.gov.au Facsimile No. (02) 6285 3929

Authorized officer TERRY MOORE

Telephone No: (02) 6283 2632

C (Continua	tion). DOCUMENTS CONSIDERED TO BE RELEVANT	
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
х	WO 99 36543 A (PIONEER HI-BRED INTERNATIONAL, INC.) 22 July 1999 SEQ ID NO 2 shares ~81% identity with SEQ ID NOS 2, 9, 14, 308	1-3, 13-17, 21, 22, 24-27
х	Genbank Ace No AAB41524 chalcone isomerase (Medicago sativa) 29 January 1997 (See also Medline Abstract 8193301) 92% identity with SEQ ID NOS 18, 310	1-3, 13-18, 24-27
х	Genbank Acc No CAA74847 anther-specific protein (Nicotiana sylvestris) (See also Medline Abstract 99084767) 83% identity with SEQ ID NOS 96, 322 and 67% identity with SEQ ID NOS 318, 70	1, 2, 4, 13-18, 24-26, 28
x	Genbank Acc No CAC14061 chalcone synthase ( <i>Ruta graveolens</i> ) 27 October 2000 ~87% identity with SEQ ID NOS 24, 65, 79, 92, 102, 107, 314, 316, 320, 324	1, 2, 4, 13-18, 24-26, 28
х	Genbank Acc No AAB41556 chalcone reductase (Medicago sativa) 30 January 1997 ~95% identity with SEQ ID NOS 109, 118, 312	1, 2, 5, 13-18, 20, 24-26, 29
х	Genbank Acc No CAA11226 chalcone reductase (Sesbania rostrata) 3 July 2001 90% identity with SEQ ID NO 111	1, 2, 5, 13-18, 24-26, 29
Х	Genbank Acc No AAK52955 dihydro-flavonoid reductase-like protein (Zea mays) 14 May 2001 69% identity with SEQ ID NOS 287, 160 and 53% identity with SEQ ID NO 148	1, 2, 6, 13-18,
PX	WO 02 063021 A (PIONEER HI-BRED INTERNATIONAL, INC.) 15 August 2002 SEQ ID NO 1 shares 74% identity with SEQ ID NOS 148, 160, 287	24-26, 30 1, 2, 6, 13-18, 24-26, 30
Х	Genbank Acc No AAD54273 dihydroflavonol-4-reducatse DFR1 (Glycine max) 10 September 1999 81 % identity with SEQ ID NO 169	1, 2, 6, 13-18, 24-26, 30
х	WO 95 27790 A (CENTRE NATIONAL DE LA RECHERCHE SCIENTIFIQUE) 19 October 1995 SEQ ID NO 1 shares 43% identity with SEQ ID NOS 136, 156, 326, 39% identity with SEQ ID NO 154 and 51% identity with SEQ ID NO 294.	1, 2, 6, 13-18, 24-26, 30
PX	WO 02 10210 A (BAYER AKTIENGESELLSCHAFT) 7 February 2002 SEQ ID NO 2329 shares 51% identity with SEQ ID NO 164, SEQ ID NO 636 shares 62% identity with SEQ ID NO 186, SEQ ID NO 1573 shares 49% identity with SEQ ID NOS 246, 248, SEQ ID NO 2091 shares 57% identity with SEQ ID NOS 304, 299	1, 2, 7, 9, 13- 17, 24-26, 31, 32
х	WO 99 14351 (E.I. DU PONT DE NEMOURS AND COMPANY) 25 March 1999 SEQ ID NO 1 shares 56% identity with SEQ ID NO 162	1, 2, 6, 13-17, 21, 22, 24-26, 30

International application No.
PCT/AU02/01345

C (Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT					
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.			
PX	WO 02 26994 A (AGRICULTURE VICTORIA SERVICES PTY LTD) 4 April 2002 Fig 39 shares 72% identity with SEQ ID NO 294	1, 2, 6, 13-18, 21, 22, 24-26, 30			
х	WO 97 12982 A (CENTRE NATIONAL DE LA RECHERCHE SCEINTIFIQUE) 10 April 1997 SEQ ID NO 5 shares 55% identity with SEQ ID NO 294	1, 2, 6, 13-17, 24-26, 30			
х	Genbank Aco No CAA80265 flavonoid 3',5'-hydroxylase ( <i>Petunia x hybrida</i> ) 7 December 1993 70% identity with SEQ ID NO 197	1, 2, 8, 13-18, 24-26, 32			
х	EP 1 033 405 (CERES INCORPORATED) 6 September 2000 SEQ ID NO 49742 shares 57% identity with SEQ ID NO 195	1, 2, 8, 13-18, 24-26, 32			
x	Genbank Aco No AAF23859 DFR-like protein (Arabidopsis thaliana) 11 January 2000 61% identity with SEQ ID NO 186	1, 2, 7, 13-18, 24-26, 31			
x	Genbank Aco No BAB01697 oxidase-like protein ( <i>Arabidopsis thaliana</i> ) 27 December 2000 50% identity with SEQ ID NOS 246, 248	1, 2, 9, 13-18, 24-26, 33			
x	TREMBL Acc No CAB63776 F3H1 protein (Glycine max) 1 May 2000 85% identity with SEQ ID NO 328, 203	1, 2, 9, 13-18, 24-26, 33			
х	Genbank Aco No CAB78172 flavanone 3-beta-hydroxylase (Arabidopsis thaliana) 16 March 2000 57% identity with SEQ ID NOS 304, 299	1, 2, 9, 13-17, 24-26, 33			
x	Genbank Acc No AAG49298 Flavonoid 3'-hydroxylase (Callistephus chinensis) 16 January 2001 68% identity with SEQ ID NO 250	1, 2, 10, 13- 18, 20, 24-26, 34			
x	Genbank Aco No AAA99500 Phenylalanine ammonia lyase (Stylosanthes humilis) 15 May 1996 88% identity with SEQ ID NOS 254, 259, 269, 271, 273, 275, 330, 332, 334	1, 2, 11, 13- 18, 24-26, 35			
х	Genbank Acc No CAA41169 phenylalanine ammonia lyase (Medicago sativa) 5 May 1995 87% identity with SEQ ID NOS 254, 259, 269, 271, 273, 275, 330, 332, 334	1, 2, 11, 13- 18, 24-26, 35			
х	Genbank Acc No AAB41550 vestitone reductase (Medicago sativa) 30 January 1997 (See also Medline abstract 7625843) 95% identity with SEQ ID NOS 336, 279	1, 2, 12-18, 21, 22, 24-26, 36			

International application No.
PCT/AU02/01345

Box I Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)
This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons;
1. Claims Nos:
because they relate to subject matter not required to be searched by this Authority, namely:
Claims Nos:      because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. Claims Nos:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule
6.4(a)
Box II Observations where unity of invention is lacking (Continuation of item 3 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
See supplemental Box
As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims     As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:  No required additional search fees were timely paid by the applicant. Consequently, this international search report
is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:  Remurk on Protest
No protest accompanied the payment of additional search fees.

International application No.

PCT/AU02/01345

#### Supplemental Box 1

(To be used when the space in any of Boxes I to VIII is not sufficient)

# Continuation of Box No: II (lack of unity)

The international application does not comply with the requirements of unity of invention because it does not relate to one invention or to a group of inventions so linked as to form a single general inventive concept. The fundamental test for unity of invention is specified in Rule 13.2 of the Regulations under the PCT.

"Where a group of inventions is claimed in one and the same international application, the requirement of unity of invention referred to in Rule 13.1 shall be fulfilled only where there is a technical relationship among those inventions involving one or more of the same or corresponding special technical features. The expression "special technical feature" shall mean those technical features that define a contribution which each of the claimed inventions, considered as a whole, make over the prior art."

The problem addressed by the application is the modification of flavonoid biosynthesis (see page 2, line 29-page 3, line 7). The solution provided by the claims resides in the use of 56 specific polypeptides from clover, medic, ryegrass or fescue species (claim 25) and the nucleic acids or fragments coding for these polypeptides (claim 1). These 56 specific polypeptides fall within the following ten groups:

1.	Chalcone isomeras (CHI)	(SEQ IDS 2,9,14,18,308,310)
2.	Chalcone synthase (CHS)	(SEQ IDS 24,65,70,79,92,96,102,107,314,316,318,322,324)
3.	Chalcone reductase (CHR)	(SEQ IDS 109,111,118,312)
4.	Dihydroflavonol 4-reductase (DFR)	(SEQ IDS 136,148,154,156,160,162,164,169,287,294,326)
5.	Leucoanthocyanidin reductase (LCR)	(SEQ ID 186)
_	The Colour Colours	(PEO TDC 105 107)

Flavonoid 3'.5' hydrolase (F3'5'H) (SEQ IDS 195,197)

(SEQ IDS 203,246,248.299.304.328) Flavanone 3-hydrolase (F3H) 7.

8. Flavonoid 3'-hydroxylase (F3'H) (SEO ID 250)

Phenyalanine ammonia-olyase (PAL) (SEQ IDS 254,259,269,271,273,275,330,332,334) Q (SEQ IDS 279,336)

Vestitone reductase (VR) 10.

The application acknowledges that representatives of these enzyme species, and the nucleotides that encode them, are known and have been isolated from other plant species (see page 2 lines 29-31). This is supported by the following documents, which disclose the isolation and characterisation of a number of these enzymes from a range of species, including clover and medic and rye.

Secale cereale chalcone synthase (CHS) (5 March 1999) EMBL CAA63306

GENBANK AAA17993 Trifolium subterraneum phenylalanine ammonia-lyase (PAL) (10 May 1994)

Medicago sativa vestitone reductase (VS) (12 November 1999) PIR \$66262 Medicago sativa dihydroflavanol 4-reductase (DHR) (1 October 1996) SWISSPROT P51109

SWISSPROT P51088 Trifolium subterraneum chalcone synthase (CHS) (15 July 1999)

PTR S44371 Medicago sativa chalcone isomerase (CHI) (16 July 1999)

Medline Abstract 11164576 altered pigmentation using CHS and DFR altered plant stress response using CHS and PAL Medline Abstract 7981963

These documents disclose not only flavonoid biosynthesis enzymes in a range of plant species they also disclose manipulation of these sequences to modify features such as pigmentation and stress responses. Thus features such as the 10 listed enzyme families, the isolation of representative of these families from a range of plant species and modification of flavonoid pathway enzymes are known. Furthermore, the enzymes isolated from the 4 specific species: clover, medic, ryegrass and fescue, do not appear to contribute any advantage or produce any unexpected result in comparison to known members of the same families isolated from other species. Thus these features are known or are obvious and cannot be regarded as "special technical features" conferring unity on the separate inventions

International application No.

PCT/AU02/01345

# Supplemental Box 1

(To be used when the space in any of Boxes I to VIII is not sufficient)

### Continuation of Box No: II (lack of unity)

In the absence of an obvious special technical feature, it is appropriate to use the Markush approach.

Claims 1 and 26 are written as claims directed to alternatives, in a so-called Markush style of drafting. The application of the test for Markush claims gives the following result:

- (A) the common property is modification of the flavonoid biosynthesis pathway.
- (B) (1) no common structure is evident as the structures of the polypeptides are not revealed
  (B) (2) there is no single recognised class of compounds embracing all the polypeptides, as the polypeptides belong to different classes ie CHI, CHS, CHR, DFR, LCR F3'5'H, F3H, F3'H, PAL, VR, each carrying out different biological functions.

As a service to the Applicant, multiple inventions, as specified by the Applicant, were searched for a single search fee with the proviso that the total number of amino acid sequences associated with the combination of inventions was no greater than 10. This offer was independent of unity consideration and was provided solely as a service to the Applicant. For five additional search fees all the inventions, totalling 56 sequences were searched.

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Pater	t Document Cited in Search Report		Patent Family Member				
US	6 054 636	AU	94934/98	EP	1 015 614	wo	99 14351
wo	99 36543	AU	22321/99	EP	1 045 909		
WO	99 14351	AU	94934/98				
wo	97 12892	EP	0 853 672	FR	2739395		
							END OF ANNI